

Fi-John Chang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3188057/publications.pdf>

Version: 2024-02-01

136
papers

7,314
citations

43973

48
h-index

62479

80
g-index

136
all docs

136
docs citations

136
times ranked

5283
citing authors

#	ARTICLE	IF	CITATIONS
1	A hybrid of response surface methodology and artificial neural network in optimization of culture conditions of mycelia growth of <i>Antrodia cinnamomea</i> . <i>Biomass and Bioenergy</i> , 2022, 158, 106349.	2.9	6
2	Real-time image-based air quality estimation by deep learning neural networks. <i>Journal of Environmental Management</i> , 2022, 307, 114560.	3.8	14
3	Deep neural networks for spatiotemporal PM2.5 forecasts based on atmospheric chemical transport model output and monitoring data. <i>Environmental Pollution</i> , 2022, 306, 119348.	3.7	24
4	Optimal dispatching scheme of multi-objective cascade reservoirs by parallel mechanism-optimization algorithms. <i>Journal of Hydrology</i> , 2022, 612, 128050.	2.3	1
5	Spatial-temporal flood inundation nowcasts by fusing machine learning methods and principal component analysis. <i>Journal of Hydrology</i> , 2022, 612, 128086.	2.3	29
6	Explore training self-organizing map methods for clustering high-dimensional flood inundation maps. <i>Journal of Hydrology</i> , 2021, 595, 125655.	2.3	14
7	Explore Regional PM2.5 Features and Compositions Causing Health Effects in Taiwan. <i>Environmental Management</i> , 2021, 67, 176-191.	1.2	37
8	Interactive urban building energy modelling with functional mockup interface of a local residential building stock. <i>Journal of Cleaner Production</i> , 2021, 289, 125683.	4.6	16
9	Fusing stacked autoencoder and long short-term memory for regional multistep-ahead flood inundation forecasts. <i>Journal of Hydrology</i> , 2021, 598, 126371.	2.3	46
10	Prospects for Rooftop Farming System Dynamics: An Action to Stimulate Water-Energy-Food Nexus Synergies toward Green Cities of Tomorrow. <i>Sustainability</i> , 2021, 13, 9042.	1.6	11
11	Using a Self-Organizing Map to Explore Local Weather Features for Smart Urban Agriculture in Northern Taiwan. <i>Water (Switzerland)</i> , 2021, 13, 3457.	1.2	4
12	Stimulate hydropower output of mega cascade reservoirs using an improved Kidney Algorithm. <i>Journal of Cleaner Production</i> , 2020, 244, 118613.	4.6	7
13	Explore a Multivariate Bayesian Uncertainty Processor driven by artificial neural networks for probabilistic PM2.5 forecasting. <i>Science of the Total Environment</i> , 2020, 711, 134792.	3.9	26
14	Advances in Hydrologic Forecasts and Water Resources Management. <i>Water (Switzerland)</i> , 2020, 12, 1819.	1.2	23
15	Efficient Urban Inundation Model for Live Flood Forecasting with Cellular Automata and Motion Cost Fields. <i>Water (Switzerland)</i> , 2020, 12, 1997.	1.2	8
16	Explore spatio-temporal PM2.5 features in northern Taiwan using machine learning techniques. <i>Science of the Total Environment</i> , 2020, 736, 139656.	3.9	59
17	An advanced complementary scheme of floating photovoltaic and hydropower generation flourishing water-food-energy nexus synergies. <i>Applied Energy</i> , 2020, 275, 115389.	5.1	50
18	Uncertainty Analysis of Spatiotemporal Models with Point Estimate Methods (PEMs) – The Case of the ANUGA Hydrodynamic Model. <i>Water (Switzerland)</i> , 2020, 12, 229.	1.2	3

#	ARTICLE	IF	CITATIONS
19	Improving the Reliability of Probabilistic Multi-Step-Ahead Flood Forecasting by Fusing Unscented Kalman Filter with Recurrent Neural Network. <i>Water (Switzerland)</i> , 2020, 12, 578.	1.2	32
20	Explore the relationship between fish community and environmental factors by machine learning techniques. <i>Environmental Research</i> , 2020, 184, 109262.	3.7	19
21	Exploring a Long Short-Term Memory based Encoder-Decoder framework for multi-step-ahead flood forecasting. <i>Journal of Hydrology</i> , 2020, 583, 124631.	2.3	202
22	Seamless integration of convolutional and back-propagation neural networks for regional multi-step-ahead PM2.5 forecasting. <i>Journal of Cleaner Production</i> , 2020, 261, 121285.	4.6	65
23	Exploring Copula-based Bayesian Model Averaging with multiple ANNs for PM2.5 ensemble forecasts. <i>Journal of Cleaner Production</i> , 2020, 263, 121528.	4.6	27
24	Self-organizing maps of typhoon tracks allow for flood forecasts up to two days in advance. <i>Nature Communications</i> , 2020, 11, 1983.	5.8	40
25	Optimize multi-objective transformation rules of water-sediment regulation for cascade reservoirs in the Upper Yellow River of China. <i>Journal of Hydrology</i> , 2019, 577, 123987.	2.3	37
26	Modeling and Investigating the Mechanisms of Groundwater Level Variation in the Jhuoshui River Basin of Central Taiwan. <i>Water (Switzerland)</i> , 2019, 11, 1554.	1.2	7
27	Emergency Disposal Solution for Control of a Giant Landslide and Dammed Lake in Yangtze River, China. <i>Water (Switzerland)</i> , 2019, 11, 1939.	1.2	1
28	Prospect for small-hydropower installation settled upon optimal water allocation: An action to stimulate synergies of water-food-energy nexus. <i>Applied Energy</i> , 2019, 238, 668-682.	5.1	53
29	Mathematical modeling suggests high potential for the deployment of floating photovoltaic on fish ponds. <i>Science of the Total Environment</i> , 2019, 687, 654-666.	3.9	51
30	AI-based design of urban stormwater detention facilities accounting for carryover storage. <i>Journal of Hydrology</i> , 2019, 575, 1111-1122.	2.3	16
31	Building an Intelligent Hydroinformatics Integration Platform for Regional Flood Inundation Warning Systems. <i>Water (Switzerland)</i> , 2019, 11, 9.	1.2	54
32	Multi-output support vector machine for regional multi-step-ahead PM2.5 forecasting. <i>Science of the Total Environment</i> , 2019, 651, 230-240.	3.9	113
33	Explore an evolutionary recurrent ANFIS for modelling multi-step-ahead flood forecasts. <i>Journal of Hydrology</i> , 2019, 570, 343-355.	2.3	111
34	Drought mitigation under urbanization through an intelligent water allocation system. <i>Agricultural Water Management</i> , 2019, 213, 87-96.	2.4	13
35	Explore a deep learning multi-output neural network for regional multi-step-ahead air quality forecasts. <i>Journal of Cleaner Production</i> , 2019, 209, 134-145.	4.6	192
36	Evaluation of the BMA probabilistic inflow forecasts using TIGGE numeric precipitation predictions based on artificial neural network. <i>Hydrology Research</i> , 2018, 49, 1417-1433.	1.1	11

#	ARTICLE	IF	CITATIONS
37	Exploring synergistic benefits of Water-Food-Energy Nexus through multi-objective reservoir optimization schemes. <i>Science of the Total Environment</i> , 2018, 633, 341-351.	3.9	87
38	Exploring the spatio-temporal interrelation between groundwater and surface water by using the self-organizing maps. <i>Journal of Hydrology</i> , 2018, 556, 131-142.	2.3	55
39	Methodology that improves water utilization and hydropower generation without increasing flood risk in mega cascade reservoirs. <i>Energy</i> , 2018, 143, 785-796.	4.5	77
40	Building ANN-Based Regional Multi-Step-Ahead Flood Inundation Forecast Models. <i>Water (Switzerland)</i> , 2018, 10, 1283.	1.2	77
41	HESS Opinions: Incubating deep-learning-powered hydrologic science advances as a community. <i>Hydrology and Earth System Sciences</i> , 2018, 22, 5639-5656.	1.9	169
42	Signals of stream fish homogenization revealed by AI-based clusters. <i>Scientific Reports</i> , 2018, 8, 15960.	1.6	10
43	Identification of flood seasonality using an entropy-based method. <i>Stochastic Environmental Research and Risk Assessment</i> , 2018, 32, 3021-3035.	1.9	11
44	Boosting hydropower output of mega cascade reservoirs using an evolutionary algorithm with successive approximation. <i>Applied Energy</i> , 2018, 228, 1726-1739.	5.1	35
45	Conservation of groundwater from over-exploitation—Scientific analyses for groundwater resources management. <i>Science of the Total Environment</i> , 2017, 598, 828-838.	3.9	43
46	Fusing feasible search space into PSO for multi-objective cascade reservoir optimization. <i>Applied Soft Computing Journal</i> , 2017, 51, 328-340.	4.1	55
47	Bivariate Seasonal Design Flood Estimation Based on Copulas. <i>Journal of Hydrologic Engineering - ASCE</i> , 2017, 22, .	0.8	13
48	Systematic impact assessment on inter-basin water transfer projects of the Hanjiang River Basin in China. <i>Journal of Hydrology</i> , 2017, 553, 584-595.	2.3	64
49	A data-mining framework for exploring the multi-relation between fish species and water quality through self-organizing map. <i>Science of the Total Environment</i> , 2017, 579, 474-483.	3.9	71
50	Estimating spatio-temporal dynamics of stream total phosphate concentration by soft computing techniques. <i>Science of the Total Environment</i> , 2016, 562, 228-236.	3.9	21
51	Assessing the natural and anthropogenic influences on basin-wide fish species richness. <i>Science of the Total Environment</i> , 2016, 572, 825-836.	3.9	22
52	Prediction of monthly regional groundwater levels through hybrid soft-computing techniques. <i>Journal of Hydrology</i> , 2016, 541, 965-976.	2.3	103
53	Exploring the Mechanism of Surface and Ground Water through Data-Driven Techniques with Sensitivity Analysis for Water Resources Management. <i>Water Resources Management</i> , 2016, 30, 4789-4806.	1.9	13
54	A nonlinear spatio-temporal lumping of radar rainfall for modeling multi-step-ahead inflow forecasts by data-driven techniques. <i>Journal of Hydrology</i> , 2016, 535, 256-269.	2.3	82

#	ARTICLE	IF	CITATIONS
55	Modelling Intelligent Water Resources Allocation for Multi-users. <i>Water Resources Management</i> , 2016, 30, 1395-1413.	1.9	41
56	Exploring the ecological response of fish to flow regime by soft computing techniques. <i>Ecological Engineering</i> , 2016, 87, 9-19.	1.6	13
57	Modeling water quality in an urban river using hydrological factors – Data driven approaches. <i>Journal of Environmental Management</i> , 2015, 151, 87-96.	3.8	103
58	Synergistic gains from the multi-objective optimal operation of cascade reservoirs in the Upper Yellow River basin. <i>Journal of Hydrology</i> , 2015, 523, 758-767.	2.3	104
59	AI techniques for optimizing multi-objective reservoir operation upon human and riverine ecosystem demands. <i>Journal of Hydrology</i> , 2015, 530, 634-644.	2.3	70
60	Adaptive neuro-fuzzy inference system for the prediction of monthly shoreline changes in northeastern Taiwan. <i>Ocean Engineering</i> , 2014, 84, 145-156.	1.9	16
61	Investigating the interactive mechanisms between surface water and groundwater over the Jhuoshuei river basin in central Taiwan. <i>Paddy and Water Environment</i> , 2014, 12, 365-377.	1.0	10
62	Real-time multi-step-ahead water level forecasting by recurrent neural networks for urban flood control. <i>Journal of Hydrology</i> , 2014, 517, 836-846.	2.3	186
63	Assessment of arsenic concentration in stream water using neuro fuzzy networks with factor analysis. <i>Science of the Total Environment</i> , 2014, 494-495, 202-210.	3.9	19
64	Regional flood inundation nowcast using hybrid SOM and dynamic neural networks. <i>Journal of Hydrology</i> , 2014, 519, 476-489.	2.3	85
65	Improvement of the agricultural effective rainfall for irrigating rice using the optimal clustering model of rainfall station network. <i>Paddy and Water Environment</i> , 2014, 12, 393-406.	1.0	4
66	Watershed rainfall forecasting using neuro-fuzzy networks with the assimilation of multi-sensor information. <i>Journal of Hydrology</i> , 2014, 508, 374-384.	2.3	60
67	Including spatial distribution in a data-driven rainfall-runoff model to improve reservoir inflow forecasting in Taiwan. <i>Hydrological Processes</i> , 2014, 28, 1055-1070.	1.1	35
68	A refined automated grain sizing method for estimating river-bed grain size distribution of digital images. <i>Journal of Hydrology</i> , 2013, 486, 224-233.	2.3	16
69	Hydrochemical, mineralogical and isotopic investigation of arsenic distribution and mobilization in the Guandu wetland of Taiwan. <i>Journal of Hydrology</i> , 2013, 498, 274-286.	2.3	25
70	Self-organizing radial basis neural network for predicting typhoon-induced losses to rice. <i>Paddy and Water Environment</i> , 2013, 11, 369-380.	1.0	4
71	A systematical water allocation scheme for drought mitigation. <i>Journal of Hydrology</i> , 2013, 507, 124-133.	2.3	35
72	Reinforced recurrent neural networks for multi-step-ahead flood forecasts. <i>Journal of Hydrology</i> , 2013, 497, 71-79.	2.3	106

#	ARTICLE	IF	CITATIONS
73	Regional estimation of groundwater arsenic concentrations through systematical dynamic-neural modeling. <i>Journal of Hydrology</i> , 2013, 499, 265-274.	2.3	35
74	A self-organizing radial basis network for estimating riverine fish diversity. <i>Journal of Hydrology</i> , 2013, 476, 280-289.	2.3	31
75	Dynamic factor analysis and artificial neural network for estimating pan evaporation at multiple stations in northern Taiwan. <i>Hydrological Sciences Journal</i> , 2013, 58, 813-825.	1.2	14
76	Editorial comments on the special issue of PAWEES 2011 International Conference. <i>Paddy and Water Environment</i> , 2012, 10, 163-164.	1.0	0
77	A hybrid artificial neural network-based agri-economic model for predicting typhoon-induced losses. <i>Natural Hazards</i> , 2012, 63, 769-787.	1.6	4
78	Reinforced Two-Step-Ahead Weight Adjustment Technique for Online Training of Recurrent Neural Networks. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2012, 23, 1269-1278.	7.2	48
79	Estimation of riverbed grain-size distribution using image-processing techniques. <i>Journal of Hydrology</i> , 2012, 440-441, 102-112.	2.3	31
80	Multi-tier interactive genetic algorithms for the optimization of long-term reservoir operation. <i>Advances in Water Resources</i> , 2011, 34, 1343-1351.	1.7	43
81	Arsenite-oxidizing and arsenate-reducing bacteria associated with arsenic-rich groundwater in Taiwan. <i>Journal of Contaminant Hydrology</i> , 2011, 123, 20-29.	1.6	196
82	Assessing the mechanisms controlling the mobilization of arsenic in the arsenic contaminated shallow alluvial aquifer in the blackfoot disease endemic area. <i>Journal of Hazardous Materials</i> , 2011, 197, 397-403.	6.5	32
83	Influence of hydrological and hydrogeochemical parameters on arsenic variation in shallow groundwater of southwestern Taiwan. <i>Journal of Hydrology</i> , 2011, 408, 286-295.	2.3	18
84	Identifying natural flow regimes using fish communities. <i>Journal of Hydrology</i> , 2011, 409, 328-336.	2.3	14
85	PAWEES 2011 International Conference on "Capacity Building for Participatory Irrigation and Environmental Management" 1st Announcement. <i>Paddy and Water Environment</i> , 2011, 9, 181-182.	1.0	0
86	Assessing the characteristics of groundwater quality of arsenic contaminated aquifers in the blackfoot disease endemic area. <i>Journal of Hazardous Materials</i> , 2011, 185, 1458-1466.	6.5	27
87	Assessing the effort of meteorological variables for evaporation estimation by self-organizing map neural network. <i>Journal of Hydrology</i> , 2010, 384, 118-129.	2.3	84
88	Artificial neural networks for estimating regional arsenic concentrations in a blackfoot disease area in Taiwan. <i>Journal of Hydrology</i> , 2010, 388, 65-76.	2.3	50
89	Constrained genetic algorithms for optimizing multi-use reservoir operation. <i>Journal of Hydrology</i> , 2010, 390, 66-74.	2.3	123
90	Dynamic Factor Analysis for Estimating Ground Water Arsenic Trends. <i>Journal of Environmental Quality</i> , 2010, 39, 176-184.	1.0	26

#	ARTICLE	IF	CITATIONS
91	Primary sink and source of geogenic arsenic in sedimentary aquifers in the southern Choushui River alluvial fan, Taiwan. <i>Applied Geochemistry</i> , 2010, 25, 684-695.	1.4	16
92	Evaluating the Potential Impact of Reservoir Operation on Fish Communities. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2009, 135, 475-483.	1.3	28
93	Evolutionary artificial neural networks for hydrological systems forecasting. <i>Journal of Hydrology</i> , 2009, 367, 125-137.	2.3	148
94	Defining the ecological hydrology of Taiwan Rivers using multivariate statistical methods. <i>Journal of Hydrology</i> , 2009, 376, 235-242.	2.3	18
95	Multi-objective evolutionary algorithm for operating parallel reservoir system. <i>Journal of Hydrology</i> , 2009, 377, 12-20.	2.3	141
96	Integrating hydrometeorological information for rainfall-runoff modelling by artificial neural networks. <i>Hydrological Processes</i> , 2009, 23, 1650-1659.	1.1	41
97	Auto-configuring radial basis function networks for chaotic time series and flood forecasting. <i>Hydrological Processes</i> , 2009, 23, 2450-2459.	1.1	29
98	Investigating the impact of the Chi-Chi earthquake on the occurrence of debris flows using artificial neural networks. <i>Hydrological Processes</i> , 2009, 23, 2728-2736.	1.1	12
99	Valve movement response of the freshwater clam <i>Corbicula fluminea</i> following exposure to waterborne arsenic. <i>Ecotoxicology</i> , 2009, 18, 567-576.	1.1	38
100	Intelligent reservoir operation system based on evolving artificial neural networks. <i>Advances in Water Resources</i> , 2008, 31, 926-936.	1.7	89
101	Acute toxicity and bioaccumulation of arsenic in freshwater clam <i>Corbicula fluminea</i> . <i>Environmental Toxicology</i> , 2008, 23, 702-711.	2.1	28
102	Neural network modelling for mean velocity and turbulence intensities of steep channel flows. <i>Hydrological Processes</i> , 2008, 22, 265-274.	1.1	11
103	Counterpropagation fuzzy-neural network for city flood control system. <i>Journal of Hydrology</i> , 2008, 358, 24-34.	2.3	41
104	Assessing the ecological hydrology of natural flow conditions in Taiwan. <i>Journal of Hydrology</i> , 2008, 354, 75-89.	2.3	36
105	Multi-step-ahead neural networks for flood forecasting. <i>Hydrological Sciences Journal</i> , 2007, 52, 114-130.	1.2	112
106	Dynamic ANN for precipitation estimation and forecasting from radar observations. <i>Journal of Hydrology</i> , 2007, 334, 250-261.	2.3	85
107	Merging multiple precipitation sources for flash flood forecasting. <i>Journal of Hydrology</i> , 2007, 340, 183-196.	2.3	91
108	Enforced self-organizing map neural networks for river flood forecasting. <i>Hydrological Processes</i> , 2007, 21, 741-749.	1.1	50

#	ARTICLE	IF	CITATIONS
109	Shared near neighbours neural network model: a debris flow warning system. Hydrological Processes, 2007, 21, 1968-1976.	1.1	11
110	Using a hybrid genetic algorithmâ€“simulated annealing algorithm for fuzzy programming of reservoir operation. Hydrological Processes, 2007, 21, 3162-3172.	1.1	41
111	A Method for Evaluating the Impacts of Reservoir Operation on Fish Communities. , 2007, , .		0
112	Adaptive neuro-fuzzy inference system for prediction of water level in reservoir. Advances in Water Resources, 2006, 29, 1-10.	1.7	485
113	The strategy of building a flood forecast model by neuro-fuzzy network. Hydrological Processes, 2006, 20, 1525-1540.	1.1	118
114	Intelligent control for modeling of real-time reservoir operation, part II: artificial neural network with operating rule curves. Hydrological Processes, 2005, 19, 1431-1444.	1.1	83
115	Optimizing the reservoir operating rule curves by genetic algorithms. Hydrological Processes, 2005, 19, 2277-2289.	1.1	234
116	Modelling combined open channel flow by artificial neural networks. Hydrological Processes, 2005, 19, 3747-3762.	1.1	44
117	Reply to â€œComment on â€˜Comparison of static-feedforward and dynamic feedback neural networks for rainfall-runoff modelingâ€™ by Y.M. Chiang, L.C. Chang, and F.J. Chang, 2004. Journal of Hydrology 290, 297â€“311â€¸ Journal of Hydrology, 2005, 314, 204-206.	2.3	2
118	Fuzzy exemplar-based inference system for flood forecasting. Water Resources Research, 2005, 41, .	1.7	23
119	A two-step-ahead recurrent neural network for stream-flow forecasting. Hydrological Processes, 2004, 18, 81-92.	1.1	78
120	Comparison of static-feedforward and dynamic-feedback neural networks for rainfallâ€“runoff modeling. Journal of Hydrology, 2004, 290, 297-311.	2.3	193
121	Optimization of operation rule curves and flushing schedule in a reservoir. Hydrological Processes, 2003, 17, 1623-1640.	1.1	70
122	Estuary water-stage forecasting by using radial basis function neural network. Journal of Hydrology, 2003, 270, 158-166.	2.3	73
123	Fuzzy Clustering Neural Network as Flood Forecasting Model. Hydrology Research, 2002, 33, 275-290.	1.1	7
124	Reservoir operation using grey fuzzy stochastic dynamic programming. Hydrological Processes, 2002, 16, 2395-2408.	1.1	46
125	An efficient parallel algorithm for LISSOM neural network. Parallel Computing, 2002, 28, 1611-1633.	1.3	7
126	A counterpropagation fuzzy-neural network modeling approach to real time streamflow prediction. Journal of Hydrology, 2001, 245, 153-164.	2.3	214

#	ARTICLE	IF	CITATIONS
127	Artificial Neural-Fuzzy Inference Networks as Flood Forecasting Models. , 2001, , 1.		0
128	Counterpropagation fuzzy-neural network for streamflow reconstruction. Hydrological Processes, 2001, 15, 219-232.	1.1	40
129	Intelligent control for modelling of real-time reservoir operation. Hydrological Processes, 2001, 15, 1621-1634.	1.1	201
130	Counterpropagation fuzzy-neural network for streamflow reconstruction. Hydrological Processes, 2001, 15, 219-232.	1.1	1
131	The exemplar-aided constructor of hyper-rectangles learning algorithm for stream flow estimation. Hydrological Processes, 2000, 14, 79-90.	1.1	0
132	A self-organization algorithm for real-time flood forecast. Hydrological Processes, 1999, 13, 123-138.	1.1	43
133	Real-Coded Genetic Algorithm for Rule-Based Flood Control Reservoir Management. Water Resources Management, 1998, 12, 185-198.	1.9	115
134	An exemplar-based learning model for hydrosystems prediction and categorization. Journal of Hydrology, 1995, 169, 229-241.	2.3	4
135	Estimation of periodicities in hydrologic data. Stochastic Hydrology & Hydraulics, 1992, 6, 270-288.	0.5	5
136	Systematic parameter estimation of watershed acidification model. Hydrological Processes, 1992, 6, 29-44.	1.1	24