Christian Grefkes Hermann

List of Publications by Citations

Source: https://exaly.com/author-pdf/3188485/christian-grefkes-hermann-publications-by-citations.pdf **Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118 14,165 144 52 h-index g-index citations papers 16,748 6.57 152 5.9 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
144	A new SPM toolbox for combining probabilistic cytoarchitectonic maps and functional imaging data. <i>NeuroImage</i> , 2005 , 25, 1325-35	7.9	3115
143	Coordinate-based activation likelihood estimation meta-analysis of neuroimaging data: a random-effects approach based on empirical estimates of spatial uncertainty. <i>Human Brain Mapping</i> , 2009 , 30, 2907-26	5.9	1263
142	The functional organization of the intraparietal sulcus in humans and monkeys. <i>Journal of Anatomy</i> , 2005 , 207, 3-17	2.9	519
141	Cortical connectivity after subcortical stroke assessed with functional magnetic resonance imaging. <i>Annals of Neurology</i> , 2008 , 63, 236-46	9.4	425
140	Evidence-based guidelines on the therapeutic use of repetitive transcranial magnetic stimulation (rTMS): An update (2014-2018). <i>Clinical Neurophysiology</i> , 2020 , 131, 474-528	4.3	411
139	Reorganization of cerebral networks after stroke: new insights from neuroimaging with connectivity approaches. <i>Brain</i> , 2011 , 134, 1264-76	11.2	387
138	Interhemispheric competition after stroke: brain stimulation to enhance recovery of function of the affected hand. <i>Neurorehabilitation and Neural Repair</i> , 2009 , 23, 641-56	4.7	336
137	Human somatosensory area 2: observer-independent cytoarchitectonic mapping, interindividual variability, and population map. <i>NeuroImage</i> , 2001 , 14, 617-31	7.9	308
136	Dynamic intra- and interhemispheric interactions during unilateral and bilateral hand movements assessed with fMRI and DCM. <i>NeuroImage</i> , 2008 , 41, 1382-94	7.9	303
135	Connectivity-based approaches in stroke and recovery of function. <i>Lancet Neurology, The</i> , 2014 , 13, 206	5 -16 .1	302
134	Crossmodal processing of object features in human anterior intraparietal cortex: an fMRI study implies equivalencies between humans and monkeys. <i>Neuron</i> , 2002 , 35, 173-84	13.9	287
133	Modulating cortical connectivity in stroke patients by rTMS assessed with fMRI and dynamic causal modeling. <i>NeuroImage</i> , 2010 , 50, 233-42	7.9	256
132	Hierarchical processing of tactile shape in the human brain. <i>Neuron</i> , 2001 , 31, 317-28	13.9	230
131	The role of the contralesional motor cortex for motor recovery in the early days after stroke assessed with longitudinal FMRI. <i>Cerebral Cortex</i> , 2011 , 21, 756-68	5.1	229
130	Activation likelihood estimation meta-analysis of motor-related neural activity after stroke. <i>NeuroImage</i> , 2012 , 59, 2771-82	7.9	219
129	Dynamic causal modeling of cortical activity from the acute to the chronic stage after stroke. <i>NeuroImage</i> , 2011 , 55, 1147-58	7.9	213
128	Differential effects of high-frequency repetitive transcranial magnetic stimulation over ipsilesional primary motor cortex in cortical and subcortical middle cerebral artery stroke. <i>Annals of Neurology</i> , 2009 , 66, 298-309	9.4	205

(2011-2008)

127	motor cortex on movement kinematics and neural activity in subcortical stroke. <i>Archives of Neurology</i> , 2008 , 65, 741-7		204
126	Human medial intraparietal cortex subserves visuomotor coordinate transformation. <i>NeuroImage</i> , 2004 , 23, 1494-506	7.9	203
125	Cortical reorganization after stroke: how much and how functional?. <i>Neuroscientist</i> , 2014 , 20, 56-70	7.6	190
124	Architectonics of the human cerebral cortex and transmitter receptor fingerprints: reconciling functional neuroanatomy and neurochemistry. <i>European Neuropsychopharmacology</i> , 2002 , 12, 587-99	1.2	185
123	Dominance of the right hemisphere and role of area 2 in human kinesthesia. <i>Journal of Neurophysiology</i> , 2005 , 93, 1020-34	3.2	183
122	The somatotopic organization of cytoarchitectonic areas on the human parietal operculum. <i>Cerebral Cortex</i> , 2007 , 17, 1800-11	5.1	174
121	Performing allocentric visuospatial judgments with induced distortion of the egocentric reference frame: an fMRI study with clinical implications. <i>NeuroImage</i> , 2003 , 20, 1505-17	7.9	171
120	Cerebral network disorders after stroke: evidence from imaging-based connectivity analyses of active and resting brain states in humans. <i>Journal of Physiology</i> , 2013 , 591, 17-31	3.9	154
119	Dose-dependent effects of theta burst rTMS on cortical excitability and resting-state connectivity of the human motor system. <i>Journal of Neuroscience</i> , 2014 , 34, 6849-59	6.6	124
118	Dexterity is impaired at both hands following unilateral subcortical middle cerebral artery stroke. <i>European Journal of Neuroscience</i> , 2007 , 25, 3173-84	3.5	117
117	The role of anterior midcingulate cortex in cognitive motor control: evidence from functional connectivity analyses. <i>Human Brain Mapping</i> , 2014 , 35, 2741-53	5.9	108
116	The "what" and "when" of self-initiated movements. <i>Cerebral Cortex</i> , 2013 , 23, 520-30	5.1	107
115	Functional lateralization of face, hand, and trunk representation in anatomically defined human somatosensory areas. <i>Cerebral Cortex</i> , 2008 , 18, 2820-30	5.1	104
114	Inter-individual variability in cortical excitability and motor network connectivity following multiple blocks of rTMS. <i>NeuroImage</i> , 2015 , 118, 209-18	7.9	96
113	Degeneration of corpus callosum and recovery of motor function after stroke: a multimodal magnetic resonance imaging study. <i>Human Brain Mapping</i> , 2012 , 33, 2941-56	5.9	92
112	Mapping the hand, foot and face representations in the primary motor cortex - retest reliability of neuronavigated TMS versus functional MRI. <i>Neurolmage</i> , 2013 , 66, 531-42	7.9	92
111	Noradrenergic enhancement improves motor network connectivity in stroke patients. <i>Annals of Neurology</i> , 2011 , 69, 375-88	9.4	91
110	Approaches for the integrated analysis of structure, function and connectivity of the human brain. <i>Clinical EEG and Neuroscience</i> , 2011 , 42, 107-21	2.3	90

109	Dopaminergic modulation of motor network dynamics in Parkinson's disease. <i>Brain</i> , 2015 , 138, 664-78	11.2	80
108	Identifying Neuroimaging Markers of Motor Disability in Acute Stroke by Machine Learning Techniques. <i>Cerebral Cortex</i> , 2015 , 25, 3046-56	5.1	79
107	Network connectivity and individual responses to brain stimulation in the human motor system. <i>Cerebral Cortex</i> , 2014 , 24, 1697-707	5.1	79
106	What Makes the Muscle Twitch: Motor System Connectivity and TMS-Induced Activity. <i>Cerebral Cortex</i> , 2015 , 25, 2346-53	5.1	75
105	Handedness and effective connectivity of the motor system. <i>NeuroImage</i> , 2014 , 99, 451-60	7.9	75
104	Effects of rTMS on grip force control following subcortical stroke. <i>Experimental Neurology</i> , 2008 , 211, 407-12	5.7	73
103	Shaping Early Reorganization of Neural Networks Promotes Motor Function after Stroke. <i>Cerebral Cortex</i> , 2016 , 26, 2882-2894	5.1	68
102	Motor cortex excitability and connectivity in chronic stroke: a multimodal model of functional reorganization. <i>Brain Structure and Function</i> , 2015 , 220, 1093-107	4	67
101	Noradrenergic modulation of cortical networks engaged in visuomotor processing. <i>Cerebral Cortex</i> , 2010 , 20, 783-97	5.1	67
100	Subdivisions of human parietal area 5 revealed by quantitative receptor autoradiography: a parietal region between motor, somatosensory, and cingulate cortical areas. <i>NeuroImage</i> , 2005 , 25, 975-92	7.9	67
99	Transmitter receptors reveal segregation of cortical areas in the human superior parietal cortex: relations to visual and somatosensory regions. <i>NeuroImage</i> , 2005 , 28, 362-79	7.9	65
98	Neuronal connectivity in major depressive disorder: a systematic review. <i>Neuropsychiatric Disease and Treatment</i> , 2018 , 14, 2715-2737	3.1	63
97	The right temporoparietal junction in attention and social interaction: A transcranial magnetic stimulation study. <i>Human Brain Mapping</i> , 2016 , 37, 796-807	5.9	62
96	Functional localization in the human brain: Gradient-Echo, Spin-Echo, and arterial spin-labeling fMRI compared with neuronavigated TMS. <i>Human Brain Mapping</i> , 2011 , 32, 341-57	5.9	60
95	Somatotopy and attentional modulation of the human parietal and opercular regions. <i>Journal of Neuroscience</i> , 2004 , 24, 5391-9	6.6	55
94	Improved nTMS- and DTI-derived CST tractography through anatomical ROI seeding on anterior pontine level compared to internal capsule. <i>NeuroImage: Clinical</i> , 2015 , 7, 424-37	5.3	54
93	The Right Dorsal Premotor Mosaic: Organization, Functions, and Connectivity. <i>Cerebral Cortex</i> , 2017 , 27, 2095-2110	5.1	52
92	Effects of timing and movement uncertainty implicate the temporo-parietal junction in the prediction of forthcoming motor actions. <i>NeuroImage</i> , 2009 , 47, 667-77	7.9	51

(2008-2015)

91	Functional resting-state connectivity of the human motor network: differences between right- and left-handers. <i>NeuroImage</i> , 2015 , 109, 298-306	7.9	49	
90	Individual prediction of chronic motor outcome in the acute post-stroke stage: Behavioral parameters versus functional imaging. <i>Human Brain Mapping</i> , 2015 , 36, 4553-65	5.9	48	
89	Disruption of motor network connectivity post-stroke and its noninvasive neuromodulation. <i>Current Opinion in Neurology</i> , 2012 , 25, 670-5	7.1	48	
88	State-dependent differences between functional and effective connectivity of the human cortical motor system. <i>NeuroImage</i> , 2013 , 67, 237-46	7.9	46	
87	The heterogeneity of the left dorsal premotor cortex evidenced by multimodal connectivity-based parcellation and functional characterization. <i>NeuroImage</i> , 2018 , 170, 400-411	7.9	44	
86	Convergence of human brain mapping tools: neuronavigated TMS parameters and fMRI activity in the hand motor area. <i>Human Brain Mapping</i> , 2012 , 33, 1107-23	5.9	44	
85	Network dynamics engaged in the modulation of motor behavior in healthy subjects. <i>NeuroImage</i> , 2013 , 82, 68-76	7.9	44	
84	Recovery from stroke: current concepts and future perspectives. <i>Neurological Research and Practice</i> , 2020 , 2, 17	3.2	40	
83	Deficient inhibitory cortical networks in antipsychotic-naive subjects at risk of developing first-episode psychosis and first-episode schizophrenia patients: a cross-sectional study. <i>Biological Psychiatry</i> , 2012 , 72, 744-51	7.9	39	
82	Differential modulation of motor network connectivity during movements of the upper and lower limbs. <i>NeuroImage</i> , 2015 , 119, 44-53	7.9	38	
81	Polymorphisms in vascular endothelial growth factor receptor 2 are associated with better response rates to ranibizumab treatment in age-related macular degeneration. <i>Ophthalmology</i> , 2014 , 121, 905-10	7-3	38	
80	Noninvasive brain stimulation after stroke: it is time for large randomized controlled trials!. <i>Current Opinion in Neurology</i> , 2016 , 29, 714-720	7.1	37	
79	Network connectivity of motor control in the ageing brain. NeuroImage: Clinical, 2018, 18, 443-455	5.3	36	
78	Central adaptation following heterotopic hand replantation probed by fMRI and effective connectivity analysis. <i>Experimental Neurology</i> , 2008 , 212, 132-44	5.7	35	
77	Functional MRI vs. navigated TMS to optimize M1 seed volume delineation for DTI tractography. A prospective study in patients with brain tumours adjacent to the corticospinal tract. <i>NeuroImage: Clinical</i> , 2017 , 13, 297-309	5.3	34	•
76	Age-related decrease of functional connectivity additional to gray matter atrophy in a network for movement initiation. <i>Brain Structure and Function</i> , 2015 , 220, 999-1012	4	34	
75	Interindividual differences in motor network connectivity and behavioral response to iTBS in stroke patients. <i>NeuroImage: Clinical</i> , 2017 , 15, 559-571	5.3	33	
74	fMRI reveals cognitive and emotional processing in a long-term comatose patient. <i>Experimental Neurology</i> , 2008 , 214, 240-6	5.7	33	

73	The effects of 1 Hz rTMS over the hand area of M1 on movement kinematics of the ipsilateral hand. Journal of Neural Transmission, 2008, 115, 1269-74	4.3	32
72	Movement-related phase locking in the delta-theta frequency band. <i>NeuroImage</i> , 2016 , 139, 439-449	7.9	30
71	Dynamic interactions in the fronto-parietal network during a manual stimulus-response compatibility task. <i>NeuroImage</i> , 2011 , 58, 860-9	7.9	28
70	Regional cerebral blood flow correlations of somatosensory areas 3a, 3b, 1, and 2 in humans during rest: a PET and cytoarchitectural study. <i>Human Brain Mapping</i> , 2003 , 19, 183-96	5.9	28
69	Somatosensory areas engaged during discrimination of steady pressure, spring strength, and kinesthesia. <i>Human Brain Mapping</i> , 2003 , 20, 103-15	5.9	28
68	The intrinsic resting state voice network in Parkinson's disease. <i>Human Brain Mapping</i> , 2015 , 36, 1951-6	62 5.9	26
67	Acute ischaemic stroke alters the brain's preference for distinct dynamic connectivity states. <i>Brain</i> , 2020 , 143, 1525-1540	11.2	25
66	On the integrity of functional brain networks in schizophrenia, Parkinson's disease, and advanced age: Evidence from connectivity-based single-subject classification. <i>Human Brain Mapping</i> , 2017 , 38, 58	34 <u>5</u> -385	8 ²⁴
65	Human brain connectivity: Clinical applications for clinical neurophysiology. <i>Clinical Neurophysiology</i> , 2020 , 131, 1621-1651	4.3	23
64	Time-dependent functional role of the contralesional motor cortex after stroke. <i>NeuroImage: Clinical</i> , 2017 , 16, 165-174	5.3	22
63	Differential effects of dopaminergic medication on basic motor performance and executive functions in Parkinson's disease. <i>Neuropsychologia</i> , 2012 , 50, 2506-14	3.2	22
62	An age-related shift of resting-state functional connectivity of the subthalamic nucleus: a potential mechanism for compensating motor performance decline in older adults. <i>Frontiers in Aging Neuroscience</i> , 2014 , 6, 178	5.3	21
61	Translating working memory into action: behavioral and neural evidence for using motor representations in encoding visuo-spatial sequences. <i>Human Brain Mapping</i> , 2014 , 35, 3465-84	5.9	19
60	Frequency-specific modulation of connectivity in the ipsilateral sensorimotor cortex by different forms of movement initiation. <i>NeuroImage</i> , 2017 , 159, 248-260	7.9	19
59	The role of the anterior intraparietal sulcus in crossmodal processing of object features in humans: an rTMS study. <i>Brain Research</i> , 2008 , 1217, 110-8	3.7	19
58	Internally vs. externally triggered movements in patients with major depression. <i>Behavioural Brain Research</i> , 2012 , 228, 125-32	3.4	17
57	Functional Connectivity Differences of the Subthalamic Nucleus Related to Parkinson's Disease. <i>Human Brain Mapping</i> , 2016 , 37, 1235-53	5.9	17
56	Brain responsivity provides an individual readout for motor recovery after stroke. <i>Brain</i> , 2020 , 143, 187	73 ₁ 1888	3 16

(2018-2018)

55	Network dynamics engaged in the modulation of motor behavior in stroke patients. <i>Human Brain Mapping</i> , 2018 , 39, 1078-1092	5.9	16
54	Bringing proportional recovery into proportion: Bayesian modelling of post-stroke motor impairment. <i>Brain</i> , 2020 , 143, 2189-2206	11.2	15
53	Short- and long-term reliability of language fMRI. <i>NeuroImage</i> , 2018 , 176, 215-225	7.9	15
52	Noradrenergic stimulation and motor performance: differential effects of reboxetine on movement kinematics and visuomotor abilities in healthy human subjects. <i>Neuropsychologia</i> , 2009 , 47, 1302-12	3.2	15
51	Multimodal Imaging in Malignant Brain Tumors: Enhancing the Preoperative Risk Evaluation for Motor Deficits with a Combined Hybrid MRI-PET and Navigated Transcranial Magnetic Stimulation Approach. <i>American Journal of Neuroradiology</i> , 2016 , 37, 266-73	4.4	13
50	Searching for behavior relating to grey matter volume in a-priori defined right dorsal premotor regions: Lessons learned. <i>NeuroImage</i> , 2017 , 157, 144-156	7.9	12
49	Modulation of I-wave generating pathways by theta-burst stimulation: a model of plasticity induction. <i>Journal of Physiology</i> , 2019 , 597, 5963-5971	3.9	12
48	Action and semantic tool knowledge - Effective connectivity in the underlying neural networks. <i>Human Brain Mapping</i> , 2018 , 39, 3473-3486	5.9	12
47	Training for Micrographia Alters Neural Connectivity in Parkinson's Disease. <i>Frontiers in Neuroscience</i> , 2018 , 12, 3	5.1	10
46	Age-related changes in oscillatory power affect motor action. <i>PLoS ONE</i> , 2017 , 12, e0187911	3.7	10
45	Abnormal dynamic functional connectivity is linked to recovery after acute ischemic stroke. <i>Human Brain Mapping</i> , 2021 , 42, 2278-2291	5.9	10
44	Shifted neuronal balance during stimulus-response integration in schizophrenia: an fMRI study. <i>Brain Structure and Function</i> , 2015 , 220, 249-61	4	9
43	The differential roles of contralesional frontoparietal areas in cortical reorganization after stroke. <i>Brain Stimulation</i> , 2020 , 13, 614-624	5.1	8
42	Differential Functional Connectivity Alterations of Two Subdivisions within the Right dlPFC in Parkinson's Disease. <i>Frontiers in Human Neuroscience</i> , 2017 , 11, 288	3.3	8
41	Functional Connectivity Changes of Key Regions for Motor Initiation in Parkinson's Disease. <i>Cerebral Cortex</i> , 2019 , 29, 383-396	5.1	8
40	Finding maximally disconnected subnetworks with shortest path tractography. <i>NeuroImage: Clinical</i> , 2019 , 23, 101903	5.3	7
39	Invasive versus non-invasive mapping of the motor cortex. <i>Human Brain Mapping</i> , 2020 , 41, 3970-3983	5.9	7
38	Being on Target: Visual Information during Writing Affects Effective Connectivity in Parkinson's Disease. <i>Neuroscience</i> , 2018 , 371, 484-494	3.9	7

37	Age affects the contribution of ipsilateral brain regions to movement kinematics. <i>Human Brain Mapping</i> , 2020 , 41, 640-655	5.9	7
36	The role of dopamine in dynamic effort-reward integration. <i>Neuropsychopharmacology</i> , 2020 , 45, 1448-	18 <i>5</i> 3	7
35	Translating Functional Connectivity After Stroke: Functional Magnetic Resonance Imaging Detects Comparable Network Changes in Mice and Humans. <i>Stroke</i> , 2021 , 52, 2948-2960	6.7	7
34	Multi-Modal Imaging of Neural Correlates of Motor Speed Performance in the Trail Making Test. <i>Frontiers in Neurology</i> , 2015 , 6, 219	4.1	6
33	Funktionelle Bildgebung und Neuromodulation: Effekte der transkraniellen Magnetstimulation auf kortikale Netzwerke bei Gesunden und Patienten. <i>Klinische Neurophysiologie</i> , 2009 , 40, 239-247	0.2	6
32	Intermittent theta burst stimulation applied during early rehabilitation after stroke: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e034088	3	6
31	Precision medicine in stroke: towards personalized outcome predictions using artificial intelligence <i>Brain</i> , 2021 ,	11.2	6
30	Bringing Proportional Recovery into Proportion: Bayesian Hierarchical Modelling of Post-Stroke Motor Performance		5
29	Connectivity-Related Roles of Contralesional Brain Regions for Motor Performance Early after Stroke. <i>Cerebral Cortex</i> , 2021 , 31, 993-1007	5.1	5
28	Aging-associated changes of movement-related functional connectivity in the human brain. <i>Neuropsychologia</i> , 2018 , 117, 520-529	3.2	4
27	Sensory-guided motor tasks benefit from mental training based on serial prediction. Neuropsychologia, 2014 , 54, 18-27	3.2	4
26	Early motor network connectivity after stroke: An interplay of general reorganization and state-specific compensation. <i>Human Brain Mapping</i> , 2021 , 42, 5230-5243	5.9	4
25	Recovery after stroke: the severely impaired are a distinct group <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021 ,	5.5	4
24	New hope for ameliorating stroke-induced deficits?. <i>Brain</i> , 2016 , 139, 1002-4	11.2	3
23	Basic Principles of rTMS in Motor Recovery After Stroke 2016 , 23-37		3
22	Konnektivit E 2013 , 457-469		3
21	Inflated Estimates of Proportional Recovery From Stroke: The Dangers of Mathematical Coupling and Compression to Ceiling. <i>Stroke</i> , 2021 , 52, 1915-1920	6.7	3
20	A response-locking protocol to boost sensitivity for fMRI-based neurochronometry. <i>Human Brain Mapping</i> , 2020 , 41, 3420-3438	5.9	2

(2013-2019)

19	Freely chosen and instructed actions are terminated by different neural mechanisms revealed by kinematics-informed EEG. <i>NeuroImage</i> , 2019 , 188, 26-42	7.9	2
18	Cortical reorganization after motor stroke: A pilot study on differences between the upper and lower limbs. <i>Human Brain Mapping</i> , 2021 , 42, 1013-1033	5.9	2
17	Dynamic connectivity predicts acute motor impairment and recovery post-stroke. <i>Brain Communications</i> , 2021 , 3, fcab227	4.5	2
16	Development and Validation of Prediction Models for Severe Complications After Acute Ischemic Stroke: A Study Based on the Stroke Registry of Northwestern Germany <i>Journal of the American Heart Association</i> , 2022 , e023175	6	2
15	Cortical Inhibition of Face and Jaw Muscle Activity and Discomfort Induced by Repetitive and Paired-Pulse TMS During an Overt Object Naming Task. <i>Brain Topography</i> , 2019 , 32, 418-434	4.3	1
14	Functional reorganization and neuromodulation425-437		1
13	Dynamic functional connectivity analysis reveals transiently increased segregation in patients with severe stroke		1
12	Modeling Connectivity in Health and Disease: Examples from the Motor System 2013 , 213-226		1
11	Acute ischemic stroke alters the brain preference for distinct dynamic connectivity states		1
10	Dynamic connectivity predicts acute motor impairment and recovery post-stroke		1
9	Improving the efficacy and reliability of rTMS language mapping by increasing the stimulation frequency. <i>Human Brain Mapping</i> , 2021 , 42, 5309-5321	5.9	1
9		5.9	1
	Funktionserholung nach Schlaganfall und die therapeutische Rolle der nicht-invasiven		
8	Funktionserholung nach Schlaganfall und die therapeutische Rolle der nicht-invasiven Hirnstimulation. <i>Klinische Neurophysiologie</i> , 2020 , 51, 214-223 The Cologne Picture Naming Test for Language Mapping and Monitoring (CoNaT): An Open Set of	0.2	0
7	Funktionserholung nach Schlaganfall und die therapeutische Rolle der nicht-invasiven Hirnstimulation. <i>Klinische Neurophysiologie</i> , 2020 , 51, 214-223 The Cologne Picture Naming Test for Language Mapping and Monitoring (CoNaT): An Open Set of 100 Black and White Object Drawings. <i>Frontiers in Neurology</i> , 2021 , 12, 633068	0.2	0
8 7 6	Funktionserholung nach Schlaganfall und die therapeutische Rolle der nicht-invasiven Hirnstimulation. <i>Klinische Neurophysiologie</i> , 2020 , 51, 214-223 The Cologne Picture Naming Test for Language Mapping and Monitoring (CoNaT): An Open Set of 100 Black and White Object Drawings. <i>Frontiers in Neurology</i> , 2021 , 12, 633068 Effekt des Sprachtrainings wird verbessert. <i>InFo Neurologie & Psychiatrie</i> , 2019 , 21, 15-15 Neurophysiologische und bildgebende Pr\(\bar{B}\)iktoren der Funktionserholung nach Schlaganfall.	0.2 4.1 0	0
8 7 6	Funktionserholung nach Schlaganfall und die therapeutische Rolle der nicht-invasiven Hirnstimulation. Klinische Neurophysiologie, 2020, 51, 214-223 The Cologne Picture Naming Test for Language Mapping and Monitoring (CoNaT): An Open Set of 100 Black and White Object Drawings. Frontiers in Neurology, 2021, 12, 633068 Effekt des Sprachtrainings wird verbessert. InFo Neurologie & Psychiatrie, 2019, 21, 15-15 Neurophysiologische und bildgebende Pr\(\vec{B}\) iktoren der Funktionserholung nach Schlaganfall. Klinische Neurophysiologie, 2013, 44, 238-246 Netzwerkst\(\vec{B}\) ungen nach Schlaganfall: Neue Erkenntnisse aus der funktionellen	0.2 4.1 0	0

Somatosensorisches System **2013**, 375-392