

# shuiliang Chen

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3188717/shuiliang-chen-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89  
papers

4,155  
citations

39  
h-index

63  
g-index

92  
ext. papers

4,623  
ext. citations

6.9  
avg, IF

5.54  
L-index

#	Paper	IF	Citations
89	Electrospun and solution blown three-dimensional carbon fiber nonwovens for application as electrodes in microbial fuel cells. <i>Energy and Environmental Science</i> , <b>2011</b> , 4, 1417	35.4	268
88	Elastic carbon foam via direct carbonization of polymer foam for flexible electrodes and organic chemical absorption. <i>Energy and Environmental Science</i> , <b>2013</b> , 6, 2435	35.4	229
87	Electrospun polymer nanofibres with small diameters. <i>Nanotechnology</i> , <b>2006</b> , 17, 1558-63	3.4	212
86	Electrochemical sensing and biosensing platform based on biomass-derived macroporous carbon materials. <i>Analytical Chemistry</i> , <b>2014</b> , 86, 1414-21	7.8	172
85	Supercapacitors based on hybrid carbon nanofibers containing multiwalled carbon nanotubes. <i>Journal of Materials Chemistry</i> , <b>2009</b> , 19, 2810		164
84	Layered corrugated electrode macrostructures boost microbial bioelectrocatalysis. <i>Energy and Environmental Science</i> , <b>2012</b> , 5, 9769	35.4	158
83	Needle-like polyaniline nanowires on graphite nanofibers: hierarchical micro/nano-architecture for high performance supercapacitors. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 5114		158
82	High-Strength Mats from Electrospun Poly(p-Phenylene Biphenyltetracarboximide) Nanofibers. <i>Advanced Materials</i> , <b>2006</b> , 18, 668-671	24	139
81	A three-dimensionally ordered macroporous carbon derived from a natural resource as anode for microbial bioelectrochemical systems. <i>ChemSusChem</i> , <b>2012</b> , 5, 1059-63	8.3	114
80	Three-Dimensional Macroporous Carbon/Fe <sub>3</sub> O <sub>4</sub> -Doped Porous Carbon Nanorods for High-Performance Supercapacitor. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2016</b> , 4, 1531-1537	8.3	104
79	Abiotic Oxygen Reduction Reaction Catalysts Used in Microbial Fuel Cells. <i>ChemElectroChem</i> , <b>2014</b> , 1, 1813-1821	4.3	96
78	Cellulose-derived nitrogen and phosphorus dual-doped carbon as high performance oxygen reduction catalyst in microbial fuel cell. <i>Journal of Power Sources</i> , <b>2015</b> , 273, 1189-1193	8.9	94
77	Reticulated carbon foam derived from a sponge-like natural product as a high-performance anode in microbial fuel cells. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 18609		90
76	Nanofibers with diameter below one nanometer from electrospinning.. <i>RSC Advances</i> , <b>2018</b> , 8, 4794-4803	7	87
75	Binder-free carbon black/stainless steel mesh composite electrode for high-performance anode in microbial fuel cells. <i>Journal of Power Sources</i> , <b>2015</b> , 284, 252-257	8.9	80
74	Strategies for optimizing the power output of microbial fuel cells: Transitioning from fundamental studies to practical implementation. <i>Applied Energy</i> , <b>2019</b> , 233-234, 15-28	10.7	78
73	Nitrogen-Doped Carbon Nanotubes Supported by Macroporous Carbon as an Efficient Enzymatic Biosensing Platform for Glucose. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 1371-7	7.8	70

72	Electrospun carbon fiber mat with layered architecture for anode in microbial fuel cells. <i>Electrochemistry Communications</i> , <b>2011</b> , 13, 1026-1029	5.1	69
71	Porous nitrogen doped carbon foam with excellent resilience for self-supported oxygen reduction catalyst. <i>Carbon</i> , <b>2015</b> , 95, 388-395	10.4	65
70	Three-Dimensional Kenaf Stem-Derived Porous Carbon/MnO <sub>2</sub> for High-Performance Supercapacitors. <i>Electrochimica Acta</i> , <b>2014</b> , 135, 380-387	6.7	61
69	Macroporous Carbon/Nitrogen-doped Carbon Nanotubes/Polyaniline Nanocomposites and Their Application in Supercapacitors. <i>Electrochimica Acta</i> , <b>2016</b> , 189, 158-165	6.7	60
68	Microperoxidase-11@PCN-333 (Al)/three-dimensional macroporous carbon electrode for sensing hydrogen peroxide. <i>Sensors and Actuators B: Chemical</i> , <b>2017</b> , 239, 890-897	8.5	57
67	Effect of fiber diameter on the behavior of biofilm and anodic performance of fiber electrodes in microbial fuel cells. <i>Bioresource Technology</i> , <b>2011</b> , 102, 10763-6	11	57
66	Polymeric Nanosprings by Bicomponent Electrospinning. <i>Macromolecular Materials and Engineering</i> , <b>2009</b> , 294, 265-271	3.9	57
65	Three-dimensional cross-linked carbon network wrapped with ordered polyaniline nanowires for high-performance pseudo-supercapacitors. <i>Journal of Power Sources</i> , <b>2014</b> , 268, 451-458	8.9	55
64	Free-standing nitrogen-doped carbon nanotubes at electrospun carbon nanofibers composite as an efficient electrocatalyst for oxygen reduction. <i>Electrochimica Acta</i> , <b>2014</b> , 138, 318-324	6.7	53
63	Mechanical characterization of single high-strength electrospun polyimide nanofibres. <i>Journal Physics D: Applied Physics</i> , <b>2008</b> , 41, 025308	3	53
62	Carbonization: A feasible route for reutilization of plastic wastes. <i>Science of the Total Environment</i> , <b>2020</b> , 710, 136250	10.2	53
61	Stainless steel mesh supported nitrogen-doped carbon nanofibers for binder-free cathode in microbial fuel cells. <i>Biosensors and Bioelectronics</i> , <b>2012</b> , 34, 282-5	11.8	51
60	A high-performance rotating graphite fiber brush air-cathode for microbial fuel cells. <i>Applied Energy</i> , <b>2018</b> , 211, 1089-1094	10.7	50
59	Template-free synthesis of hierarchical porous carbon derived from low-cost biomass for high-performance supercapacitors. <i>RSC Advances</i> , <b>2014</b> , 4, 51072-51079	3.7	49
58	Phosphorus-doped carbon derived from cellulose phosphate as efficient catalyst for air-cathode in microbial fuel cells. <i>Journal of Power Sources</i> , <b>2014</b> , 261, 245-248	8.9	48
57	High strength electrospun polymer nanofibers made from BPDABDA polyimide. <i>European Polymer Journal</i> , <b>2006</b> , 42, 1099-1104	5.2	48
56	Binder Free Hierarchical Mesoporous Carbon Foam for High Performance Lithium Ion Battery. <i>Scientific Reports</i> , <b>2017</b> , 7, 1440	4.9	47
55	Supercapacitors based on 3D network of activated carbon nanowhiskers wrapped-on graphitized electrospun nanofibers. <i>Journal of Power Sources</i> , <b>2013</b> , 243, 880-886	8.9	47

54	Electrospun nanofiber belts made from high performance copolyimide. <i>Nanotechnology</i> , <b>2008</b> , 19, 015604	4.4	46
53	Fabrication and evaluation of polyamide 6 composites with electrospun polyimide nanofibers as skeletal framework. <i>Composites Part B: Engineering</i> , <b>2012</b> , 43, 2382-2388	10	40
52	Effect of Different Bicomponent Electrospinning Techniques on the Formation of Polymeric Nanosprings. <i>Macromolecular Materials and Engineering</i> , <b>2009</b> , 294, 781-786	3.9	40
51	Porous carbon nanofiber mats from electrospun polyacrylonitrile/polymethylmethacrylate composite nanofibers for supercapacitor electrode materials. <i>Journal of Materials Science</i> , <b>2018</b> , 53, 9721-9730	4.3	39
50	Highly strong and highly tough electrospun polyimide/polyimide composite nanofibers from binary blend of polyamic acids. <i>RSC Advances</i> , <b>2014</b> , 4, 59936-59942	3.7	39
49	Modified stainless steel for high performance and stable anode in microbial fuel cells. <i>Electrochimica Acta</i> , <b>2016</b> , 194, 246-252	6.7	34
48	Crucial role for oxygen functional groups in the oxygen reduction reaction electrocatalytic activity of nitrogen-doped carbons. <i>Electrochimica Acta</i> , <b>2018</b> , 292, 942-950	6.7	33
47	Polyimide complexes with high dielectric performance: toward polymer film capacitor applications. <i>Journal of Materials Chemistry C</i> , <b>2016</b> , 4, 6452-6456	7.1	32
46	High performance polyimide-Yb complex with high dielectric constant and low dielectric loss. <i>Materials Letters</i> , <b>2014</b> , 133, 240-242	3.3	30
45	Flexible and conductive titanium carbide-carbon nanofibers for the simultaneous determination of ascorbic acid, dopamine and uric acid. <i>Journal of Materials Chemistry B</i> , <b>2018</b> , 6, 4610-4617	7.3	29
44	Modification of precursor polymer using co-polymerization: A good way to high performance electrospun carbon nanofiber bundles. <i>Materials Letters</i> , <b>2014</b> , 122, 178-181	3.3	29
43	Natural source derived carbon paper supported conducting polymer nanowire arrays for high performance supercapacitors. <i>RSC Advances</i> , <b>2015</b> , 5, 14441-14447	3.7	29
42	Conversion of straw to nitrogen doped carbon for efficient oxygen reduction catalysts in microbial fuel cells. <i>RSC Advances</i> , <b>2015</b> , 5, 89771-89776	3.7	26
41	Nitrogen-doped carbon paper with 3D porous structure as a flexible free-standing anode for lithium-ion batteries. <i>Scientific Reports</i> , <b>2017</b> , 7, 7769	4.9	26
40	Development of high dielectric polyimides containing bipyridine units for polymer film capacitor. <i>Reactive and Functional Polymers</i> , <b>2016</b> , 106, 93-98	4.6	26
39	Hollow carbon nanosphere embedded with ultrafine Fe <sub>3</sub> O <sub>4</sub> nanoparticles as high performance Li-ion battery anode. <i>Electrochimica Acta</i> , <b>2016</b> , 219, 356-362	6.7	24
38	Investigating the draw ratio and velocity of an electrically charged liquid jet during electrospinning.. <i>RSC Advances</i> , <b>2019</b> , 9, 13608-13613	3.7	23
37	Nitrogen and phosphorus co-doped carbon modified activated carbon as an efficient oxygen reduction catalyst for microbial fuel cells.. <i>RSC Advances</i> , <b>2018</b> , 8, 848-855	3.7	23

36	High strength electrospun fibers. <i>Polymers for Advanced Technologies</i> , <b>2011</b> , 22, 295-303	3.2	23
35	Preparation of Ni(OH) <sub>2</sub> nanoplatelet/electrospun carbon nanofiber hybrids for highly sensitive nonenzymatic glucose sensors. <i>RSC Advances</i> , <b>2017</b> , 7, 19345-19352	3.7	20
34	Carbonized textile with free-standing threads as an efficient anode material for bioelectrochemical systems. <i>Journal of Power Sources</i> , <b>2015</b> , 287, 269-275	8.9	18
33	High dielectric constant polyimide derived from 5,5'-bis[(4-amino) phenoxy]-2,2'-bipyrimidine. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	17
32	Electrospinning Technology for Applications in Supercapacitors. <i>Current Organic Chemistry</i> , <b>2013</b> , 17, 1402-1410	1.7	16
31	Interfacial Synthesis of Cellulose-Derived Solvent-Responsive Nanoparticles via Schiff Base Reaction. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 16595-16603	8.3	15
30	Flexible and conductive titanium carbide-carbon nanofibers for high-performance glucose biosensing. <i>Electrochimica Acta</i> , <b>2018</b> , 281, 517-524	6.7	15
29	Three-dimensional N-doped carbon nanotube-carbon foam hybrid: an effective carrier of enzymes for glucose biosensors. <i>RSC Advances</i> , <b>2017</b> , 7, 26574-26582	3.7	12
28	Improving rate capacity and cycling stability of Si-anode lithium ion battery by using copper nanowire as conductive additive. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 822, 153664	5.7	12
27	Heat and Solvent Resistant Electrospun Polybenzoxazole Nanofibers from Methoxy-Containing Polyamide. <i>Journal of Nanomaterials</i> , <b>2010</b> , 2010, 1-5	3.2	12
26	Covalent Organic Frameworks for Efficient Energy Electrocatalysis: Rational Design and Progress. <i>Advanced Energy and Sustainability Research</i> , <b>2021</b> , 2, 2000090	1.6	11
25	Carbon nanofibers modified graphite felt for high performance anode in high substrate concentration microbial fuel cells. <i>Scientific World Journal, The</i> , <b>2014</b> , 2014, 130185	2.2	10
24	A novel cyclometalated Iridium(III) complex containing dibenzo-24-crown-8: synthesis, luminescence and application in highly efficient green phosphorescent OLEDs. <i>RSC Advances</i> , <b>2015</b> , 5, 49466-49470	3.7	9
23	A mechanical rechargeable small-size microbial fuel cell with long-term and stable power output. <i>Applied Energy</i> , <b>2020</b> , 260, 114336	10.7	9
22	Immobilization of Anodophilic Biofilms for Use in Aerotolerant Bioanodes of Microbial Fuel Cells. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 34985-34990	9.5	9
21	Encapsulation of a living bioelectrode by a hydrogel for bioelectrochemical systems in alkaline media. <i>Journal of Materials Chemistry B</i> , <b>2015</b> , 3, 4641-4646	7.3	8
20	Optimization Strategies of Preparation of Biomass-Derived Carbon Electrocatalyst for Boosting Oxygen Reduction Reaction: A Minireview. <i>Catalysts</i> , <b>2020</b> , 10, 1472	4	8
19	Electrocatalytic activity of carbon nanoparticles from diffusion flame towards oxygen reduction. <i>Electrochimica Acta</i> , <b>2014</b> , 136, 176-181	6.7	8

18	Critical parameters selection in polarization behavior analysis of microbial fuel cells. <i>Bioresource Technology Reports</i> , <b>2018</b> , 3, 185-190	4.1	7
17	Aerobic microbial electrochemical technology based on the coexistence and interactions of aerobes and exoelectrogens for synergistic pollutant removal from wastewater. <i>Environmental Science: Water Research and Technology</i> , <b>2019</b> , 5, 60-69	4.2	7
16	Auto-feeding microbial fuel cell inspired by transpiration of plants. <i>Applied Energy</i> , <b>2018</b> , 225, 934-939	10.7	7
15	Automatic microbial electro-Fenton system driven by transpiration for degradation of acid orange 7. <i>Science of the Total Environment</i> , <b>2020</b> , 725, 138508	10.2	6
14	Binder-free activated carbon papers for high-performance electric double-layer capacitors. <i>Journal of Solid State Electrochemistry</i> , <b>2014</b> , 18, 2797-2802	2.6	6
13	Substrate Crossover Effect and Performance Regeneration of the Biofouled Rotating Air-Cathode in Microbial Fuel Cell. <i>Frontiers in Energy Research</i> , <b>2018</b> , 6,	3.8	5
12	Solution-processable supramolecular phosphorescent polymer iridium complexes for red organic light-emitting diodes. <i>Materials Letters</i> , <b>2015</b> , 161, 572-575	3.3	4
11	Reactive coating modification of metal material with strong bonding strength and enhanced corrosion resistance for high-performance bioelectrode of microbial electrochemical technologies. <i>Journal of Power Sources</i> , <b>2021</b> , 491, 229595	8.9	4
10	Enhanced capacity and stability of K <sub>2</sub> FeO <sub>4</sub> cathode with poly(3-hexylthiophene) coating for alkaline super-iron battery. <i>Electrochimica Acta</i> , <b>2016</b> , 213, 132-139	6.7	4
9	Supramolecular green phosphorescent polymer iridium complexes for solution-processed nondoped organic light-emitting diodes. <i>Journal of Organometallic Chemistry</i> , <b>2016</b> , 804, 1-5	2.3	3
8	Electrospun Fibrous Membranes as Separators of Lithium-Ion Batteries. <i>Nanostructure Science and Technology</i> , <b>2014</b> , 91-110	0.9	3
7	High-Performance Anode Materials with Superior Structure of Fe <sub>3</sub> O <sub>4</sub> /FeS/rGO Composite for Lithium Ion Batteries. <i>Nano</i> , <b>2020</b> , 15, 2050128	1.1	3
6	High-capacitance bioanode circumvents bioelectrochemical reaction transition in the voltage-reversed serially-stacked air-cathode microbial fuel cell. <i>Journal of Power Sources</i> , <b>2020</b> , 468, 228402	8.9	2
5	Three-dimensional carbon-based anodes promoted the accumulation of exoelectrogens in bioelectrochemical systems. <i>Water Environment Research</i> , <b>2020</b> , 92, 997-1005	2.8	1
4	Impact of anodophilic biofilm bioelectroactivity on the denitrification behavior of air-cathode microbial fuel cells. <i>Biotechnology and Bioengineering</i> , <b>2022</b> , 119, 268-276	4.9	0
3	Stainless Steel Mesh Supported Carbon Nanofibers for Electrode in Bioelectrochemical System. <i>Journal of Nanomaterials</i> , <b>2016</b> , 2016, 1-5	3.2	0
2	Enhancing microbial electrocatalysis of metal-based bioanode by thermal oxidation of carbon black filler. <i>Electrochimica Acta</i> , <b>2022</b> , 412, 140149	6.7	0
1	The use of reactive binder for carbon-based oxygen reduction reaction catalyst in neutral medium. <i>Electrochimica Acta</i> , <b>2021</b> , 380, 138155	6.7	

