

Ignace Mc Janssen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/318901/ignace-mc-janssen-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

35
papers

1,136
citations

20
h-index

33
g-index

35
ext. papers

1,334
ext. citations

4.4
avg, IF

4.06
L-index

#	Paper	IF	Citations
35	The magnitude and progress of lean body mass, fat-free mass, and skeletal muscle mass loss following bariatric surgery: A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2022 , 23, e13370	10.6	5
34	A randomized controlled trial comparing oral and intravenous iron supplementation after Roux-en-Y gastric bypass surgery. <i>Clinical Nutrition</i> , 2020 , 39, 3779-3785	5.9	5
33	A long biliopancreatic and short alimentary limb results in more weight loss in revisional RYGB surgery. Outcomes of the randomized controlled ELEGANCE REDO trial. <i>Surgery for Obesity and Related Diseases</i> , 2019 , 15, 60-69	3	19
32	Regulation of angiopoietin-like 4 and lipoprotein lipase in human adipose tissue. <i>Journal of Clinical Lipidology</i> , 2018 , 12, 773-783	4.9	20
31	Aspiration Therapy As a Tool to Treat Obesity: 1- to 4-Year Results in a 201-Patient Multi-Center Post-Market European Registry Study. <i>Obesity Surgery</i> , 2018 , 28, 1860-1868	3.7	52
30	Preperitoneal Bupivacaine Infiltration Reduces Postoperative Opioid Consumption, Acute Pain, and Chronic Postsurgical Pain After Bariatric Surgery: a Randomized Controlled Trial. <i>Obesity Surgery</i> , 2018 , 28, 3102-3110	3.7	10
29	Altered neural responsivity to food cues in relation to food preferences, but not appetite-related hormone concentrations after RYGB-surgery. <i>Behavioural Brain Research</i> , 2018 , 353, 194-202	3.4	29
28	A Longer Biliopancreatic Limb in Roux-en-Y Gastric Bypass Improves Weight Loss in the First Years After Surgery: Results of a Randomized Controlled Trial. <i>Obesity Surgery</i> , 2018 , 28, 3744-3755	3.7	39
27	Body image dissatisfaction and depression in postbariatric patients is associated with less weight loss and a desire for body contouring surgery. <i>Surgery for Obesity and Related Diseases</i> , 2018 , 14, 1507-1515	3.1	23
26	Evaluation of carbohydrate restriction as primary treatment for post-gastric bypass hypoglycemia. <i>Surgery for Obesity and Related Diseases</i> , 2017 , 13, 404-410	3	12
25	Patients' Preoperative Estimate of Target Weight and Actual Outcome after Bariatric Surgery. <i>Obesity Surgery</i> , 2017 , 27, 1729-1734	3.7	7
24	Gastric pouch emptying of solid food in patients with successful and unsuccessful weight loss after Roux-en-Y gastric bypass surgery. <i>Surgery for Obesity and Related Diseases</i> , 2017 , 13, 1840-1846	3	9
23	Changes in glycemic control and body weight after explantation of the duodenal-jejunal bypass liner. <i>Gastrointestinal Endoscopy</i> , 2017 , 85, 409-415	5.2	12
22	Weight loss induced by very low calorie diet is associated with a more beneficial systemic inflammatory profile than by Roux-en-Y gastric bypass. <i>Metabolism: Clinical and Experimental</i> , 2016 , 65, 1614-1620	12.7	27
21	Striatal dopamine D2/3 receptor availability increases after long-term bariatric surgery-induced weight loss. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1190-200	1.2	27
20	An optimized multivitamin supplement lowers the number of vitamin and mineral deficiencies three years after Roux-en-Y gastric bypass: a cohort study. <i>Surgery for Obesity and Related Diseases</i> , 2016 , 12, 659-667	3	22
19	Management of vitamin K deficiency after biliopancreatic diversion with or without duodenal switch. <i>Surgery for Obesity and Related Diseases</i> , 2016 , 12, 338-44	3	11

18	Secondary surgery after sleeve gastrectomy: Roux-en-Y gastric bypass or biliopancreatic diversion with duodenal switch. <i>Surgery for Obesity and Related Diseases</i> , 2015 , 11, 771-7	3	105
17	Safety experience with the duodenal-jejunal bypass liner: an endoscopic treatment for diabetes and obesity. <i>Gastrointestinal Endoscopy</i> , 2015 , 82, 845-52	5.2	20
16	Subclinical hypothyroidism and its relation to obesity in patients before and after Roux-en-Y gastric bypass. <i>Surgery for Obesity and Related Diseases</i> , 2015 , 11, 1257-63	3	27
15	Intragastric band erosion: experiences with gastrointestinal endoscopic removal. <i>World Journal of Gastroenterology</i> , 2015 , 21, 1567-72	5.6	10
14	Striatal dopamine receptor binding in morbidly obese women before and after gastric bypass surgery and its relationship with insulin sensitivity. <i>Diabetologia</i> , 2014 , 57, 1078-80	10.3	40
13	The feasibility of delivering a duodenal-jejunal bypass liner (EndoBarrier) endoscopically with patients under conscious sedation. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 325-30	5.2	15
12	Effect of carbohydrate restriction in patients with hyperinsulinemic hypoglycemia after Roux-en-Y gastric bypass. <i>Obesity Surgery</i> , 2014 , 24, 1850-5	3.7	22
11	Duodenal-jejunal bypass liner implantation provokes rapid weight loss and improved glycemic control, accompanied by elevated fasting ghrelin levels. <i>Endoscopy International Open</i> , 2014 , 2, E21-7	3	20
10	Gonadal status and outcome of bariatric surgery in obese men. <i>Clinical Endocrinology</i> , 2014 , 81, 378-86	3.4	19
9	Revisional surgery after failed gastric banding: results of one-stage conversion to RYGB in 195 patients. <i>Surgery for Obesity and Related Diseases</i> , 2014 , 10, 1077-83	3	42
8	What happens after gastric band removal without additional bariatric surgery?. <i>Surgery for Obesity and Related Diseases</i> , 2014 , 10, 1092-6	3	28
7	Vitamin D absorption: consequences of gastric bypass surgery. <i>European Journal of Endocrinology</i> , 2011 , 164, 827-32	6.5	41
6	Alterations of hormonally active fibroblast growth factors after Roux-en-Y gastric bypass surgery. <i>Digestive Diseases</i> , 2011 , 29, 48-51	3.2	106
5	Decreased peritoneal tissue plasminogen activator during prolonged laparoscopic surgery. <i>Journal of Surgical Research</i> , 2009 , 151, 89-93	2.5	23
4	Radiographic appearance of endoscopic duodenal-jejunal bypass liner for treatment of obesity and type 2 diabetes. <i>Surgery for Obesity and Related Diseases</i> , 2009 , 5, 371-4	3	9
3	Laparoscopic adjustable gastric banding: a prospective comparison of two commonly used bands. <i>Obesity Surgery</i> , 2002 , 12, 579-82	3.7	19
2	Wait-and-see policy or laparoscopic cholecystectomy after endoscopic sphincterotomy for bile-duct stones: a randomised trial. <i>Lancet, The</i> , 2002 , 360, 761-5	4.0	255
1	Leakage of adjustable gastric bands. <i>Obesity Surgery</i> , 1999 , 9, 258-60	3.7	6

