

Lucia Jord

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3190212/lucia-jorda-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

21
papers

1,726
citations

17
h-index

23
g-index

23
ext. papers

2,141
ext. citations

7.2
avg, IF

3.92
L-index

#	Paper	IF	Citations
21	Cell wall-derived mixed-linked β 1,3/1,4-glucans trigger immune responses and disease resistance in plants. <i>Plant Journal</i> , 2021 , 106, 601-615	6.9	17
20	<i>Arabidopsis thaliana</i> Zn ²⁺ -efflux ATPases HMA2 and HMA4 are required for resistance to the necrotrophic fungus <i>Plectosphaerella cucumerina</i> BMM. <i>Journal of Experimental Botany</i> , 2021 ,	7	2
19	YODA Kinase Controls a Novel Immune Pathway of Tomato Conferring Enhanced Disease Resistance to the Bacterium. <i>Frontiers in Plant Science</i> , 2020 , 11, 584471	6.2	1
18	Mitogen-Activated Protein Kinase Phosphatase 1 (MKP1) Negatively Regulates the Production of Reactive Oxygen Species During <i>Arabidopsis</i> Immune Responses. <i>Molecular Plant-Microbe Interactions</i> , 2019 , 32, 464-478	3.6	14
17	YODA MAP3K kinase regulates plant immune responses conferring broad-spectrum disease resistance. <i>New Phytologist</i> , 2018 , 218, 661-680	9.8	31
16	Non-branched β 1,3-glucan oligosaccharides trigger immune responses in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2018 , 93, 34-49	6.9	68
15	Alteration of cell wall xylan acetylation triggers defense responses that counterbalance the immune deficiencies of plants impaired in the β subunit of the heterotrimeric G-protein. <i>Plant Journal</i> , 2017 , 92, 386-399	6.9	39
14	ERECTA and BAK1 Receptor Like Kinases Interact to Regulate Immune Responses in <i>Arabidopsis</i> . <i>Frontiers in Plant Science</i> , 2016 , 7, 897	6.2	53
13	Contrasting Roles of the Apoplastic Aspartyl Protease APOPLASTIC, ENHANCED DISEASE SUSCEPTIBILITY1-DEPENDENT1 and LEGUME LECTIN-LIKE PROTEIN1 in <i>Arabidopsis</i> Systemic Acquired Resistance. <i>Plant Physiology</i> , 2014 , 165, 791-809	6.6	82
12	<i>Arabidopsis</i> heterotrimeric G-protein regulates cell wall defense and resistance to necrotrophic fungi. <i>Molecular Plant</i> , 2012 , 5, 98-114	14.4	103
11	<i>Arabidopsis</i> G-protein interactome reveals connections to cell wall carbohydrates and morphogenesis. <i>Molecular Systems Biology</i> , 2011 , 7, 532	12.2	148
10	G Proteins and Plant Innate Immunity. <i>Signaling and Communication in Plants</i> , 2010 , 221-250	1	18
9	The ERECTA Receptor-Like Kinase Regulates Cell Wall-Mediated Resistance to Pathogens in <i>Arabidopsis thaliana</i> . <i>Molecular Plant-Microbe Interactions</i> , 2009 , 22, 953-63	3.6	80
8	<i>Arabidopsis</i> chloroplastic glutathione peroxidases play a role in cross talk between photooxidative stress and immune responses. <i>Plant Physiology</i> , 2009 , 150, 670-83	6.6	132
7	Control of the pattern-recognition receptor EFR by an ER protein complex in plant immunity. <i>EMBO Journal</i> , 2009 , 28, 3428-38	13	232
6	Repression of the auxin response pathway increases <i>Arabidopsis</i> susceptibility to necrotrophic fungi. <i>Molecular Plant</i> , 2008 , 1, 496-509	14.4	156
5	ERECTA receptor-like kinase and heterotrimeric G protein from <i>Arabidopsis</i> are required for resistance to the necrotrophic fungus <i>Plectosphaerella cucumerina</i> . <i>Plant Journal</i> , 2005 , 43, 165-80	6.9	264

4	The Arabidopsis <i>csb3</i> mutant reveals a regulatory link between salicylic acid-mediated disease resistance and the methyl-erythritol 4-phosphate pathway. <i>Plant Journal</i> , 2005 , 44, 155-66	6.9	64
3	Local and systemic induction of two defense-related subtilisin-like protease promoters in transgenic Arabidopsis plants. Luciferin induction of PR gene expression. <i>Plant Physiology</i> , 2000 , 124, 1049-58	6.6	54
2	Characterization of P69E and P69F, two differentially regulated genes encoding new members of the subtilisin-like proteinase family from tomato plants. <i>Plant Physiology</i> , 2000 , 122, 67-74	6.6	50
1	A genomic cluster containing four differentially regulated subtilisin-like processing protease genes is in tomato plants. <i>Journal of Biological Chemistry</i> , 1999 , 274, 2360-5	5.4	118