Sureewan Sittijunda

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3190801/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Bio-hydrogen production from the fermentation of sugarcane bagasse hydrolysate by Clostridium butyricum. International Journal of Hydrogen Energy, 2008, 33, 5256-5265. | 3.8 | 280 |
| 2 | Biohydrogen production from sugarcane bagasse hydrolysate by elephant dung: Effects of initial pH and substrate concentration. International Journal of Hydrogen Energy, 2011, 36, 8687-8696. | 3.8 | 109 |
| 3 | Optimization of key factors affecting hydrogen production from food waste by anaerobic mixed cultures. International Journal of Hydrogen Energy, 2011, 36, 14120-14133. | 3.8 | 100 |
| 4 | Co-digestion of food waste and sludge for hydrogen production by anaerobic mixed cultures: Statistical key factors optimization. International Journal of Hydrogen Energy, 2011, 36, 14227-14237. | 3.8 | 83 |
| 5 | Biochemical hydrogen and methane potential of sugarcane syrup using a two-stage anaerobic fermentation process. Industrial Crops and Products, 2016, 82, 88-99. | 2.5 | 74 |
| 6 | Optimization of biohydrogen production from sweet sorghum syrup using statistical methods. International Journal of Hydrogen Energy, 2010, 35, 13435-13444. | 3.8 | 69 |
| 7 | Effect of acid, heat and combined acid-heat pretreatments of anaerobic sludge on hydrogen production by anaerobic mixed cultures. International Journal of Hydrogen Energy, 2013, 38, 6146-6153. | 3.8 | 67 |
| 8 | Direct integration of CSTR-UASB reactors for two-stage hydrogen and methane production from sugarcane syrup. International Journal of Hydrogen Energy, 2016, 41, 17884-17895. | 3.8 | 61 |
| 9 | Characterization of Chitosan Film Incorporated with Curcumin Extract. Polymers, 2021, 13, 963. | 2.0 | 59 |
| 10 | Enhanced bio-hydrogen production from sugarcane juice byÂimmobilized Clostridium butyricum on sugarcane bagasse. International Journal of Hydrogen Energy, 2012, 37, 15525-15532. | 3.8 | 58 |
| 11 | Biological hydrogen production from sweet sorghum syrup by mixed cultures using an anaerobic sequencing batch reactor (ASBR). International Journal of Hydrogen Energy, 2011, 36, 8765-8773. | 3.8 | 55 |
| 12 | Biohydrogen production from xylose by Thermoanaerobacterium thermosaccharolyticum KKU19 isolated from hot spring sediment. International Journal of Hydrogen Energy, 2012, 37, 12219-12228. | 3.8 | 54 |
| 13 | Non-sterile bio-hydrogen fermentation from food waste in a continuous stirred tank reactor (CSTR): Performance and population analysis. International Journal of Hydrogen Energy, 2013, 38, 15630-15637. | 3.8 | 54 |
| 14 | Photo-fermentational hydrogen production of Rhodobacter sp. KKU-PS1 isolated from an UASB reactor. Electronic Journal of Biotechnology, 2015, 18, 221-230. | 1.2 | 52 |
| 15 | Synthesis, Characterization, and Application of Carboxymethyl Cellulose from Asparagus Stalk End. Polymers, 2021, 13, 81. | 2.0 | 52 |
| 16 | Optimization of fermentative hydrogen production from hydrolysate of microwave assisted sulfuric acid pretreated oil palm trunk by hot spring enriched culture. International Journal of Hydrogen Energy, 2011, 36, 14204-14216. | 3.8 | 51 |
| 17 | Optimization of Key Factors Affecting Methane Production from Acidic Effluent Coming from the Sugarcane Juice Hydrogen Fermentation Process. Energies, 2012, 5, 4746-4757. | 1.6 | 51 |
| 18 | Performance and population analysis of hydrogen production from sugarcane juice by non-sterile continuous stirred tank reactor augmented with Clostridium butyricum. International Journal of Hydrogen Energy, 2011, 36, 8697-8703. | 3.8 | 49 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Improvement in energy recovery from Chlorella sp.Âbiomass by integrated dark-photo biohydrogen production and dark fermentation-anaerobic digestion processes. International Journal of Hydrogen Energy, 2019, 44, 23899-23911. | 3.8 | 49 |
| 20 | Bio-hydrogen production from glycerol by immobilized Enterobacter aerogenes ATCC 13048 on heat-treated UASB granules as affected by organic loading rate. International Journal of Hydrogen Energy, 2013, 38, 6970-6979. | 3.8 | 48 |
| 21 | Valorization of microalgal biomass for biohydrogen generation: A review. Bioresource Technology, 2021, 322, 124533. | 4.8 | 45 |
| 22 | Optimization of biohydrogen production from sugarcane bagasse byÂmixed cultures using a statistical method. Sustainable Environment Research, 2016, 26, 235-242. | 2.1 | 42 |
| 23 | Biohydrogen production from mixed xylose/arabinose at thermophilic temperature by anaerobic mixed cultures in elephant dung. International Journal of Hydrogen Energy, 2011, 36, 13928-13938. | 3.8 | 41 |
| 24 | Simultaneous production of hydrogen and ethanol from waste glycerol by Enterobacter aerogenes KKU-S1. International Journal of Hydrogen Energy, 2013, 38, 1813-1825. | 3.8 | 39 |
| 25 | Co-digestion of cassava starch wastewater with buffalo dung for bio-hydrogen production. International Journal of Hydrogen Energy, 2019, 44, 14694-14706. | 3.8 | 39 |
| 26 | Isolation, characterization and optimization of photo-hydrogen production conditions by newly isolated Rhodobacter sphaeroides KKU-PS5. International Journal of Hydrogen Energy, 2014, 39, 10870-10882. | 3.8 | 37 |
| 27 | Membrane bioreactor-assisted volatile fatty acids production and in situ recovery from cow manure. Bioresource Technology, 2021, 321, 124456. | 4.8 | 37 |
| 28 | Carboxymethyl Bacterial Cellulose from Nata de Coco: Effects of NaOH. Polymers, 2021, 13, 348. | 2.0 | 37 |
| 29 | Biohydrogen production from dual digestion pretreatment of poultry slaughterhouse sludge by anaerobic self-fermentation. International Journal of Hydrogen Energy, 2010, 35, 13427-13434. | 3.8 | 36 |
| 30 | Antioxidant Films from Cassava Starch/Gelatin Biocomposite Fortified with Quercetin and TBHQ and Their Applications in Food Models. Polymers, 2021, 13, 1117. | 2.0 | 34 |
| 31 | Hydrogen production from sludge of poultry slaughterhouse wastewater treatment plant pretreated with microwave. International Journal of Hydrogen Energy, 2011, 36, 8751-8757. | 3.8 | 32 |
| 32 | Volatile Fatty Acid Production from Organic Waste with the Emphasis on Membrane-Based Recovery. Fermentation, 2021, 7, 159. | 1.4 | 30 |
| 33 | Biohydrogen production from waste glycerol and sludge byÂanaerobic mixed cultures. International Journal of Hydrogen Energy, 2012, 37, 13789-13796. | 3.8 | 29 |
| 34 | Anaerobic solid-state fermentation of bio-hydrogen from microalgal Chlorella sp. biomass. International Journal of Hydrogen Energy, 2017, 42, 9650-9659. | 3.8 | 29 |
| 35 | Co-Digestion of Napier Grass and Its Silage with Cow Dung for Methane Production. Energies, 2017, 10, 1654. | 1.6 | 29 |
| 36 | Repeated batch fermentation for photo-hydrogen and lipid production from wastewater of a sugar manufacturing plant. International Journal of Hydrogen Energy, 2018, 43, 3605-3617. | 3.8 | 29 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Two-stage thermophilic bio-hydrogen and methane production from lime-pretreated oil palm trunk by simultaneous saccharification and fermentation. International Journal of Hydrogen Energy, 2018, 43, 4284-4293. | 3.8 | 29 |
| 38 | Media optimization for biohydrogen production from waste glycerol by anaerobic thermophilic mixed cultures. International Journal of Hydrogen Energy, 2012, 37, 15473-15482. | 3.8 | 28 |
| 39 | Ethanol production from glucose and xylose by immobilized Thermoanaerobacter pentosaceus at 70°C in an up-flow anaerobic sludge blanket (UASB) reactor. Bioresource Technology, 2013, 143, 598-607. | 4.8 | 28 |
| 40 | Bio-Hydrogen Production from Pineapple Waste Extract by Anaerobic Mixed Cultures. Energies, 2013, 6, 2175-2190. | 1.6 | 28 |
| 41 | Simultaneous saccharification and fermentation of cellulose for bio-hydrogen production by anaerobic mixed cultures in elephant dung. International Journal of Hydrogen Energy, 2014, 39, 9028-9035. | 3.8 | 28 |
| 42 | Valorization of crude glycerol into hydrogen, 1,3-propanediol, and ethanol in an up-flow anaerobic sludge blanket (UASB) reactor under thermophilic conditions. Renewable Energy, 2020, 161, 361-372. | 4.3 | 28 |
| 43 | Fermentation of hydrogen, 1,3-propanediol and ethanol from glycerol as affected by organic loading rate using up-flow anaerobic sludge blanket (UASB) reactor. International Journal of Hydrogen Energy, 2017, 42, 27558-27569. | 3.8 | 27 |
| 44 | Hydrogen from Photo Fermentation. Green Energy and Technology, 2018, , 221-317. | 0.4 | 27 |
| 45 | Enhancing Hydrogen Production from Chlorella sp. Biomass by Pre-Hydrolysis with Simultaneous Saccharification and Fermentation (PSSF). Energies, 2019, 12, 908. | 1.6 | 27 |
| 46 | Two-stage thermophilic bio-hydrogen and methane production from oil palm trunk hydrolysate using Thermoanaerobacterium thermosaccharolyticum KKU19. International Journal of Hydrogen Energy, 2017, 42, 28222-28232. | 3.8 | 26 |
| 47 | Optimization of Batch Dark Fermentation of Chlorella sp. Using Mixed-Cultures for Simultaneous Hydrogen and Butyric Acid Production. Energies, 2019, 12, 2529. | 1.6 | 26 |
| 48 | Methane production from acidic effluent discharged after the hydrogen fermentation of sugarcane juice using batch fermentation and UASB reactor. Renewable Energy, 2016, 86, 1224-1231. | 4.3 | 25 |
| 49 | Sequential fermentation of hydrogen and methane from steam-exploded sugarcane bagasse hydrolysate. International Journal of Hydrogen Energy, 2018, 43, 9924-9934. | 3.8 | 24 |
| 50 | Optimization of Factors Affecting Acid Hydrolysis of Water Hyacinth Stem (Eichhornia Crassipes) for Bio-Hydrogen Production. Energy Procedia, 2015, 79, 833-837. | 1.8 | 23 |
| 51 | Rheological properties of microalgae slurry under subcritical conditions for hydrothermal hydrolysis systems. Algal Research, 2018, 33, 78-83. | 2.4 | 22 |
| 52 | Co-Digestion of Napier Grass and Its Silage with Cow Dung for Bio-Hydrogen and Methane Production by Two-Stage Anaerobic Digestion Process. Energies, 2018, 11, 47. | 1.6 | 22 |
| 53 | Co-digestion of oil palm trunk hydrolysate with slaughterhouse wastewater for thermophilic bio-hydrogen production by Thermoanaerobacterium thermosaccharolyticm KKU19. International Journal of Hydrogen Energy, 2014, 39, 6872-6880. | 3.8 | 17 |
| 54 | Trace metals supplementation enhanced microbiota and biohythane production by two-stage thermophilic fermentation. International Journal of Hydrogen Energy, 2019, 44, 3325-3338. | 3.8 | 17 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Methane Production from the Co-digestion of Algal Biomass with Crude Glycerol by Anaerobic Mixed Cultures. Waste and Biomass Valorization, 2020, 11, 1873-1881. | 1.8 | 17 |
| 56 | Influences of size reduction, hydration, and thermal-assisted hydration pretreatment to increase the biogas production from Napier grass and Napier silage. Bioresource Technology, 2021, 331, 125034. | 4.8 | 17 |
| 57 | Two-Stage Anaerobic Codigestion of Crude Glycerol and Micro-Algal Biomass for Biohydrogen and Methane Production by Anaerobic Sludge Consortium. Fermentation, 2021, 7, 175. | 1.4 | 15 |
| 58 | Effect of biogas sparging on the performance of bio-hydrogen reactor over a long-term operation. PLoS ONE, 2017, 12, e0171248. | 1.1 | 15 |
| 59 | Repeated-batch Fermentative for Bio-hydrogen Production from Cassava Starch Manufacturing Wastewater. Pakistan Journal of Biological Sciences, 2007, 10, 1782-1789. | 0.2 | 15 |
| 60 | One-step multi enzyme pretreatment and biohydrogen production from Chlorella sp. biomass. International Journal of Hydrogen Energy, 2021, 46, 39675-39687. | 3.8 | 15 |
| 61 | Bioaugmentation of Lactobacillus delbrueckii ssp. bulgaricus TISTR 895 to enhance bio-hydrogen production of Rhodobacter sphaeroides KKU-PS5. Biotechnology for Biofuels, 2015, 8, 190. | 6.2 | 14 |
| 62 | High Substitution Synthesis of Carboxymethyl Chitosan for Properties Improvement of Carboxymethyl Chitosan Films Depending on Particle Sizes. Molecules, 2021, 26, 6013. | 1.7 | 14 |
| 63 | Anaerobic co-digestion of biogas effluent and sugarcane filter cake for methane production. Biomass Conversion and Biorefinery, 2022, 12, 901-912. | 2.9 | 13 |
| 64 | Co-Digestion of Napier Grass with Food Waste and Napier Silage with Food Waste for Methane Production. Energies, 2018, 11, 3200. | 1.6 | 12 |
| 65 | Co-fermentation of 1,3-propanediol and 2,3-butanediol from crude glycerol derived from the biodiesel production process by newly isolated Enterobacter sp.: Optimization factors affecting. Bioresource Technology Reports, 2021, 13, 100616. | 1.5 | 12 |
| 66 | Assessment of organosolv, hydrothermal, and combined organosolv and hydrothermal with enzymatic pretreatment to increase the production of biogas from Napier grass and Napier silage. Renewable Energy, 2022, 181, 1237-1249. | 4.3 | 12 |
| 67 | Photo-hydrogen and lipid production from lactate, acetate, butyrate, and sugar manufacturing wastewater with an alternative nitrogen source by <i>Rhodobacter</i> sp <i>.</i> KKU-PS1. PeerJ, 2019, 7, e6653. | 0.9 | 12 |
| 68 | Effect of Monochloroacetic Acid on Properties of Carboxymethyl Bacterial Cellulose Powder and Film from Nata de Coco. Polymers, 2021, 13, 488. | 2.0 | 11 |
| 69 | New Vegetable Oils with Different Fatty Acids on Natural Rubber Composite Properties. Polymers, 2021, 13, 1108. | 2.0 | 11 |
| 70 | Photofermentaion and lipid accumulation by Rhodobacter sp. KKU-PS1 using malic acid as a substrate. International Journal of Hydrogen Energy, 2016, 41, 6259-6270. | 3.8 | 10 |
| 71 | INFLUENCE OF NITROGEN, ACETATE AND PROPIONATE ON HYDROGEN PRODUCTION FROM PINEAPPLE WASTE EXTRACT BY Rhodospirillum rubrum. Journal of Water and Environment Technology, 2005, 3, 93-117. | 0.3 | 9 |
| 72 | Enhanced simultaneous saccharification and fermentation of Napier grass and Napier silage for two stage bio-hydrogen and methane production using organosolv and hydrothermal. Materials Chemistry and Physics, 2021, 267, 124614. | 2.0 | 9 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Co-generation of biohydrogen and biochemicals from co-digestion of Chlorella sp. biomass hydrolysate with sugarcane leaf hydrolysate in an integrated circular biorefinery concept. Biotechnology for Biofuels, 2021, 14, 197. | 6.2 | 9 |
| 74 | Bio-hydrogen and Methane Production from Lignocellulosic Materials. , 0, , . | | 9 |
| 75 | Integrative Effects of Sonication and Particle Size on Biomethanation of Tropical Grass Pennisetum purpureum Using Superior Diverse Inocula Cultures. Energies, 2019, 12, 4226. | 1.6 | 7 |
| 76 | Morphology, Mechanical, and Water Barrier Properties of Carboxymethyl Rice Starch Films: Sodium Hydroxide Effect. Molecules, 2022, 27, 331. | 1.7 | 7 |
| 77 | Single and Combined Enzymatic Saccharification and Biohydrogen Production from Chlorella sp. Biomass. Bioenergy Research, 2021, 14, 940-953. | 2.2 | 5 |
| 78 | Enhancement of Thermophilic Biogas Production from Palm Oil Mill Effluent by pH Adjustment and Effluent Recycling. Processes, 2021, 9, 878. | 1.3 | 5 |
| 79 | Biohydrogen Productions from Hydrolysate of Water Hyacinth Stem (Eichhornia crassipes) Using Anaerobic Mixed Cultures. Sains Malaysiana, 2017, 46, 51-58. | 0.3 | 4 |
| 80 | Co-production of hydrogen and ethanol by Thermoanaerobacterium thermosaccharolyticum KKU-ED1 from alpha-cellulose and cellulose fraction of sugarcane bagasse. Bioresource Technology Reports, 2021, 15, 100759. | 1.5 | 2 |
| 81 | Hydroponic removal of carbofuran from contaminated water by local Thai aquatic plants. Journal of Biotechnology, 2010, 150, 562-562. | 1.9 | 0 |
| 82 | Optimum hydraulic retention time for dark-fermentative hydrogen production from co-digestion of vinasse and dried spent yeast. Journal of Applied Science, 2020, 19, 101-115. | 0.0 | 0 |