

# Wangfeng Bai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/319377/publications.pdf>

Version: 2024-02-01

116  
papers

8,538  
citations

29994

54  
h-index

45213

90  
g-index

116  
all docs

116  
docs citations

116  
times ranked

7507  
citing authors

#	ARTICLE	IF	CITATIONS
1	NaAlSiO <sub>4</sub> : Eu <sup>2+</sup> Glass Ceramics: Self-Reduced In Situ Growth and High-Power LED/LD Lighting. <i>Laser and Photonics Reviews</i> , 2022, 16, 2100346.	4.4	20
2	A single-beam NIR laser-triggered full-color upconversion tuning of a Er/Tm:CsYb <sub>2</sub> F <sub>7</sub> @glass photothermal nanocomposite for optical security. <i>Nanoscale</i> , 2022, 14, 3407-3415.	2.8	12
3	Superior energy storage performance in (Bi <sub>0.5</sub> Na <sub>0.5</sub> )TiO <sub>3</sub> -based lead-free relaxor ferroelectrics for dielectric capacitor application <i>via</i> multiscale optimization design. <i>Journal of Materials Chemistry A</i> , 2022, 10, 9535-9546.	5.2	70
4	Compact ultrabroadband light-emitting diodes based on lanthanide-doped lead-free double perovskites. <i>Light: Science and Applications</i> , 2022, 11, 52.	7.7	125
5	Synergy of a Stabilized Antiferroelectric Phase and Domain Engineering Boosting the Energy Storage Performance of NaNbO <sub>3</sub> -Based Relaxor Antiferroelectric Ceramics. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 17662-17673.	4.0	48
6	Promoting Energy Storage Performance of Sr <sub>0.7</sub> Ba <sub>0.3</sub> Nb <sub>2</sub> O <sub>6</sub> Tetragonal Tungsten Bronze Ceramic by a Two-Step Sintering Technique. <i>ACS Applied Electronic Materials</i> , 2022, 4, 452-460.	2.0	15
7	Ultra-stable narrowband green-emitting CsPbBr <sub>3</sub> quantum dot-embedded glass ceramics for wide color gamut backlit displays. <i>Journal of Materials Chemistry C</i> , 2022, 10, 7263-7272.	2.7	14
8	Invisible NIR Spectral Imaging and Laser-Induced Thermal Imaging of Na(Nd/Y)F <sub>4</sub> @glass with Opposite Effect for Optical Security. <i>Laser and Photonics Reviews</i> , 2022, 16, .	4.4	14
9	Realizing Enhanced Electrical Properties of CaBi <sub>2</sub> Nb <sub>2</sub> O <sub>9</sub> -Based High-Temperature Piezoceramics by Constructing a Pseudophase Boundary. <i>ACS Applied Electronic Materials</i> , 2022, 4, 3598-3605.	2.0	1
10	Fantastic Energy Storage Performances and Excellent Stability in BiFeO <sub>3</sub> â€”SrTiO <sub>3</sub> -Based Relaxor Ferroelectric Ceramics. <i>ACS Applied Energy Materials</i> , 2022, 5, 8492-8500.	2.5	17
11	Electrical properties of a Cr <sub>2</sub> O <sub>3</sub> -modified Na <sub>0.5</sub> Bi <sub>4.5</sub> Ti <sub>4</sub> O <sub>15</sub> -Na <sub>0.5</sub> Bi <sub>0.5</sub> TiO <sub>3</sub> composite ceramic. <i>Journal of the Australian Ceramic Society</i> , 2021, 57, 321-326.	1.1	4
12	Significantly tailored energy-storage performances in Bi <sub>0.5</sub> Na <sub>0.5</sub> TiO <sub>3</sub> â€”SrTiO <sub>3</sub> -based relaxor ferroelectric ceramics by introducing bismuth layer-structured relaxor BaBi <sub>2</sub> Nb <sub>2</sub> O <sub>9</sub> for capacitor application. <i>Journal of Materials Chemistry C</i> , 2021, 9, 5234-5243.	2.7	50
13	Porous and hydrophobic graphene-based coreâ€”shell sponges for efficient removal of water contaminants. <i>Nanotechnology</i> , 2021, 32, 265706.	1.3	2
14	Simultaneously Realizing Superior Energy Storage Properties and Outstanding Chargeâ€”Discharge Performances in Tungsten Bronze-Based Ceramic for Capacitor Applications. <i>Inorganic Chemistry</i> , 2021, 60, 6559-6568.	1.9	46
15	Relaxor ferroelectric (Bi <sub>0.5</sub> Na <sub>0.5</sub> )TiO <sub>3</sub> -based ceramic with remarkable comprehensive energy storage performance under low electric field for capacitor applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 21164-21177.	1.1	9
16	Enhanced electrical properties in W/Cu co-doped CaBi <sub>2</sub> Nb <sub>2</sub> O <sub>9</sub> high-temperature piezoelectric ceramics. <i>International Journal of Applied Ceramic Technology</i> , 2021, 18, 2111-2120.	1.1	9
17	Ytterbium-Doped CsPbCl <sub>3</sub> Quantum Cutters for Near-Infrared Light-Emitting Diodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 34561-34571.	4.0	43
18	Mn <sup>2+</sup> -Doped CsPbI <sub>3</sub> Nanocrystals for Perovskite Light-Emitting Diodes with High Luminance and Improved Device Stability. <i>Advanced Photonics Research</i> , 2021, 2, 2100137.	1.7	12

#	ARTICLE	IF	CITATIONS
19	Bright Electroluminescent White-Light-Emitting Diodes Based on Carbon Dots with Tunable Correlated Color Temperature Enabled by Aggregation. <i>Small</i> , 2021, 17, e2104551.	5.2	34
20	Tailoring electromechanical performance in BiScO <sub>3</sub> -modified Bi <sub>0.5</sub> Na <sub>0.5</sub> TiO <sub>3</sub> -based lead-free piezoceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 1491-1501.	1.1	6
21	Energy Manipulation in Lanthanide-Doped Core-Shell Nanoparticles for Tunable Dual-Mode Luminescence toward Advanced Anti-Counterfeiting. <i>Advanced Materials</i> , 2020, 32, e2002121.	11.1	165
22	Giant Field-Induced Strain with Low Hysteresis and Boosted Energy Storage Performance under Low Electric Field in (Bi <sub>&gt;0.5&lt;/sub&gt;Na&lt;sub&gt;0.5&lt;/sub&gt;)/TiO&lt;sub&gt;3&lt;/sub&gt;-Based Grain Orientation-Controlled Ceramics. <i>Advanced Electronic Materials</i>, 2020, 6, 2000332.</sub>	2.6	59
23	Glass-limited Yb/Er:NaLuF<sub>4</sub> nanocrystals: reversible hexagonal-to-cubic phase transition and anti-counterfeiting. <i>Journal of Materials Chemistry C</i> , 2020, 8, 16151-16159.	2.7	20
24	In Situ-Grown Island-Shaped Hollow Graphene on TaON with Spatially Separated Active Sites Achieving Enhanced Visible-Light CO<sub>2</sub> Reduction. <i>ACS Catalysis</i> , 2020, 10, 15083-15091.	5.5	51
25	Doping level effects in Nb self-doped Bi<sub>3</sub>TiNbO<sub>9</sub> high-temperature piezoceramics with improved electrical properties. <i>International Journal of Applied Ceramic Technology</i> , 2020, 17, 2407-2415.	1.1	12
26	Integrating chemical engineering and crystallographic texturing design strategy for the realization of practically viable lead-free sodium bismuth titanate-based incipient piezoceramics. <i>Dalton Transactions</i> , 2020, 49, 8661-8671.	1.6	10
27	Influences of rare earth site engineering on piezoelectric and electromechanical response of (Ba <sub>0.85</sub> Ca <sub>0.15</sub> )(Zr <sub>0.1</sub> Ti <sub>0.9</sub> )O <sub>3</sub> lead-free ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 6560-6573.	1.1	9
28	CoS<sub>2</sub>-N-doped carbon core-shell nanorod array grown on Ni foam for enhanced electrocatalytic water oxidation. <i>Journal of Materials Chemistry A</i> , 2020, 8, 6795-6803.	5.2	75
29	Few-Layer Black Phosphorus Nanosheets: A Metal-Free Cocatalyst for Photocatalytic Nitrogen Fixation. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 17343-17352.	4.0	74
30	Dual-Modal Photon Upconverting and Downshifting Emissions from Ultra-stable CsPbBr <sub>3</sub> Perovskite Nanocrystals Triggered by Co-Growth of Tm:NaYbF <sub>4</sub> Nanocrystals in Glass. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 18705-18714.	4.0	42
31	Reduction of oxygen vacancy concentration and large enhancement of electrical performances in Cu/Sb co-doped Bi <sub>4</sub> Ti <sub>3</sub> O <sub>12</sub> high temperature piezoelectric ceramics. <i>Journal of Applied Physics</i> , 2020, 127, .	1.1	15
32	Lanthanide-Doped Core@Multishell Nanoarchitectures: Multimodal Excitable Upconverting/Downshifting Luminescence and High-Level Anti-Counterfeiting. <i>Small</i> , 2020, 16, e2000708.	5.2	137
33	Hydrophobic, Structure-Tunable Cu Nanowire@Graphene Core-Shell Aerogels for Piezoresistive Pressure Sensing. <i>Advanced Materials Technologies</i> , 2019, 4, 1900470.	3.0	17
34	Co-P Bonds as Atomic-Level Charge Transfer Channel To Boost Photocatalytic H<sub>2</sub> Production of Co<sub>2</sub>/P/Black Phosphorus Nanosheets Photocatalyst. <i>ACS Catalysis</i> , 2019, 9, 7801-7807.	5.5	124
35	Simultaneous Tailoring of Dual-Phase Fluoride Precipitation and Dopant Distribution in Glass to Control Upconverting Luminescence. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 30053-30064.	4.0	21
36	Halogen-Hot-Injection Synthesis of Mn-Doped CsPb(Cl/Br)<sub>3</sub> Nanocrystals with Blue/Orange Dual-Color Luminescence and High Photoluminescence Quantum Yield. <i>Advanced Optical Materials</i> , 2019, 7, 1901082.	3.6	41

#	ARTICLE	IF	CITATIONS
37	Perceiving Linear-Velocity by Multiphoton Upconversion. ACS Applied Materials & Interfaces, 2019, 11, 46379-46385.	4.0	22
38	Promoting photoluminescence quantum yields of glass-stabilized CsPbX <sub>3</sub> (X = Cl, Br, I) perovskite quantum dots through fluorine doping. Nanoscale, 2019, 11, 17216-17221.	2.8	127
39	Yb <sup>3+</sup> /Ln <sup>3+</sup> /Mn <sup>4+</sup> (Ln = Er, Ho, and Tm) doped Na <sub>3</sub> ZrF <sub>7</sub> phosphors: oil-water interface cation exchange synthesis, dual-modal luminescence and anti-counterfeiting. Journal of Materials Chemistry C, 2019, 7, 1321-1329.	2.7	50
40	Luminescent perovskite quantum dots: synthesis, microstructures, optical properties and applications. Journal of Materials Chemistry C, 2019, 7, 1413-1446.	2.7	182
41	Chlorine-additive-promoted incorporation of Mn <sup>2+</sup> dopants into CsPbCl <sub>3</sub> perovskite nanocrystals. Nanoscale, 2019, 11, 12465-12470.	2.8	36
42	Novel cyan-emitting KBaScSi <sub>2</sub> O <sub>7</sub> :Eu <sup>2+</sup> phosphors with ultrahigh quantum efficiency and excellent thermal stability for WLEDs. Journal of the American Ceramic Society, 2019, 102, 7376-7385.	1.9	37
43	Tailoring frequency-insensitive large field-induced strain and energy storage properties in (Ba <sub>0.85</sub> Ca <sub>0.15</sub> )(Zr <sub>0.1</sub> Ti <sub>0.9</sub> )O <sub>3</sub> -modified (Bi <sub>0.5</sub> Na <sub>0.5</sub> )TiO <sub>3</sub> lead-free ceramics. Dalton Transactions, 2019, 48, 10160-10173.	1.6	59
44	Enhanced temperature stability and tailored electromechanical response in (Ba <sub>0.85</sub> Ca <sub>0.15</sub> )(Zr <sub>0.1</sub> Ti <sub>0.9</sub> )O <sub>3</sub> piezoceramics through rare earth modification. Journal of Materials Science: Materials in Electronics, 2019, 30, 9219-9230.	1.1	11
45	Large enhancement of piezoelectric properties and resistivity in Cu/Ta doped Bi <sub>4</sub> Ti <sub>3</sub> O <sub>12</sub> high-temperature piezoceramics. Journal of the American Ceramic Society, 2019, 102, 7366-7375.	1.9	29
46	Enhanced electrical properties in A-site K/Ce and B-site W/Cr co-substituted CaBi <sub>2</sub> Nb <sub>2</sub> O <sub>9</sub> high temperature piezoelectric ceramic. Journal of Materials Science: Materials in Electronics, 2019, 30, 11727-11734.	1.1	22
47	Near-infrared-laser-driven robust glass-ceramic-based upconverted solid-state-lighting. Journal of Materials Chemistry C, 2019, 7, 4109-4117.	2.7	28
48	Structural Origins of RF <sub>3</sub> /NaRF <sub>4</sub> Nanocrystal Precipitation from Phase-Separated SiO <sub>2</sub> -Al <sub>2</sub> O <sub>3</sub> -RF <sub>3</sub> -NaF Glasses: A Molecular Dynamics Simulation Study. Journal of Physical Chemistry B, 2019, 123, 3024-3032.	1.2	22
49	Grinding Synthesis of APbX <sub>3</sub> (A = MA, FA, Cs; X = Cl, Br, I) Perovskite Nanocrystals. ACS Applied Materials & Interfaces, 2019, 11, 10059-10067.	4.0	67
50	Nanocrystallization of lanthanide-doped KLu <sub>2</sub> F <sub>7</sub> :KYb <sub>2</sub> F <sub>7</sub> solid-solutions in aluminosilicate glass for upconverted solid-state-lighting and photothermal anti-counterfeiting. Journal of Materials Chemistry C, 2019, 7, 14571-14580.	2.7	25
51	A novel rare-earth free red-emitting Li <sub>3</sub> Mg <sub>2</sub> SbO <sub>6</sub> :Mn <sup>4+</sup> phosphor-in-glass for warm w-LEDs: Synthesis, structure, and luminescence properties. Journal of Alloys and Compounds, 2019, 773, 413-422.	2.8	75
52	Phase-transition-induced giant enhancement of red emission in Mn <sup>4+</sup> -doped fluoride elpasolite phosphors. Journal of Materials Chemistry C, 2018, 6, 3951-3960.	2.7	56
53	Inverse thermal quenching effect in lanthanide-doped upconversion nanocrystals for anti-counterfeiting. Journal of Materials Chemistry C, 2018, 6, 5427-5433.	2.7	103
54	Highly efficient rare-earth-free deep red emitting phosphor La <sub>2</sub> Li <sub>18</sub> Y <sub>18</sub> Sb <sub>18</sub> O <sub>6</sub> :Mn <sup>4+</sup> ,Mg <sup>2+</sup> : application in high-power warm w-LEDs. Journal of Materials Chemistry C, 2018, 6, 13305-13315.		

#	ARTICLE	IF	CITATIONS
55	Robust CsPbX <sub>3</sub> (X = Cl, Br, and I) perovskite quantum dot embedded glasses: nanocrystallization, improved stability and visible full-spectral tunable emissions. <i>Journal of Materials Chemistry C</i> , 2018, 6, 12864-12870.	2.7	148
56	Temperature sensitive cross relaxation between Er <sup>3+</sup> ions in laminated hosts: a novel mechanism for thermochromic upconversion and high performance thermometry. <i>Journal of Materials Chemistry C</i> , 2018, 6, 12364-12370.	2.7	65
57	Fast Room-Temperature Cation Exchange Synthesis of Mn-Doped CsPbCl <sub>3</sub> Nanocrystals Driven by Dynamic Halogen Exchange. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 39872-39878.	4.0	57
58	Phase-Selective Nanocrystallization of NaLnF <sub>4</sub> in Aluminosilicate Glass for Random Laser and 940 nm LED-Excitable Upconverted Luminescence. <i>Laser and Photonics Reviews</i> , 2018, 12, 1800030.	4.4	94
59	A review on nanostructured glass ceramics for promising application in optical thermometry. <i>Journal of Alloys and Compounds</i> , 2018, 763, 34-48.	2.8	250
60	Cadmium sulfide-based nanomaterials for photocatalytic hydrogen production. <i>Journal of Materials Chemistry A</i> , 2018, 6, 11606-11630.	5.2	379
61	Ultrathin CsPbX <sub>3</sub> (X = Cl, Br, I) nanoplatelets: solvothermal synthesis and optical spectroscopic properties. <i>Dalton Transactions</i> , 2018, 47, 9845-9849.	1.6	34
62	Tunable Optical Properties and Enhanced Thermal Quenching of Non-Rare-Earth Double-Perovskite (Ba <sub>1-x</sub> Sr <sub>x</sub> ) <sub>2</sub> YSbO <sub>6</sub> :Mn <sup>4+</sup> Red Phosphors Based on Composition Modulation. <i>Inorganic Chemistry</i> , 2018, 57, 8978-8987.	1.9	124
63	In Situ Crystallization Synthesis of CsPbBr <sub>3</sub> Perovskite Quantum Dot-Embedded Glasses with Improved Stability for Solid-State Lighting and Random Upconverted Lasing. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 18918-18926.	4.0	307
64	Reverse synthesis of CsPb <sub>x</sub> Mn <sub>1-x</sub> (Cl/Br) <sub>3</sub> perovskite quantum dots from CsMnCl <sub>3</sub> precursors through cation exchange. <i>Journal of Materials Chemistry C</i> , 2018, 6, 5908-5915.	2.7	20
65	Robust and Stable Cu Nanowire@Graphene Core-Shell Aerogels for Ultraeffective Electromagnetic Interference Shielding. <i>Small</i> , 2018, 14, e1800634.	5.2	125
66	Mn-Doped CsPbCl <sub>3</sub> perovskite nanocrystals: solvothermal synthesis, dual-color luminescence and improved stability. <i>Journal of Materials Chemistry C</i> , 2018, 6, 8990-8998.	2.7	85
67	CsPbX <sub>3</sub> (X = Br, I) perovskite quantum dot embedded low-melting phosphosilicate glasses: controllable crystallization, thermal stability and tunable emissions. <i>Journal of Materials Chemistry C</i> , 2018, 6, 6832-6839.	2.7	134
68	Noble-metal-free MoS <sub>2</sub> nanosheet modified-InVO <sub>4</sub> heterostructures for enhanced visible-light-driven photocatalytic H <sub>2</sub> production. <i>Dalton Transactions</i> , 2017, 46, 2072-2076.	1.6	31
69	Water detection through Nd <sup>3+</sup> -sensitized photon upconversion in core-shell nanoarchitecture. <i>Journal of Materials Chemistry C</i> , 2017, 5, 5434-5443.	2.7	38
70	Synthesis of Mn <sup>2+</sup> :Zn <sub>2</sub> SiO <sub>4</sub> ∞Eu <sup>3+</sup> :Gd <sub>2</sub> O <sub>3</sub> nanocomposites for highly sensitive optical thermometry through the synergistic luminescence from lanthanide-transition metal ions. <i>Journal of Materials Chemistry C</i> , 2017, 5, 5176-5182.	2.7	130
71	Towards full-colour tunable photoluminescence of monolayer MoS <sub>2</sub> /carbon quantum dot ultra-thin films. <i>Journal of Materials Chemistry C</i> , 2017, 5, 6352-6358.	2.7	13
72	Full-Spectral Fine-Tuning Visible Emissions from Cation Hybrid Cs <sub>1-m</sub> FA <sub>m</sub> PbX <sub>3</sub> (X = Cl, Br, and I, 0 ≤ m ≤ 1) Quantum Dots. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 20671-20678.	4.0	43

#	ARTICLE	IF	CITATIONS
73	Piezoelectric grain-size effects of BaTiO <sub>3</sub> ceramics under different sintering atmospheres. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 7928-7934.	1.1	15
74	Monodispersed YF <sub>3</sub> :Ce <sup>3+</sup> /Tb <sup>3+</sup> /Eu <sup>3+</sup> mesocrystals: hydrothermal synthesis and optical temperature sensing behavior. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 9489-9494.	1.1	16
75	Low electric field-driven giant strain response in $\text{CeO}_2$ textured BNT-based lead-free piezoelectric materials. <i>Journal of Materials Science</i> , 2017, 52, 3169-3178.	1.7	18
76	Color tunable dual-phase transparent glass ceramics for warm white light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2017, 5, 738-746.	2.7	75
77	Effects of Er <sup>3+</sup> spatial distribution on luminescence properties and temperature sensing of upconverting core-shell nanocrystals with high Er <sup>3+</sup> content. <i>Dalton Transactions</i> , 2017, 46, 15373-15385.	1.6	21
78	Silica-Coated Mn-Doped CsPb(Cl/Br) <sub>3</sub> Inorganic Perovskite Quantum Dots: Exciton-to-Mn Energy Transfer and Blue-Excitable Solid-State Lighting. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 40477-40487.	4.0	140
79	Lead-free BNT-based composite materials: enhanced depolarization temperature and electromechanical behavior. <i>Dalton Transactions</i> , 2017, 46, 15340-15353.	1.6	38
80	Construction of a Noble-Metal-Free Photocatalytic H <sub>2</sub> Evolution System Using MoS <sub>2</sub> /Reduced Graphene Oxide Catalyst and Zinc Porphyrin Photosensitizer. <i>Journal of Physical Chemistry C</i> , 2017, 121, 24452-24462.	1.5	81
81	Yb <sup>3+</sup> /Ln <sup>3+</sup> /Cr <sup>3+</sup> (Ln = Er, Ho) doped transparent glass ceramics: crystallization, Ln <sup>3+</sup> sensitized Cr <sup>3+</sup> upconversion emission and multi-modal temperature sensing. <i>Journal of Materials Chemistry C</i> , 2017, 5, 11769-11780.	2.7	76
82	Ln <sup>3+</sup> -Sensitized Mn <sup>4+</sup> near-infrared upconverting luminescence and dual-modal temperature sensing. <i>Journal of Materials Chemistry C</i> , 2017, 5, 9619-9628.	2.7	91
83	Constructing noble-metal-free Z-scheme photocatalytic overall water splitting systems using MoS <sub>2</sub> nanosheet modified CdS as a H <sub>2</sub> evolution photocatalyst. <i>Journal of Materials Chemistry A</i> , 2017, 5, 21205-21213.	5.2	92
84	Eu <sup>3+</sup> -Doped glass ceramics containing NaTbF <sub>4</sub> nanocrystals: controllable glass crystallization, Tb <sup>3+</sup> -bridged energy transfer and tunable luminescence. <i>Journal of Materials Chemistry C</i> , 2017, 5, 10201-10210.	2.7	28
85	Dual-phase phosphor-in-glass based on a Sn <sup>2+</sup> /F <sup>-</sup> O ultralow-melting glass for warm white light-emitting diodes. <i>RSC Advances</i> , 2017, 7, 36168-36174.	1.7	25
86	Excitation-Independent Dual-Color Carbon Dots: Surface-State Controlling and Solid-State Lighting. <i>ACS Photonics</i> , 2017, 4, 2352-2358.	3.2	91
87	Interface engineering of a noble-metal-free 2D <sup>2D</sup> MoS <sub>2</sub> /Cu-ZnIn <sub>2</sub> S <sub>4</sub> photocatalyst for enhanced photocatalytic H <sub>2</sub> production. <i>Journal of Materials Chemistry A</i> , 2017, 5, 15771-15779.	5.2	185
88	Highly Sensitive Dual-Phase Nanoglass-Ceramics Self-Calibrated Optical Thermometer. <i>Analytical Chemistry</i> , 2016, 88, 4099-4106.	3.2	119
89	Highly enhanced upconversion luminescence in lanthanide-doped active-core/luminescent-shell/active-shell nanoarchitectures. <i>Journal of Materials Chemistry C</i> , 2016, 4, 2432-2437.	2.7	62
90	Composition- and temperature-driven phase transition characteristics and associated electromechanical properties in Bi <sub>0.5</sub> Na <sub>0.5</sub> TiO <sub>3</sub> -based lead-free ceramics. <i>Dalton Transactions</i> , 2016, 45, 8573-8586.	1.6	84

#	ARTICLE	IF	CITATIONS
91	Comparison of upconversion luminescent properties and temperature sensing behaviors of $\text{F}^{2-}\text{NaYF}_4:\text{Yb}^{3+}/\text{Er}^{3+}$ nano/microcrystals prepared by various synthetic methods. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 8254-8270.	1.1	18
92	Intense multi-state visible absorption and full-color luminescence of nitrogen-doped carbon quantum dots for blue-light-excitable solid-state-lighting. <i>Journal of Materials Chemistry C</i> , 2016, 4, 9027-9035.	2.7	119
93	A review on $\text{Mn}^{4+}$ activators in solids for warm white light-emitting diodes. <i>RSC Advances</i> , 2016, 6, 86285-86296.	1.7	225
94	$\text{Eu}^{3+}/\text{Ga}^{2+}/\text{O}^{3-}$ Dual-Phase Nanostructural Glass Ceramics with $\text{Eu}^{2+}/\text{Cr}^{3+}$ Dual-Activator Luminescence for Self-Calibrated Optical Thermometry. <i>Journal of Physical Chemistry C</i> , 2016, 120, 21858-21865.	1.5	89
95	Dual-activator luminescence of $\text{RE}/\text{TM}:\text{Y}^{3+}/\text{Al}^{5+}/\text{O}^{12-}$ (RE =) Tj ETQq1 1 0.784314 rgBT /Overlock 107 phosphors for self-referencing optical thermometry. <i>Journal of Materials Chemistry C</i> , 2016, 4, 9044-9051.	2.7	195
96	Phase structure control and optical spectroscopy of rare-earth activated $\text{GdF}^{3-}$ nanocrystal embedded glass ceramics via alkaline-earth/alkali-metal doping. <i>RSC Advances</i> , 2016, 6, 71176-71187.	1.7	16
97	Persistent and photo-stimulated luminescence in $\text{Ce}^{3+}/\text{Cr}^{3+}$ activated $\text{Y}^{3+}/\text{Al}^{2+}/\text{Ga}^{3+}/\text{O}^{12-}$ phosphors and transparent phosphor-in-glass. <i>Journal of Materials Chemistry C</i> , 2016, 4, 11457-11464.	2.7	51
98	Large-scale room-temperature synthesis and optical properties of perovskite-related $\text{Cs}^{4+}/\text{PbBr}^{6-}$ fluorophores. <i>Journal of Materials Chemistry C</i> , 2016, 4, 10646-10653.	2.7	183
99	A dual-functional upconversion core@shell nanostructure for white-light-emission and temperature sensing. <i>Journal of Materials Chemistry C</i> , 2016, 4, 6516-6524.	2.7	81
100	Enhanced luminescence of $\text{Mn}^{4+}:\text{Y}^{3+}/\text{Al}^{5+}/\text{O}^{12-}$ red phosphor via impurity doping. <i>Journal of Materials Chemistry C</i> , 2016, 4, 1704-1712.	2.7	177
101	Simultaneous morphology manipulation and upconversion luminescence enhancement of $\text{F}^{2-}\text{NaYF}_4:\text{Yb}^{3+}/\text{Er}^{3+}$ microcrystals by simply tuning the KF dosage. <i>Scientific Reports</i> , 2015, 5, 12745.	1.6	133
102	Controllable-permittivity and low-loss of $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{TiO}_3/\text{MgO}$ composites prepared by citrate gel derived core-shell powders. <i>AIP Advances</i> , 2015, 5, 117226.	0.6	0
103	Tuning the Upconversion Luminescence Lifetimes of $\text{KYb}^{2+}/\text{F}^{7-}:\text{Ho}^{3+}$ Nanocrystals for Optical Multiplexing. <i>ChemPhysChem</i> , 2015, 16, 3784-3789.	1.0	19
104	Impact of $\text{Eu}^{3+}$ Dopants on Optical Spectroscopy of $\text{Ce}^{3+}:\text{Y}^{3+}/\text{Al}^{5+}/\text{O}^{12-}$ Embedded Transparent Glass-Ceramics. <i>Journal of the American Ceramic Society</i> , 2015, 98, 2445-2450.	1.9	65
105	Tunable upconversion luminescence in self-crystallized $\text{Er}^{3+}:\text{K}(\text{Y}^{1-x}\text{Yb}^x)_3\text{F}_{10}$ nano-glass-ceramics. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 7100-7103.	1.3	56
106	Hydrothermal Synthesis of Novel $\text{K}_2\text{YbF}_5:\text{Er}^{3+}/\text{Y}^{3+}$ Microcrystals with Tunable Red-Green Upconversion Luminescence. <i>Journal of Materials Science</i> , 2015, 50, 6779-6785.	1.7	11
107	Tuning into blue and red: europium single-doped nano-glass-ceramics for potential application in photosynthesis. <i>Journal of Materials Chemistry C</i> , 2015, 3, 3141-3149.	2.7	52
108	Achieving efficient $\text{Tb}^{3+}$ dual-mode luminescence via Gd-sublattice-mediated energy migration in a $\text{NaGdF}^{4-}$ core-shell nanoarchitecture. <i>Journal of Materials Chemistry C</i> , 2015, 3, 5372-5376.	2.7	60

#	ARTICLE	IF	CITATIONS
109	Tuning into single-band red upconversion luminescence in Yb <sup>3+</sup> /Ho <sup>3+</sup> activated nano-glass-ceramics through Ce <sup>3+</sup> doping. Dalton Transactions, 2015, 44, 5288-5293.	1.6	29
110	Garnet-based Li <sub>6</sub> CaLa <sub>2</sub> Sb <sub>2</sub> O <sub>12</sub> :Eu <sup>3+</sup> red phosphors: a potential color-converting material for warm white light-emitting diodes. Journal of Materials Chemistry C, 2015, 3, 4500-4510.	2.7	137
111	KF-mediated controlled-synthesis of potassium ytterbium fluorides (doped with Er <sup>3+</sup> ) with phase-dependent upconversion luminescence. CrystEngComm, 2015, 17, 7182-7190.	1.3	12
112	Dual-Phase Glass Ceramic: Structure, Dual-Modal Luminescence, and Temperature Sensing Behaviors. ACS Applied Materials & Interfaces, 2015, 7, 19484-19493.	4.0	248
113	A new-generation color converter for high-power white LED: transparent Ce <sup>3+</sup> :YAG phosphor-in-glass. Laser and Photonics Reviews, 2014, 8, 158-164.	4.4	519
114	A Bifunctional Cr/Yb/Tm:Ca <sub>3</sub> Ga <sub>2</sub> Ge <sub>3</sub> O <sub>12</sub> Phosphor with Near-Infrared Long-Lasting Phosphorescence and Upconversion Luminescence. Inorganic Chemistry, 2014, 53, 8638-8645.	1.9	155
115	Highly intense upconversion luminescence in Yb/Er:NaGdF <sub>4</sub> @NaYF <sub>4</sub> core-shell nanocrystals with complete shell enclosure of the core. Dalton Transactions, 2014, 43, 11299.	1.6	121
116	High Capacitive Performance Achieved in NaNbO <sub>3</sub> Based Ceramics via Grain Refinement and Relaxation Enhancement. Energy Technology, 0, , 2100777.	1.8	6