

# Maurizio Valeriani

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3195017/publications.pdf>

Version: 2024-02-01

68  
papers

1,247  
citations

430442

18  
h-index

395343

33  
g-index

69  
all docs

69  
docs citations

69  
times ranked

2097  
citing authors

#	ARTICLE	IF	CITATIONS
1	Radiotherapy plus concomitant and adjuvant temozolomide for glioblastoma in elderly patients. <i>Journal of Neuro-Oncology</i> , 2008, 88, 97-103.	1.4	195
2	Hypofractionated radiotherapy followed by adjuvant chemotherapy with temozolomide in elderly patients with glioblastoma. <i>Journal of Neuro-Oncology</i> , 2009, 91, 95-100.	1.4	90
3	Fractionated stereotactic radiotherapy for skull base tumors: analysis of treatment accuracy using a stereotactic mask fixation system. <i>Radiation Oncology</i> , 2010, 5, 1.	1.2	70
4	Frameless linac-based stereotactic radiosurgery (SRS) for brain metastases: analysis of patient repositioning using a mask fixation system and clinical outcomes. <i>Radiation Oncology</i> , 2011, 6, 158.	1.2	65
5	Lung Metastases Treated With Stereotactic Ablative Radiation Therapy in Oligometastatic Colorectal Cancer Patients: Outcomes and Prognostic Factors After Long-Term Follow-Up. <i>Clinical Colorectal Cancer</i> , 2017, 16, 58-64.	1.0	59
6	<i>Lactobacillus brevis</i> CD2 for Prevention of Oral Mucositis in Patients With Head and Neck Tumors: A Multicentric Randomized Study. <i>Anticancer Research</i> , 2019, 39, 1935-1942.	0.5	55
7	Clinical Outcomes of Single Dose Stereotactic Radiotherapy for Lung Metastases. <i>Clinical Lung Cancer</i> , 2013, 14, 699-703.	1.1	51
8	Stereotactic radiosurgery in elderly patients with brain metastases. <i>Journal of Neuro-Oncology</i> , 2013, 111, 319-325.	1.4	48
9	Image Guided Hypofractionated 3-Dimensional Radiation Therapy in Patients With Inoperable Advanced Stage Non-Small Cell Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 85, e157-e163.	0.4	43
10	Cytokines, Fatigue, and Cutaneous Erythema in Early Stage Breast Cancer Patients Receiving Adjuvant Radiation Therapy. <i>BioMed Research International</i> , 2014, 2014, 1-7.	0.9	42
11	Short course radiation therapy for elderly cancer patients.. <i>Critical Reviews in Oncology/Hematology</i> , 2003, 45, 305-311.	2.0	30
12	Radiation therapy after breast reconstruction: outcomes, complications, and patient satisfaction. <i>Radiologia Medica</i> , 2013, 118, 1240-1250.	4.7	27
13	Renin-Angiotensin System Inhibitors Might Help to Reduce the Development of Symptomatic Radiation Pneumonitis After Stereotactic Body Radiotherapy for Lung Cancer. <i>Clinical Lung Cancer</i> , 2016, 17, 189-197.	1.1	25
14	Fractionated stereotactic radiosurgery for patients with skull base metastases from systemic cancer involving the anterior visual pathway. <i>Radiation Oncology</i> , 2014, 9, 110.	1.2	24
15	Safety and efficacy of abiraterone acetate in chemotherapy-naïve patients with metastatic castration-resistant prostate cancer: an Italian multicenter real life study. <i>BMC Cancer</i> , 2017, 17, 753.	1.1	24
16	Potential Role of Single Nucleotide Polymorphisms of XRCC1, XRCC3, and RAD51 in Predicting Acute Toxicity in Rectal Cancer Patients Treated With Preoperative Radiochemotherapy. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2017, 40, 535-542.	0.6	21
17	Stereotactic Ablative Body Radiotherapy (SABR) in Pulmonary Oligometastatic/Oligorecurrent Non-small Cell Lung Cancer Patients: A New Therapeutic Approach. <i>Anticancer Research</i> , 2015, 35, 6239-45.	0.5	19
18	Intensity modulated radiotherapy in early stage Hodgkin lymphoma patients: Is it better than three dimensional conformal radiotherapy?. <i>Radiation Oncology</i> , 2012, 7, 129.	1.2	18

#	ARTICLE	IF	CITATIONS
19	Intermediate-risk prostate cancer patients treated with androgen deprivation therapy and a hypofractionated radiation regimen with or without image guided radiotherapy. <i>Radiation Oncology</i> , 2013, 8, 137.	1.2	18
20	Radiotherapy and sequential temozolomide compared with radiotherapy with concomitant and sequential temozolomide in the treatment of newly diagnosed glioblastoma multiforme. <i>Anti-Cancer Drugs</i> , 2006, 17, 969-975.	0.7	16
21	Radiotherapy in metastatic castration resistant prostate cancer patients with oligo-progression during abiraterone-enzalutamide treatment: a mono-institutional experience. <i>Radiation Oncology</i> , 2019, 14, 205.	1.2	16
22	Long term results of single high dose Stereotactic Body Radiotherapy in the treatment of primary lung tumors. <i>Scientific Reports</i> , 2019, 9, 15498.	1.6	14
23	Mono- and Bi-weekly Hypofractionated Radiation Therapy for the Treatment of Epithelial Skin Cancer in Very Elderly Patients. <i>Anticancer Research</i> , 2017, 37, 825-830.	0.5	14
24	Whole brain reirradiation and concurrent temozolomide in patients with brain metastases. <i>Journal of Neuro-Oncology</i> , 2014, 118, 329-334.	1.4	13
25	Role of salvage stereotactic body radiation therapy in post-surgical loco-regional recurrence in a selected population of non-small cell lung cancer patients. <i>Anticancer Research</i> , 2015, 35, 1783-9.	0.5	13
26	Re-irradiation in lung disease by SBRT: a retrospective, single institutional study. <i>Radiation Oncology</i> , 2018, 13, 87.	1.2	12
27	Late morbidity and oncological outcome after radical hypofractionated radiotherapy in men with prostate cancer. <i>BJU International</i> , 2010, 106, 1458-1462.	1.3	11
28	Impact of Different Treatment Approaches on Pregnancy Outcomes in 99 Women Treated for Hodgkin Lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, 755-761.	0.4	11
29	Abiraterone Acetate for Treatment of Metastatic Castration-resistant Prostate Cancer in Chemotherapy-naïve Patients: An Italian Analysis of Patients' Satisfaction. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 520-525.	0.9	11
30	Orbital Radiotherapy Plus Concomitant Steroids in Moderate-to-Severe Graves' Ophthalmopathy: Good Results After Long-Term Follow-Up. <i>International Journal of Endocrinology and Metabolism</i> , 2019, In Press, e84427.	0.3	11
31	Acute toxicity in 14 patients with locally advanced head and neck squamous cell carcinoma treated with concurrent cetuximab and radiotherapy. <i>Radiologia Medica</i> , 2012, 117, 125-132.	4.7	10
32	Post-mastectomy immediate breast reconstruction and adjuvant radiotherapy: long term results of a mono institutional experience. <i>Radiologia Medica</i> , 2020, 125, 887-893.	4.7	10
33	Image guided intensity modulated hypofractionated radiotherapy in high-risk prostate cancer patients treated four or five times per week: analysis of toxicity and preliminary results. <i>Radiation Oncology</i> , 2014, 9, 214.	1.2	9
34	Hypofractionated radiotherapy with or without IGRT in prostate cancer: preliminary report of acute toxicity. <i>Anticancer Research</i> , 2011, 31, 3555-8.	0.5	9
35	Hypofractionated Image-guided Radiation Therapy (3Gy/fraction) in Patients Affected by Inoperable Advanced-stage Non-small Cell Lung Cancer After Long-term Follow-up. <i>Anticancer Research</i> , 2015, 35, 5693-700.	0.5	8
36	Manipulation of radiation-induced bystander effect in prostate adenocarcinoma by dose and tumor differentiation grade: In vitro study. <i>International Journal of Radiation Biology</i> , 2015, 91, 166-171.	1.0	7

#	ARTICLE	IF	CITATIONS
37	Two Cases of Capecitabine-Induced Ileitis in Patients Treated with Radiochemotherapy to the Pelvis and Review of the Literature. <i>Journal of Gastrointestinal Cancer</i> , 2018, 49, 538-542.	0.6	7
38	Enzalutamide in patients with castration-resistant prostate cancer: retrospective, multicenter, real life study. <i>Minerva Urology and Nephrology</i> , 2021, 73, 489-497.	1.3	7
39	Radiotherapy at oligoprogression for metastatic castration-resistant prostate cancer patients: a multi-institutional analysis. <i>Radiologia Medica</i> , 2022, 127, 108-116.	4.7	7
40	External-beam radiotherapy and/or HDR brachytherapy in postoperative endometrial cancer patients: clinical outcomes and toxicity rates. <i>Radiologia Medica</i> , 2013, 118, 311-322.	4.7	6
41	Neoadjuvant chemoradiation with concomitant boost radiotherapy associated to capecitabine in rectal cancer patients. <i>International Journal of Colorectal Disease</i> , 2014, 29, 835-842.	1.0	6
42	Multifraction Radiotherapy for Palliation of Painful Bone Metastases: 20 Gy versus 30 Gy. <i>Tumori</i> , 2015, 101, 318-322.	0.6	6
43	Second cancer incidence in primary mediastinal B-cell lymphoma treated with methotrexate with leucovorin rescue, doxorubicin, cyclophosphamide, vincristine, prednisone, and bleomycin regimen with or without rituximab and mediastinal radiotherapy: Results from a monoinstitutional cohort analysis of long-term survivors. <i>Hematological Oncology</i> , 2017, 35, 554-560.	0.8	6
44	Duration of response to first androgen deprivation therapy, time to castration resistance prostate cancer, and outcome of metastatic castration resistance prostate cancer patients treated with abiraterone acetate. <i>Anti-Cancer Drugs</i> , 2017, 28, 110-115.	0.7	6
45	Locally advanced inoperable primary or recurrent non-small cell lung cancer treated with 4-week hypofractionated radiation therapy (3ÂGy/fraction). <i>Radiologia Medica</i> , 2019, 124, 1324-1332.	4.7	6
46	Androgen Receptor Targeted Therapy + Radiotherapy in Metastatic Castration Resistant Prostate Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 695136.	1.3	6
47	Single nucleotide polymorphism of GSTP1 and pathological complete response in locally advanced rectal cancer patients treated with neoadjuvant concomitant radiochemotherapy. <i>Radiation Oncology Journal</i> , 2018, 36, 218-226.	0.7	6
48	One-week vaginal brachytherapy schedule as exclusive adjuvant post-operative treatment in intermediate- and high-intermediate-risk endometrial cancer patients. <i>Journal of Contemporary Brachytherapy</i> , 2020, 12, 124-130.	0.4	5
49	Role of radiation therapy in mycosis fungoides refractory to systemic therapy. <i>European Journal of Dermatology</i> , 2011, 21, 213-217.	0.3	5
50	Stereotactic Body Radiation Therapy in Primary and Metastatic Liver Disease. <i>Anticancer Research</i> , 2017, 37, 7005-7010.	0.5	5
51	Anti-Helicobacter Pylori Therapy in Primary MALT Lymphoma of Rectum. <i>Tumori</i> , 2012, 98, e105-e110.	0.6	4
52	Image-Guided Hypofractionated Radiotherapy in Low-Risk Prostate Cancer Patients. <i>BioMed Research International</i> , 2014, 2014, 1-6.	0.9	4
53	What is the role of reirradiation in the management of locoregionally relapsed non small-cell lung cancer?. <i>Lung Cancer</i> , 2020, 146, 263-275.	0.9	4
54	Stereotactic Body Radiation Therapy Boost in Patients With Cervical Cancer Ineligible for Brachytherapy. <i>Cancer Diagnosis &amp; Prognosis</i> , 2021, 1, 53-60.	0.3	4

#	ARTICLE	IF	CITATIONS
55	Pain evaluation and management: a survey of Italian radiotherapists. <i>Supportive Care in Cancer</i> , 2005, 13, 215-218.	1.0	3
56	Hypofractionated Intensity-Modulated Simultaneous Integrated Boost and Image-Guided Radiotherapy in the Treatment of High-Risk Prostate Cancer Patients: A Preliminary Report on Acute Toxicity. <i>Tumori</i> , 2013, 99, 474-479.	0.6	3
57	Different outcomes among favourable and unfavourable intermediate-risk prostate cancer patients treated with hypofractionated radiotherapy and androgen deprivation therapy. <i>Radiation Oncology</i> , 2016, 11, 78.	1.2	3
58	Moderate Hypofractionation in Patients with Low-risk Prostate Cancer: Long-term Outcomes. <i>Anticancer Research</i> , 2018, 38, 1671-1676.	0.5	3
59	A case report of metastatic atypical thymic carcinoid with ectopic ACTH production: locoregional control after adaptive radiation treatment. <i>Tumori</i> , 2012, 98, 172e-5e.	0.6	3
60	Hypofractionated intensity-modulated simultaneous integrated boost and image-guided radiotherapy in the treatment of high-risk prostate cancer patients: a preliminary report on acute toxicity. <i>Tumori</i> , 2013, 99, 474-9.	0.6	3
61	Inoperable early-stage primary and early recurrent non-small cell lung cancer: outcomes of a mono-institutional experience using a moderate hypofractionated schedule. <i>Radiologia Medica</i> , 2019, 124, 58-64.	4.7	2
62	Hypofractionated Radiation Therapy (HFRT) of Breast/Chest Wall and Regional Nodes in Locally Advanced Breast Cancer: Toxicity Profile and Survival Outcomes in Retrospective Monoinstitutional Study. <i>Clinical Breast Cancer</i> , 2022, 22, e332-e340.	1.1	2
63	High-grade gliomas: results in patients treated with adjuvant radiotherapy alone and with adjuvant radio-chemotherapy. <i>Anticancer Research</i> , 2006, 26, 2429-35.	0.5	2
64	A Case of Sinonasal Melanoma With Unusual Primary Exon 17 KIT D820G Mutation. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2016, 24, e94-e97.	0.6	1
65	Residual Site Radiotherapy After Immunochemotherapy in Primary Mediastinal B-Cell Lymphoma: A Monoinstitutional Retrospective Study. <i>In Vivo</i> , 2020, 34, 1407-1413.	0.6	1
66	Stereotactic and Hypofractionated Radiotherapy Associated With Immune Checkpoint Inhibitor Drugs: Analysis of Local Control, Toxicity, and Outcome in a Single Research Centre Case Study. <i>Anticancer Research</i> , 2021, 41, 5107-5116.	0.5	1
67	Stereotactic body radiation therapy (SBRT) for patients with oligometastatic/oligoprogressive adrenal metastases: Outcomes and toxicities profile in a monoinstitutional study.. <i>Cancer Treatment and Research Communications</i> , 2021, 29, 100481.	0.7	1
68	Stereotactic Body Radiation Therapy for Liver Lesions. A Single-institution Experience. <i>Anticancer Research</i> , 2015, 35, 4171-5.	0.5	0