

Junjie Ou

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3196157/junjie-ou-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

2,189
citations

28
h-index

43
g-index

93
ext. papers

2,548
ext. citations

6
avg, IF

5.1
L-index

#	Paper	IF	Citations
85	Preparation and evaluation of a molecularly imprinted polymer derivatized silica monolithic column for capillary electrochromatography and capillary liquid chromatography. <i>Analytical Chemistry</i> , 2007 , 79, 639-46	7.8	138
84	Determination of DL-tetrahydropalmatine in <i>Corydalis yanhusuo</i> by L-tetrahydropalmatine imprinted monolithic column coupling with reversed-phase high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2006 , 1117, 163-9	4.5	110
83	Determination of phenolic compounds in river water with on-line coupling bisphenol A imprinted monolithic precolumn with high performance liquid chromatography. <i>Talanta</i> , 2006 , 69, 1001-6	6.2	97
82	Ring-opening polymerization reaction of polyhedral oligomeric silsesquioxanes (POSSs) for preparation of well-controlled 3D skeletal hybrid monoliths. <i>Chemical Communications</i> , 2013 , 49, 231-3	5.8	91
81	Recent development of hybrid organic-silica monolithic columns in CEC and capillary LC. <i>Electrophoresis</i> , 2015 , 36, 62-75	3.6	81
80	Fabrication of Hydrazone-Linked Covalent Organic Frameworks Using Alkyl Amine as Building Block for High Adsorption Capacity of Metal Ions. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 11706-11714	9.5	71
79	Preparation of hybrid monolithic columns via "one-pot" photoinitiated thiol-acrylate polymerization for retention-independent performance in capillary liquid chromatography. <i>Analytical Chemistry</i> , 2015 , 87, 8789-97	7.8	69
78	Recent advances in preparation and application of hybrid organic-silica monolithic capillary columns. <i>Electrophoresis</i> , 2013 , 34, 126-40	3.6	68
77	Tailor-Made Stable Zr(IV)-Based Metal-Organic Frameworks for Laser Desorption/Ionization Mass Spectrometry Analysis of Small Molecules and Simultaneous Enrichment of Phosphopeptides. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 20292-300	9.5	66
76	Facile construction of macroporous hybrid monoliths via thiol-methacrylate Michael addition click reaction for capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2015 , 1379, 34-42	4.5	60
75	Construction of hierarchically porous monoliths from covalent organic frameworks (COFs) and their application for bisphenol A removal. <i>Journal of Hazardous Materials</i> , 2018 , 355, 145-153	12.8	60
74	Synthesis of zwitterionic polymer brushes hybrid silica nanoparticles via controlled polymerization for highly efficient enrichment of glycopeptides. <i>Analytica Chimica Acta</i> , 2014 , 809, 61-8	6.6	56
73	Efficient enrichment of glycopeptides using metal-organic frameworks by hydrophilic interaction chromatography. <i>Analyt, The</i> , 2014 , 139, 4987-93	5	54
72	Recent progress in polar stationary phases for CEC. <i>Electrophoresis</i> , 2007 , 28, 148-63	3.6	48
71	Thiol-epoxy click polymerization for preparation of polymeric monoliths with well-defined 3D framework for capillary liquid chromatography. <i>Analytical Chemistry</i> , 2015 , 87, 3476-83	7.8	47
70	Fast preparation of a highly efficient organic monolith via photo-initiated thiol-ene click polymerization for capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2015 , 1394, 103-10	4.5	46
69	Click polymerization for preparation of monolithic columns for liquid chromatography. <i>TrAC - Trends in Analytical Chemistry</i> , 2016 , 82, 89-99	14.6	46

68	Photoinduced thiol-ene polymerization reaction for fast preparation of macroporous hybrid monoliths and their application in capillary liquid chromatography. <i>Chemical Communications</i> , 2014 , 50, 9288-90	5.8	46
67	Polyhedral oligomeric silsesquioxanes as functional monomer to prepare hybrid monolithic columns for capillary electrochromatography and capillary liquid chromatography. <i>Analytica Chimica Acta</i> , 2013 , 761, 209-16	6.6	46
66	Enantioseparation of tetrahydropalmatine and Tröger's base by molecularly imprinted monolith in capillary electrochromatography. <i>Journal of Proteomics</i> , 2007 , 70, 71-6		46
65	Preparation of polyhedral oligomeric silsesquioxane-based hybrid monolith by ring-opening polymerization and post-functionalization via thiol-ene click reaction. <i>Journal of Chromatography A</i> , 2014 , 1342, 70-7	4.5	44
64	Facile Fabrication of Biomimetic Chitosan Membrane with Honeycomb-Like Structure for Enrichment of Glycosylated Peptides. <i>Analytical Chemistry</i> , 2019 , 91, 2985-2993	7.8	39
63	Challenges and Advances in the Fabrication of Monolithic Bioseparation Materials and their Applications in Proteomics Research. <i>Advanced Materials</i> , 2019 , 31, e1902023	24	34
62	Facile preparation of polysaccharide functionalized macroporous adsorption resin for highly selective enrichment of glycopeptides. <i>Journal of Chromatography A</i> , 2017 , 1498, 72-79	4.5	30
61	Preparation and application of hydrophobic hybrid monolithic columns containing polyhedral oligomeric silsesquioxanes for capillary electrochromatography. <i>Electrophoresis</i> , 2012 , 33, 1660-8	3.6	30
60	Facile Preparation of Titanium(IV)-Immobilized Hierarchically Porous Hybrid Monoliths. <i>Analytical Chemistry</i> , 2017 , 89, 4655-4662	7.8	29
59	Synthesis and Characterization of Hydrazide-Linked and Amide-Linked Organic Polymers. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 32060-32067	9.5	28
58	Hybrid monolithic columns coated with cellulose tris(3,5-dimethylphenyl-carbamate) for enantioseparations in capillary electrochromatography and capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2012 , 1269, 372-8	4.5	28
57	Preparation of well-controlled three-dimensional skeletal hybrid monoliths via thiol-epoxy click polymerization for highly efficient separation of small molecules in capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2015 , 1416, 74-82	4.5	27
56	A novel polymeric monolith prepared with multi-acrylate crosslinker for retention-independent efficient separation of small molecules in capillary liquid chromatography. <i>Analytica Chimica Acta</i> , 2015 , 883, 90-8	6.6	25
55	Rapid "one-pot" preparation of polymeric monolith via photo-initiated thiol-acrylate polymerization for capillary liquid chromatography. <i>Analytica Chimica Acta</i> , 2016 , 925, 88-96	6.6	22
54	Improving permeability and chromatographic performance of poly(pentaerythritol diacrylate monostearate) monolithic column via photo-induced thiol-acrylate polymerization. <i>Journal of Chromatography A</i> , 2016 , 1436, 100-8	4.5	21
53	One-step preparation of phosphate-rich carbonaceous spheres via a hydrothermal approach for phosphopeptide analysis. <i>Green Chemistry</i> , 2019 , 21, 2052-2060	10	20
52	Chiral separation of 1,1'-bi-2-naphthol and its analogue on molecular imprinting monolithic columns by HPLC. <i>Journal of Separation Science</i> , 2005 , 28, 2282-7	3.4	20
51	Preparation and characterization of hydrophilic hybrid monoliths via thiol-ene click polymerization and their applications in chromatographic analysis and glycopeptides enrichment. <i>Journal of Chromatography A</i> , 2017 , 1498, 37-45	4.5	19

50	Chromatographic assessment of two hybrid monoliths prepared via epoxy-amine ring-opening polymerization and methacrylate-based free radical polymerization using methacrylate epoxy cyclosiloxane as functional monomer. <i>Journal of Chromatography A</i> , 2014 , 1367, 131-40	4.5	19
49	Facile preparation of microporous organic polymers functionalized macroporous hydrophilic resin for selective enrichment of glycopeptides. <i>Analytica Chimica Acta</i> , 2018 , 1030, 96-104	6.6	19
48	Facile fabrication of zwitterionic magnetic composites by one-step distillation-precipitation polymerization for highly specific enrichment of glycopeptides. <i>Analytica Chimica Acta</i> , 2019 , 1053, 43-53	6.6	18
47	One-Step Preparation of Zwitterionic-Rich Hydrophilic Hydrothermal Carbonaceous Materials for Enrichment of N-Glycopeptides. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 11511-11520	8.3	17
46	Synthesis of polymeric monoliths via thiol-maleimide polymerization reaction for highly efficient chromatographic separation. <i>Journal of Chromatography A</i> , 2017 , 1514, 72-79	4.5	17
45	Preparation of open tubular capillary columns by in situ ring-opening polymerization and their applications in cLC-MS/MS analysis of tryptic digest. <i>Analytica Chimica Acta</i> , 2017 , 979, 58-65	6.6	16
44	Preparation of epoxy-functionalized hierarchically porous hybrid monoliths via free radical polymerization and application in HILIC enrichment of glycopeptides. <i>Analytica Chimica Acta</i> , 2019 , 1058, 97-106	6.6	16
43	Fast preparation of hybrid monolithic columns via photo-initiated thiol-yne polymerization for capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2018 , 1538, 8-16	4.5	16
42	A hybrid fluorinated monolithic capillary column with integrated nanoelectrospray ionization emitter for determination of perfluoroalkyl acids by nano-liquid chromatography-nanoelectrospray ionization-mass spectrometry/mass spectrometry. <i>Journal of Chromatography A</i> , 2016 , 1440, 66-73	4.5	16
41	Integration of covalent organic frameworks into hydrophilic membrane with hierarchical porous structure for fast adsorption of metal ions. <i>Journal of Hazardous Materials</i> , 2021 , 407, 124390	12.8	16
40	Functionalization of hybrid monolithic columns via thiol-ene click reaction for proteomics analysis. <i>Journal of Chromatography A</i> , 2017 , 1498, 29-36	4.5	15
39	Thiol-radical-mediated polymerization for preparation of POSS-containing polyacrylate monoliths in capillary liquid chromatography. <i>Talanta</i> , 2018 , 190, 62-69	6.2	15
38	One-step fabrication of cinchona-based hybrid monolithic chiral stationary phases via photo-initiated thiol-ene polymerization for cLC enantioseparation. <i>Talanta</i> , 2019 , 198, 432-439	6.2	15
37	Facile preparation of multi-functionalized hybrid monoliths via two-step photo-initiated reactions for two-dimensional liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2017 , 1524, 135-142	4.5	14
36	Au ³⁺ -cysteine modified macroporous adsorption resin: preparation and highly selective enrichment and identification of N-linked glycopeptides from the complex biological sample. <i>RSC Advances</i> , 2016 , 6, 113058-113065	3.7	14
35	Preparation of cyclodextrin-modified monolithic hybrid columns for the fast enantioseparation of hydroxy acids in capillary liquid chromatography. <i>Journal of Separation Science</i> , 2016 , 39, 1110-7	3.4	13
34	Sol-gel preparation of titanium (IV)-immobilized hierarchically porous organosilica hybrid monoliths. <i>Analytica Chimica Acta</i> , 2019 , 1046, 199-207	6.6	13
33	Chromatographic efficiency comparison of polyhedral oligomeric silsesquioxanes-containing hybrid monoliths via photo- and thermally-initiated free-radical polymerization in capillary liquid chromatography for small molecules. <i>Journal of Chromatography A</i> , 2015 , 1410, 110-7	4.5	12

32	Glutathione-modified ordered mesoporous silicas for enrichment of N-linked glycopeptides by hydrophilic interaction chromatography. <i>Talanta</i> , 2020 , 217, 121082	6.2	12
31	A One step approach for preparation of an octadecyl silica hybrid monolithic column via a non-hydrolytic sol-gel (NHSG) method. <i>RSC Advances</i> , 2013 , 3, 22160	3.7	11
30	Recent application of molecular imprinting technique in food safety. <i>Journal of Chromatography A</i> , 2021 , 1657, 462579	4.5	11
29	Porous styryl-linked polyhedral oligomeric silsesquioxane (POSS) polymers used as a support for platinum catalysts. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 851-859	7.8	10
28	Facile preparation of bifunctional adsorbents for efficiently enriching N-glycopeptides and phosphopeptides. <i>Analytica Chimica Acta</i> , 2021 , 1144, 111-120	6.6	10
27	Palladium catalyst imbedded in polymers of intrinsic microporosity for the Suzuki-Miyaura coupling reaction.. <i>RSC Advances</i> , 2018 , 8, 35205-35210	3.7	8
26	Thiol-ene polymerization for hierarchically porous hybrid materials by adding degradable polycaprolactone for adsorption of bisphenol A. <i>Journal of Hazardous Materials</i> , 2019 , 367, 465-472	12.8	7
25	Fast fabrication of a hybrid monolithic column containing cyclic and aliphatic hydrophobic ligands via photo-initiated thiol-ene polymerization. <i>Journal of Separation Science</i> , 2019 , 42, 1332-1340	3.4	7
24	One-Pot Preparation of Macroporous Organic-Silica Monolith for the Organics-/Oil-Water Separation. <i>ChemistrySelect</i> , 2017 , 2, 4538-4544	1.8	6
23	One-step synthesis of hydrophilic microspheres for highly selective enrichment of N-linked glycopeptides. <i>Analytica Chimica Acta</i> , 2020 , 1130, 91-99	6.6	6
22	Fast fabrication and modification of polyoctahedral silsesquioxane-containing monolithic columns via two-step photo-initiated reactions and their application in proteome analysis of tryptic digests. <i>Talanta</i> , 2020 , 209, 120526	6.2	5
21	Synthesis of a stationary phase based on silica modified with branched octadecyl groups by Michael addition and photoinduced thiol-yne click chemistry for the separation of basic compounds. <i>Journal of Separation Science</i> , 2016 , 39, 1461-70	3.4	5
20	Comparative evaluation of MAX-TiAlC and MXene-TiC as affinity chromatographic materials for highly selective enrichment of phosphopeptides. <i>Nanoscale</i> , 2021 , 13, 2923-2930	7.7	5
19	Atomically Precise Structure Determination of Porous Organic Cage from Ab Initio PXRD Structure Analysis: Its Molecular Click Postfunctionalization and CO Capture Application. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 17815-17823	9.5	4
18	Highly selective enrichment and direct determination of imazethapyr residues from milk using magnetic solid-phase extraction based on restricted-access molecularly imprinted polymers. <i>Analytical Methods</i> , 2021 , 13, 426-435	3.2	4
17	Facile fabrication of hollow tubular covalent organic frameworks using decomposable monomer as building block.. <i>RSC Advances</i> , 2021 , 11, 20899-20910	3.7	3
16	One-step preparation of cyclen-containing hydrophilic polymeric monolithic materials via epoxy-amine ring-opening reaction and their application in enrichment of N-glycopeptides. <i>Talanta</i> , 2021 , 225, 122049	6.2	3
15	Bioinspired dandelion-like silica nanoparticles modified with L-glutathione for highly efficient enrichment of N-glycopeptides in biological samples. <i>Analytica Chimica Acta</i> , 2021 , 1173, 338694	6.6	3

14	Facile Synthesis of Dodecamine Organic Cage-Based Monolithic Microreactor via Ring-Opening Polymerization Following Spontaneous Reduction of Gold Ions for Continuous Flow Catalysis. <i>ChemistrySelect</i> , 2017 , 2, 10880-10884	1.8	2
13	Free-standing lamellar 3D architectures assembled from chitosan as a reusable titanium-immobilized affinity membrane for efficiently capturing phosphopeptides. <i>Green Chemistry</i> , 2022 , 24, 238-250	10	2
12	Recent advances of restricted access molecularly imprinted materials and their applications in food and biological samples analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2022 , 147, 116526	14.6	2
11	Facile "one-pot" preparation of phosphonate functional polythiophene based microsphere via Friedel-Crafts reaction for selective enrichment of phosphopeptides from milk. <i>Analytica Chimica Acta</i> , 2022 , 1190, 339268	6.6	2
10	Integrated Microstructured Photonic Fiber as a Bifunctional Robust Frit and Efficient Electrospray Emitter of a Packed Column for Capillary Liquid Chromatography-Tandem Mass Spectrometry Analysis of Complex Biological Samples. <i>Analytical Chemistry</i> , 2020 , 92, 2274-2282	7.8	2
9	Progress of molecular imprinting technique for enantioseparation of chiral drugs in recent ten years.. <i>Journal of Chromatography A</i> , 2022 , 1668, 462914	4.5	2
8	Bioinspired honeycomb-like 3D architectures self-assembled from chitosan as dual-functional membrane for effective adsorption and detection of copper ion. <i>Microporous and Mesoporous Materials</i> , 2022 , 335, 111859	5.3	2
7	Design and construction of a hydrophilic coating on macroporous adsorbent resins for enrichment of glycopeptides. <i>Analytical Methods</i> , 2021 , 13, 4515-4527	3.2	1
6	Design and fabrication of reusable core-shell composite microspheres based on nanodiamond for selective enrichment of phosphopeptides.. <i>Mikrochimica Acta</i> , 2022 , 189, 124	5.8	1
5	Robust Titanium Phenolate-Modified Microspheres as Reusable Affinity Materials for Selectively Capturing Phosphopeptides from Complicated Biosamples. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 17025-17033	8.3	1
4	One-step fabrication of nitrogen-rich linear porous organic polymer-based micron-sized sphere for selective enrichment of glycopeptides. <i>Analytica Chimica Acta</i> , 2022 , 1215, 339988	6.6	1
3	Fabrication of highly crosslinked and monodispersed silicon-containing polymeric microspheres via photo-initiated polymerization and their application in capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2021 , 1659, 462643	4.5	0
2	One-pot synthesis of glucose-derived carbonaceous material with high hydrophilicity and adsorption capacity as bilirubin adsorbent. <i>Journal of Materials Science</i> , 2021 , 56, 18006-18018	4.3	0
1	Fabrication of hydrophilic zwitterionic microspheres via inverse suspension polymerization for the enrichment of N-glycopeptides. <i>Mikrochimica Acta</i> , 2021 , 188, 348	5.8	0