

J Kent Leach

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3196495/publications.pdf>

Version: 2024-02-01

106
papers

4,723
citations

81839

39
h-index

110317

64
g-index

109
all docs

109
docs citations

109
times ranked

6318
citing authors

#	ARTICLE	IF	CITATIONS
1	Amplifying the voice of the Early Career Scientist through the inaugural Early Career Editorial Board. <i>Journal of Biomedical Materials Research - Part A</i> , 2022, 110, 7-10.	2.1	0
2	Engineered Cells Secrete Extracellular Matrix Modulates Cell Spheroid Mechanosensing and Amplifies Their Response to Inductive Cues for the Formation of Mineralized Tissues. <i>Advanced Healthcare Materials</i> , 2022, 11, e2102337.	3.9	21
3	Characterization of Induction and Targeting of Senescent Mesenchymal Stromal Cells. <i>Tissue Engineering - Part C: Methods</i> , 2022, 28, 239-249.	1.1	3
4	Endogenous Electric Signaling as a Blueprint for Conductive Materials in Tissue Engineering. <i>Bioelectricity</i> , 2021, 3, 27-41.	0.6	23
5	Alginate-Based Biinks for 3D Bioprinting and Fabrication of Anatomically Accurate Bone Grafts. <i>Tissue Engineering - Part A</i> , 2021, 27, 1168-1181.	1.6	49
6	Hydrogel mechanics are a key driver of bone formation by mesenchymal stromal cell spheroids. <i>Biomaterials</i> , 2021, 269, 120607.	5.7	51
7	Passing the torch of the <i>Journal of Biomedical Materials Research</i> "Part A". <i>Journal of Biomedical Materials Research - Part A</i> , 2021, 109, 395-396.	2.1	0
8	Mechanical Load Regulates Excitation-Ca ²⁺ Signaling-Contraction in Cardiomyocyte. <i>Circulation Research</i> , 2021, 128, 772-774.	2.0	9
9	Growth factor delivery using extracellular matrix-mimicking substrates for musculoskeletal tissue engineering and repair. <i>Bioactive Materials</i> , 2021, 6, 1945-1956.	8.6	55
10	Skeletal muscle progenitors are sensitive to collagen architectural features of fibril size and cross linking. <i>American Journal of Physiology - Cell Physiology</i> , 2021, 321, C330-C342.	2.1	17
11	Sulfated Alginate Hydrogels Prolong the Therapeutic Potential of MSC Spheroids by Sequestering the Secretome. <i>Advanced Healthcare Materials</i> , 2021, 10, e2101048.	3.9	19
12	Tissue engineered platforms for studying primary and metastatic neoplasm behavior in bone. <i>Journal of Biomechanics</i> , 2021, 115, 110189.	0.9	5
13	Tunneling nanotubes mediate the expression of senescence markers in mesenchymal stem/stromal cell spheroids. <i>Stem Cells</i> , 2020, 38, 80-89.	1.4	28
14	Three-Dimensional Printed Stamps for the Fabrication of Patterned Microwells and High-Throughput Production of Homogeneous Cell Spheroids. <i>3D Printing and Additive Manufacturing</i> , 2020, 7, 139-147.	1.4	11
15	Tunable fibrin-alginate interpenetrating network hydrogels to support cell spreading and network formation. <i>Acta Biomaterialia</i> , 2020, 108, 142-152.	4.1	55
16	Multi-peptide presentation and hydrogel mechanics jointly enhance therapeutic duo-potential of entrapped stromal cells. <i>Biomaterials</i> , 2020, 245, 119973.	5.7	27
17	Functionally Graded Biomaterials for Use as Model Systems and Replacement Tissues. <i>Advanced Functional Materials</i> , 2020, 30, 1909089.	7.8	58
18	Osteogenic preconditioning in perfusion bioreactors improves vascularization and bone formation by human bone marrow aspirates. <i>Science Advances</i> , 2020, 6, eaay2387.	4.7	35

#	ARTICLE	IF	CITATIONS
19	Spatial localization of endothelial cells in heterotypic spheroids influences Notch signaling. <i>Journal of Molecular Medicine</i> , 2020, 98, 425-435.	1.7	25
20	Exogenous Lysyl Oxidase-Like 2 and Perfusion Culture Induce Collagen Crosslink Formation in Osteogenic Grafts. <i>Biotechnology Journal</i> , 2019, 14, 1700763.	1.8	12
21	Bio-instructive materials for musculoskeletal regeneration. <i>Acta Biomaterialia</i> , 2019, 96, 20-34.	4.1	36
22	Morphogen Delivery by Osteoconductive Nanoparticles Instructs Stromal Cell Spheroid Phenotype. <i>Advanced Biology</i> , 2019, 3, 1900141.	3.0	9
23	Injectable mineralized microsphere-loaded composite hydrogels for bone repair in a sheep bone defect model. <i>Biomaterials</i> , 2019, 197, 119-128.	5.7	80
24	Conditioning of myoblast secretome using mesenchymal stem/stromal cell spheroids improves bone repair. <i>Bone</i> , 2019, 125, 151-159.	1.4	12
25	Multimodal Label-Free Imaging for Detecting Maturation of Engineered Osteogenic Grafts. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 1956-1966.	2.6	4
26	Cell-secreted extracellular matrix influences cellular composition sequestered from unprocessed bone marrow aspirate for osteogenic grafts. <i>Biomaterials Science</i> , 2019, 7, 2091-2101.	2.6	9
27	Non-destructive detection of matrix stabilization correlates with enhanced mechanical properties of self-assembled articular cartilage. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2019, 13, 637-648.	1.3	11
28	Is Tissue Engineering Helping Orthopaedic Care in Trauma?. <i>Journal of Orthopaedic Trauma</i> , 2019, 33, S12-S19.	0.7	1
29	In Vitro Models for Studying Transport Across Epithelial Tissue Barriers. <i>Annals of Biomedical Engineering</i> , 2019, 47, 1-21.	1.3	28
30	Defining hydrogel properties to instruct lineage- and cell-specific mesenchymal differentiation. <i>Biomaterials</i> , 2019, 189, 1-10.	5.7	29
31	Engineering principles for guiding spheroid function in the regeneration of bone, cartilage, and skin. <i>Biomedical Materials (Bristol)</i> , 2018, 13, 034109.	1.7	58
32	High-Throughput Formation of Mesenchymal Stem Cell Spheroids and Entrapment in Alginate Hydrogels. <i>Methods in Molecular Biology</i> , 2018, 1758, 139-149.	0.4	27
33	Materials-Directed Differentiation of Mesenchymal Stem Cells for Tissue Engineering and Regeneration. <i>ACS Biomaterials Science and Engineering</i> , 2018, 4, 1115-1127.	2.6	105
34	Nondestructive fluorescence lifetime imaging and time-resolved fluorescence spectroscopy detect cartilage matrix depletion and correlate with mechanical properties. , 2018, 36, 30-43.		15
35	Direct Observation of Tunneling Nanotubes within Human Mesenchymal Stem Cell Spheroids. <i>Journal of Physical Chemistry B</i> , 2018, 122, 9920-9926.	1.2	15
36	Hypoxic Preconditioning of Mesenchymal Stem Cells with Subsequent Spheroid Formation Accelerates Repair of Segmental Bone Defects. <i>Stem Cells</i> , 2018, 36, 1393-1403.	1.4	70

#	ARTICLE	IF	CITATIONS
37	Cell-secreted extracellular matrix, independent of cell source, promotes the osteogenic differentiation of human stromal vascular fraction. <i>Journal of Materials Chemistry B</i> , 2018, 6, 4104-4115.	2.9	28
38	Restoring Vasculogenic Potential of Endothelial Cells from Diabetic Patients Through Spheroid Formation. <i>Cellular and Molecular Bioengineering</i> , 2018, 11, 267-278.	1.0	13
39	Detection of glycosaminoglycan loss in articular cartilage by fluorescence lifetime imaging. <i>Journal of Biomedical Optics</i> , 2018, 23, 1.	1.4	20
40	Nondestructive assessment of collagen hydrogel cross-linking using time-resolved autofluorescence imaging. <i>Journal of Biomedical Optics</i> , 2018, 23, 1.	1.4	22
41	Detection of Pentosidine Cross-Links in Cell-Secreted Decellularized Matrices Using Time Resolved Fluorescence Spectroscopy. <i>ACS Biomaterials Science and Engineering</i> , 2017, 3, 1944-1954.	2.6	20
42	Multifactorial Experimental Design to Optimize the Anti-Inflammatory and Proangiogenic Potential of Mesenchymal Stem Cell Spheroids. <i>Stem Cells</i> , 2017, 35, 1493-1504.	1.4	77
43	Measurement of oxygen tension within mesenchymal stem cell spheroids. <i>Journal of the Royal Society Interface</i> , 2017, 14, 20160851.	1.5	95
44	Engineering fibrin hydrogels to promote the wound healing potential of mesenchymal stem cell spheroids. <i>Acta Biomaterialia</i> , 2017, 64, 176-186.	4.1	134
45	Bioreactor culture duration of engineered constructs influences bone formation by mesenchymal stem cells. <i>Biomaterials</i> , 2017, 146, 29-39.	5.7	59
46	Cell Migration and Bone Formation from Mesenchymal Stem Cell Spheroids in Alginate Hydrogels Are Regulated by Adhesive Ligand Density. <i>Biomacromolecules</i> , 2017, 18, 4331-4340.	2.6	62
47	Binding to COMP Reduces the BMP2 Dose for Spinal Fusion in a Rat Model. <i>Spine</i> , 2016, 41, E829-E836.	1.0	13
48	Mesenchymal Stem Cell Spheroids Retain Osteogenic Phenotype Through β 1 Signaling. <i>Stem Cells Translational Medicine</i> , 2016, 5, 1229-1237.	1.6	59
49	Neurogenic Potential of Engineered Mesenchymal Stem Cells Overexpressing VEGF. <i>Cellular and Molecular Bioengineering</i> , 2016, 9, 96-106.	1.0	13
50	Increased Survival and Function of Mesenchymal Stem Cell Spheroids Entrapped in Instructive Alginate Hydrogels. <i>Stem Cells Translational Medicine</i> , 2016, 5, 773-781.	1.6	183
51	Osteogenesis: Bone Morphogenetic Protein α 2 Promotes Human Mesenchymal Stem Cell Survival and Resultant Bone Formation When Entrapped in Photocrosslinked Alginate Hydrogels (<i>Adv. Healthcare</i>) Tj ETQq1 1 03784314 rgBT /Over		
52	Bone Morphogenetic Protein α 2 Promotes Human Mesenchymal Stem Cell Survival and Resultant Bone Formation When Entrapped in Photocrosslinked Alginate Hydrogels. <i>Advanced Healthcare Materials</i> , 2016, 5, 2501-2509.	3.9	45
53	Extracellular Matrix-Coated Composite Scaffolds Promote Mesenchymal Stem Cell Persistence and Osteogenesis. <i>Biomacromolecules</i> , 2016, 17, 3524-3531.	2.6	44
54	Quantitative MR-guided transient shear wave imaging for tissue elasticity assessment. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
55	Hydrogel biophysical properties instruct coculture-mediated osteogenic potential. <i>FASEB Journal</i> , 2016, 30, 477-486.	0.2	18
56	Cell-secreted matrices perpetuate the bone-forming phenotype of differentiated mesenchymal stem cells. <i>Biomaterials</i> , 2016, 74, 178-187.	5.7	69
57	Pore size regulates mesenchymal stem cell response to Bioglass-loaded composite scaffolds. <i>Journal of Materials Chemistry B</i> , 2015, 3, 8650-8658.	2.9	46
58	Tissue Engineering a Biological Repair Strategy for Lumbar Disc Herniation. <i>BioResearch Open Access</i> , 2015, 4, 431-445.	2.6	39
59	Reduced Serum and Hypoxic Culture Conditions Enhance the Osteogenic Potential of Human Mesenchymal Stem Cells. <i>Stem Cell Reviews and Reports</i> , 2015, 11, 387-393.	5.6	24
60	Lysophosphatidic Acid and Sphingosine-1-Phosphate: A Concise Review of Biological Function and Applications for Tissue Engineering. <i>Tissue Engineering - Part B: Reviews</i> , 2015, 21, 531-542.	2.5	35
61	Engineered Fibrin Gels for Parallel Stimulation of Mesenchymal Stem Cell Proangiogenic and Osteogenic Potential. <i>Annals of Biomedical Engineering</i> , 2015, 43, 2010-2021.	1.3	21
62	Ultrastructure and growth factor content of equine platelet-rich fibrin gels. <i>American Journal of Veterinary Research</i> , 2014, 75, 392-401.	0.3	12
63	Concise Review: Optimizing Expansion of Bone Marrow Mesenchymal Stem/Stromal Cells for Clinical Applications. <i>Stem Cells Translational Medicine</i> , 2014, 3, 643-652.	1.6	114
64	Fibrin Gels as Cell-Instructive Substrates for Regenerative Medicine. <i>Materials Research Society Symposia Proceedings</i> , 2014, 1687, 1.	0.1	0
65	Advancements in Electrospinning of Polymeric Nanofibrous Scaffolds for Tissue Engineering. <i>Tissue Engineering - Part B: Reviews</i> , 2014, 20, 277-293.	2.5	171
66	Redirection of Neurite Outgrowth by Coupling Chondroitin Sulfate Proteoglycans to Polymer Membranes. <i>Annals of Biomedical Engineering</i> , 2014, 42, 1271-1281.	1.3	7
67	Lysophosphatidic Acid Protects Human Mesenchymal Stromal Cells from Differentiation-Dependent Vulnerability to Apoptosis. <i>Tissue Engineering - Part A</i> , 2014, 20, 1156-1164.	1.6	33
68	Enhanced trophic factor secretion by mesenchymal stem/stromal cells with Glycine-Histidine-Lysine (GHK)-modified alginate hydrogels. <i>Acta Biomaterialia</i> , 2014, 10, 1955-1964.	4.1	66
69	Human mesenchymal stem cell spheroids in fibrin hydrogels exhibit improved cell survival and potential for bone healing. <i>Cell and Tissue Research</i> , 2014, 357, 91-99.	1.5	127
70	Implantable biomaterial based on click chemistry for targeting small molecules. <i>Acta Biomaterialia</i> , 2014, 10, 5099-5105.	4.1	23
71	Alginate hydrogels containing cell-interactive beads for bone formation. <i>FASEB Journal</i> , 2013, 27, 4844-4852.	0.2	30
72	Enhancing Osteoconductivity of Fibrin Gels with Apatite-Coated Polymer Microspheres. <i>Tissue Engineering - Part A</i> , 2013, 19, 1773-1782.	1.6	29

#	ARTICLE	IF	CITATIONS
73	Lysophosphatidic Acid Enhances Stromal Cell-Directed Angiogenesis. PLoS ONE, 2013, 8, e82134.	1.1	10
74	Ceramic Identity Contributes to Mechanical Properties and Osteoblast Behavior on Macroporous Composite Scaffolds. Journal of Functional Biomaterials, 2012, 3, 382-397.	1.8	12
75	Bioceramic-Mediated Trophic Factor Secretion by Mesenchymal Stem Cells Enhances <i>In Vitro</i> Endothelial Cell Persistence and <i>In Vivo</i> Angiogenesis. Tissue Engineering - Part A, 2012, 18, 1520-1528.	1.6	35
76	A reproducible, high throughput method for fabricating fibrin gels. BMC Research Notes, 2012, 5, 423.	0.6	20
77	Cell-Derived Matrix Coatings for Polymeric Scaffolds. Tissue Engineering - Part A, 2012, 18, 2148-2157.	1.6	53
78	Differentiation-Dependent Secretion of Proangiogenic Factors by Mesenchymal Stem Cells. PLoS ONE, 2012, 7, e35579.	1.1	108
79	Transferable cell-secreted extracellular matrices enhance osteogenic differentiation. Acta Biomaterialia, 2012, 8, 744-752.	4.1	54
80	Differential Growth Factor Adsorption to Calvarial Osteoblast-Secreted Extracellular Matrices Instructs Osteoblastic Behavior. PLoS ONE, 2011, 6, e25990.	1.1	21
81	Designing Bioactive Delivery Systems for Tissue Regeneration. Annals of Biomedical Engineering, 2011, 39, 1-13.	1.3	40
82	Design of Experiments Approach to Engineer Cell-Secreted Matrices for Directing Osteogenic Differentiation. Annals of Biomedical Engineering, 2011, 39, 1174-1185.	1.3	65
83	Osteogenic response to BMP-2 of hMSCs grown on apatite-coated scaffolds. Biotechnology and Bioengineering, 2011, 108, 2727-2735.	1.7	33
84	Supplementation of fibrin gels with sodium chloride enhances physical properties and ensuing osteogenic response. Acta Biomaterialia, 2011, 7, 691-699.	4.1	71
85	Noninvasive Multimodal Evaluation of Bioengineered Cartilage Constructs Combining Time-Resolved Fluorescence and Ultrasound Imaging. Tissue Engineering - Part C: Methods, 2011, 17, 495-504.	1.1	40
86	Delivery Vehicles for Deploying Mesenchymal Stem Cells in Tissue Repair. , 2011, , 71-94.		0
87	Oxygen Tension Modulates Neurite Outgrowth in PC12 Cells Through A Mechanism Involving HIF and VEGF. Journal of Molecular Neuroscience, 2010, 40, 360-366.	1.1	23
88	Biomineralized composite substrates increase gene expression with nonviral delivery. Journal of Biomedical Materials Research - Part A, 2010, 94A, 344-354.	2.1	11
89	Oxygen tension differentially influences osteogenic differentiation of human adipose stem cells in 2D and 3D cultures. Journal of Cellular Biochemistry, 2010, 110, 87-96.	1.2	50
90	Osteogenesis and Trophic Factor Secretion are Influenced by the Composition of Hydroxyapatite/Poly(Lactide-Co-Glycolide) Composite Scaffolds. Tissue Engineering - Part A, 2010, 16, 127-137.	1.6	71

#	ARTICLE	IF	CITATIONS
91	Osteogenic comparison of expanded and uncultured adipose stromal cells. <i>Cytherapy</i> , 2010, 12, 554-562.	0.3	39
92	Bone Tissue Engineering: Fabrication and Use of Electrospun Meshes. , 2010, , 1-4.		0
93	Biomimetic scaffolds fabricated from apatite-coated polymer microspheres. <i>Journal of Biomedical Materials Research - Part A</i> , 2009, 90A, 1021-1031.	2.1	33
94	Influence of the oxygen microenvironment on the proangiogenic potential of human endothelial colony forming cells. <i>Angiogenesis</i> , 2009, 12, 303-11.	3.7	46
95	Angiogenic Response to Bioactive Glass Promotes Bone Healing in an Irradiated Calvarial Defect. <i>Tissue Engineering - Part A</i> , 2009, 15, 877-885.	1.6	113
96	Proangiogenic Potential of a Collagen/Bioactive Glass Substrate. <i>Pharmaceutical Research</i> , 2008, 25, 1222-1229.	1.7	200
97	Modifying the Proliferative State of Target Cells to Control DNA Expression and Identifying Cell Types Transfected In Vivo. <i>Molecular Therapy</i> , 2007, 15, 361-368.	3.7	18
98	Multifunctional cell-instructive materials for tissue regeneration. <i>Regenerative Medicine</i> , 2006, 1, 447-455.	0.8	29
99	Coating of VEGF-releasing scaffolds with bioactive glass for angiogenesis and bone regeneration. <i>Biomaterials</i> , 2006, 27, 3249-3255.	5.7	374
100	Tissue Engineering of a Small Hand Phalanx with a Porously Casted Polylactic Acid-Polyglycolic Acid Copolymer. <i>Tissue Engineering</i> , 2006, 12, 2675-2683.	4.9	23
101	Non-viral gene delivery regulated by stiffness of cell adhesion substrates. <i>Nature Materials</i> , 2005, 4, 460-464.	13.3	227
102	Encapsulation of a plasminogen activator speeds reperfusion, lessens infarct and reduces blood loss in a canine model of coronary artery thrombosis. <i>Thrombosis and Haemostasis</i> , 2004, 91, 1213-1218.	1.8	19
103	Bone engineering by controlled delivery of osteoinductive molecules and cells. <i>Expert Opinion on Biological Therapy</i> , 2004, 4, 1015-1027.	1.4	60
104	Distributed intraclot thrombolysis: mechanism of accelerated thrombolysis with encapsulated plasminogen activators. <i>Journal of Thrombosis and Haemostasis</i> , 2004, 2, 1548-1555.	1.9	40
105	Improving thrombolysis with encapsulated plasminogen activators and clinical relevance to myocardial infarction and stroke. <i>Clinical Hemorheology and Microcirculation</i> , 2004, 30, 225-8.	0.9	13
106	Investigation of deformability, viscosity, and aggregation of mPEG-modified erythrocytes. <i>Biomedical Sciences Instrumentation</i> , 2002, 38, 333-8.	0.2	1