

Jenq-Tzong Shiau

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3197494/publications.pdf>

Version: 2024-02-01

45
papers

2,598
citations

279701

23
h-index

243529

44
g-index

46
all docs

46
docs citations

46
times ranked

1724
citing authors

#	ARTICLE	IF	CITATIONS
1	Fitting Drought Duration and Severity with Two-Dimensional Copulas. <i>Water Resources Management</i> , 2006, 20, 795-815.	1.9	531
2	Recurrence Analysis of Hydrologic Droughts of Differing Severity. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2001, 127, 30-40.	1.3	236
3	Copula-based drought severity-duration-frequency analysis in Iran. <i>Meteorological Applications</i> , 2009, 16, 481-489.	0.9	220
4	Assessment of hydrological droughts for the Yellow River, China, using copulas. <i>Hydrological Processes</i> , 2007, 21, 2157-2163.	1.1	212
5	Return period of bivariate distributed extreme hydrological events. <i>Stochastic Environmental Research and Risk Assessment</i> , 2003, 17, 42-57.	1.9	202
6	BIVARIATE FREQUENCY ANALYSIS OF FLOODS USING COPULAS ¹ . <i>Journal of the American Water Resources Association</i> , 2006, 42, 1549-1564.	1.0	109
7	Pareto-optimal solutions for environmental flow schemes incorporating the intra-annual and interannual variability of the natural flow regime. <i>Water Resources Research</i> , 2007, 43, .	1.7	88
8	Assessment of hydrologic alterations caused by Chi-Chi diversion weir in Chou-Shui Creek, Taiwan: opportunities for restoring natural flow conditions. <i>River Research and Applications</i> , 2004, 20, 401-412.	0.7	81
9	A Histogram Matching Approach for assessment of flow regime alteration: application to environmental flow optimization. <i>River Research and Applications</i> , 2008, 24, 914-928.	0.7	77
10	Derivation of Optimal Hedging Rules for a Water-supply Reservoir through Compromise Programming. <i>Water Resources Management</i> , 2005, 19, 111-132.	1.9	69
11	COMPROMISE PROGRAMMING METHODOLOGY FOR DETERMINING INSTREAM FLOW UNDER MULTIOBJECTIVE WATER ALLOCATION CRITERIA. <i>Journal of the American Water Resources Association</i> , 2006, 42, 1179-1191.	1.0	66
12	Feasible Diversion and Instream Flow Release Using Range of Variability Approach. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2004, 130, 395-404.	1.3	62
13	Analytical optimal hedging with explicit incorporation of reservoir release and carryover storage targets. <i>Water Resources Research</i> , 2011, 47, .	1.7	61
14	Optimization of Reservoir Hedging Rules Using Multiobjective Genetic Algorithm. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2009, 135, 355-363.	1.3	59
15	Optimizing environmental flows for multiple reaches affected by a multipurpose reservoir system in Taiwan: Restoring natural flow regimes at multiple temporal scales. <i>Water Resources Research</i> , 2013, 49, 565-584.	1.7	44
16	Analysis of Extreme Flood Events for the Pachang River, Taiwan. <i>Water Resources Management</i> , 2005, 19, 363-374.	1.9	36
17	Water Release Policy Effects on the Shortage Characteristics for the Shihmen Reservoir System during Droughts. <i>Water Resources Management</i> , 2003, 17, 463-480.	1.9	28
18	Application of Moments and Bayesian inference for low-flow regionalization in Sefidroud basin, Iran. <i>Hydrological Processes</i> , 2014, 28, 1663-1676.	1.1	28

#	ARTICLE	IF	CITATIONS
19	Water-deficit-based drought risk assessments in Taiwan. <i>Natural Hazards</i> , 2012, 64, 237-257.	1.6	27
20	Spatial hydrological drought characteristics in Karkheh River basin, southwest Iran using copulas. <i>Journal of Earth System Science</i> , 2017, 126, 1.	0.6	27
21	Effects of Gamma-Distribution Variations on SPI-Based Stationary and Nonstationary Drought Analyses. <i>Water Resources Management</i> , 2020, 34, 2081-2095.	1.9	26
22	Detecting distributional changes of annual rainfall indices in Taiwan using quantile regression. <i>Journal of Hydro-Environment Research</i> , 2015, 9, 368-380.	1.0	25
23	Quantile Regression-Based Probabilistic Estimation Scheme for Daily and Annual Suspended Sediment Loads. <i>Water Resources Management</i> , 2015, 29, 2805-2818.	1.9	25
24	Suitability of ANN-Based Daily Streamflow Extension Models: a Case Study of Gaoping River Basin, Taiwan. <i>Water Resources Management</i> , 2016, 30, 1499-1513.	1.9	24
25	A dynamic corridor-searching algorithm to seek time-varying instream flow releases for optimal weir operation: comparing three indices of overall hydrologic alteration. <i>River Research and Applications</i> , 2007, 23, 35-53.	0.7	23
26	Clustering Quantile Regression-Based Drought Trends in Taiwan. <i>Water Resources Management</i> , 2016, 30, 1053-1069.	1.9	21
27	A dual active-restrictive approach to incorporating environmental flow targets into existing reservoir operation rules. <i>Water Resources Research</i> , 2010, 46, .	1.7	20
28	Assessing Multi-site Drought Connections in Iran Using Empirical Copula. <i>Environmental Modeling and Assessment</i> , 2012, 17, 469-482.	1.2	19
29	Assessment of climate change impacts on flooding vulnerability for lowland management in southwestern Taiwan. <i>Natural Hazards</i> , 2013, 68, 1001-1019.	1.6	18
30	Data-based bivariate uncertainty assessment of extreme rainfall-runoff using copulas: comparison between annual maximum series (AMS) and peaks over threshold (POT). <i>Environmental Monitoring and Assessment</i> , 2019, 191, 67.	1.3	16
31	Regionalization of natural flow regime: application to environmental flow optimization at ungauged sites. <i>River Research and Applications</i> , 2009, 25, 1071-1089.	0.7	15
32	Assessment of flow regime alterations over a spectrum of temporal scales using wavelet-based approaches. <i>Water Resources Research</i> , 2015, 51, 3317-3338.	1.7	14
33	Bivariate Drought Characterization of Two Contrasting Climatic Regions in India Using Copula. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2021, 147, .	0.6	12
34	Detecting Multi-Purpose Reservoir Operation Induced Time-Frequency Alteration Using Wavelet Transform. <i>Water Resources Management</i> , 2014, 28, 3577-3590.	1.9	11
35	Copula-based depth-duration-frequency analysis of typhoons in Taiwan. <i>Hydrology Research</i> , 2010, 41, 414-423.	1.1	10
36	Physiographic Drainage-Inundation Model Based Flooding Vulnerability Assessment. <i>Water Resources Management</i> , 2012, 26, 1307-1323.	1.9	10

#	ARTICLE	IF	CITATIONS
37	Effects of Hedging Factors and Fuzziness on Shortage Characteristics During Droughts. <i>Water Resources Management</i> , 2018, 32, 1913-1929.	1.9	8
38	Basin-scale optimal trade-off between human and environmental water requirements in Hsintien Creek basin, Taiwan. <i>Environmental Earth Sciences</i> , 2016, 75, 1.	1.3	7
39	Copula-Based Infilling Methods for Daily Suspended Sediment Loads. <i>Water (Switzerland)</i> , 2021, 13, 1701.	1.2	7
40	COMPROMISE PROGRAMMING METHODOLOGY FOR DETERMINING INSTREAM FLOW UNDER MULTIOBJECTIVE WATER ALLOCATION CRITERIA1. <i>Journal of the American Water Resources Association</i> , 2007, 42, 1179-1191.	1.0	6
41	Comparing Optimal Hedging Policies Incorporating Past Operation Information and Future Hydrologic Information. <i>Water Resources Management</i> , 2021, 35, 2177-2196.	1.9	6
42	Wavelet-Based Detection of Time-Frequency Changes for Monthly Rainfall and SPI Series in Taiwan. <i>Asia-Pacific Journal of Atmospheric Sciences</i> , 2019, 55, 657-667.	1.3	5
43	Nonstationary Distributional Changes of Annual Rainfall Indices in Taiwan. <i>Asia-Pacific Journal of Atmospheric Sciences</i> , 2021, 57, 435-450.	1.3	3
44	Analytical Water Shortage Probabilities and Distributions of Various Lead Times for a Water Supply Reservoir. <i>Water Resources Management</i> , 2021, 35, 3809-3825.	1.9	2
45	Nonstationary Analyses of the Maximum and Minimum Streamflow in Tamsui River Basin, Taiwan. <i>Water (Switzerland)</i> , 2021, 13, 762.	1.2	1