

Zhenhua Zou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3200711/publications.pdf>

Version: 2024-02-01

222
papers

16,897
citations

13827

67
h-index

18075

120
g-index

224
all docs

224
docs citations

224
times ranked

12708
citing authors

#	ARTICLE	IF	CITATIONS
1	Mapping paddy rice agriculture in southern China using multi-temporal MODIS images. <i>Remote Sensing of Environment</i> , 2005, 95, 480-492.	4.6	814
2	Satellite-based modeling of gross primary production in an evergreen needleleaf forest. <i>Remote Sensing of Environment</i> , 2004, 89, 519-534.	4.6	682
3	Mapping paddy rice agriculture in South and Southeast Asia using multi-temporal MODIS images. <i>Remote Sensing of Environment</i> , 2006, 100, 95-113.	4.6	667
4	Green-up dates in the Tibetan Plateau have continuously advanced from 1982 to 2011. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 4309-4314.	3.3	528
5	Mapping paddy rice planting area in northeastern Asia with Landsat 8 images, phenology-based algorithm and Google Earth Engine. <i>Remote Sensing of Environment</i> , 2016, 185, 142-154.	4.6	524
6	Increased vegetation growth and carbon stock in China karst via ecological engineering. <i>Nature Sustainability</i> , 2018, 1, 44-50.	11.5	460
7	A global moderate resolution dataset of gross primary production of vegetation for 2000â€“2016. <i>Scientific Data</i> , 2017, 4, 170165.	2.4	335
8	Spatial analysis of growing season length control over net ecosystem exchange. <i>Global Change Biology</i> , 2005, 11, 1777-1787.	4.2	313
9	A mangrove forest map of China in 2015: Analysis of time series Landsat 7/8 and Sentinel-1A imagery in Google Earth Engine cloud computing platform. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2017, 131, 104-120.	4.9	288
10	Characterization of forest types in Northeastern China, using multi-temporal SPOT-4 VEGETATION sensor data. <i>Remote Sensing of Environment</i> , 2002, 82, 335-348.	4.6	277
11	Combining remote sensing and ground census data to develop new maps of the distribution of rice agriculture in China. <i>Global Biogeochemical Cycles</i> , 2002, 16, 38-1-38-10.	1.9	267
12	Multiple afforestation programs accelerate the greenness in the â€“Three Northâ€™ region of China from 1982 to 2013. <i>Ecological Indicators</i> , 2016, 61, 404-412.	2.6	264
13	Forest management in southern China generates short term extensive carbon sequestration. <i>Nature Communications</i> , 2020, 11, 129.	5.8	259
14	Tracking the dynamics of paddy rice planting area in 1986â€“2010 through time series Landsat images and phenology-based algorithms. <i>Remote Sensing of Environment</i> , 2015, 160, 99-113.	4.6	257
15	Satellite-based modeling of gross primary production in a seasonally moist tropical evergreen forest. <i>Remote Sensing of Environment</i> , 2005, 94, 105-122.	4.6	242
16	Mapping paddy rice planting areas through time series analysis of MODIS land surface temperature and vegetation index data. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2015, 106, 157-171.	4.9	207
17	Divergent trends of open-surface water body area in the contiguous United States from 1984 to 2016. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 3810-3815.	3.3	199
18	Estimating leaf area index and aboveground biomass of grazing pastures using Sentinel-1, Sentinel-2 and Landsat images. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2019, 154, 189-201.	4.9	184

#	ARTICLE	IF	CITATIONS
19	Mapping deciduous rubber plantations through integration of PALSAR and multi-temporal Landsat imagery. <i>Remote Sensing of Environment</i> , 2013, 134, 392-402.	4.6	183
20	Consistency between sun-induced chlorophyll fluorescence and gross primary production of vegetation in North America. <i>Remote Sensing of Environment</i> , 2016, 183, 154-169.	4.6	180
21	Detecting leaf phenology of seasonally moist tropical forests in South America with multi-temporal MODIS images. <i>Remote Sensing of Environment</i> , 2006, 103, 465-473.	4.6	179
22	MODELING GROSS PRIMARY PRODUCTION OF AN EVERGREEN NEEDLELEAF FOREST USING MODIS AND CLIMATE DATA. , 2005, 15, 954-969.		177
23	Carbon loss from forest degradation exceeds that from deforestation in the Brazilian Amazon. <i>Nature Climate Change</i> , 2021, 11, 442-448.	8.1	166
24	Sensitivity of vegetation indices to atmospheric aerosols: continental-scale observations in Northern Asia. <i>Remote Sensing of Environment</i> , 2003, 84, 385-392.	4.6	153
25	Open Surface Water Mapping Algorithms: A Comparison of Water-Related Spectral Indices and Sensors. <i>Water (Switzerland)</i> , 2017, 9, 256.	1.2	147
26	Tracking annual changes of coastal tidal flats in China during 1986â€“2016 through analyses of Landsat images with Google Earth Engine. <i>Remote Sensing of Environment</i> , 2020, 238, 110987.	4.6	146
27	Predicting the risk of avian influenza A H7N9 infection in live-poultry markets across Asia. <i>Nature Communications</i> , 2014, 5, 4116.	5.8	145
28	Satelliteâ€“Observed Major Greening and Biomass Increase in South China Karst During Recent Decade. <i>Earth's Future</i> , 2018, 6, 1017-1028.	2.4	143
29	Satellite-observed pantropical carbon dynamics. <i>Nature Plants</i> , 2019, 5, 944-951.	4.7	141
30	The 10-m crop type maps in Northeast China during 2017â€“2019. <i>Scientific Data</i> , 2021, 8, 41.	2.4	141
31	Mapping coastal wetlands of China using time series Landsat images in 2018 and Google Earth Engine. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2020, 163, 312-326.	4.9	138
32	Reduced methane emissions from large-scale changes in water management of China's rice paddies during 1980-2000. <i>Geophysical Research Letters</i> , 2002, 29, 33-1-33-4.	1.5	134
33	Global distribution, trends, and drivers of flash drought occurrence. <i>Nature Communications</i> , 2021, 12, 6330.	5.8	130
34	A large but transient carbon sink from urbanization and rural depopulation in China. <i>Nature Sustainability</i> , 2022, 5, 321-328.	11.5	130
35	Spatiotemporal patterns of paddy rice croplands in China and India from 2000 to 2015. <i>Science of the Total Environment</i> , 2017, 579, 82-92.	3.9	127
36	A Methodology for Flash Drought Identification: Application of Flash Drought Frequency across the United States. <i>Journal of Hydrometeorology</i> , 2019, 20, 833-846.	0.7	120

#	ARTICLE	IF	CITATIONS
37	Mapping paddy rice planting area in cold temperate climate region through analysis of time series Landsat 8 (OLI), Landsat 7 (ETM+) and MODIS imagery. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2015, 105, 220-233.	4.9	118
38	Continued decrease of open surface water body area in Oklahoma during 1984–2015. <i>Science of the Total Environment</i> , 2017, 595, 451-460.	3.9	118
39	Continuous monitoring of lake dynamics on the Mongolian Plateau using all available Landsat imagery and Google Earth Engine. <i>Science of the Total Environment</i> , 2019, 689, 366-380.	3.9	116
40	High resolution paddy rice maps in cloud-prone Bangladesh and Northeast India using Sentinel-1 data. <i>Scientific Data</i> , 2019, 6, 26.	2.4	107
41	Modeling gross primary productivity for winter wheat–maize double cropping system using MODIS time series and CO ₂ eddy flux tower data. <i>Agriculture, Ecosystems and Environment</i> , 2009, 129, 391-400.	2.5	106
42	Mapping sugarcane plantation dynamics in Guangxi, China, by time series Sentinel-1, Sentinel-2 and Landsat images. <i>Remote Sensing of Environment</i> , 2020, 247, 111951.	4.6	105
43	Contribution of urban ventilation to the thermal environment and urban energy demand: Different climate background perspectives. <i>Science of the Total Environment</i> , 2021, 795, 148791.	3.9	105
44	Large increases of paddy rice area, gross primary production, and grain production in Northeast China during 2000–2017. <i>Science of the Total Environment</i> , 2020, 711, 135183.	3.9	104
45	Sensitivity of vegetation indices and gross primary production of tallgrass prairie to severe drought. <i>Remote Sensing of Environment</i> , 2014, 152, 1-14.	4.6	103
46	Mapping paddy rice planting area in rice-wetland coexistent areas through analysis of Landsat 8 OLI and MODIS images. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2016, 46, 1-12.	1.4	103
47	Rebound in China's coastal wetlands following conservation and restoration. <i>Nature Sustainability</i> , 2021, 4, 1076-1083.	11.5	103
48	Quantifying the area and spatial distribution of double- and triple-cropping croplands in India with multi-temporal MODIS imagery in 2005. <i>International Journal of Remote Sensing</i> , 2011, 32, 367-386.	1.3	100
49	Assessing spatial-temporal dynamics of urban expansion, vegetation greenness and photosynthesis in megacity Shanghai, China during 2000–2016. <i>Remote Sensing of Environment</i> , 2019, 233, 111374.	4.6	100
50	Modeling gross primary production of irrigated and rain-fed maize using MODIS imagery and CO ₂ flux tower data. <i>Agricultural and Forest Meteorology</i> , 2011, 151, 1514-1528.	1.9	99
51	Comparison of four EVI-based models for estimating gross primary production of maize and soybean croplands and tallgrass prairie under severe drought. <i>Remote Sensing of Environment</i> , 2015, 162, 154-168.	4.6	93
52	Rapid expansion of coastal aquaculture ponds in China from Landsat observations during 1984–2016. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2019, 82, 101902.	1.4	92
53	A comparison of forest cover maps in Mainland Southeast Asia from multiple sources: PALSAR, MERIS, MODIS and FRA. <i>Remote Sensing of Environment</i> , 2012, 127, 60-73.	4.6	91
54	On the relationship between sub-daily instantaneous and daily total gross primary production: Implications for interpreting satellite-based SIF retrievals. <i>Remote Sensing of Environment</i> , 2018, 205, 276-289.	4.6	91

#	ARTICLE	IF	CITATIONS
55	Mapping Deciduous Rubber Plantation Areas and Stand Ages with PALSAR and Landsat Images. <i>Remote Sensing</i> , 2015, 7, 1048-1073.	1.8	89
56	Identifying floods and flood-affected paddy rice fields in Bangladesh based on Sentinel-1 imagery and Google Earth Engine. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2020, 166, 278-293.	4.9	89
57	Divergent shifts in peak photosynthesis timing of temperate and alpine grasslands in China. <i>Remote Sensing of Environment</i> , 2019, 233, 111395.	4.6	85
58	Exacerbated grassland degradation and desertification in Central Asia during 2000â€“2014. <i>Ecological Applications</i> , 2018, 28, 442-456.	1.8	83
59	Phenology and gross primary production of two dominant savanna woodland ecosystems in Southern Africa. <i>Remote Sensing of Environment</i> , 2013, 135, 189-201.	4.6	82
60	Comparison of solarâ€“induced chlorophyll fluorescence, lightâ€“use efficiency, and processâ€“based <sc>GPP</sc> models in maize. <i>Ecological Applications</i> , 2016, 26, 1211-1222.	1.8	82
61	Explaining inter-annual variability of gross primary productivity from plant phenology and physiology. <i>Agricultural and Forest Meteorology</i> , 2016, 226-227, 246-256.	1.9	81
62	Gainers and losers of surface and terrestrial water resources in China during 1989â€“2016. <i>Nature Communications</i> , 2020, 11, 3471.	5.8	81
63	TROPOMI reveals dry-season increase of solar-induced chlorophyll fluorescence in the Amazon forest. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 22393-22398.	3.3	78
64	Canopy and physiological controls of GPP during drought and heat wave. <i>Geophysical Research Letters</i> , 2016, 43, 3325-3333.	1.5	75
65	Mapping Forest Biomass Using Remote Sensing and National Forest Inventory in China. <i>Forests</i> , 2014, 5, 1267-1283.	0.9	74
66	Assimilating Soil Moisture Retrieved from Sentinel-1 and Sentinel-2 Data into WOFOST Model to Improve Winter Wheat Yield Estimation. <i>Remote Sensing</i> , 2019, 11, 1618.	1.8	73
67	Improved estimates of forest cover and loss in the Brazilian Amazon in 2000â€“2017. <i>Nature Sustainability</i> , 2019, 2, 764-772.	11.5	71
68	Long-Term Dynamic of Poyang Lake Surface Water: A Mapping Work Based on the Google Earth Engine Cloud Platform. <i>Remote Sensing</i> , 2019, 11, 313.	1.8	71
69	Ecological engineering projects increased vegetation cover, production, and biomass in semiarid and subhumid Northern China. <i>Land Degradation and Development</i> , 2019, 30, 1620-1631.	1.8	71
70	Forest cover maps of China in 2010 from multiple approaches and data sources: PALSAR, Landsat, MODIS, FRA, and NFI. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2015, 109, 1-16.	4.9	70
71	Mapping tropical forests and deciduous rubber plantations in Hainan Island, China by integrating PALSAR 25-m and multi-temporal Landsat images. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2016, 50, 117-130.	1.4	69
72	Global patterns of extreme drought-induced loss in land primary production: Identifying ecological extremes from rain-use efficiency. <i>Science of the Total Environment</i> , 2018, 628-629, 611-620.	3.9	69

#	ARTICLE	IF	CITATIONS
73	Sensitivity analysis of vegetation indices to drought over two tallgrass prairie sites. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2015, 108, 151-160.	4.9	68
74	Changes in area and number of nature reserves in China. <i>Conservation Biology</i> , 2019, 33, 1066-1075.	2.4	68
75	FluoSpec 2—An Automated Field Spectroscopy System to Monitor Canopy Solar-Induced Fluorescence. <i>Sensors</i> , 2018, 18, 2063.	2.1	67
76	Trends and controls of terrestrial gross primary productivity of China during 2000—2016. <i>Environmental Research Letters</i> , 2019, 14, 084032.	2.2	66
77	Mapping migratory flyways in Asia using dynamic Brownian bridge movement models. <i>Movement Ecology</i> , 2015, 3, 3.	1.3	65
78	Mapping the dynamics of eastern redcedar encroachment into grasslands during 1984—2010 through PALSAR and time series Landsat images. <i>Remote Sensing of Environment</i> , 2017, 190, 233-246.	4.6	65
79	Assessing consistency of spring phenology of snow-covered forests as estimated by vegetation indices, gross primary production, and solar-induced chlorophyll fluorescence. <i>Agricultural and Forest Meteorology</i> , 2019, 275, 305-316.	1.9	64
80	Quantifying expansion and removal of <i>Spartina alterniflora</i> on Chongming island, China, using time series Landsat images during 1995—2018. <i>Remote Sensing of Environment</i> , 2020, 247, 111916.	4.6	63
81	Estimation and analysis of gross primary production of soybean under various management practices and drought conditions. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2015, 99, 70-83.	4.9	62
82	Land claim and loss of tidal flats in the Yangtze Estuary. <i>Scientific Reports</i> , 2016, 6, 24018.	1.6	62
83	Evolution of light use efficiency models: Improvement, uncertainties, and implications. <i>Agricultural and Forest Meteorology</i> , 2022, 317, 108905.	1.9	62
84	Characterizing the encroachment of juniper forests into sub-humid and semi-arid prairies from 1984 to 2010 using PALSAR and Landsat data. <i>Remote Sensing of Environment</i> , 2018, 205, 166-179.	4.6	61
85	Multiple cropping intensity in China derived from agro-meteorological observations and MODIS data. <i>Chinese Geographical Science</i> , 2014, 24, 205-219.	1.2	60
86	Comparison of Gross Primary Productivity Derived from GIMMS NDVI3g, GIMMS, and MODIS in Southeast Asia. <i>Remote Sensing</i> , 2014, 6, 2108-2133.	1.8	59
87	Precipitation and carbon-water coupling jointly control the interannual variability of global land gross primary production. <i>Scientific Reports</i> , 2016, 6, 39748.	1.6	57
88	Fingerprint of rice paddies in spatial—temporal dynamics of atmospheric methane concentration in monsoon Asia. <i>Nature Communications</i> , 2020, 11, 554.	5.8	56
89	Mapping paddy rice planting area in wheat-rice double-cropped areas through integration of Landsat-8 OLI, MODIS and PALSAR images. <i>Scientific Reports</i> , 2015, 5, 10088.	1.6	55
90	A Simple Algorithm for Large-Scale Mapping of Evergreen Forests in Tropical America, Africa and Asia. <i>Remote Sensing</i> , 2009, 1, 355-374.	1.8	54

#	ARTICLE	IF	CITATIONS
91	Changes in rice cropping systems in the Poyang Lake Region, China during 2004–2010. <i>Journal of Chinese Geography</i> , 2012, 22, 653-668.	1.5	52
92	Mapping Oil Palm Plantations in Cameroon Using PALSAR 50-m Orthorectified Mosaic Images. <i>Remote Sensing</i> , 2015, 7, 1206-1224.	1.8	52
93	Biophysical controls on carbon and water vapor fluxes across a grassland climatic gradient in the United States. <i>Agricultural and Forest Meteorology</i> , 2015, 214-215, 293-305.	1.9	51
94	Variability and Changes in Climate, Phenology, and Gross Primary Production of an Alpine Wetland Ecosystem. <i>Remote Sensing</i> , 2016, 8, 391.	1.8	51
95	Large-scale estimation and uncertainty analysis of gross primary production in Tibetan alpine grasslands. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 466-486.	1.3	50
96	Mapping forests in monsoon Asia with ALOS PALSAR 50-m mosaic images and MODIS imagery in 2010. <i>Scientific Reports</i> , 2016, 6, 20880.	1.6	49
97	Spatio-temporal Convergence of Maximum Daily Light Use Efficiency Based on Radiation Absorption by Canopy Chlorophyll. <i>Geophysical Research Letters</i> , 2018, 45, 3508-3519.	1.5	48
98	The 2012 Flash Drought Threatened US Midwest Agroecosystems. <i>Chinese Geographical Science</i> , 2019, 29, 768-783.	1.2	48
99	Annual dynamics of forest areas in South America during 2007–2010 at 50-m spatial resolution. <i>Remote Sensing of Environment</i> , 2017, 201, 73-87.	4.6	47
100	Spatial analysis of dengue fever and exploration of its environmental and socio-economic risk factors using ordinary least squares: A case study in five districts of Guangzhou City, China, 2014. <i>International Journal of Infectious Diseases</i> , 2018, 75, 39-48.	1.5	47
101	A 50-m Forest Cover Map in Southeast Asia from ALOS/PALSAR and Its Application on Forest Fragmentation Assessment. <i>PLoS ONE</i> , 2014, 9, e85801.	1.1	46
102	Spatiotemporal patterns of vegetation phenology along the urban–rural gradient in Coastal Dalian, China. <i>Urban Forestry and Urban Greening</i> , 2020, 54, 126784.	2.3	46
103	Victims and Vectors: Highly Pathogenic Avian Influenza H5N1 and the Ecology of Wild Birds. <i>Avian Biology Research</i> , 2010, 3, 51-73.	0.4	45
104	Global mapping of highly pathogenic avian influenza H5N1 and H5Nx clade 2.3.4.4 viruses with spatial cross-validation. <i>ELife</i> , 2016, 5, .	2.8	45
105	Status of land use intensity in China and its impacts on land carrying capacity. <i>Journal of Chinese Geography</i> , 2017, 27, 387-402.	1.5	44
106	Intensifying poultry production systems and the emergence of avian influenza in China: a “One Health/Ecohealth” epitome. <i>Archives of Public Health</i> , 2017, 75, 48.	1.0	44
107	Estimating Forest Stock Volume in Hunan Province, China, by Integrating In Situ Plot Data, Sentinel-2 Images, and Linear and Machine Learning Regression Models. <i>Remote Sensing</i> , 2020, 12, 186.	1.8	44
108	Dominant role of plant physiology in trend and variability of gross primary productivity in North America. <i>Scientific Reports</i> , 2017, 7, 41366.	1.6	43

#	ARTICLE	IF	CITATIONS
109	Modeling gross primary production of paddy rice cropland through analyses of data from CO2 eddy flux tower sites and MODIS images. <i>Remote Sensing of Environment</i> , 2017, 190, 42-55.	4.6	42
110	Quantifying annual changes in built-up area in complex urban-rural landscapes from analyses of PALSAR and Landsat images. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2017, 124, 89-105.	4.9	42
111	Performance of four state-of-the-art GPP products (VPM, MOD17, BESS and PML) for grasslands in drought years. <i>Ecological Informatics</i> , 2020, 56, 101052.	2.3	42
112	Examining the short-term impacts of diverse management practices on plant phenology and carbon fluxes of Old World bluestems pasture. <i>Agricultural and Forest Meteorology</i> , 2017, 237-238, 60-70.	1.9	41
113	Quantifying agricultural drought in tallgrass prairie region in the U.S. Southern Great Plains through analysis of a water-related vegetation index from MODIS images. <i>Agricultural and Forest Meteorology</i> , 2017, 246, 111-122.	1.9	40
114	Light absorption by leaf chlorophyll and maximum light use efficiency. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2006, 44, 1933-1935.	2.7	39
115	Mapping paddy rice distribution using multi-temporal Landsat imagery in the Sanjiang Plain, northeast China. <i>Frontiers of Earth Science</i> , 2016, 10, 49-62.	0.9	39
116	Responses of gross primary production of grasslands and croplands under drought, pluvial, and irrigation conditions during 2010–2016, Oklahoma, USA. <i>Agricultural Water Management</i> , 2018, 204, 47-59.	2.4	38
117	Effects of reclamation and natural changes on coastal wetlands bordering China's Yellow Sea from 1984 to 2015. <i>Land Degradation and Development</i> , 2019, 30, 1533-1544.	1.8	38
118	Spatial, temporal, and spectral variations in albedo due to vegetation changes in China's grasslands. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2019, 152, 1-12.	4.9	37
119	A library of georeferenced photos from the field. <i>Eos</i> , 2011, 92, 453-454.	0.1	36
120	Multi-scale temporal variation of methane flux and its controls in a subtropical tidal salt marsh in eastern China. <i>Biogeochemistry</i> , 2018, 137, 163-179.	1.7	36
121	Underestimates of Grassland Gross Primary Production in MODIS Standard Products. <i>Remote Sensing</i> , 2018, 10, 1771.	1.8	36
122	Spatial-temporal consistency between gross primary productivity and solar-induced chlorophyll fluorescence of vegetation in China during 2007–2014. <i>Science of the Total Environment</i> , 2018, 639, 1241-1253.	3.9	36
123	Evapotranspiration-dominated biogeophysical warming effect of urbanization in the Beijing-Tianjin-Hebei region, China. <i>Climate Dynamics</i> , 2019, 52, 1231-1245.	1.7	36
124	Mapping Forest and Their Spatial–Temporal Changes From 2007 to 2015 in Tropical Hainan Island by Integrating ALOS/ALOS-2 L-Band SAR and Landsat Optical Images. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2018, 11, 852-867.	2.3	35
125	Mapping Forested Wetland Inundation in the Delmarva Peninsula, USA Using Deep Convolutional Neural Networks. <i>Remote Sensing</i> , 2020, 12, 644.	1.8	35
126	Contributions of sea–land breeze and local climate zones to daytime and nighttime heat island intensity. <i>Npj Urban Sustainability</i> , 2022, 2, .	3.7	34

#	ARTICLE	IF	CITATIONS
127	Impacts of ecological restoration projects on agricultural productivity in China. <i>Journal of Chinese Geography</i> , 2013, 23, 404-416.	1.5	33
128	Impact of Climate Change on Vegetation Growth in Arid Northwest of China from 1982 to 2011. <i>Remote Sensing</i> , 2016, 8, 364.	1.8	33
129	Integrating SAR and optical imagery for regional mapping of paddy rice attributes in the Poyang Lake Watershed, China. <i>Canadian Journal of Remote Sensing</i> , 2011, 37, 17-26.	1.1	32
130	Different Patterns in Daytime and Nighttime Thermal Effects of Urbanization in Beijing-Tianjin-Hebei Urban Agglomeration. <i>Remote Sensing</i> , 2017, 9, 121.	1.8	31
131	Modeling Carbon Fluxes Using Multi-Temporal MODIS Imagery and CO ₂ Eddy Flux Tower Data in Zoige Alpine Wetland, South-West China. <i>Wetlands</i> , 2014, 34, 603-618.	0.7	30
132	Temporal consistency between gross primary production and solar-induced chlorophyll fluorescence in the ten most populous megacity areas over years. <i>Scientific Reports</i> , 2017, 7, 14963.	1.6	30
133	Expansion dynamics of deciduous rubber plantations in Xishuangbanna, China during 2000-2010. <i>GIScience and Remote Sensing</i> , 2018, 55, 905-925.	2.4	30
134	Spatiotemporal Consistency of Four Gross Primary Production Products and Solar-Induced Chlorophyll Fluorescence in Response to Climate Extremes Across CONUS in 2012. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018, 123, 3140-3161.	1.3	30
135	Synergistic China-US Ecological Research is Essential for Global Emerging Infectious Disease Preparedness. <i>EcoHealth</i> , 2020, 17, 160-173.	0.9	30
136	Quantifying latitudinal variation in land surface phenology of <i>Spartina alterniflora</i> saltmarshes across coastal wetlands in China by Landsat 7/8 and Sentinel-2 images. <i>Remote Sensing of Environment</i> , 2022, 269, 112810.	4.6	30
137	Effects of in-situ and reanalysis climate data on estimation of cropland gross primary production using the Vegetation Photosynthesis Model. <i>Agricultural and Forest Meteorology</i> , 2015, 213, 240-250.	1.9	29
138	Influencing factors of households disadvantaged in post-earthquake life recovery: a case study of the Wenchuan earthquake in China. <i>Natural Hazards</i> , 2015, 75, 1853-1869.	1.6	29
139	Estimating aboveground biomass of broadleaf, needleleaf, and mixed forests in Northeastern China through analysis of 25-m ALOS/PALSAR mosaic data. <i>Forest Ecology and Management</i> , 2017, 389, 199-210.	1.4	29
140	Carbon dioxide and water vapor fluxes in winter wheat and tallgrass prairie in central Oklahoma. <i>Science of the Total Environment</i> , 2018, 644, 1511-1524.	3.9	29
141	Variation in Cropping Intensity in Northern China from 1982 to 2012 Based on GIMMS-NDVI Data. <i>Sustainability</i> , 2016, 8, 1123.	1.6	27
142	Analysis and estimation of tallgrass prairie evapotranspiration in the central United States. <i>Agricultural and Forest Meteorology</i> , 2017, 232, 35-47.	1.9	27
143	Modelling gross primary production in semi-arid Inner Mongolia using MODIS imagery and eddy covariance data. <i>International Journal of Remote Sensing</i> , 2013, 34, 2829-2857.	1.3	26
144	Modeling gross primary production of maize and soybean croplands using light quality, temperature, water stress, and phenology. <i>Agricultural and Forest Meteorology</i> , 2015, 213, 160-172.	1.9	26

#	ARTICLE	IF	CITATIONS
145	Comparison of Pixel- and Object-Based Approaches in Phenology-Based Rubber Plantation Mapping in Fragmented Landscapes. <i>Remote Sensing</i> , 2018, 10, 44.	1.8	26
146	Large loss and rapid recovery of vegetation cover and aboveground biomass over forest areas in Australia during 2019–2020. <i>Remote Sensing of Environment</i> , 2022, 278, 113087.	4.6	26
147	Bird migration and avian influenza: A comparison of hydrogen stable isotopes and satellite tracking methods. <i>Ecological Indicators</i> , 2014, 45, 266-273.	2.6	25
148	Enhanced gross primary production and evapotranspiration in juniper-encroached grasslands. <i>Global Change Biology</i> , 2018, 24, 5655-5667.	4.2	25
149	Identifying Establishment Year and Pre-Conversion Land Cover of Rubber Plantations on Hainan Island, China Using Landsat Data during 1987–2015. <i>Remote Sensing</i> , 2018, 10, 1240.	1.8	25
150	Response of Tropical Terrestrial Gross Primary Production to the Super El Niño Event in 2015. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018, 123, 3193-3203.	1.3	24
151	Increasing Outbreak of Cyanobacterial Blooms in Large Lakes and Reservoirs under Pressures from Climate Change and Anthropogenic Interferences in the Middle–Lower Yangtze River Basin. <i>Remote Sensing</i> , 2019, 11, 1754.	1.8	24
152	Accelerating Cities in an Unsustainable Landscape: Urban Expansion and Cropland Occupation in China, 1990–2030. <i>Sustainability</i> , 2019, 11, 2283.	1.6	24
153	Does direct-seeded rice decrease ecosystem-scale methane emissions?—A case study from a rice paddy in southeast China. <i>Agricultural and Forest Meteorology</i> , 2019, 272-273, 118-127.	1.9	24
154	Urban ventilation corridors and spatiotemporal divergence patterns of urban heat island intensity: a local climate zone perspective. <i>Environmental Science and Pollution Research</i> , 2022, 29, 74394-74406.	2.7	24
155	Semi-natural areas of Tarim Basin in northwest China: Linkage to desertification. <i>Science of the Total Environment</i> , 2016, 573, 178-188.	3.9	22
156	Mapping Annual Forest Cover in Sub-Humid and Semi-Arid Regions through Analysis of Landsat and PALSAR Imagery. <i>Remote Sensing</i> , 2016, 8, 933.	1.8	21
157	Assessing the Extent and Impact of Online Data Sharing in Eddy Covariance Flux Research. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018, 123, 129-137.	1.3	21
158	Dynamical Downscaling of CO ₂ in 2016 Over the Contiguous United States Using WRF–VPRM, a Weather–Biosphere–Online–Coupled Model. <i>Journal of Advances in Modeling Earth Systems</i> , 2020, 12, e2019MS001875.	1.3	21
159	Small anomalies in dry-season greenness and chlorophyll fluorescence for Amazon moist tropical forests during El Niño and La Niña. <i>Remote Sensing of Environment</i> , 2021, 253, 112196.	4.6	21
160	Global-Scale Consistency of Spaceborne Vegetation Indices, Chlorophyll Fluorescence, and Photosynthesis. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021, 126, e2020JG006136.	1.3	21
161	Impacts of juniper woody plant encroachment into grasslands on local climate. <i>Agricultural and Forest Meteorology</i> , 2021, 307, 108508.	1.9	21
162	Rapid surface water expansion due to increasing artificial reservoirs and aquaculture ponds in North China Plain. <i>Journal of Hydrology</i> , 2022, 608, 127637.	2.3	21

#	ARTICLE	IF	CITATIONS
163	Spatial characterization of colonies of the flying fox bat, a carrier of Nipah Virus in Thailand. <i>BMC Veterinary Research</i> , 2015, 11, 81.	0.7	20
164	Are There Sufficient Landsat Observations for Retrospective and Continuous Monitoring of Land Cover Changes in China?. <i>Remote Sensing</i> , 2019, 11, 1808.	1.8	20
165	Canopy and climate controls of gross primary production of Mediterranean-type deciduous and evergreen oak savannas. <i>Agricultural and Forest Meteorology</i> , 2016, 226-227, 132-147.	1.9	19
166	Movement analysis of free-grazing domestic ducks in Poyang Lake, China: a disease connection. <i>International Journal of Geographical Information Science</i> , 2016, 30, 869-880.	2.2	19
167	Modelling H5N1 in Bangladesh across spatial scales: Model complexity and zoonotic transmission risk. <i>Epidemics</i> , 2017, 20, 37-55.	1.5	19
168	Climate change affecting temperature and aridity zones: a case study in Eastern Inner Mongolia, China from 1960 to 2008. <i>Theoretical and Applied Climatology</i> , 2013, 113, 561-572.	1.3	18
169	Application of the space-for-time substitution method in validating long-term biomass predictions of a forest landscape model. <i>Environmental Modelling and Software</i> , 2017, 94, 127-139.	1.9	18
170	Assessing agricultural drought in summer over Oklahoma Mesonet sites using the water-related vegetation index from MODIS. <i>International Journal of Biometeorology</i> , 2017, 61, 377-390.	1.3	18
171	The impact of surveillance and control on highly pathogenic avian influenza outbreaks in poultry in Dhaka division, Bangladesh. <i>PLoS Computational Biology</i> , 2018, 14, e1006439.	1.5	17
172	Forest Changes by Precipitation Zones in Northern China after the Three-North Shelterbelt Forest Program in China. <i>Remote Sensing</i> , 2021, 13, 543.	1.8	17
173	Large spatial variation and stagnation of cropland gross primary production increases the challenges of sustainable grain production and food security in China. <i>Science of the Total Environment</i> , 2022, 811, 151408.	3.9	17
174	Assimilating remote sensing-based VPM GPP into the WOFOST model for improving regional winter wheat yield estimation. <i>European Journal of Agronomy</i> , 2022, 139, 126556.	1.9	17
175	Mapping rice cropping systems using Landsat-derived Renormalized Index of Normalized Difference Vegetation Index (RNDVI) in the Poyang Lake Region, China. <i>Frontiers of Earth Science</i> , 2016, 10, 303-314.	0.9	16
176	Estimating site-specific optimum air temperature and assessing its effect on the photosynthesis of grasslands in mid- to high-latitudes. <i>Environmental Research Letters</i> , 2020, 15, 034064.	2.2	16
177	Estimation of the relative contributions of forest areal expansion and growth to China's forest stand biomass carbon sequestration from 1977 to 2018. <i>Journal of Environmental Management</i> , 2021, 300, 113757.	3.8	16
178	Spatial Modeling of Wild Bird Risk Factors for Highly Pathogenic A(H5N1) Avian Influenza Virus Transmission. <i>Avian Diseases</i> , 2016, 60, 329-336.	0.4	15
179	Could Changes in the Agricultural Landscape of Northeastern China Have Influenced the Long-Distance Transmission of Highly Pathogenic Avian Influenza H5Nx Viruses?. <i>Frontiers in Veterinary Science</i> , 2017, 4, 225.	0.9	14
180	Tracking Reforestation in the Loess Plateau, China after the "Grain for Green" Project through Integrating PALSAR and Landsat Imagery. <i>Remote Sensing</i> , 2019, 11, 2685.	1.8	14

#	ARTICLE	IF	CITATIONS
181	Annual 30-m big Lake Maps of the Tibetan Plateau in 1991â€“2018. <i>Scientific Data</i> , 2022, 9, 164.	2.4	14
182	Long-term analysis of the asynchronicity between temperature and precipitation maxima in the United States Great Plains. <i>International Journal of Climatology</i> , 2017, 37, 3919-3933.	1.5	13
183	Quantifying spatial-temporal changes of tea plantations in complex landscapes through integrative analyses of optical and microwave imagery. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2018, 73, 697-711.	1.4	13
184	Assessing the impact of climate changes on the potential yields of maize and paddy rice in Northeast China by 2050. <i>Theoretical and Applied Climatology</i> , 2020, 140, 167-182.	1.3	13
185	Understanding the Land Surface Phenology and Gross Primary Production of Sugarcane Plantations by Eddy Flux Measurements, MODIS Images, and Data-Driven Models. <i>Remote Sensing</i> , 2020, 12, 2186.	1.8	13
186	Spatial-temporal dynamics of maize and soybean planted area, harvested area, gross primary production, and grain production in the Contiguous United States during 2008-2018. <i>Agricultural and Forest Meteorology</i> , 2021, 297, 108240.	1.9	12
187	Temporal Changes of Virus-Like Particle Abundance and Metagenomic Comparison of Viral Communities in Cropland and Prairie Soils. <i>MSphere</i> , 2021, 6, e0116020.	1.3	12
188	The relationships between urban-rural temperature difference and vegetation in eight cities of the Great Plains. <i>Frontiers of Earth Science</i> , 2019, 13, 290-302.	0.9	11
189	Tracking the phenology and expansion of <i>Spartina alterniflora</i> coastal wetland by time series MODIS and Landsat images. <i>Multimedia Tools and Applications</i> , 2020, 79, 5175-5195.	2.6	11
190	Integrated Analyses of PALSAR and Landsat Imagery Reveal More Agroforests in a Typical Agricultural Production Region, North China Plain. <i>Remote Sensing</i> , 2018, 10, 1323.	1.8	10
191	Winter Wheat Green-up Date Variation and its Diverse Response on the Hydrothermal Conditions over the North China Plain, Using MODIS Time-Series Data. <i>Remote Sensing</i> , 2019, 11, 1593.	1.8	10
192	Patterns of soil nitrogen mineralization under a land-use change from desert to farmland. <i>European Journal of Soil Science</i> , 2020, 71, 60-68.	1.8	10
193	High-Precision Stand Age Data Facilitate the Estimation of Rubber Plantation Biomass: A Case Study of Hainan Island, China. <i>Remote Sensing</i> , 2020, 12, 3853.	1.8	10
194	Impact of spring phenology variation on GPP and its lag feedback for winter wheat over the North China Plain. <i>Science of the Total Environment</i> , 2020, 725, 138342.	3.9	10
195	Meteorological Influences on Spatiotemporal Variation of PM2.5 Concentrations in Atmospheric Pollution Transmission Channel Cities of the Beijingâ€“Tianjinâ€“Hebei Region, China. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1607.	1.2	10
196	The time process of post-earthquake recovery: the Yao'an earthquake in China. <i>Disasters</i> , 2014, 38, 774-789.	1.1	9
197	Enhanced spring phenological temperature sensitivity explains the extension of carbon uptake period in temperate forest protected areas. <i>Forest Ecology and Management</i> , 2020, 455, 117679.	1.4	9
198	Grassland Wildfires in the Southern Great Plains: Monitoring Ecological Impacts and Recovery. <i>Remote Sensing</i> , 2020, 12, 619.	1.8	9

#	ARTICLE	IF	CITATIONS
199	Spatially explicit changes in forest biomass carbon of China over the past 4 decades: Coupling long-term inventory and remote sensing data. <i>Journal of Cleaner Production</i> , 2021, 316, 128274.	4.6	9
200	Mapping Earthquake Risk of the World. IHDP/Future Earth-integrated Risk Governance Project Series, 2015, , 25-39.	0.2	9
201	A new method for discovering behavior patterns among animal movements. <i>International Journal of Geographical Information Science</i> , 2016, 30, 929-947.	2.2	8
202	Assessing variability of optimum air temperature for photosynthesis across site-years, sites and biomes and their effects on photosynthesis estimation. <i>Agricultural and Forest Meteorology</i> , 2021, 298-299, 108277.	1.9	8
203	Spatial extrapolation of topographic models for mapping soil organic carbon using local samples. <i>Geoderma</i> , 2021, 404, 115290.	2.3	8
204	Spatiotemporal Changes of Winter Wheat Planted and Harvested Areas, Photosynthesis and Grain Production in the Contiguous United States from 2008â€“2018. <i>Remote Sensing</i> , 2021, 13, 1735.	1.8	6
205	Characterizing Wetland Inundation and Vegetation Dynamics in the Arctic Coastal Plain Using Recent Satellite Data and Field Photos. <i>Remote Sensing</i> , 2021, 13, 1492.	1.8	6
206	Stable Isotopes Suggest Low Site Fidelity in Bar-Headed Geese (<i>Anser indicus</i>) in Mongolia: Implications for Disease Transmission. <i>Waterbirds</i> , 2015, 38, 123-220.	0.2	5
207	Combining Spectral and Morphometric Properties of Landslides for Separating Individual Landslides Based on Object-Oriented Method. , 2017, , 61-70.		4
208	Differential responses of native and managed prairie pastures to environmental variability and management practices. <i>Agricultural and Forest Meteorology</i> , 2020, 294, 108137.	1.9	4
209	Temporal Dynamics of Bacterial Communities along a Gradient of Disturbance in a U.S. Southern Plains Agroecosystem. <i>MBio</i> , 2022, 13, e0382921.	1.8	4
210	Analysis of Parameters for the Accurate and Fast Estimation of Tree Diameter at Breast Height Based on Simulated Point Cloud. <i>Remote Sensing</i> , 2019, 11, 2707.	1.8	3
211	Spatial-temporal variation of satellite-based gross primary production estimation in wheat-maize rotation area during 2000â€“2015. <i>Geocarto International</i> , 2022, 37, 2506-2523.	1.7	3
212	Annual Maps of Forests in Australia from Analyses of Microwave and Optical Images with FAO Forest Definition. <i>Journal of Remote Sensing</i> , 2021, 2021, .	3.2	3
213	Mapping forest in the southern Great Plains with ALOS-2 PALSAR-2 and Landsat 7/8 data. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2021, 104, 102578.	1.4	3
214	Climate Change and Livestock Management Drove Extensive Vegetation Recovery in the Qinghai-Tibet Plateau. <i>Remote Sensing</i> , 2021, 13, 4808.	1.8	3
215	Satellite-Based Surface Water Storage Estimation: Its history, current status, and future prospects. <i>IEEE Geoscience and Remote Sensing Magazine</i> , 2022, 10, 10-31.	4.9	3
216	Dormant Season Vegetation Phenology and Eddy Fluxes in Native Tallgrass Prairies of the U.S. Southern Plains. <i>Remote Sensing</i> , 2022, 14, 2620.	1.8	3

#	ARTICLE	IF	CITATIONS
217	From Standard Weather Stations to Virtual Micro-Meteorological Towers in Ungauged Sites: Modeling Tool for Surface Energy Fluxes, Evapotranspiration, Soil Temperature, and Soil Moisture Estimations. <i>Remote Sensing</i> , 2021, 13, 1271.	1.8	2
218	Mapping Panax Notoginseng Plantations by Using an Integrated Pixel- and Object-Based (IPOB) Approach and ZY-3 Imagery. <i>Remote Sensing</i> , 2021, 13, 2184.	1.8	2
219	Reply to: "Correlation between paddy rice growth and satellite-observed methane column abundance does not imply causation". <i>Nature Communications</i> , 2021, 12, 1189.	5.8	1
220	Improving a Biogeochemical Model to Simulate Microbial-Mediated Carbon Dynamics in Agricultural ecosystems. <i>Journal of Advances in Modeling Earth Systems</i> , 2021, 13, e2021MS002752.	1.3	1
221	Chewing Lice of Swan Geese (<i>Anser cygnoides</i>): New Host-Parasite Associations. <i>Korean Journal of Parasitology</i> , 2016, 54, 685-691.	0.5	0
222	Water-related land cover data products for geospatial analysis and modeling of infectious disease transmission risks. <i>Frontiers in Veterinary Science</i> , 0, 6, .	0.9	0