

Frédéric Vély

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3200714/frederic-vely-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57
papers

4,780
citations

34
h-index

62
g-index

62
ext. papers

5,441
ext. citations

8.3
avg, IF

4.93
L-index

#	Paper	IF	Citations
57	Innate lymphoid cell recovery and occurrence of GvHD after hematopoietic stem cell transplantation. <i>Journal of Leukocyte Biology</i> , 2021 ,	6.5	1
56	Discrimination of COVID-19 From Inflammation-Induced Cytokine Storm Syndromes Using Disease-Related Blood Biomarkers. <i>Arthritis and Rheumatology</i> , 2021 , 73, 1791-1799	9.5	20
55	Functional and genetic testing in adults with HLH reveals an inflammatory profile rather than a cytotoxicity defect. <i>Blood</i> , 2020 , 136, 542-552	2.2	25
54	Imbalance of Circulating Innate Lymphoid Cell Subpopulations in Patients With Septic Shock. <i>Frontiers in Immunology</i> , 2019 , 10, 2179	8.4	23
53	Combined Immunodeficiency in Patients With Trichohepatoenteric Syndrome. <i>Frontiers in Immunology</i> , 2018 , 9, 1036	8.4	19
52	NK cell compartment in the peripheral blood and spleen in adult patients with primary immune thrombocytopenia. <i>Clinical Immunology</i> , 2017 , 177, 18-28	9	20
51	NKp30 isoforms and NKp30 ligands are predictive biomarkers of response to imatinib mesylate in metastatic GIST patients. <i>Oncotarget</i> , 2017 , 6, e1137418	7.2	37
50	Innate lymphoid cells: major players in inflammatory diseases. <i>Nature Reviews Immunology</i> , 2017 , 17, 665-678	36.5	198
49	Dendritic cell-derived exosomes as maintenance immunotherapy after first line chemotherapy in NSCLC. <i>Oncotarget</i> , 2016 , 5, e1071008	7.2	367
48	HLA-Fatal attraction. <i>Nature Immunology</i> , 2016 , 17, 1012-4	19.1	2
47	Structural Insights into the Inhibitory Mechanism of an Antibody against B7-H6, a Stress-Induced Cellular Ligand for the Natural Killer Cell Receptor NKp30. <i>Journal of Molecular Biology</i> , 2016 , 428, 4457-4466	6.5	9
46	Evidence of innate lymphoid cell redundancy in humans. <i>Nature Immunology</i> , 2016 , 17, 1291-1299	19.1	196
45	PD-1 mediates functional exhaustion of activated NK cells in patients with Kaposi sarcoma. <i>Oncotarget</i> , 2016 , 7, 72961-72977	3.3	187
44	Causal analysis of H1N1pdm09 influenza infection risk in a household cohort. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 272-7	5.1	7
43	Clinical impact of the NKp30/B7-H6 axis in high-risk neuroblastoma patients. <i>Science Translational Medicine</i> , 2015 , 7, 283ra55	17.5	97
42	Innate Lymphoid Cells in Cancer. <i>Cancer Immunology Research</i> , 2015 , 3, 1109-14	12.5	26
41	CD146 mediates VEGF-induced melanoma cell extravasation through FAK activation. <i>International Journal of Cancer</i> , 2015 , 137, 50-60	7.5	36

40	Induction of B7-H6, a ligand for the natural killer cell-activating receptor NKp30, in inflammatory conditions. <i>Blood</i> , 2013 , 122, 394-404	2.2	100
39	The involvement of CD146 and its novel ligand Galectin-1 in apoptotic regulation of endothelial cells. <i>Journal of Biological Chemistry</i> , 2013 , 288, 2571-9	5.4	48
38	Factors associated with post-seasonal serological titer and risk factors for infection with the pandemic A/H1N1 virus in the French general population. <i>PLoS ONE</i> , 2013 , 8, e60127	3.7	17
37	Integrative study of pandemic A/H1N1 influenza infections: design and methods of the CoPanFlu-France cohort. <i>BMC Public Health</i> , 2012 , 12, 417	4.1	15
36	Tuning of natural killer cell reactivity by NKp46 and Helios calibrates T cell responses. <i>Science</i> , 2012 , 335, 344-8	33.3	159
35	Phenotype and functions of natural killer cells in critically-ill septic patients. <i>PLoS ONE</i> , 2012 , 7, e50446	3.7	48
34	Interferon- γ production by natural killer cells and cytomegalovirus in critically ill patients. <i>Critical Care Medicine</i> , 2012 , 40, 3162-9	1.4	37
33	The role of natural killer cells in sepsis. <i>Journal of Biomedicine and Biotechnology</i> , 2011 , 2011, 986491		56
32	Natural killer cells in human autoimmune diseases. <i>Immunology</i> , 2010 , 131, 451-8	7.8	104
31	CD146 short isoform increases the proangiogenic potential of endothelial progenitor cells in vitro and in vivo. <i>Circulation Research</i> , 2010 , 107, 66-75	15.7	51
30	Soluble CD146 displays angiogenic properties and promotes neovascularization in experimental hind-limb ischemia. <i>Blood</i> , 2010 , 115, 3843-51	2.2	59
29	Pattern of DAP12 expression in leukocytes from both healthy and systemic lupus erythematosus patients. <i>PLoS ONE</i> , 2009 , 4, e6264	3.7	10
28	CD146 and its soluble form regulate monocyte transendothelial migration. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009 , 29, 746-53	9.4	86
27	Mouse CD146/MCAM is a marker of natural killer cell maturation. <i>European Journal of Immunology</i> , 2008 , 38, 2855-64	6.1	38
26	Reciprocal regulation of human natural killer cells and macrophages associated with distinct immune synapses. <i>Blood</i> , 2007 , 109, 3776-85	2.2	199
25	Distribution of killer-cell immunoglobulin-like receptor (KIR) in Comoros and Southeast France. <i>Tissue Antigens</i> , 2006 , 67, 356-67		22
24	Coordination of activating and inhibitory signals in natural killer cells. <i>Molecular Immunology</i> , 2005 , 42, 477-84	4.3	42
23	Natural killer cell receptor signaling pathway. <i>Science Signaling</i> , 2005 , 2005, cm6	8.8	6

22	Recognition of peptide-MHC class I complexes by activating killer immunoglobulin-like receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 13224-9	11.5	316
21	Homophilic interaction of NTBA, a member of the CD2 molecular family: induction of cytotoxicity and cytokine release in human NK cells. <i>European Journal of Immunology</i> , 2004 , 34, 1663-72	6.1	83
20	Natural killer cell signaling pathways. <i>Science</i> , 2004 , 306, 1517-9	33.3	495
19	Critical role of Src and SHP-2 in sst2 somatostatin receptor-mediated activation of SHP-1 and inhibition of cell proliferation. <i>Molecular Biology of the Cell</i> , 2003 , 14, 3911-28	3.5	67
18	Interaction between Erbin and a Catenin-related protein in epithelial cells. <i>Journal of Biological Chemistry</i> , 2002 , 277, 2869-75	5.4	74
17	A high-resolution view of NK-cell receptors: structure and function. <i>Trends in Immunology</i> , 2000 , 21, 428-31		32
16	Molecular basis of the recruitment of the SH2 domain-containing inositol 5-phosphatases SHIP1 and SHIP2 by FcγRIIB. <i>Journal of Biological Chemistry</i> , 2000 , 275, 37357-64	5.4	73
15	BIAcore analysis to test phosphopeptide-SH2 domain interactions. <i>Methods in Molecular Biology</i> , 2000 , 121, 313-21	1.4	4
14	Signaling pathways engaged by NK cell receptors: double concerto for activating receptors, inhibitory receptors and NK cells. <i>Seminars in Immunology</i> , 2000 , 12, 139-47	10.7	95
13	Les cellules NK. <i>Revue Francaise Drallergologie Et Drimmunologie Clinique</i> , 1999 , 39, 227-236		
12	The enigma of activating isoforms of ITIM-bearing molecules. <i>Current Topics in Microbiology and Immunology</i> , 1999 , 244, 169-76	3.3	4
11	Inhibition of antigen-induced T cell response and antibody-induced NK cell cytotoxicity by NKG2A: association of NKG2A with SHP-1 and SHP-2 protein-tyrosine phosphatases. <i>European Journal of Immunology</i> , 1998 , 28, 264-76	6.1	184
10	Gene structure, expression pattern, and biological activity of mouse killer cell activating receptor-associated protein (KARAP)/DAP-12. <i>Journal of Biological Chemistry</i> , 1998 , 273, 34115-9	5.4	119
9	The paired Ig-like receptor PIR-B is an inhibitory receptor that recruits the protein-tyrosine phosphatase SHP-1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 2446-51	11.5	194
8	A new set of monoclonal antibodies against human Fc gamma RII (CD32) and Fc gamma RIII (CD16): characterization and use in various assays. <i>Hybridoma</i> , 1997 , 16, 519-28		31
7	Transduction of cytotoxic signals in natural killer cells: a general model of fine tuning between activatory and inhibitory pathways in lymphocytes. <i>Immunological Reviews</i> , 1997 , 155, 205-21	11.3	97
6	Differential association of phosphatases with hematopoietic co-receptors bearing immunoreceptor tyrosine-based inhibition motifs. <i>European Journal of Immunology</i> , 1997 , 27, 1994-2000	6.1	120
5	Analysis of immunoreceptor tyrosine-based activation motif (ITAM) binding to ZAP-70 by surface plasmon resonance. <i>European Journal of Immunology</i> , 1997 , 27, 3010-4	6.1	21

4	Conservation of structural features reveals the existence of a large family of inhibitory cell surface receptors and noninhibitory/activatory counterparts. <i>Journal of Immunology</i> , 1997 , 159, 2075-7	53	103
3	Function of killer cell inhibitory receptors for MHC class I molecules. <i>Immunology Letters</i> , 1996 , 54, 145-50	41	7
2	Human and mouse killer-cell inhibitory receptors recruit PTP1C and PTP1D protein tyrosine phosphatases. <i>Journal of Immunology</i> , 1996 , 156, 4531-4	53	256
1	Protective activities of serum immunoglobulin G on the mucosal surface to <i>Vibrio cholerae</i> O1. <i>Bulletin De L'Institut Pasteur</i> , 1995 , 93, 273-283		16