

# Weizhong Qian

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3201676/publications.pdf>

Version: 2024-02-01

164  
papers

12,932  
citations

34016

52  
h-index

24179

110  
g-index

169  
all docs

169  
docs citations

169  
times ranked

14756  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fast and reversible surface redox reaction of graphene/MnO <sub>2</sub> composites as supercapacitor electrodes. Carbon, 2010, 48, 3825-3833.	5.4	1,272
2	A Three-Dimensional Carbon Nanotube/Graphene Sandwich and Its Application as Electrode in Supercapacitors. Advanced Materials, 2010, 22, 3723-3728.	11.1	1,182
3	Preparation of a graphene nanosheet/polyaniline composite with high specific capacitance. Carbon, 2010, 48, 487-493.	5.4	999
4	Carbon nanotube- and graphene-based nanomaterials and applications in high-voltage supercapacitor: A review. Carbon, 2019, 141, 467-480.	5.4	610
5	Preparation of graphene nanosheet/carbon nanotube/polyaniline composite as electrode material for supercapacitors. Journal of Power Sources, 2010, 195, 3041-3045.	4.0	540
6	Electrochemical properties of graphene nanosheet/carbon black composites as electrodes for supercapacitors. Carbon, 2010, 48, 1731-1737.	5.4	534
7	Facile Route for Synthesizing Ordered Mesoporous Ni-Ce-Al Oxide Materials and Their Catalytic Performance for Methane Dry Reforming to Hydrogen and Syngas. ACS Catalysis, 2013, 3, 1638-1651.	5.5	362
8	Gram-scale synthesis of nanomesh graphene with high surface area and its application in supercapacitor electrodes. Chemical Communications, 2011, 47, 5976.	2.2	339
9	Growth of Half-Meter Long Carbon Nanotubes Based on Schulz-Flory Distribution. ACS Nano, 2013, 7, 6156-6161.	7.3	308
10	Superlubricity in centimetres-long double-walled carbon nanotubes under ambient conditions. Nature Nanotechnology, 2013, 8, 912-916.	15.6	305
11	Increasing <i>p</i> -Xylene Selectivity in Making Aromatics from Methanol with a Surface-Modified Zn/P/ZSM-5 Catalyst. ACS Catalysis, 2015, 5, 2982-2988.	5.5	263
12	Highly Electroconductive Mesoporous Graphene Nanofibers and Their Capacitance Performance at 4 V. Journal of the American Chemical Society, 2014, 136, 2256-2259.	6.6	192
13	Superstrong Ultralong Carbon Nanotubes for Mechanical Energy Storage. Advanced Materials, 2011, 23, 3387-3391.	11.1	170
14	Crystal-plane effect of nanoscale CeO <sub>2</sub> on the catalytic performance of Ni/CeO <sub>2</sub> catalysts for methane dry reforming. Catalysis Science and Technology, 2016, 6, 3594-3605.	2.1	170
15	Cross-Coupled Macro-Mesoporous Carbon Network toward Record High Energy Power Density Supercapacitor at 4 V. Advanced Functional Materials, 2018, 28, 1806153.	7.8	145
16	Synthesis, characterization and catalytic performance of MgO-coated Ni/SBA-15 catalysts for methane dry reforming to syngas and hydrogen. International Journal of Hydrogen Energy, 2013, 38, 9718-9731.	3.8	131
17	Energy-Absorbing Hybrid Composites Based on Alternate Carbon-Nanotube and Inorganic Layers. Advanced Materials, 2009, 21, 2876-2880.	11.1	118
18	Fabrication of <i>c</i> -Axis Oriented ZSM-5 Hollow Fibers Based on an in Situ Solid-Solid Transformation Mechanism. Journal of the American Chemical Society, 2013, 135, 15322-15325.	6.6	110

#	ARTICLE	IF	CITATIONS
19	The Application of Carbon Nanotube/Graphene-Based Nanomaterials in Wastewater Treatment. <i>Small</i> , 2020, 16, e1902301.	5.2	109
20	Ion-Responsive Channels of Zwitterion-Carbon Nanotube Membrane for Rapid Water Permeation and Ultrahigh Mono-/Multivalent Ion Selectivity. <i>ACS Nano</i> , 2015, 9, 7488-7496.	7.3	107
21	Growth Deceleration of Vertically Aligned Carbon Nanotube Arrays: Catalyst Deactivation or Feedstock Diffusion Controlled?. <i>Journal of Physical Chemistry C</i> , 2008, 112, 4892-4896.	1.5	102
22	Highly deformation-tolerant carbon nanotube sponges as supercapacitor electrodes. <i>Nanoscale</i> , 2013, 5, 8472.	2.8	101
23	Enhanced production of carbon nanotubes: combination of catalyst reduction and methane decomposition. <i>Applied Catalysis A: General</i> , 2004, 258, 121-124.	2.2	99
24	Preparation and characterization of a plasma treated NiMgSBA-15 catalyst for methane reforming with CO <sub>2</sub> to produce syngas. <i>Catalysis Science and Technology</i> , 2013, 3, 2278.	2.1	94
25	Quantitative Raman characterization of the mixed samples of the single and multi-wall carbon nanotubes. <i>Carbon</i> , 2003, 41, 1851-1854.	5.4	92
26	100-µm Long, Semiconducting Triple-Walled Carbon Nanotubes. <i>Advanced Materials</i> , 2010, 22, 1867-1871.	11.1	91
27	Growing 20 cm Long DWNTs/TWNTs at a Rapid Growth Rate of 80-90 µm/s. <i>Chemistry of Materials</i> , 2010, 22, 1294-1296.	3.2	88
28	Hierarchical carbon nanotube membrane with high packing density and tunable porous structure for high voltage supercapacitors. <i>Carbon</i> , 2012, 50, 5167-5175.	5.4	87
29	Gaseous catalytic hydrogenation of nitrobenzene to aniline in a two-stage fluidized bed reactor. <i>Applied Catalysis A: General</i> , 2005, 286, 30-35.	2.2	86
30	Synchronous Growth of Vertically Aligned Carbon Nanotubes with Pristine Stress in the Heterogeneous Catalysis Process. <i>Journal of Physical Chemistry C</i> , 2007, 111, 14638-14643.	1.5	86
31	Synthesis of carbon nanotubes from liquefied petroleum gas containing sulfur. <i>Carbon</i> , 2002, 40, 2968-2970.	5.4	84
32	Conversion of methanol to aromatics in fluidized bed reactor. <i>Catalysis Today</i> , 2014, 233, 8-13.	2.2	84
33	Screening of hydrocarbons as supercritical ORCs working fluids by thermal stability. <i>Energy Conversion and Management</i> , 2016, 126, 632-637.	4.4	82
34	3D Hierarchical Porous Graphene-Based Energy Materials: Synthesis, Functionalization, and Application in Energy Storage and Conversion. <i>Electrochemical Energy Reviews</i> , 2019, 2, 332-371.	13.1	82
35	Elastic deformation of multiwalled carbon nanotubes in electrospun MWCNTs-PEO and MWCNTs-PVA nanofibers. <i>Polymer</i> , 2005, 46, 12689-12695.	1.8	81
36	High capacity gas storage in corrugated porous graphene with a specific surface area-lossless tightly stacking manner. <i>Chemical Communications</i> , 2012, 48, 6815.	2.2	79

#	ARTICLE	IF	CITATIONS
37	Chemical vapor deposition derived flexible graphene paper and its application as high performance anodes for lithium rechargeable batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 408-414.	5.2	78
38	Bayberry-like ZnO/MFI zeolite as high performance methanol-to-aromatics catalyst. <i>Chemical Communications</i> , 2016, 52, 2011-2014.	2.2	77
39	Centrifugation-free and high yield synthesis of nanosized H-ZSM-5 and its structure-guided aromatization of methanol to 1,2,4-trimethylbenzene. <i>Journal of Materials Chemistry A</i> , 2014, 2, 19797-19808.	5.2	76
40	A single-molecule van der Waals compass. <i>Nature</i> , 2021, 592, 541-544.	13.7	75
41	Atmospheric pressure synthesis of nanosized ZSM-5 with enhanced catalytic performance for methanol to aromatics reaction. <i>Catalysis Science and Technology</i> , 2014, 4, 3840-3844.	2.1	72
42	CO <sub>2</sub> -Assisted SWNT Growth on Porous Catalysts. <i>Chemistry of Materials</i> , 2007, 19, 1226-1230.	3.2	71
43	Modulation of b-axis thickness within MFI zeolite: Correlation with variation of product diffusion and coke distribution in the methanol-to-hydrocarbons conversion. <i>Applied Catalysis B: Environmental</i> , 2019, 243, 721-733.	10.8	71
44	The evaluation of the gross defects of carbon nanotubes in a continuous CVD process. <i>Carbon</i> , 2003, 41, 2613-2617.	5.4	66
45	One-step synthesis of a graphene-carbon nanotube hybrid decorated by magnetic nanoparticles. <i>Carbon</i> , 2012, 50, 2764-2771.	5.4	64
46	Dramatic enhancements in toughness of polyimide nanocomposite via long-CNT-induced long-range creep. <i>Journal of Materials Chemistry</i> , 2012, 22, 7050.	6.7	63
47	Synthesis of graphene from asphaltene molecules adsorbed on vermiculite layers. <i>Carbon</i> , 2013, 62, 213-221.	5.4	63
48	In situ imaging of the sorption-induced subcell topological flexibility of a rigid zeolite framework. <i>Science</i> , 2022, 376, 491-496.	6.0	62
49	Gas-Phase Catalytic Hydrochlorination of Acetylene in a Two-Stage Fluidized-Bed Reactor. <i>Industrial &amp; Engineering Chemistry Research</i> , 2009, 48, 128-133.	1.8	61
50	Thermal stability of some hydrofluorocarbons as supercritical ORCs working fluids. <i>Applied Thermal Engineering</i> , 2018, 128, 1095-1101.	3.0	59
51	Crystal-plane effects of MFI zeolite in catalytic conversion of methanol to hydrocarbons. <i>Journal of Catalysis</i> , 2018, 360, 89-96.	3.1	58
52	Enhanced Catalytic Activity of Subnanometer Titania Clusters Confined inside Double-Wall Carbon Nanotubes. <i>ChemSusChem</i> , 2011, 4, 975-980.	3.6	57
53	Enhanced actuation in functionalized carbon nanotube-Nafion composites. <i>Sensors and Actuators B: Chemical</i> , 2011, 156, 187-193.	4.0	55
54	Direct synthesis of c-axis oriented ZSM-5 nanoneedles from acid-treated kaolin clay. <i>Journal of Materials Chemistry A</i> , 2013, 1, 3272.	5.2	53

#	ARTICLE	IF	CITATIONS
55	Ferromagnetism in nanomesh graphene. <i>Carbon</i> , 2013, 51, 390-396.	5.4	52
56	Hierarchical Agglomerates of Carbon Nanotubes as High-Pressure Cushions. <i>Nano Letters</i> , 2008, 8, 1323-1327.	4.5	50
57	Chemical kinetics method for evaluating the thermal stability of Organic Rankine Cycle working fluids. <i>Applied Thermal Engineering</i> , 2016, 100, 708-713.	3.0	49
58	MgO-catalyzed growth of N-doped wrinkled carbon nanotubes. <i>Carbon</i> , 2013, 56, 38-44.	5.4	48
59	The influence of straight pore blockage on the selectivity of methanol to aromatics in nanosized Zn/ZSM-5: an atomic Cs-corrected STEM analysis study. <i>RSC Advances</i> , 2016, 6, 74797-74801.	1.7	48
60	High energy and high power density supercapacitor with 3D Al foam-based thick graphene electrode: Fabrication and simulation. <i>Energy Storage Materials</i> , 2020, 33, 18-25.	9.5	48
61	Effect of adding nickel to iron-alumina catalysts on the morphology of as-grown carbon nanotubes. <i>Carbon</i> , 2003, 41, 2487-2493.	5.4	46
62	EMIMBF <sub>4</sub> -GBL binary electrolyte working at ~70 Å°C and 3.7 V for a high performance graphene-based capacitor. <i>Journal of Materials Chemistry A</i> , 2018, 6, 3593-3601.	5.2	46
63	Regulation of Ni-CNT Interaction on Mn-Promoted Nickel Nanocatalysts Supported on Oxygenated CNTs for CO <sub>2</sub> Selective Hydrogenation. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 41224-41236.	4.0	45
64	Oil sorption and recovery by using vertically aligned carbon nanotubes. <i>Carbon</i> , 2010, 48, 4197-4200.	5.4	44
65	Flexible metal-templated fabrication of mesoporous onion-like carbon and Fe <sub>2</sub> O <sub>3</sub> @N-doped carbon foam for electrochemical energy storage. <i>Journal of Materials Chemistry A</i> , 2018, 6, 13012-13020.	5.2	44
66	A novel low-temperature method to grow single-crystal ZnO nanorods. <i>Journal of Crystal Growth</i> , 2004, 271, 353-357.	0.7	43
67	Liquefied petroleum gas containing sulfur as the carbon source for carbon nanotube forests. <i>Carbon</i> , 2008, 46, 291-296.	5.4	42
68	Synthesis of High-Quality, Double-Walled Carbon Nanotubes in a Fluidized Bed Reactor. <i>Chemical Engineering and Technology</i> , 2009, 32, 73-79.	0.9	41
69	Raising the performance of a 4 V supercapacitor based on an EMIBF <sub>4</sub> -single walled carbon nanotube nanofluid electrolyte. <i>Chemical Communications</i> , 2013, 49, 10727.	2.2	41
70	Highly electroconductive mesoporous activated carbon fibers and their performance in the ionic liquid-based electrical double-layer capacitors. <i>Carbon</i> , 2019, 154, 1-6.	5.4	39
71	Insight into the Effects of Water on the Ethene to Aromatics Reaction with HZSM-5. <i>ACS Catalysis</i> , 2020, 10, 5288-5298.	5.5	39
72	Carbon nanotubes for supercapacitors: Consideration of cost and chemical vapor deposition techniques. <i>Journal of Natural Gas Chemistry</i> , 2012, 21, 233-240.	1.8	38

#	ARTICLE	IF	CITATIONS
73	One-pot Synthesis of Ordered Mesoporous NiCeAl Oxide Catalysts and a Study of Their Performance in Methane Dry Reforming. <i>ChemCatChem</i> , 2014, 6, 1470-1480.	1.8	38
74	Nano-size MZnAl (M=Cu, Co, Ni) metal oxides obtained by combining hydrothermal synthesis with urea homogeneous precipitation procedures. <i>Applied Clay Science</i> , 2010, 48, 203-207.	2.6	37
75	Synthesis of high quality single-walled carbon nanotubes on natural sepiolite and their use for phenol absorption. <i>Carbon</i> , 2011, 49, 1568-1580.	5.4	36
76	Interwall Friction and Sliding Behavior of Centimeters Long Double-Walled Carbon Nanotubes. <i>Nano Letters</i> , 2016, 16, 1367-1374.	4.5	36
77	The effect of phase separation in Fe/Mg/Al/O catalysts on the synthesis of DWCNTs from methane. <i>Carbon</i> , 2007, 45, 1645-1650.	5.4	33
78	Enhanced Activation and Decomposition of CH <sub>4</sub> by the Addition of C <sub>2</sub> H <sub>4</sub> or C <sub>2</sub> H <sub>2</sub> for Hydrogen and Carbon Nanotube Production. <i>Journal of Physical Chemistry C</i> , 2008, 112, 7588-7593.	1.5	33
79	Resolving atomic SAPO-34/18 intergrowth architectures for methanol conversion by identifying light atoms and bonds. <i>Nature Communications</i> , 2021, 12, 2212.	5.8	33
80	Carbon nanotubes containing iron and molybdenum particles as a catalyst for methane decomposition. <i>Carbon</i> , 2003, 41, 846-848.	5.4	32
81	Conversion of methanol with C <sub>5</sub> -C <sub>6</sub> hydrocarbons into aromatics in a two-stage fluidized bed reactor. <i>Catalysis Today</i> , 2016, 264, 63-69.	2.2	32
82	Review of the Working Fluid Thermal Stability for Organic Rankine Cycles. <i>Journal of Thermal Science</i> , 2019, 28, 597-607.	0.9	31
83	High-yield production of aromatics from methanol using a temperature-shifting multi-stage fluidized bed reactor technology. <i>Chemical Engineering Journal</i> , 2019, 371, 639-646.	6.6	31
84	In situ growth of carbon nanotubes on inorganic fibers with different surface properties. <i>Materials Chemistry and Physics</i> , 2008, 107, 317-321.	2.0	30
85	Temperature effect on the substrate selectivity of carbon nanotube growth in floating chemical vapor deposition. <i>Nanotechnology</i> , 2007, 18, 415703.	1.3	29
86	Ionic liquid coated single-walled carbon nanotube buckypaper as supercapacitor electrode. <i>Particuology</i> , 2013, 11, 409-414.	2.0	28
87	What causes the carbon nanotubes collapse in a chemical vapor deposition process. <i>Journal of Chemical Physics</i> , 2003, 118, 878-882.	1.2	27
88	Large scale production of carbon nanotube arrays on the sphere surface from liquefied petroleum gas at low cost. <i>Science Bulletin</i> , 2007, 52, 2896-2902.	1.7	27
89	Integrating carbon nanotube into activated carbon matrix for improving the performance of supercapacitor. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2012, 177, 1138-1143.	1.7	27
90	The reason for the low density of horizontally aligned ultralong carbon nanotube arrays. <i>Carbon</i> , 2013, 52, 232-238.	5.4	27

#	ARTICLE	IF	CITATIONS
91	Multi-walled carbon nanotube-based carbon/carbon composites with three-dimensional network structures. <i>Nanoscale</i> , 2013, 5, 6181.	2.8	27
92	Seed-induced and additive-free synthesis of oriented nanorod-assembled meso/macroporous zeolites: toward efficient and cost-effective catalysts for the MTA reaction. <i>Catalysis Science and Technology</i> , 2017, 7, 5143-5153.	2.1	26
93	A multi-stage fluidized bed strategy for the enhanced conversion of methanol into aromatics. <i>Chemical Engineering Science</i> , 2019, 204, 1-8.	1.9	26
94	Preparation of exfoliated graphite containing manganese oxides with high electrochemical capacitance by microwave irradiation. <i>Carbon</i> , 2009, 47, 3371-3374.	5.4	25
95	Selective Synthesis of Single/Double/Multi-walled Carbon Nanotubes on MgO-Supported Fe Catalyst. <i>Chinese Journal of Catalysis</i> , 2008, 29, 1138-1144.	6.9	24
96	Thermal stability of hexamethyldisiloxane (MM) as a working fluid for organic Rankine cycle. <i>International Journal of Energy Research</i> , 2019, 43, 896-904.	2.2	24
97	Large area growth of aligned CNT arrays on spheres: Cost performance and product control. <i>Materials Letters</i> , 2009, 63, 84-87.	1.3	23
98	Carbon nanotube production and application in energy storage. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2013, 8, 234-245.	0.8	23
99	Experimental study of non-uniform bubble growth in deep fluidized beds. <i>Chemical Engineering Science</i> , 2018, 176, 515-523.	1.9	23
100	Fabrication and catalytic properties of three-dimensional ordered zeolite arrays with interconnected micro-meso-macroporous structure. <i>Journal of Materials Chemistry A</i> , 2016, 4, 10834-10841.	5.2	22
101	Rational Design of Zinc/Zeolite Catalyst: Selective Formation of <i>p</i> -Xylene from Methanol to Aromatics Reaction. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	22
102	High Selectivity Production of Propylene from n-Butene: Thermodynamic and Experimental Study Using a Shape Selective Zeolite Catalyst. <i>Catalysis Letters</i> , 2008, 125, 380-385.	1.4	21
103	Very High-Quality Single-Walled Carbon Nanotubes Grown Using a Structured and Tunable Porous Fe/MgO Catalyst. <i>Journal of Physical Chemistry C</i> , 2009, 113, 20178-20183.	1.5	21
104	Molded MFI nanocrystals as a highly active catalyst in a methanol-to-aromatics process. <i>RSC Advances</i> , 2016, 6, 81198-81202.	1.7	21
105	Resilient, mesoporous carbon nanotube-based strips as adsorbents of dilute organics in water. <i>Carbon</i> , 2018, 132, 329-334.	5.4	21
106	Mesoporous tubular graphene electrode for high performance supercapacitor. <i>Chinese Chemical Letters</i> , 2018, 29, 599-602.	4.8	21
107	A nitrogen-doped mesopore-dominated carbon electrode allied with anti-freezing EMIBF <sub>4</sub> -GBL electrolyte for superior low-temperature supercapacitors. <i>Journal of Materials Chemistry A</i> , 2020, 8, 10386-10394.	5.2	21
108	Synthesis of thin-walled carbon nanotubes from methane by changing the Ni/Mo ratio in a Ni/Mo/MgO catalyst. <i>New Carbon Materials</i> , 2008, 23, 319-325.	2.9	20

#	ARTICLE	IF	CITATIONS
109	Equilibrium analysis of methylbenzene intermediates for a methanol-to-olefins process. <i>Catalysis Science and Technology</i> , 2016, 6, 1297-1301.	2.1	19
110	Influence of alkane working fluid decomposition on supercritical organic Rankine cycle systems. <i>Energy</i> , 2018, 153, 422-430.	4.5	19
111	Synthesis of carbon nanotubes with totally hollow channels and/or with totally copper filled nanowires. <i>Applied Physics A: Materials Science and Processing</i> , 2006, 86, 265-269.	1.1	18
112	FEW WALLED CARBON NANOTUBE PRODUCTION IN LARGE-SCALE BY NANO-AGGLOMERATE FLUIDIZED-BED PROCESS. <i>Nano</i> , 2008, 03, 45-50.	0.5	18
113	Full capacitance potential of SWCNT electrode in ionic liquids at 4 V. <i>Journal of Materials Chemistry A</i> , 2014, 2, 19897-19902.	5.2	17
114	Screening of working fluids and metal materials for high temperature organic Rankine cycles by compatibility. <i>Journal of Renewable and Sustainable Energy</i> , 2017, 9, .	0.8	17
115	Perspective to the Potential Use of Graphene in Li-ion Battery and Supercapacitor. <i>Chemical Record</i> , 2019, 19, 1256-1262.	2.9	17
116	Oxygen-assisted synthesis of SWNTs from methane decomposition. <i>Nanotechnology</i> , 2007, 18, 215610.	1.3	16
117	Synthesis of Single-Walled Carbon Nanotubes with Narrow Diameter Distribution by Calcination of a Mo-Modified Fe/MgO Catalyst. <i>Chinese Journal of Catalysis</i> , 2008, 29, 617-623.	6.9	16
118	Granulated Carbon Nanotubes as the Catalyst Support for Pt for the Hydrogenation of Nitrobenzene. <i>Australian Journal of Chemistry</i> , 2010, 63, 131.	0.5	16
119	Catalytic methane technology for carbon nanotubes and graphene. <i>Reaction Chemistry and Engineering</i> , 2020, 5, 991-1004.	1.9	16
120	Highly selective synthesis of large aromatic molecules with nano-zeolite: beyond the shape selectivity effect. <i>RSC Advances</i> , 2017, 7, 14309-14313.	1.7	15
121	Process simulation of the syngas-to-aromatics processes: Technical economics aspects. <i>Chemical Engineering Science</i> , 2020, 212, 115328.	1.9	15
122	High strength composites using interlocking carbon nanotubes in a polyimide matrix. <i>Carbon</i> , 2013, 60, 102-108.	5.4	14
123	Design of parallel cyclones based on stability analysis. <i>AIChE Journal</i> , 2016, 62, 4251-4258.	1.8	14
124	Highly selective conversion of methanol to propylene: design of an MFI zeolite with selective blockage of (010) surfaces. <i>Nanoscale</i> , 2019, 11, 8096-8101.	2.8	14
125	Mechanical Behavior of Single and Bundled Defect-Free Carbon Nanotubes. <i>Accounts of Materials Research</i> , 2021, 2, 998-1009.	5.9	14
126	The formation mechanism of the coaxial carbon-metal nanowires in a chemical vapor deposition process. <i>Solid State Communications</i> , 2003, 126, 365-367.	0.9	13



#	ARTICLE	IF	CITATIONS
127	Graphene-carbon nanotube hybrids as robust, rapid, reversible adsorbents for organics. Carbon, 2017, 116, 409-414.	5.4	13
128	Temperature-dependent secondary conversion of primary products from methanol aromatization in a two-stage fluidized bed. Fuel, 2020, 267, 117204.	3.4	13
129	Gas-flow assisted bulk synthesis of V-type SnO <sub>2</sub> nanowires. Journal of Crystal Growth, 2005, 285, 49-53.	0.7	12
130	Facile manipulation of individual carbon nanotubes assisted by inorganic nanoparticles. Nanoscale, 2013, 5, 6584.	2.8	12
131	Instability of uniform fluidization. Chemical Engineering Science, 2017, 173, 187-195.	1.9	12
132	Advances in Precise Structure Control and Assembly toward the Carbon Nanotube Industry. Advanced Functional Materials, 2022, 32, .	7.8	12
133	SYNTHESIS OF SINGLE-WALLED CARBON NANOTUBES FROM LIQUEFIED PETROLEUM GAS. Nano, 2008, 03, 95-100.	0.5	11
134	Nanobeltâ€“carbon nanotube cross-junction solar cells. Energy and Environmental Science, 2012, 5, 6119.	15.6	11
135	Highly selective synthesis of single-walled carbon nanotubes from methane in a coupled Downer-turbulent fluidized-bed reactor. Journal of Energy Chemistry, 2013, 22, 567-572.	7.1	11
136	Formation mechanism of carbon encapsulated Fe nanoparticles in the growth of single-/double-walled carbon nanotubes. Chemical Engineering Journal, 2013, 223, 617-622.	6.6	11
137	Enhancing 5 V capacitor performance by adding single walled carbon nanotubes into an ionic liquid electrolyte. Journal of Materials Chemistry A, 2015, 3, 15858-15862.	5.2	11
138	Synthesis of Vertically Aligned CNTs with Hollow Channel on Al <sub>2</sub> O <sub>3</sub> â€“Al Substrate Electroplated with Fe Nanoparticles. Journal of the Electrochemical Society, 2008, 155, K180.	1.3	10
139	High yield production of C <sub>2</sub> â€“C <sub>3</sub> olefins and para-xylene from methanol using a SiO <sub>2</sub> -coated FeO <sub>x</sub> /ZSM-5 catalyst. RSC Advances, 2017, 7, 28940-28944.	1.7	10
140	Heterogeneous catalysis in multiâ€“stage fluidized bed reactors: From fundamental study to industrial application. Canadian Journal of Chemical Engineering, 2019, 97, 636-644.	0.9	10
141	Carbon nanotubes with large cores produced by adding sodium carbonate to the catalyst. Carbon, 2003, 41, 2683-2686.	5.4	9
142	Architectural and mechanical performances of carbon nanotube agglomerates characterized by compaction response. Powder Technology, 2011, 211, 226-231.	2.1	9
143	Analyzing transfer properties of zeolites using small-world networks. Nanoscale, 2018, 10, 16431-16433.	2.8	9
144	Decentralized methanol feed in a two-stage fluidized bed for process intensification of methanol to aromatics. Chemical Engineering and Processing: Process Intensification, 2020, 154, 108049.	1.8	9



#	ARTICLE	IF	CITATIONS
163	Large scale synthesis of vertical aligned CNT array on irregular quartz particles. Materials Research Society Symposia Proceedings, 2008, 1081, 1.	0.1	0
164	Innentitelbild: Rational Design of Zinc/Zeolite Catalyst: Selective Formation of <i>p</i> -Xylene from Methanol to Aromatics Reaction (Angew. Chem. 10/2022). Angewandte Chemie, 2022, 134, .	1.6	0