

Weizhong Qian

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3201676/weizhong-qian-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

10,733
citations

48
h-index

101
g-index

169
ext. papers

11,840
ext. citations

9.1
avg, IF

6.29
L-index

#	Paper	IF	Citations
161	Rational Design of Zinc/Zeolite Catalyst: Selective Formation of p-Xylene from Methanol to Aromatics Reaction.. <i>Angewandte Chemie - International Edition</i> , 2022 ,	16.4	2
160	Advances in Precise Structure Control and Assembly toward the Carbon Nanotube Industry (Adv. Funct. Mater. 11/2022). <i>Advanced Functional Materials</i> , 2022 , 32, 2270067	15.6	0
159	Advances in Precise Structure Control and Assembly toward the Carbon Nanotube Industry. <i>Advanced Functional Materials</i> , 2022 , 32, 2109401	15.6	0
158	In situ imaging of the sorption-induced subcell topological flexibility of a rigid zeolite framework.. <i>Science</i> , 2022 , 376, 491-496	33.3	9
157	Ultrafast Nonvolatile Ionic Liquids-Based Supercapacitors with Al Foam-Enhanced Carbon Electrode. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 53904-53914	9.5	2
156	Resolving atomic SAPO-34/18 intergrowth architectures for methanol conversion by identifying light atoms and bonds. <i>Nature Communications</i> , 2021 , 12, 2212	17.4	6
155	A single-molecule van der Waals compass. <i>Nature</i> , 2021 , 592, 541-544	50.4	28
154	Monochromatic Carbon Nanotube Tangles Grown by Microfluidic Switching between Chaos and Fractals. <i>ACS Nano</i> , 2021 , 15, 5129-5137	16.7	2
153	High-Performance Graphene/Carbon Nanotube-Based Adsorbents for Treating Diluted p-Cresol in Water in a Pilot-Plant Scale Demo. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 43266-43272	9.5	0
152	Temperature-dependent secondary conversion of primary products from methanol aromatization in a two-stage fluidized bed. <i>Fuel</i> , 2020 , 267, 117204	7.1	8
151	A nitrogen-doped mesopore-dominated carbon electrode allied with anti-freezing EMIBF ₄ /BL electrolyte for superior low-temperature supercapacitors. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 10386-10394	12.2	34
150	Catalytic methane technology for carbon nanotubes and graphene. <i>Reaction Chemistry and Engineering</i> , 2020 , 5, 991-1004	4.9	8
149	Insight into the Effects of Water on the Ethene to Aromatics Reaction with HZSM-5. <i>ACS Catalysis</i> , 2020 , 10, 5288-5298	13.1	16
148	Process simulation of the syngas-to-aromatics processes: Technical economics aspects. <i>Chemical Engineering Science</i> , 2020 , 212, 115328	4.4	11
147	The Application of Carbon Nanotube/Graphene-Based Nanomaterials in Wastewater Treatment. <i>Small</i> , 2020 , 16, e1902301	11	44
146	High energy and high power density supercapacitor with 3D Al foam-based thick graphene electrode: Fabrication and simulation. <i>Energy Storage Materials</i> , 2020 , 33, 18-25	19.4	22
145	Decentralized methanol feed in a two-stage fluidized bed for process intensification of methanol to aromatics. <i>Chemical Engineering and Processing: Process Intensification</i> , 2020 , 154, 108049	3.7	5

144	Material Compatibility of Hexamethyldisiloxane as Organic Rankine Cycle Working Fluids at High Temperatures. <i>Journal of Thermal Science</i> , 2020 , 29, 25-31	1.9	2
143	Enhanced production of aromatics from propane with a temperature-shifting two-stage fluidized bed reactor.. <i>RSC Advances</i> , 2019 , 9, 26532-26536	3.7	3
142	Review of the Working Fluid Thermal Stability for Organic Rankine Cycles. <i>Journal of Thermal Science</i> , 2019 , 28, 597-607	1.9	19
141	Highly selective conversion of methanol to propylene: design of an MFI zeolite with selective blockage of (010) surfaces. <i>Nanoscale</i> , 2019 , 11, 8096-8101	7.7	8
140	3D Hierarchical Porous Graphene-Based Energy Materials: Synthesis, Functionalization, and Application in Energy Storage and Conversion. <i>Electrochemical Energy Reviews</i> , 2019 , 2, 332-371	29.3	59
139	A multi-stage fluidized bed strategy for the enhanced conversion of methanol into aromatics. <i>Chemical Engineering Science</i> , 2019 , 204, 1-8	4.4	19
138	High-yield production of aromatics from methanol using a temperature-shifting multi-stage fluidized bed reactor technology. <i>Chemical Engineering Journal</i> , 2019 , 371, 639-646	14.7	21
137	Highly electroconductive mesoporous activated carbon fibers and their performance in the ionic liquid-based electrical double-layer capacitors. <i>Carbon</i> , 2019 , 154, 1-6	10.4	26
136	Thermal stability of hexamethyldisiloxane (MM) as a working fluid for organic Rankine cycle. <i>International Journal of Energy Research</i> , 2019 , 43, 896-904	4.5	9
135	Modulation of b-axis thickness within MFI zeolite: Correlation with variation of product diffusion and coke distribution in the methanol-to-hydrocarbons conversion. <i>Applied Catalysis B: Environmental</i> , 2019 , 243, 721-733	21.8	38
134	Heterogeneous catalysis in multi-stage fluidized bed reactors: From fundamental study to industrial application. <i>Canadian Journal of Chemical Engineering</i> , 2019 , 97, 636-644	2.3	7
133	Carbon nanotube- and graphene-based nanomaterials and applications in high-voltage supercapacitor: A review. <i>Carbon</i> , 2019 , 141, 467-480	10.4	386
132	Perspective to the Potential Use of Graphene in Li-Ion Battery and Supercapacitor. <i>Chemical Record</i> , 2019 , 19, 1256-1262	6.6	10
131	Resilient, mesoporous carbon nanotube-based strips as adsorbents of dilute organics in water. <i>Carbon</i> , 2018 , 132, 329-334	10.4	14
130	Mesoporous tubular graphene electrode for high performance supercapacitor. <i>Chinese Chemical Letters</i> , 2018 , 29, 599-602	8.1	16
129	Crystal-plane effects of MFI zeolite in catalytic conversion of methanol to hydrocarbons. <i>Journal of Catalysis</i> , 2018 , 360, 89-96	7.3	35
128	EMIMBF ₄ /BL binary electrolyte working at 70 °C and 3.7 V for a high performance graphene-based capacitor. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 3593-3601	13	34
127	Flexible metal-templated fabrication of mesoporous onion-like carbon and Fe ₂ O ₃ @N-doped carbon foam for electrochemical energy storage. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 13012-13020 ¹³	13	32

126	Carbon nanotube-alumina strips as robust, rapid, reversible adsorbents of organics.. <i>RSC Advances</i> , 2018 , 8, 10715-10718	3.7	3
125	Reaction and deactivation of propylene over SAPO-34 at low temperature. <i>Catalysis Today</i> , 2018 , 301, 244-247	5.3	4
124	Experimental study of non-uniform bubble growth in deep fluidized beds. <i>Chemical Engineering Science</i> , 2018 , 176, 515-523	4.4	16
123	Thermal stability of some hydrofluorocarbons as supercritical ORCs working fluids. <i>Applied Thermal Engineering</i> , 2018 , 128, 1095-1101	5.8	40
122	Influence of alkane working fluid decomposition on supercritical organic Rankine cycle systems. <i>Energy</i> , 2018 , 153, 422-430	7.9	13
121	Analyzing transfer properties of zeolites using small-world networks. <i>Nanoscale</i> , 2018 , 10, 16431-16433	7.7	5
120	Regulation of Ni-CNT Interaction on Mn-Promoted Nickel Nanocatalysts Supported on Oxygenated CNTs for CO Selective Hydrogenation. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 41224-41236	9.5	26
119	Cross-Coupled Macro-Mesoporous Carbon Network toward Record High Energy-Power Density Supercapacitor at 4 V. <i>Advanced Functional Materials</i> , 2018 , 28, 1806153	15.6	109
118	RECTOR TECHNOLOGY FOR METHANOL TO AROMATICS 2017 , 295-311		5
117	Highly selective synthesis of large aromatic molecules with nano-zeolite: beyond the shape selectivity effect. <i>RSC Advances</i> , 2017 , 7, 14309-14313	3.7	13
116	Graphene-carbon nanotube hybrids as robust, rapid, reversible adsorbents for organics. <i>Carbon</i> , 2017 , 116, 409-414	10.4	12
115	Screening of working fluids and metal materials for high temperature organic Rankine cycles by compatibility. <i>Journal of Renewable and Sustainable Energy</i> , 2017 , 9, 024702	2.5	11
114	High yield production of C ₂ C ₃ olefins and para-xylene from methanol using a SiO ₂ -coated FeOx/ZSM-5 catalyst. <i>RSC Advances</i> , 2017 , 7, 28940-28944	3.7	8
113	Seed-induced and additive-free synthesis of oriented nanorod-assembled meso/macroporous zeolites: toward efficient and cost-effective catalysts for the MTA reaction. <i>Catalysis Science and Technology</i> , 2017 , 7, 5143-5153	5.5	22
112	Instability of uniform fluidization. <i>Chemical Engineering Science</i> , 2017 , 173, 187-195	4.4	10
111	The analysis of hot spots in large scale fluidized bed reactors. <i>RSC Advances</i> , 2017 , 7, 20186-20191	3.7	2
110	Molded MFI nanocrystals as a highly active catalyst in a methanol-to-aromatics process. <i>RSC Advances</i> , 2016 , 6, 81198-81202	3.7	16
109	Screening of hydrocarbons as supercritical ORCs working fluids by thermal stability. <i>Energy Conversion and Management</i> , 2016 , 126, 632-637	10.6	63

108	Fabrication and catalytic properties of three-dimensional ordered zeolite arrays with interconnected micro-meso-macroporous structure. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 10834-10841	13	16
107	Interwall Friction and Sliding Behavior of Centimeters Long Double-Walled Carbon Nanotubes. <i>Nano Letters</i> , 2016 , 16, 1367-74	11.5	28
106	Bayberry-like ZnO/MFI zeolite as high performance methanol-to-aromatics catalyst. <i>Chemical Communications</i> , 2016 , 52, 2011-4	5.8	67
105	Equilibrium analysis of methylbenzene intermediates for a methanol-to-olefins process. <i>Catalysis Science and Technology</i> , 2016 , 6, 1297-1301	5.5	17
104	Chemical kinetics method for evaluating the thermal stability of Organic Rankine Cycle working fluids. <i>Applied Thermal Engineering</i> , 2016 , 100, 708-713	5.8	36
103	Crystal-plane effect of nanoscale CeO ₂ on the catalytic performance of Ni/CeO ₂ catalysts for methane dry reforming. <i>Catalysis Science and Technology</i> , 2016 , 6, 3594-3605	5.5	103
102	Conversion of methanol with C ₅ -C ₆ hydrocarbons into aromatics in a two-stage fluidized bed reactor. <i>Catalysis Today</i> , 2016 , 264, 63-69	5.3	27
101	Design of parallel cyclones based on stability analysis. <i>AIChE Journal</i> , 2016 , 62, 4251-4258	3.6	12
100	The influence of straight pore blockage on the selectivity of methanol to aromatics in nanosized Zn/ZSM-5: an atomic Cs-corrected STEM analysis study. <i>RSC Advances</i> , 2016 , 6, 74797-74801	3.7	34
99	Enhancing 5 V capacitor performance by adding single walled carbon nanotubes into an ionic liquid electrolyte. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 15858-15862	13	10
98	Ion-Responsive Channels of Zwitterion-Carbon Nanotube Membrane for Rapid Water Permeation and Ultrahigh Mono-/Multivalent Ion Selectivity. <i>ACS Nano</i> , 2015 , 9, 7488-96	16.7	89
97	Increasing para-Xylene Selectivity in Making Aromatics from Methanol with a Surface-Modified Zn/P/ZSM-5 Catalyst. <i>ACS Catalysis</i> , 2015 , 5, 2982-2988	13.1	206
96	Conversion of methanol to aromatics in fluidized bed reactor. <i>Catalysis Today</i> , 2014 , 233, 8-13	5.3	71
95	Atmospheric pressure synthesis of nanosized ZSM-5 with enhanced catalytic performance for methanol to aromatics reaction. <i>Catalysis Science and Technology</i> , 2014 , 4, 3840-3844	5.5	69
94	Highly electroconductive mesoporous graphene nanofibers and their capacitance performance at 4 V. <i>Journal of the American Chemical Society</i> , 2014 , 136, 2256-9	16.4	176
93	Full capacitance potential of SWCNT electrode in ionic liquids at 4 V. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 19897-19902	13	15
92	One-pot Synthesis of Ordered Mesoporous NiCeAl Oxide Catalysts and a Study of Their Performance in Methane Dry Reforming. <i>ChemCatChem</i> , 2014 , 6, n/a-n/a	5.2	11
91	Centrifugation-free and high yield synthesis of nanosized H-ZSM-5 and its structure-guided aromatization of methanol to 1,2,4-trimethylbenzene. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 19797-19808	13	57

90	Highly selective synthesis of single-walled carbon nanotubes from methane in a coupled Downer-turbulent fluidized-bed reactor. <i>Journal of Energy Chemistry</i> , 2013 , 22, 567-572	12	10
89	High-yield Synthesis of Nanohybrid Shish-kebab Polyethylene-carbon Nanotube Structure. <i>Chinese Journal of Chemical Engineering</i> , 2013 , 21, 37-43	3.2	3
88	Facile manipulation of individual carbon nanotubes assisted by inorganic nanoparticles. <i>Nanoscale</i> , 2013 , 5, 6584-8	7.7	11
87	Preparation and characterization of a plasma treated NiMgSBA-15 catalyst for methane reforming with CO ₂ to produce syngas. <i>Catalysis Science and Technology</i> , 2013 , 3, 2278	5.5	82
86	Highly deformation-tolerant carbon nanotube sponges as supercapacitor electrodes. <i>Nanoscale</i> , 2013 , 5, 8472-9	7.7	86
85	Ionic liquid coated single-walled carbon nanotube buckypaper as supercapacitor electrode. <i>Particuology</i> , 2013 , 11, 409-414	2.8	25
84	Raising the performance of a 4 V supercapacitor based on an EMIBF ₄ -single walled carbon nanotube nanofluid electrolyte. <i>Chemical Communications</i> , 2013 , 49, 10727-9	5.8	35
83	Superlubricity in centimetres-long double-walled carbon nanotubes under ambient conditions. <i>Nature Nanotechnology</i> , 2013 , 8, 912-6	28.7	243
82	MgO-catalyzed growth of N-doped wrinkled carbon nanotubes. <i>Carbon</i> , 2013 , 56, 38-44	10.4	40
81	Synthesis of graphene from asphaltene molecules adsorbed on vermiculite layers. <i>Carbon</i> , 2013 , 62, 213-221	12.2	50
80	Formation mechanism of carbon encapsulated Fe nanoparticles in the growth of single-/double-walled carbon nanotubes. <i>Chemical Engineering Journal</i> , 2013 , 223, 617-622	14.7	9
79	Chemical vapor deposition derived flexible graphene paper and its application as high performance anodes for lithium rechargeable batteries. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 408-414	13	70
78	Direct synthesis of c-axis oriented ZSM-5 nanoneedles from acid-treated kaolin clay. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 3272	13	37
77	The reason for the low density of horizontally aligned ultralong carbon nanotube arrays. <i>Carbon</i> , 2013 , 52, 232-238	10.4	25
76	High strength composites using interlocking carbon nanotubes in a polyimide matrix. <i>Carbon</i> , 2013 , 60, 102-108	10.4	12
75	Synthesis, characterization and catalytic performance of MgO-coated Ni/SBA-15 catalysts for methane dry reforming to syngas and hydrogen. <i>International Journal of Hydrogen Energy</i> , 2013 , 38, 9718-9731	6.7	104
74	Ferromagnetism in nanomesh graphene. <i>Carbon</i> , 2013 , 51, 390-396	10.4	50
73	Multi-walled carbon nanotube-based carbon/carbon composites with three-dimensional network structures. <i>Nanoscale</i> , 2013 , 5, 6181-6	7.7	20

72	Facile Route for Synthesizing Ordered Mesoporous NiTe ₂ Al Oxide Materials and Their Catalytic Performance for Methane Dry Reforming to Hydrogen and Syngas. <i>ACS Catalysis</i> , 2013 , 3, 1638-1651	13.1	283
71	Growth of half-meter long carbon nanotubes based on Schulz-Flory distribution. <i>ACS Nano</i> , 2013 , 7, 6156-617	16.7	255
70	Carbon nanotube production and application in energy storage. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2013 , 8, 234-245	1.3	19
69	Fabrication of c-axis oriented ZSM-5 hollow fibers based on an in situ solid-solid transformation mechanism. <i>Journal of the American Chemical Society</i> , 2013 , 135, 15322-5	16.4	95
68	?????????????. <i>Scientia Sinica Chimica</i> , 2013 , 43, 641-666	1.6	4
67	Carbon nanotubes for supercapacitors: Consideration of cost and chemical vapor deposition techniques. <i>Journal of Natural Gas Chemistry</i> , 2012 , 21, 233-240		32
66	Hierarchical carbon nanotube membrane with high packing density and tunable porous structure for high voltage supercapacitors. <i>Carbon</i> , 2012 , 50, 5167-5175	10.4	76
65	Nanobelt-carbon nanotube cross-junction solar cells. <i>Energy and Environmental Science</i> , 2012 , 5, 6119	35.4	11
64	Integrating carbon nanotube into activated carbon matrix for improving the performance of supercapacitor. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2012 , 177, 1138-1143	3.1	23
63	Dramatic enhancements in toughness of polyimide nanocomposite via long-CNT-induced long-range creep. <i>Journal of Materials Chemistry</i> , 2012 , 22, 7050		57
62	High capacity gas storage in corrugated porous graphene with a specific surface area-lossless tightly stacking manner. <i>Chemical Communications</i> , 2012 , 48, 6815-7	5.8	72
61	One-step synthesis of a graphene-carbon nanotube hybrid decorated by magnetic nanoparticles. <i>Carbon</i> , 2012 , 50, 2764-2771	10.4	55
60	Gram-scale synthesis of nanomesh graphene with high surface area and its application in supercapacitor electrodes. <i>Chemical Communications</i> , 2011 , 47, 5976-8	5.8	308
59	Architectural and mechanical performances of carbon nanotube agglomerates characterized by compaction response. <i>Powder Technology</i> , 2011 , 211, 226-231	5.2	8
58	Superstrong ultralong carbon nanotubes for mechanical energy storage. <i>Advanced Materials</i> , 2011 , 23, 3387-91	24	148
57	Enhanced catalytic activity of sub-nanometer titania clusters confined inside double-wall carbon nanotubes. <i>ChemSusChem</i> , 2011 , 4, 975-80	8.3	52
56	Synthesis of high quality single-walled carbon nanotubes on natural sepiolite and their use for phenol absorption. <i>Carbon</i> , 2011 , 49, 1568-1580	10.4	29
55	Enhanced actuation in functionalized carbon nanotube-Nafion composites. <i>Sensors and Actuators B: Chemical</i> , 2011 , 156, 187-193	8.5	48

54	Nano-size MZnAl (M = Cu, Co, Ni) metal oxides obtained by combining hydrothermal synthesis with urea homogeneous precipitation procedures. <i>Applied Clay Science</i> , 2010 , 48, 203-207	5.2	30
53	Granulated Carbon Nanotubes as the Catalyst Support for Pt for the Hydrogenation of Nitrobenzene. <i>Australian Journal of Chemistry</i> , 2010 , 63, 131	1.2	13
52	Growing 20 cm Long DWNTs/TWNTs at a Rapid Growth Rate of 8000 th/s. <i>Chemistry of Materials</i> , 2010 , 22, 1294-1296	9.6	77
51	100 mm long, semiconducting triple-walled carbon nanotubes. <i>Advanced Materials</i> , 2010 , 22, 1867-71	24	78
50	A three-dimensional carbon nanotube/graphene sandwich and its application as electrode in supercapacitors. <i>Advanced Materials</i> , 2010 , 22, 3723-8	24	1092
49	Preparation of graphene nanosheet/carbon nanotube/polyaniline composite as electrode material for supercapacitors. <i>Journal of Power Sources</i> , 2010 , 195, 3041-3045	8.9	498
48	Super resilience of a compacted mixture of natural graphite and agglomerated carbon nanotubes under cyclic compression. <i>Carbon</i> , 2010 , 48, 309-312	10.4	6
47	Preparation of a graphene nanosheet/polyaniline composite with high specific capacitance. <i>Carbon</i> , 2010 , 48, 487-493	10.4	911
46	Electrochemical properties of graphene nanosheet/carbon black composites as electrodes for supercapacitors. <i>Carbon</i> , 2010 , 48, 1731-1737	10.4	478
45	Fast and reversible surface redox reaction of graphene/MnO ₂ composites as supercapacitor electrodes. <i>Carbon</i> , 2010 , 48, 3825-3833	10.4	1169
44	Oil sorption and recovery by using vertically aligned carbon nanotubes. <i>Carbon</i> , 2010 , 48, 4197-4200	10.4	41
43	Large area growth of aligned CNT arrays on spheres: Cost performance and product control. <i>Materials Letters</i> , 2009 , 63, 84-87	3.3	21
42	Energy-Absorbing Hybrid Composites Based on Alternate Carbon-Nanotube and Inorganic Layers. <i>Advanced Materials</i> , 2009 , 21, 2876-2880	24	106
41	Synthesis of High-Quality, Double-Walled Carbon Nanotubes in a Fluidized Bed Reactor. <i>Chemical Engineering and Technology</i> , 2009 , 32, 73-79	2	38
40	Preparation of exfoliated graphite containing manganese oxides with high electrochemical capacitance by microwave irradiation. <i>Carbon</i> , 2009 , 47, 3371-3374	10.4	22
39	Synthesis of well-dispersed ZnO nanomaterials by directly calcining zinc stearate. <i>Journal of Alloys and Compounds</i> , 2009 , 472, 343-346	5.7	7
38	Gas-Phase Catalytic Hydrochlorination of Acetylene in a Two-Stage Fluidized-Bed Reactor. <i>Industrial & Engineering Chemistry Research</i> , 2009 , 48, 128-133	3.9	58
37	Very High-Quality Single-Walled Carbon Nanotubes Grown Using a Structured and Tunable Porous Fe/MgO Catalyst. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 20178-20183	3.8	17

36	In situ growth of carbon nanotubes on inorganic fibers with different surface properties. <i>Materials Chemistry and Physics</i> , 2008 , 107, 317-321	4.4	29
35	Growth Deceleration of Vertically Aligned Carbon Nanotube Arrays: Catalyst Deactivation or Feedstock Diffusion Controlled?. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 4892-4896	3.8	96
34	Hierarchical agglomerates of carbon nanotubes as high-pressure cushions. <i>Nano Letters</i> , 2008 , 8, 1323-7	11.5	48
33	Synthesis of thin-walled carbon nanotubes from methane by changing the Ni/Mo ratio in a Ni/Mo/MgO catalyst. <i>New Carbon Materials</i> , 2008 , 23, 319-325	4.4	18
32	Enhanced Activation and Decomposition of CH ₄ by the Addition of C ₂ H ₄ or C ₂ H ₂ for Hydrogen and Carbon Nanotube Production. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 7588-7593	3.8	26
31	Large scale synthesis of vertical aligned CNT array on irregular quartz particles. <i>Materials Research Society Symposia Proceedings</i> , 2008 , 1081, 1		
30	SYNTHESIS OF SINGLE-WALLED CARBON NANOTUBES FROM LIQUEFIED PETROLEUM GAS. <i>Nano</i> , 2008 , 03, 95-100	1.1	10
29	Synthesis of Vertically Aligned CNTs with Hollow Channel on Al ₂ O ₃ /Al Substrate Electroplated with Fe Nanoparticles. <i>Journal of the Electrochemical Society</i> , 2008 , 155, K180	3.9	7
28	FEW WALLED CARBON NANOTUBE PRODUCTION IN LARGE-SCALE BY NANO-AGGLOMERATE FLUIDIZED-BED PROCESS. <i>Nano</i> , 2008 , 03, 45-50	1.1	17
27	High Selectivity Production of Propylene from n-Butene: Thermodynamic and Experimental Study Using a Shape Selective Zeolite Catalyst. <i>Catalysis Letters</i> , 2008 , 125, 380-385	2.8	21
26	Synthesis of Single-Walled Carbon Nanotubes with Narrow Diameter Distribution by Calcination of a Mo-Modified Fe/MgO Catalyst. <i>Chinese Journal of Catalysis</i> , 2008 , 29, 617-623	11.3	15
25	Selective Synthesis of Single/Double/Multi-walled Carbon Nanotubes on MgO-Supported Fe Catalyst. <i>Chinese Journal of Catalysis</i> , 2008 , 29, 1138-1144	11.3	17
24	Liquefied petroleum gas containing sulfur as the carbon source for carbon nanotube forests. <i>Carbon</i> , 2008 , 46, 291-296	10.4	41
23	CO ₂ -Assisted SWNT Growth on Porous Catalysts. <i>Chemistry of Materials</i> , 2007 , 19, 1226-1230	9.6	68
22	Synchronous Growth of Vertically Aligned Carbon Nanotubes with Pristine Stress in the Heterogeneous Catalysis Process. <i>Journal of Physical Chemistry C</i> , 2007 , 111, 14638-14643	3.8	82
21	The effect of phase separation in Fe/Mg/Al/O catalysts on the synthesis of DWCNTs from methane. <i>Carbon</i> , 2007 , 45, 1645-1650	10.4	32
20	Large scale production of carbon nanotube arrays on the sphere surface from liquefied petroleum gas at low cost. <i>Science Bulletin</i> , 2007 , 52, 2896-2902		25
19	Temperature effect on the substrate selectivity of carbon nanotube growth in floating chemical vapor deposition. <i>Nanotechnology</i> , 2007 , 18, 415703	3.4	27

18	Oxygen-assisted synthesis of SWNTs from methane decomposition. <i>Nanotechnology</i> , 2007 , 18, 215610	3.4	15
17	Synthesis of dispersed ZrO ₂ nano-laminae composed of ZrO ₂ nanocrystals. <i>Materials Letters</i> , 2006 , 60, 3104-3108	3.3	6
16	Synthesis of carbon nanotubes with totally hollow channels and/or with totally copper filled nanowires. <i>Applied Physics A: Materials Science and Processing</i> , 2006 , 86, 265-269	2.6	17
15	Gas-flow assisted bulk synthesis of V-type SnO ₂ nanowires. <i>Journal of Crystal Growth</i> , 2005 , 285, 49-53	1.6	12
14	Elastic deformation of multiwalled carbon nanotubes in electrospun MWCNTs/PEO and MWCNTs/PVA nanofibers. <i>Polymer</i> , 2005 , 46, 12689-12695	3.9	73
13	Gaseous catalytic hydrogenation of nitrobenzene to aniline in a two-stage fluidized bed reactor. <i>Applied Catalysis A: General</i> , 2005 , 286, 30-35	5.1	76
12	A novel low-temperature method to grow single-crystal ZnO nanorods. <i>Journal of Crystal Growth</i> , 2004 , 271, 353-357	1.6	43
11	Enhanced production of carbon nanotubes: combination of catalyst reduction and methane decomposition. <i>Applied Catalysis A: General</i> , 2004 , 258, 121-124	5.1	82
10	Carbon nanotubes containing iron and molybdenum particles as a catalyst for methane decomposition. <i>Carbon</i> , 2003 , 41, 846-848	10.4	27
9	Quantitative Raman characterization of the mixed samples of the single and multi-wall carbon nanotubes. <i>Carbon</i> , 2003 , 41, 1851-1854	10.4	79
8	Effect of adding nickel to iron/alumina catalysts on the morphology of as-grown carbon nanotubes. <i>Carbon</i> , 2003 , 41, 2487-2493	10.4	37
7	The evaluation of the gross defects of carbon nanotubes in a continuous CVD process. <i>Carbon</i> , 2003 , 41, 2613-2617	10.4	61
6	Carbon nanotubes with large cores produced by adding sodium carbonate to the catalyst. <i>Carbon</i> , 2003 , 41, 2683-2686	10.4	8
5	The formation mechanism of the coaxial carbon/metal nanowires in a chemical vapor deposition process. <i>Solid State Communications</i> , 2003 , 126, 365-367	1.6	13
4	What causes the carbon nanotubes collapse in a chemical vapor deposition process. <i>Journal of Chemical Physics</i> , 2003 , 118, 878-882	3.9	24
3	Synthesis of carbon nanotubes from liquefied petroleum gas containing sulfur. <i>Carbon</i> , 2002 , 40, 2968-2970	10.4	79
2	Phase coexistence in fluidization. <i>AIChE Journal</i> ,	3.6	1
1	Mechanical Behavior of Single and Bundled Defect-Free Carbon Nanotubes. <i>Accounts of Materials Research</i> ,	7.5	5

