Adrian Patalinghug Ybañez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3201907/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Molecular Identification of Selected Tick-Borne Protozoan and Bacterial Pathogens in Thoroughbred Racehorses in Cavite, Philippines. Pathogens, 2021, 10, 1318.	1.2	2
2	Perception and Challenges of Select Higher Educational Institutions on its Role in the Technology Business Incubation in the Visayas, Philippines. South East Asian Journal of Management, 2021, 15, .	0.1	0
3	Molecular survey of tick-borne pathogens infecting backyard cattle and water buffaloes in Quezon province, Philippines. Journal of Veterinary Medical Science, 2020, 82, 886-890.	0.3	10
4	Review on the Current Trends of Toxoplasmosis Serodiagnosis in Humans. Frontiers in Cellular and Infection Microbiology, 2020, 10, 204.	1.8	57
5	TroCCAP recommendations for the diagnosis, prevention and treatment of parasitic infections in dogs and cats in the tropics. Veterinary Parasitology, 2020, 283, 109167.	0.7	25
6	First molecular detection and identification of Trypanosoma evansi in goats from Cebu, Philippines using a PCR-based assay. Veterinary Parasitology: Regional Studies and Reports, 2020, 21, 100414.	0.3	4
7	Host range and geographical distribution of <i>Babesia</i> sp. Mymensingh. Transboundary and Emerging Diseases, 2020, 67, 2233.	1.3	12
8	Detection of canine <i>Schistosoma japonicum</i> infection using recombinant thioredoxin peroxidase-1 and tandem repeat proteins. Journal of Veterinary Medical Science, 2019, 81, 1413-1418.	0.3	6
9	Endemicity of Toxoplasma infection and its associated risk factors in Cebu, Philippines. PLoS ONE, 2019, 14, e0217989.	1.1	13
10	Molecular evidence of hemotropic mycoplasmas in goats from Cebu, Philippines. Journal of Veterinary Medical Science, 2019, 81, 869-873.	0.3	8
11	First molecular detection of Mycoplasma wenyonii and the ectoparasite biodiversity in dairy water buffalo and cattle in Bohol, Philippines. Parasitology International, 2019, 70, 77-81.	0.6	11
12	First molecular detection and characterization of tick-borne pathogens in water buffaloes in Bohol, Philippines. Ticks and Tick-borne Diseases, 2019, 10, 815-821.	1.1	12
13	The detection of gastrointestinal parasites in owned and shelter dogs in Cebu, Philippines. Veterinary World, 2019, 12, 372-376.	0.7	10
14	Evaluation on the presence of Anaplasma, Ehrlichia, and Babesia spp. in goats (Capra hircus) in Cebu, the Philippines. Veterinary World, 2019, 12, 774-777.	0.7	3
15	Serological and molecular detection of Theileria equi and Babesia caballi in Philippine horses. Ticks and Tick-borne Diseases, 2018, 9, 1125-1128.	1.1	9
16	Historical review and insights on the livestock tick-borne disease research of a developing country: The Philippine scenario. Parasitology International, 2018, 67, 262-266.	0.6	10
17	Detection of Ehrlichia, Anaplasma, and Babesia spp. in dogs of Cebu, Philippines. Veterinary World, 2018, 11, 14-19.	0.7	9
18	Detection of gastrointestinal parasites in small-scale poultry layer farms in Leyte, Philippines. Veterinary World, 2018, 11, 1587-1591.	0.7	13

#	Article	IF	CITATIONS
19	First report on Babesia vogeli infection in dogs in the Philippines. Parasitology International, 2017, 66, 813-815.	0.6	10
20	Profile and artificial insemination practices of technicians and the artificial insemination success rates in Leyte, Samar, and Biliran, Philippines (2011-2015). Veterinary World, 2017, 10, 181-186.	0.7	3
21	The potential anticoagulant property of crude extract. International Journal of Health Sciences, 2017, 11, 29-32.	0.4	2
22	Anaplasma species of veterinary importance in Japan. Veterinary World, 2016, 9, 1190-1196.	0.7	10
23	Multiple infections of Anaplasma platys variants in Philippine dogs. Veterinary World, 2016, 9, 1456-1460.	0.7	13
24	Molecular survey of canine vector-borne diseases in stray dogs in Thailand. Parasitology International, 2016, 65, 357-361.	0.6	49
25	Retrospective analyses of dogs found serologically positive for Ehrlichia canis in Cebu, Philippines from 2003 to 2014. Veterinary World, 2016, 9, 43-47.	0.7	9
26	Molecular detection and characterization of Babesia bovis, Babesia bigemina, Theileria species and Anaplasma marginale isolated from cattle in Kenya. Parasites and Vectors, 2015, 8, 496.	1.0	63
27	Diversity of Babesia bovis merozoite surface antigen genes in the Philippines. Parasitology International, 2014, 63, 57-63.	0.6	14
28	High Genetic Diversity of <i>Anaplasma marginale</i> Detected from Philippine Cattle. Journal of Veterinary Medical Science, 2014, 76, 1009-1014.	0.3	26
29	The Phylogenetic Position of <i>Anaplasma bovis</i> and Inferences on the Phylogeny of the Genus <i>Anaplasma</i> . Journal of Veterinary Medical Science, 2014, 76, 307-312.	0.3	23
30	Interference between Theileria orientalis and hemotropic Mycoplasma spp. (hemoplasmas) in grazing cattle. Veterinary Parasitology, 2013, 195, 165-168.	0.7	8
31	Molecular survey of bovine vector-borne pathogens in Cebu, Philippines. Veterinary Parasitology, 2013, 196, 13-20.	0.7	38
32	Specific Molecular Detection ofAnaplasmasp. Closely Related toAnaplasma phagocytophilumin Ixodid Ticks and Cattle in a Pastureland in Hokkaido, Japan. Vector-Borne and Zoonotic Diseases, 2013, 13, 6-11.	0.6	22
33	Survey on Tick-Borne Pathogens in Thoroughbred Horses in the Hidaka District, Hokkaido, Japan. Journal of Veterinary Medical Science, 2013, 75, 11-15.	0.3	13
34	A PCR Based Survey of <i>Babesia ovata</i> in Cattle from Various Asian, African and South American Countries. Journal of Veterinary Medical Science, 2013, 75, 211-214.	0.3	26
35	First Molecular Characterization of <i>Anaplasma marginale</i> in Cattle and <i>Rhipicephalus </i> (<i>Boophilus</i>) <i> microplus</i> Ticks in Cebu, Philippines. Journal of Veterinary Medical Science, 2013, 75, 27-36.	0.3	33
36	Specific Molecular Detection and Characterization of <i>Anaplasma marginale</i> in Mongolian Cattle. Journal of Veterinary Medical Science, 2013, 75, 399-406.	0.3	37

#	Article	IF	CITATIONS
37	PCR Detection of Babesia ovata from Cattle Reared in Japan and Clinical Significance of Coinfection with Theileria orientalis. Journal of Clinical Microbiology, 2012, 50, 2111-2113.	1.8	34
38	Prevalence and Risk Factor Analysis of Bovine Hemoplasma Infection by Direct PCR in Eastern Hokkaido, Japan. Journal of Veterinary Medical Science, 2012, 74, 1171-1176.	0.3	22
39	Dual Presence of <i>Anaplasma phagocytophilum</i> and Its Closely Related <i>Anaplasma</i> sp. in Ixodid Ticks in Hokkaido, Japan, and Their Specific Molecular Detection. Journal of Veterinary Medical Science, 2012, 74, 1551-1560.	0.3	20
40	First molecular detection of Ehrlichia canis and Anaplasma platys in ticks from dogs in Cebu, Philippines. Ticks and Tick-borne Diseases, 2012, 3, 288-293.	1.1	36
41	Molecular analyses of a potentially novel Anaplasma species closely related to Anaplasma phagocytophilum detected in sika deer (Cervus nippon yesoensis) in Japan. Veterinary Microbiology, 2012, 157, 232-236.	0.8	54