

Ramon Barrio

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3202441/ramon-barrio-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

2,005
citations

29
h-index

39
g-index

95
ext. papers

2,266
ext. citations

4.6
avg, IF

4.59
L-index

#	Paper	IF	Citations
92	Hormones and bile acids as biomarkers for the characterization of animal management in prehistoric sheepfold caves: El Mirador case (Sierra de Atapuerca, Burgos, Spain). <i>Journal of Archaeological Science</i> , 2022 , 138, 105547	2.9	1
91	A linear-polymer-based lactoferrin-selective recognition element for an ELISA mimic: A proof of concept.. <i>Analytica Chimica Acta</i> , 2022 , 1191, 339309	6.6	
90	Production of Docosahexaenoic Acid and Odd-Chain Fatty Acids by Microalgae <i>Schizochytrium limacinum</i> Grown on Waste-Derived Volatile Fatty Acids. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 3976	2.6	1
89	Solid-phase synthesis of imprinted nanoparticles as artificial antibodies against the C-terminus of the cannabinoid CB1 receptor: exploring a viable alternative for bioanalysis. <i>Mikrochimica Acta</i> , 2021 , 188, 368	5.8	1
88	Livestock activity biomarkers: Estimating domestication and diet of livestock in ancient samples. <i>Journal of Archaeological Science: Reports</i> , 2021 , 40, 103220	0.7	0
87	Plastic Receptors Developed by Imprinting Technology as Smart Polymers Imitating Natural Behavior 2021 , 69-116		2
86	Particle Analysis for the Detection of Gunshot Residue (GSR) in Nasal Samples Using Scanning Laser Ablation and Inductively Coupled Plasma-Mass Spectrometry (SLA-ICPMS). <i>Journal of Forensic Sciences</i> , 2020 , 65, 1094-1101	1.8	7
85	Interplay between 1-aminocyclopropane-1-carboxylic acid, β -aminobutyrate and D-glucose in the regulation of high nitrate-induced root growth inhibition in maize. <i>Plant Science</i> , 2020 , 293, 110418	5.3	2
84	Producing Omega-3 Polyunsaturated Fatty Acids: A Review of Sustainable Sources and Future Trends for the EPA and DHA Market. <i>Resources</i> , 2020 , 9, 148	3.7	40
83	Fungicide distribution in vitiviniculture ecosystems according to different application strategies to reduce environmental impact. <i>Science of the Total Environment</i> , 2019 , 687, 319-329	10.2	10
82	LC-QQQ-MS routine analysis method for new biomarker quantification in plasma aimed at early chronic kidney disease diagnosis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 169, 82-89	3.5	6
81	Plastidial Phosphoglucose Isomerase Is an Important Determinant of Seed Yield through Its Involvement in Gibberellin-Mediated Reproductive Development and Storage Reserve Biosynthesis in Arabidopsis. <i>Plant Cell</i> , 2018 , 30, 2082-2098	11.6	6
80	Untargeted metabolomics for plasma biomarker discovery for early chronic kidney disease diagnosis in pediatric patients using LC-QTOF-MS. <i>Analyst, The</i> , 2018 , 143, 4448-4458	5	7
79	Plasma biomarker discovery for early chronic kidney disease diagnosis based on chemometric approaches using LC-QTOF targeted metabolomics data. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 149, 46-56	3.5	15
78	Controlled grafting of molecularly imprinted films on gold microelectrodes using a self-assembled thiol iniferter. <i>Electrochimica Acta</i> , 2018 , 279, 57-65	6.7	5
77	Determination of mercury(II) in water at sub-nanomolar levels by laser ablation-ICPMS analysis of screen printed electrodes used as a portable voltammetric preconcentration system. <i>Analyst, The</i> , 2017 , 142, 1157-1164	5	11
76	Molecularly imprinted nanoparticles grafted to porous silica as chiral selectors in liquid chromatography. <i>Journal of Chromatography A</i> , 2017 , 1508, 53-64	4.5	22

75	Characterization of ancient lipids in prehistoric organic residues: Chemical evidence of livestock-pens in rock-shelters since early neolithic to bronze age. <i>Journal of Separation Science</i> , 2017 , 40, 4549-4562	3.4	7
74	Iniferter-mediated grafting of molecularly imprinted polymers on porous silica beads for the enantiomeric resolution of drugs. <i>Journal of Molecular Recognition</i> , 2016 , 29, 106-14	2.6	23
73	Water compatible stir-bar devices imprinted with underivatized glyphosate for selective sample clean-up. <i>Journal of Chromatography A</i> , 2016 , 1451, 23-32	4.5	19
72	A new potentiometric sensor based on chiral imprinted nanoparticles for the discrimination of the enantiomers of the antidepressant citalopram. <i>Electrochimica Acta</i> , 2016 , 196, 496-504	6.7	19
71	LC-QTOF-MS-based targeted metabolomics of arginine-creatine metabolic pathway-related compounds in plasma: application to identify potential biomarkers in pediatric chronic kidney disease. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 747-60	4.4	24
70	Risk assessment of exposure to pesticides through dietary intake of vegetables typical of the Mediterranean diet in the Basque Country. <i>Journal of Food Composition and Analysis</i> , 2016 , 49, 35-41	4.1	20
69	Liquid chromatography-quadrupole time of flight tandem mass spectrometry-based targeted metabolomic study for varietal discrimination of grapes according to plant sterols content. <i>Journal of Chromatography A</i> , 2016 , 1454, 67-77	4.5	21
68	A novel strategy for Cr(III) and Cr(VI) analysis in dietary supplements by speciated isotope dilution mass spectrometry. <i>Talanta</i> , 2016 , 154, 255-62	6.2	31
67	Metabolites and hormones are involved in the intraspecific variability of drought hardening in radiata pine. <i>Journal of Plant Physiology</i> , 2015 , 188, 64-71	3.6	31
66	Molecularly imprinted polymers as a tool for the study of the 4-ethylphenol metabolic pathway in red wines. <i>Journal of Chromatography A</i> , 2015 , 1410, 164-72	4.5	18
65	Untargeted metabolomic analysis using liquid chromatography quadrupole time-of-flight mass spectrometry for non-volatile profiling of wines. <i>Analytica Chimica Acta</i> , 2015 , 858, 32-41	6.6	55
64	Nuclear diacylglycerol lipase in rat brain cortical neurons: evidence of 2-arachidonoylglycerol production in concert with phospholipase C activity. <i>Journal of Neurochemistry</i> , 2015 , 132, 489-503	6	10
63	Characterization of organic gunshot residues in lead-free ammunition using a new sample collection device for liquid chromatography-quadrupole time-of-flight mass spectrometry. <i>Forensic Science International</i> , 2015 , 246, 79-85	2.6	40
62	Determination of phytosterols in oenological matrices by liquid chromatography-atmospheric pressure chemical ionization and ion-trap mass spectrometry. <i>Journal of Food Composition and Analysis</i> , 2015 , 42, 171-178	4.1	7
61	Metabolomics in non-arteritic anterior ischemic optic neuropathy patients by liquid chromatography-quadrupole time-of-flight mass spectrometry. <i>Metabolomics</i> , 2015 , 11, 468-476	4.7	8
60	Direct potentiometric quantification of histamine using solid-phase imprinted nanoparticles as recognition elements. <i>Biosensors and Bioelectronics</i> , 2014 , 58, 138-44	11.8	80
59	A novel method for the identification of inorganic and organic gunshot residue particles of lead-free ammunitions from the hands of shooters using scanning laser ablation-ICPMS and Raman micro-spectroscopy. <i>Analyst, The</i> , 2014 , 139, 6232-41	5	39
58	Enantioselective extraction of (+)-(S)-citalopram and its main metabolites using a tailor-made stir bar chiral imprinted polymer for their LC-ESI-MS/MS quantitation in urine samples. <i>Talanta</i> , 2013 , 116, 448-53	6.2	16

57	Rational design and chromatographic evaluation of histamine imprinted polymers optimised for solid-phase extraction of wine samples. <i>Journal of Chromatography A</i> , 2013 , 1308, 45-51	4.5	15
56	Characterisation of the flavour profile from Graciano Vitis vinifera wine variety by a novel dual stir bar sorptive extraction methodology coupled to thermal desorption and gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2013 , 777, 41-8	6.6	32
55	Solute accumulation and elastic modulus changes in six radiata pine breeds exposed to drought. <i>Tree Physiology</i> , 2013 , 33, 69-80	4.2	45
54	Validation of an LC-ESI-MS/MS method for the quantitation of phosphodiesterase-5 inhibitors and their main metabolites in rat serum and brain tissue samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 529-33	3.5	15
53	Screening and quantification of antipsychotic drugs in human brain tissue by liquid chromatography-tandem mass spectrometry: application to postmortem diagnostics of forensic interest. <i>Forensic Science International</i> , 2012 , 219, 172-8	2.6	33
52	Unambiguous characterization of gunshot residue particles using scanning laser ablation and inductively coupled plasma-mass spectrometry. <i>Analytical Chemistry</i> , 2012 , 84, 2402-9	7.8	33
51	Evaluation of the bioaccumulation of trace elements in tuna species by correlation analysis between their concentrations in muscle and first dorsal spine using microwave-assisted digestion and ICP-MS. <i>International Journal of Environmental Analytical Chemistry</i> , 2012 , 92, 1761-1775	1.8	9
50	Voltammetric sensors with chiral recognition capability: The use of a chiral inducing agent in polyaniline electrochemical synthesis for the specific recognition of the enantiomers of the pesticide dinoseb. <i>Electrochimica Acta</i> , 2011 , 58, 729-735	6.7	24
49	Chiral imprinted polymers as enantiospecific coatings of stir bar sorptive extraction devices. <i>Biosensors and Bioelectronics</i> , 2011 , 28, 25-32	11.8	43
48	A retention time locked gas chromatography-mass spectrometry method based on stir-bar sorptive extraction and thermal desorption for automated determination of synthetic musk fragrances in natural and wastewaters. <i>Journal of Chromatography A</i> , 2011 , 1218, 3048-55	4.5	36
47	Analytical procedures for the determination of the selective serotonin reuptake inhibitor antidepressant citalopram and its metabolites. <i>Biomedical Chromatography</i> , 2011 , 25, 238-57	1.7	22
46	Development of matrix-matching hydroxyapatite calibration standards for quantitative multi-element LA-ICP-MS analysis: application to the dorsal spine of fish. <i>Journal of Analytical Atomic Spectrometry</i> , 2011 , 26, 1421	3.7	22
45	Using a portable device based on a screen-printed sensor modified with a molecularly imprinted polymer for the determination of the insecticide fenitrothion in forest samples. <i>Analytical Methods</i> , 2010 , 2, 1280	3.2	37
44	Molecularly imprinted poly[tetra(o-aminophenyl)porphyrin] as a stable and selective coating for the development of voltammetric sensors. <i>Journal of Electroanalytical Chemistry</i> , 2010 , 638, 246-253	4.1	36
43	Development of a stir bar sorptive extraction based HPLC-FLD method for the quantification of serotonin reuptake inhibitors in plasma, urine and brain tissue samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 178-85	3.5	51
42	Multi-residue analysis of pharmaceutical compounds in wastewaters by dual solid-phase microextraction coupled to liquid chromatography electrospray ionization ion trap mass spectrometry. <i>Journal of Chromatography A</i> , 2010 , 1217, 3392-9	4.5	49
41	Sequential stir bar extraction, thermal desorption and retention time locked GC-MS for determination of pesticides in water. <i>Journal of Separation Science</i> , 2009 , 32, 3449-56	3.4	24
40	Identification and quantification of glucosinolates in rapeseed using liquid chromatography-ion trap mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 394, 1661-9	4.4	35

39	Sensitive determination of triazines in underground waters using stir bar sorptive extraction directly coupled to automated thermal desorption and gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2009 , 641, 110-6	6.6	62
38	Solid phase microextraction coupled to liquid chromatography-inductively coupled plasma mass spectrometry for the speciation of organotin compounds in water samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2009 , 24, 347-351	3.7	21
37	Simultaneous determination of citalopram, fluoxetine and their main metabolites in human urine samples by solid-phase microextraction coupled with high-performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 46, 763-70	3.5	61
36	Stereoselective determination of demethyl- and didemethyl-citalopram in rat plasma and brain tissue by liquid chromatography with fluorescence detection using precolumn derivatization. <i>Biomedical Chromatography</i> , 2008 , 22, 265-71	1.7	14
35	Evaluation of the selective detection of 4,6-dinitro-o-cresol by a molecularly imprinted polymer based microsensor electrosynthesized in a semiorganic media. <i>Sensors and Actuators B: Chemical</i> , 2008 , 130, 713-722	8.5	51
34	Quantification of fenitrothion and its main metabolites in poplar leaves by isotope dilution gas chromatography-mass spectrometry coupled with solid-phase microextraction. <i>Journal of Chromatography A</i> , 2008 , 1177, 170-4	4.5	15
33	Voltammetric Determination of Metamitron with an Electrogenerated Molecularly Imprinted Polymer Microsensor. <i>Electroanalysis</i> , 2007 , 19, 356-363	3	26
32	Simple and rapid determination of biogenic amines in wine by liquid chromatography-electrospray ionization ion trap mass spectrometry. <i>Analytica Chimica Acta</i> , 2007 , 584, 145-52	6.6	58
31	Determination of fluoxetine, norfluoxetine and their enantiomers in rat plasma and brain samples by liquid chromatography with fluorescence detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 852, 519-28	3.2	46
30	Speciation of volatile aromatic and chlorinated hydrocarbons in an urban atmosphere using TCT-GC/MS. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2005 , 40, 343-67	2.3	20
29	Paracetamol voltammetric microsensors based on electrocopolymerized-molecularly imprinted film modified carbon fiber microelectrodes. <i>Analyst, The</i> , 2005 , 130, 1012-8	5	76
28	Solid-phase microextraction coupled with high performance liquid chromatography using on-line diode-array and electrochemical detection for the determination of fenitrothion and its main metabolites in environmental water samples. <i>Journal of Chromatography A</i> , 2005 , 1094, 70-6	4.5	56
27	Multisorbent tubes sampling used in thermal desorption cold trap injection with gas chromatography-mass spectrometry for C ₂₀ -C ₂₆ hydrocarbon measurements in an urban atmosphere. <i>International Journal of Environmental Analytical Chemistry</i> , 2004 , 84, 341-353	1.8	1
26	Optimization and validation of a method of analysis for fenitrothion and its main metabolites in forestry air samples using sorbent tubes with thermal desorption cold trap injection and gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2004 , 1059, 165-70	4.5	21
25	Coupling solid-phase microextraction and high-performance liquid chromatography for direct and sensitive determination of halogenated fungicides in wine. <i>Journal of Chromatography A</i> , 2003 , 995, 135-42	4.5	64
24	Persistence of Diflubenzuron on Conifer Forest Foliage in a Mediterranean-Climate Ecosystem Following Aerial Application. <i>International Journal of Environmental Analytical Chemistry</i> , 2003 , 83, 433-442	1.8	3
23	Determination of methylarginines in human plasma by HPLC with pre-column derivatization using naphthalenedicarboxaldehyde as fluorogenic agent. <i>Journal of Separation Science</i> , 2002 , 25, 665-670	3.4	6
22	Determination of simazine and cymoxanil in soils by microwave-assisted solvent extraction and HPLC with reductive amperometrical detection. <i>Chromatographia</i> , 2002 , 55, 667-671	2.1	11

21	Determination of catecholamines and their metabolites in human plasma using liquid chromatography with coulometric multi-electrode cell-design detection. <i>Analytica Chimica Acta</i> , 2001 , 444, 211-221	6.6	33
20	Multimembrane carbon fiber microelectrodes for amperometric determination of serotonin in human urine. <i>Analyt, The</i> , 2001 , 126, 495-500	5	23
19	Persistence of the insecticide Dimilin 45 ODC on conifer forest foliage in an Atlantic-climate ecosystem. <i>Environmental Science & Technology</i> , 2001 , 35, 3804-8	10.3	6
18	Solid-phase microextraction for the determination of systemic and non-volatile pesticides in river water using gas chromatography with nitrogen-phosphorous and electron-capture detection. <i>Journal of Chromatography A</i> , 2000 , 893, 347-58	4.5	38
17	Poly(3-methylthiophene)-Coated Carbon Fiber Microelectrode for the Voltammetric Measurement of Herbicide Metamitron. <i>Electroanalysis</i> , 1999 , 11, 1222-1226	3	8
16	HPLC/Diode-Array Method for the Determination of the Pesticide Diflubenzuron and Its Major Metabolites 2,6-Difluorobenzamide, 4-Chlorophenylurea, and 4-Chloroaniline in Forestry Matrices. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1998 , 21, 1857-1870	1.3	3
15	Determination of the insecticide pyridafenthion in river water, soils and wine by adsorptive stripping voltammetry. <i>Food Additives and Contaminants</i> , 1998 , 15, 793-800		3
14	Determination of 4-Chloroaniline and 4-Chlorophenyl Urea in Honey By Liquid Chromatography with Electrochemical Detection. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1997 , 20, 1591-1603	1.3	5
13	Determination of imidacloprid and its major metabolite in soils by liquid chromatography with pulsed reductive amperometric detection. <i>Analytica Chimica Acta</i> , 1997 , 349, 199-206	6.6	30
12	Electrochemical study of the flavour enhancer maltol. Determination in foods by liquid chromatography with amperometric detection. <i>Analytica Chimica Acta</i> , 1996 , 327, 65-71	6.6	12
11	Determination of Nematicide Aldicarb and Its Metabolites Aldicarb Sulfoxide and Aldicarb Sulfone in Soils and Potatoes by Liquid Chromatography With Photodiode Array Detection. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1995 , 18, 3243-3256		2
10	Determination of N-nitrosopiperidine in beers by liquid chromatography with reductive amperometric detection at a hanging mercury drop electrode. <i>Analytica Chimica Acta</i> , 1995 , 305, 310-317	6.6	5
9	Joint determination of todralazine and acetazolamide in human serum by differential pulse polarography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1994 , 12, 883-7	3.5	9
8	Evaluation of amperometric detection at a glassy carbon electrode for the liquid-chromatographic determination of antihypertensive substances. <i>Analyt, The</i> , 1994 , 119, 269	5	7
7	Voltammetric method for the determination of the flavour enhancer inosinic acid. <i>Analyt, The</i> , 1994 , 119, 2183	5	3
6	Utilization of a silica-modified carbon paste electrode for the direct determination of todralazine in biological fluids. <i>Analytica Chimica Acta</i> , 1993 , 273, 93-99	6.6	9
5	Use of derivatization reactions with adsorptive stripping voltammetry for determining fotemustine in biological samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1992 , 10, 481-6	3.5	1
4	Differential-pulse adsorptive stripping voltammetry of the herbicides metamitron and isometiozine. <i>Fresenius Journal of Analytical Chemistry</i> , 1991 , 339, 166-168		12

3	Electrochemical study and determination of todralazine by adsorptive stripping voltammetry. <i>Electroanalysis</i> , 1991 , 3, 423-427	3	7
2	Electrochemical detection of todralazine in high-performance liquid chromatography. <i>Electroanalysis</i> , 1991 , 3, 429-433	3	3
1	Adsorption-leaching study of the herbicides metamitron and chloridazon. <i>Pest Management Science</i> , 1991 , 32, 259-264		9