## Takao Imai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3202944/publications.pdf Version: 2024-02-01



TAKAO IMAL

#	Article	IF	CITATIONS
1	Benign paroxysmal positional vertigo. Auris Nasus Larynx, 2022, 49, 737-747.	1.2	11
2	Phosphorylation of MYL12 by Myosin Light Chain Kinase Regulates Cellular Shape Changes in Cochlear Hair Cells. JARO - Journal of the Association for Research in Otolaryngology, 2021, 22, 425-441.	1.8	6
3	Effect of Sitting Position vs. Supine Position With the Head Turned to the Affected Side on Benign Paroxysmal Positional Vertigo Fatigue. Frontiers in Neurology, 2021, 12, 705034.	2.4	3
4	Development of a new method for assessing otolith function in mice using three-dimensional binocular analysis of the otolith-ocular reflex. Scientific Reports, 2021, 11, 17191.	3.3	4
5	Platform posturography of patients with peripheral vestibular dysfunction in the non-acute phase of vertigo. Auris Nasus Larynx, 2021, 48, 577-582.	1.2	4
6	Daple deficiency causes hearing loss in adult mice by inducing defects in cochlear stereocilia and apical microtubules. Scientific Reports, 2021, 11, 20224.	3.3	5
7	Osteoclasts Modulate Bone Erosion in Cholesteatoma via RANKL Signaling. JARO - Journal of the Association for Research in Otolaryngology, 2019, 20, 449-459.	1.8	23
8	Clinical significance of cervical and ocular vestibular evoked myogenic potentials in benign paroxysmal positional vertigo: a meta-analysis. European Archives of Oto-Rhino-Laryngology, 2019, 276, 3257-3265.	1.6	16
9	Effects of cochlear implants on otolith function as evaluated by vestibulo-ocular reflex and vestibular evoked myogenic potentials. Auris Nasus Larynx, 2019, 46, 836-843.	1.2	13
10	Effects of Interval Time of the Epley Maneuver on Immediate Reduction of Positional Nystagmus: A Randomized, Controlled, Non-blinded Clinical Trial. Frontiers in Neurology, 2019, 10, 304.	2.4	8
11	Change in endolymphatic hydrops 2 years after endolymphatic sac surgery evaluated by MRI. Auris Nasus Larynx, 2019, 46, 335-345.	1.2	9
12	Three-dimensional analysis of the vestibulo-ocular reflex and the ability to distinguish the direction of centripetal acceleration in humans during eccentric rotation with the right ear facing downwards. Neuroscience Research, 2019, 144, 21-29.	1.9	1
13	Diagnosis of bilateral posterior semicircular canal type of benign paroxysmal positional vertigo in a general ENT clinic. Equilibrium Research, 2019, 78, 79-85.	0.1	0
14	Analysis of the vestibulo-ocular reflex and optokinetic nystagmus in mice for the development of new treatments for patients complaining of vertigo. Equilibrium Research, 2019, 78, 203-211.	0.1	0
15	A high jugular bulb and poor development of perivestibular aqueductal air cells are not the cause of endolymphatic hydrops in patients with Ménière's disease. Auris Nasus Larynx, 2018, 45, 693-701.	1.2	5
16	Differential diagnosis of apogeotropic positional nystagmus between peripheral and central lesions: Characteristics of positional nystagmus in patients with cupulolithiasis in the lateral semicircular canal. Equilibrium Research, 2018, 77, 592-597.	0.1	3
17	Recovery of positional nystagmus after benign paroxysmal positional vertigo fatigue. European Archives of Oto-Rhino-Laryngology, 2018, 275, 2967-2973.	1.6	10
18	P2X2 Receptor Deficiency in Mouse Vestibular End Organs Attenuates Vestibular Function. Neuroscience, 2018, 386, 41-50.	2.3	9

Τακάο Ιμαι

#	Article	IF	CITATIONS
19	Fibroblast growth factor 12 is expressed in spiral and vestibular ganglia and necessary for auditory and equilibrium function. Scientific Reports, 2018, 8, 11491.	3.3	10
20	Visual Target Strategies in Infantile Nystagmus Patients With Horizontal Jerk Waveform. Frontiers in Neurology, 2018, 9, 622.	2.4	5
21	Classification, diagnostic criteria and management of benign paroxysmal positional vertigo. Auris Nasus Larynx, 2017, 44, 1-6.	1.2	76
22	Unilateral posterior canal-plugging surgery for intractable bilateral posterior canal-type benign paroxysmal positional vertigo. Auris Nasus Larynx, 2017, 44, 540-547.	1.2	5
23	Three-dimensional analysis of linear vestibulo-ocular reflex in humans during eccentric rotation while facing downwards. Experimental Brain Research, 2017, 235, 2575-2590.	1.5	9
24	Assessment of endolymphatic hydrops and otolith function in patients with Ménière's disease. European Archives of Oto-Rhino-Laryngology, 2017, 274, 1413-1421.	1.6	28
25	Evaluation of endolymphatic hydrops using 3-T MRI after intravenous gadolinium injection. European Archives of Oto-Rhino-Laryngology, 2017, 274, 4103-4111.	1.6	13
26	Epiphycan is specifically expressed in cochlear supporting cells and is necessary for normal hearing. Biochemical and Biophysical Research Communications, 2017, 492, 379-385.	2.1	18
27	Office-based differential diagnosis of transient and persistent geotropic positional nystagmus in patients with horizontal canal type of benign paroxysmal positional vertigo. Acta Oto-Laryngologica, 2017, 137, 265-269.	0.9	2
28	In which cases would Schellong test perform the best in diagnosing patients with positioning vertigo?. Equilibrium Research, 2017, 76, 72-78.	0.1	0
29	New diagnostic criteria for benign paroxysmal positional vertigo. Equilibrium Research, 2017, 76, 293-301.	0.1	1
30	Medical Education of Doctors who are not Specialists in Vestibular Disorders on the Diagnosis and Treatment of Benign Paroxysmal Positional Vertigo. Journal of Otolaryngology of Japan, 2017, 120, 733-739.	0.1	1
31	Cisplatin-induced toxicity decreases the mouse vestibulo-ocular reflex. Toxicology Letters, 2016, 262, 49-54.	0.8	17
32	Paroxysmal vertigo with nystagmus in children. International Journal of Pediatric Otorhinolaryngology, 2016, 88, 89-93.	1.0	9
33	How to deal with refractory benign paroxysmal positional vertigo. Equilibrium Research, 2016, 75, 211-218.	0.1	2
34	Three-dimensional analysis of otolith-ocular reflex during eccentric rotation in humans. Neuroscience Research, 2016, 111, 34-40.	1.9	10
35	New scoring system of an interview for the diagnosis of benign paroxysmal positional vertigo. Acta Oto-Laryngologica, 2016, 136, 283-288.	0.9	16
36	High-Speed Video-Oculography for Measuring Three-Dimensional Rotation Vectors of Eye Movements in Mice. PLoS ONE, 2016, 11, e0152307.	2.5	21

Τακάο Ιμαι

#	Article	IF	CITATIONS
37	Benign paroxysmal positional vertigo: Diagnostic criteria. Journal of Vestibular Research: Equilibrium and Orientation, 2015, 25, 105-117.	2.0	492
38	Duration of positional nystagmus in patients with horizontal canal type of benign paroxysmal positional vertigo. Equilibrium Research, 2015, 74, 223-227.	0.1	1
39	Light cupula: the pathophysiological basis of persistent geotropic positional nystagmus. BMJ Open, 2015, 5, e006607-e006607.	1.9	40
40	Gadolinium contrast-enhanced MRI reveals cystic lateral semicircular canal contents. Acta Oto-Laryngologica, 2015, 135, 1000-1006.	0.9	6
41	Does endolymphatic sac decompression surgery prevent bilateral development of unilateral Ménière disease?. Laryngoscope, 2014, 124, 1932-1936.	2.0	18
42	Changes in endolymphatic hydrops after sac surgery examined by Gd-enhanced MRI. Acta Oto-Laryngologica, 2013, 133, 924-929.	0.9	37
43	Analysis of benign paroxysmal positional nystagmus in children. International Journal of Pediatric Otorhinolaryngology, 2013, 77, 233-236.	1.0	16
44	Pseudo-anterior canalolithiasis. Acta Oto-Laryngologica, 2013, 133, 594-599.	0.9	2
45	Transient low-tone air-bone gaps during convalescence immediately after canal plugging surgery for BPPV. Auris Nasus Larynx, 2012, 39, 356-360.	1.2	8
46	Endolymphatic hydrops in Meniere's disease detected by MRI after intratympanic administration of gadolinium: Comparison with sudden deafness. Acta Oto-Laryngologica, 2011, 131, 602-609.	0.9	32
47	Natural course of positional vertigo in patients with apogeotropic variant of horizontal canal benign paroxysmal positional vertigo. Auris Nasus Larynx, 2011, 38, 2-5.	1.2	46
48	Diagnosis of the subtype and affected ear of benign paroxysmal positional vertigo using a questionnaire. Acta Oto-Laryngologica, 2011, 131, 1264-1269.	0.9	25
49	3D analysis of benign positional nystagmus due to cupulolithiasis in posterior semicircular canal. Acta Oto-Laryngologica, 2009, 129, 1044-1049.	0.9	51
50	Canal Occlusion Surgery for Intractable Benign Paroxysmal Positional Vertigo. Equilibrium Research, 2009, 68, 193-198.	0.1	2
51	Changes in slow phase eye velocity and time constant of positional nystagmus at transform from cupulolithiasis to canalolithiasis. Acta Oto-Laryngologica, 2008, 128, 22-28.	0.9	25
52	Differential diagnosis of true and pseudo-bilateral benign positional nystagmus. Acta Oto-Laryngologica, 2008, 128, 151-158.	0.9	22
53	Natural History of Benign Paroxysmal Positional Vertigo and Efficacy of Epley and Lempert Maneuvers. Otolaryngology - Head and Neck Surgery, 2006, 135, 529-533.	1.9	55
54	Three-Dimensional Analysis of Benign Paroxysmal Positional Nystagmus in a Patient with Anterior Semicircular Canal Variant. Otology and Neurotology, 2006, 27, 362-366.	1.3	23

Τακάο Ιμαι

#	Article	IF	CITATIONS
55	Comparing the accuracy of video-oculography and the scleral search coil system in human eye movement analysis. Auris Nasus Larynx, 2005, 32, 3-9.	1.2	83
56	Horizontal Canal Type BPPV: Bilaterally Affected Case Treated with Canal Plugging and Lempert's Maneuver. Orl, 2003, 65, 366-369.	1.1	16
57	Three-Dimensional Eye Rotation Axis Analysis of Benign Paroxysmal Positioning Nystagmus. Orl, 2002, 64, 417-423.	1.1	33
58	Effects of Centrifugal Force upon Spatial Orientation and Eye Position in Human Subjects Equilibrium Research, 2000, 59, 136-140.	0.1	1