

# Anne M Molloy

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3204023/publications.pdf>

Version: 2024-02-01

160  
papers

9,526  
citations

34016

52  
h-index

40881

93  
g-index

162  
all docs

162  
docs citations

162  
times ranked

8756  
citing authors

#	ARTICLE	IF	CITATIONS
1	Biomarkers of Nutrition for Developmentâ€™ Folate Review. Journal of Nutrition, 2015, 145, 1636S-1680S.	1.3	570
2	Vitamin B12 deficiency. Nature Reviews Disease Primers, 2017, 3, 17040.	18.1	543
3	Microbiological assay for serum, plasma, and red cell folate using cryopreserved, microtiter plate method. Methods in Enzymology, 1997, 281, 43-53.	0.4	371
4	Thermolabile variant of 5, 10-methylenetetrahydrofolate reductase associated with low red-cell folates: implications for folate intake recommendations. Lancet, The, 1997, 349, 1591-1593.	6.3	316
5	Guidelines for the diagnosis and treatment of cobalamin and folate disorders. British Journal of Haematology, 2014, 166, 496-513.	1.2	306
6	Maternal plasma folate and vitamin B12 are independent risk factors for neural tube defects. The Quarterly Journal of Medicine, 1993, 86, 703-8.	1.0	261
7	Minimum effective dose of folic acid for food fortification to prevent neural-tube defects. Lancet, The, 1997, 350, 1666-1669.	6.3	255
8	Maternal Vitamin B12 Status and Risk of Neural Tube Defects in a Population With High Neural Tube Defect Prevalence and No Folic Acid Fortification. Pediatrics, 2009, 123, 917-923.	1.0	248
9	Effects of Folate and Vitamin B<sub>12</sub> Deficiencies During Pregnancy on Fetal, Infant, and Child Development. Food and Nutrition Bulletin, 2008, 29, S101-S111.	0.5	245
10	The â€™Thermolabileâ€™ Variant of Methylenetetrahydrofolate Reductase and Neural Tube Defects: An Evaluation of Genetic Risk and the Relative Importance of the Genotypes of the Embryo and the Mother. American Journal of Human Genetics, 1999, 64, 1045-1055.	2.6	219
11	A Polymorphism, R653Q, in the Trifunctional Enzyme Methylenetetrahydrofolate Dehydrogenase/Methenyltetrahydrofolate Cyclohydrolase/Formyltetrahydrofolate Synthetase Is a Maternal Genetic Risk Factor for Neural Tube Defects: Report of the Birth Defects Research Group. American Journal of Human Genetics, 2002, 71, 1207-1215.	2.6	217
12	MTRR and MTHFR polymorphism: Link to Down syndrome?. American Journal of Medical Genetics Part A, 2002, 107, 151-155.	2.4	177
13	Low vitamin B-12 status and risk of cognitive decline in older adults. American Journal of Clinical Nutrition, 2007, 86, 1384-1391.	2.2	171
14	Vitamin D Deficiency Is Associated With Inflammation in Older Irish Adults. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 1807-1815.	1.8	163
15	Riboflavin Lowers Homocysteine in Individuals Homozygous for the MTHFR677Câ€™T Polymorphism. Circulation, 2006, 113, 74-80.	1.6	161
16	Biomarkers of vitamin B-12 status in NHANES: a roundtable summary. American Journal of Clinical Nutrition, 2011, 94, 313S-321S.	2.2	157
17	Population red blood cell folate concentrations for prevention of neural tube defects: bayesian model. BMJ, The, 2014, 349, g4554-g4554.	3.0	153
18	Elevated plasma homocysteine in early pregnancy: A risk factor for the development of severe preeclampsia. American Journal of Obstetrics and Gynecology, 2001, 185, 781-785.	0.7	142

#	ARTICLE	IF	CITATIONS
19	Methylenetetrahydrofolate reductase thermolabile variant and oral clefts. American Journal of Medical Genetics Part A, 1999, 86, 71-74.	2.4	125
20	Maternal Homocysteine before Conception and throughout Pregnancy Predicts Fetal Homocysteine and Birth Weight. Clinical Chemistry, 2004, 50, 1406-1412.	1.5	123
21	A genetic defect in 5,10 methylenetetrahydrofolate reductase in neural tube defects. QJM - Monthly Journal of the Association of Physicians, 1995, 88, 763-6.	0.2	112
22	Impact of the MTHFR C677T polymorphism on risk of neural tube defects: case-control study. BMJ: British Medical Journal, 2004, 328, 1535-1536.	2.4	111
23	Detection of Vitamin B12 Deficiency in Older People by Measuring Vitamin B12 or the Active Fraction of Vitamin B12, Holotranscobalamin. Clinical Chemistry, 2007, 53, 963-970.	1.5	111
24	Diagnostic Accuracy of Holotranscobalamin, Methylmalonic Acid, Serum Cobalamin, and Other Indicators of Tissue Vitamin B12 Status in the Elderly. Clinical Chemistry, 2011, 57, 856-863.	1.5	105
25	Biomarkers of folate status in NHANES: a roundtable summary. American Journal of Clinical Nutrition, 2011, 94, 303S-312S.	2.2	104
26	Knowledge gaps in understanding the metabolic and clinical effects of excess folates/folic acid: a summary, and perspectives, from an NIH workshop. American Journal of Clinical Nutrition, 2020, 112, 1390-1403.	2.2	95
27	Effects of prenatal fish-oil and 5-methyltetrahydrofolate supplementation on cognitive development of children at 6.5 y of age. American Journal of Clinical Nutrition, 2011, 94, S1880-S1888.	2.2	93
28	Confirmation of the R653Q polymorphism of the trifunctional C1-synthase enzyme as a maternal risk for neural tube defects in the Irish population. European Journal of Human Genetics, 2006, 14, 768-772.	1.4	92
29	Longitudinal Study of the Effect of Pregnancy on Maternal and Fetal Cobalamin Status in Healthy Women and Their Offspring. Journal of Nutrition, 2007, 137, 1863-1867.	1.3	92
30	Folates and prevention of disease. Public Health Nutrition, 2001, 4, 601-609.	1.1	90
31	Choline and homocysteine interrelations in umbilical cord and maternal plasma at delivery. American Journal of Clinical Nutrition, 2005, 82, 836-842.	2.2	87
32	Linkage analysis identifies a locus for plasma von Willebrand factor undetected by genome-wide association. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 588-593.	3.3	85
33	Effect of a voluntary food fortification policy on folate, related B vitamin status, and homocysteine in healthy adults. American Journal of Clinical Nutrition, 2007, 86, 1405-1413.	2.2	83
34	Maternal and fetal plasma homocysteine concentrations at birth: The influence of folate, vitamin B12, and the 5,10-methylenetetrahydrofolate reductase 677C→T variant. American Journal of Obstetrics and Gynecology, 2002, 186, 499-503.	0.7	80
35	Maternal serum folate and vitamin B12 concentrations in pregnancies associated with neural tube defects.. Archives of Disease in Childhood, 1985, 60, 660-665.	1.0	79
36	Low blood folates in NTD pregnancies are only partly explained by thermolabile 5,10-methylenetetrahydrofolate reductase: Low folate status alone may be the critical factor. American Journal of Medical Genetics Part A, 1998, 78, 155-159.	2.4	79

#	ARTICLE	IF	CITATIONS
37	Folate-related gene polymorphisms as risk factors for cleft lip and cleft palate. Birth Defects Research Part A: Clinical and Molecular Teratology, 2008, 82, 636-643.	1.6	76
38	The search for genetic polymorphisms in the homocysteine/folate pathway that contribute to the etiology of human neural tube defects. Birth Defects Research Part A: Clinical and Molecular Teratology, 2009, 85, 285-294.	1.6	74
39	The Prevalence of Vitamin D Deficiency and the Determinants of 25(OH)D Concentration in Older Irish Adults: Data From The Irish Longitudinal Study on Ageing (TILDA). Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 519-525.	1.7	73
40	Determining bioavailability of food folates in a controlled intervention study. American Journal of Clinical Nutrition, 2004, 80, 911-918.	2.2	72
41	Evaluation of common genetic variants in 82 candidate genes as risk factors for neural tube defects. BMC Medical Genetics, 2012, 13, 62.	2.1	66
42	Bioinformatic and Genetic Association Analysis of MicroRNA Target Sites in One-Carbon Metabolism Genes. PLoS ONE, 2011, 6, e21851.	1.1	65
43	Elevated plasma homocysteine in early pregnancy: a risk factor for the development of nonsevere preeclampsia. American Journal of Obstetrics and Gynecology, 2003, 189, 391-394.	0.7	63
44	Impact of voluntary fortification and supplement use on dietary intakes and biomarker status of folate and vitamin B-12 in Irish adults. American Journal of Clinical Nutrition, 2015, 101, 1163-1172.	2.2	61
45	Women's compliance with current folic acid recommendations and achievement of optimal vitamin status for preventing neural tube defects. Human Reproduction, 2011, 26, 1530-1536.	0.4	60
46	B-Vitamin Intake and Biomarker Status in Relation to Cognitive Decline in Healthy Older Adults in a 4-Year Follow-Up Study. Nutrients, 2017, 9, 53.	1.7	58
47	Analysis of the MTHFR 1298A→T and 677C→T polymorphisms as risk factors for neural tube defects. Journal of Human Genetics, 2003, 48, 190-193.	1.1	57
48	Analysis of methionine synthase reductase polymorphisms for neural tube defects risk association. Molecular Genetics and Metabolism, 2005, 85, 220-227.	0.5	57
49	The 19-bp deletion polymorphism in intron-1 of dihydrofolate reductase (DHFR) may decrease rather than increase risk for spina bifida in the Irish population. American Journal of Medical Genetics, Part A, 2007, 143A, 1174-1180.	0.7	57
50	A dose-finding trial of the effect of long-term folic acid intervention: implications for food fortification policy. American Journal of Clinical Nutrition, 2011, 93, 11-18.	2.2	54
51	Whole-Blood Folate Values in Subjects with Different Methylene-tetrahydrofolate Reductase Genotypes: Differences Between the Radioassay and Microbiological Assays. Clinical Chemistry, 1998, 44, 186-188.	1.5	53
52	r2VIM: A new variable selection method for random forests in genome-wide association studies. BioData Mining, 2016, 9, 7.	2.2	53
53	Greater yogurt consumption is associated with increased bone mineral density and physical function in older adults. Osteoporosis International, 2017, 28, 2409-2419.	1.3	53
54	A polymorphism in the MTHFD1 gene increases a mother's risk of having an unexplained second trimester pregnancy loss. Molecular Human Reproduction, 2005, 11, 477-480.	1.3	52

#	ARTICLE	IF	CITATIONS
55	Folate and vitamin B <sub>12</sub> status in relation to cognitive impairment and anaemia in the setting of voluntary fortification in the UK. British Journal of Nutrition, 2008, 100, 1054-1059.	1.2	52
56	MTHFD1 R653Q polymorphism is a maternal genetic risk factor for severe abruptio placentae. American Journal of Medical Genetics, Part A, 2005, 132A, 365-368.	0.7	49
57	The MTHFR 1298CC and 677TT genotypes have opposite associations with red cell folate levels. Molecular Genetics and Metabolism, 2006, 88, 290-294.	0.5	49
58	Should vitamin B <sub>12</sub> status be considered in assessing risk of neural tube defects?. Annals of the New York Academy of Sciences, 2018, 1414, 109-125.	1.8	48
59	Hyperglycemia and Metformin Use Are Associated With B Vitamin Deficiency and Cognitive Dysfunction in Older Adults. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 4837-4847.	1.8	46
60	Ambient UVB Dose and Sun Enjoyment Are Important Predictors of Vitamin D Status in an Older Population. Journal of Nutrition, 2017, 147, 858-868.	1.3	44
61	Folate status and neural tube defects. BioFactors, 1999, 10, 291-294.	2.6	43
62	Reduced folate carrier polymorphisms and neural tube defect risk. Molecular Genetics and Metabolism, 2006, 87, 364-369.	0.5	43
63	Do high blood folate concentrations exacerbate metabolic abnormalities in people with low vitamin B-12 status?. American Journal of Clinical Nutrition, 2011, 94, 495-500.	2.2	43
64	A Common Polymorphism in HIBCH Influences Methylmalonic Acid Concentrations in Blood Independently of Cobalamin. American Journal of Human Genetics, 2016, 98, 869-882.	2.6	43
65	Effect of continued folic acid supplementation beyond the first trimester of pregnancy on cognitive performance in the child: a follow-up study from a randomized controlled trial (FASSTT Offspring) Tj ETQq1 1 0.784234 rgBT 40 Overlock	2.2	43
66	A new high performance liquid chromatographic method for the simultaneous measurement of S-adenosylmethionine and S-adenosylhomocysteine concentrations in pig tissues after inactivation of methionine synthase by nitrous oxide. Biomedical Chromatography, 1990, 4, 257-260.	0.8	42
67	Homocysteine concentration, related B vitamins, and betaine in pregnant women recruited to the Seychelles Child Development Study. American Journal of Clinical Nutrition, 2008, 87, 391-397.	2.2	42
68	Determinants of 25-hydroxyvitamin D in older Irish adults. Age and Ageing, 2015, 44, 847-853.	0.7	42
69	Effect of Area-Level Socioeconomic Deprivation on Risk of Cognitive Dysfunction in Older Adults. Journal of the American Geriatrics Society, 2018, 66, 1269-1275.	1.3	42
70	Transcobalamin II receptor polymorphisms are associated with increased risk for neural tube defects. Journal of Medical Genetics, 2010, 47, 677-685.	1.5	40
71	B-vitamins in Relation to Depression in Older Adults Over 60 Years of Age: The Trinity Ulster Department of Agriculture (TUDA) Cohort Study. Journal of the American Medical Directors Association, 2019, 20, 551-557.e1.	1.2	40
72	Evaluation of 64 candidate single nucleotide polymorphisms as risk factors for neural tube defects in a large Irish study population. American Journal of Medical Genetics, Part A, 2011, 155, 14-21.	0.7	39

#	ARTICLE	IF	CITATIONS
73	Genetic Risk Factors for Folate-Responsive Neural Tube Defects. Annual Review of Nutrition, 2017, 37, 269-291.	4.3	38
74	Tryptophan Catabolism and Vitamin B-6 Status Are Affected by Gender and Lifestyle Factors in Healthy Young Adults. Journal of Nutrition, 2015, 145, 701-707.	1.3	37
75	Lack of Association between Folate-Receptor Autoantibodies and Neural-Tube Defects. New England Journal of Medicine, 2009, 361, 152-160.	13.9	36
76	Genetic Aspects of Folate Metabolism. Sub-Cellular Biochemistry, 2012, 56, 105-130.	1.0	36
77	Folate Bioavailability and Health. International Journal for Vitamin and Nutrition Research, 2002, 72, 46-52.	0.6	33
78	Formate can differentiate between hyperhomocysteinemia due to impaired remethylation and impaired transsulfuration. American Journal of Physiology - Endocrinology and Metabolism, 2012, 302, E61-E67.	1.8	33
79	Voluntary fortification is ineffective to maintain the vitamin B <sub>12</sub> and folate status of older Irish adults: evidence from the Irish Longitudinal Study on Ageing (TILDA). British Journal of Nutrition, 2018, 120, 111-120.	1.2	33
80	Folate and homocysteine interrelationships including genetics of the relevant enzymes. Current Opinion in Lipidology, 2004, 15, 49-57.	1.2	31
81	Common Polymorphisms That Affect Folate Transport or Metabolism Modify the Effect of the MTHFR 677C > T Polymorphism on Folate Status. Journal of Nutrition, 2016, 146, 1-8.	1.3	31
82	Evidence from a Randomized Trial That Exposure to Supplemental Folic Acid at Recommended Levels during Pregnancy Does Not Lead to Increased Unmetabolized Folic Acid Concentrations in Maternal or Cord Blood. Journal of Nutrition, 2016, 146, 494-500.	1.3	30
83	Folate and vitamin B12 levels in early pregnancy and maternal obesity. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 231, 80-84.	0.5	30
84	Evaluation of transcobalamin II polymorphisms as neural tube defect risk factors in an Irish population. Birth Defects Research Part A: Clinical and Molecular Teratology, 2005, 73, 239-244.	1.6	29
85	The Irish DNA Atlas: Revealing Fine-Scale Population Structure and History within Ireland. Scientific Reports, 2017, 7, 17199.	1.6	29
86	Effects of maternal folic acid supplementation during the second and third trimesters of pregnancy on neurocognitive development in the child: an 11-year follow-up from a randomised controlled trial. BMC Medicine, 2021, 19, 73.	2.3	29
87	Riboflavin status modifies the effects of methylenetetrahydrofolate reductase (MTHFR) and methionine synthase reductase (MTRR) polymorphisms on homocysteine. Genes and Nutrition, 2014, 9, 435.	1.2	28
88	Methionine Synthase: High-Resolution Mapping of the Human Gene and Evaluation as a Candidate Locus for Neural Tube Defects. Molecular Genetics and Metabolism, 1999, 67, 324-333.	0.5	27
89	The Methylenetetrahydrofolate Reductase (MTHFR) Gene in Colorectal Cancer : Role in Tumor Development and Significance of Allelic Loss in Tumor Progression. International Journal of Gastrointestinal Cancer, 2001, 30, 105-112.	0.4	27
90	Do the benefits of folic acid fortification outweigh the risk of masking vitamin B <sub>12</sub> deficiency?. BMJ: British Medical Journal, 2018, 360, k724.	2.4	27

#	ARTICLE	IF	CITATIONS
91	Maternal choline concentrations during pregnancy and choline-related genetic variants as risk factors for neural tube defects. American Journal of Clinical Nutrition, 2014, 100, 1069-1074.	2.2	26
92	Microvascular disease and dementia in the elderly: are they related to hyperhomocysteinemia?. American Journal of Clinical Nutrition, 2000, 71, 859-860.	2.2	24
93	Analysis of the human folate receptor $\hat{1}^2$ gene for an association with neural tube defects. Molecular Genetics and Metabolism, 2003, 79, 129-133.	0.5	23
94	The relationship between the activity of methionine synthase and the ratio of S-adenosylmethionine to S-adenosylhomocysteine in the brain and other tissues of the pig. Biochemical Pharmacology, 1992, 44, 1349-1355.	2.0	22
95	Low-dose folic acid lowers plasma homocysteine levels in women of child-bearing age. QJM - Monthly Journal of the Association of Physicians, 2002, 95, 733-740.	0.2	22
96	Associations of atrophic gastritis and proton-pump inhibitor drug use with vitamin B-12 status, and the impact of fortified foods, in older adults. American Journal of Clinical Nutrition, 2021, 114, 1286-1294.	2.2	22
97	Screening for newMTHFR polymorphisms and NTD risk. American Journal of Medical Genetics, Part A, 2005, 138A, 99-106.	0.7	21
98	The Frontal Assessment Battery. Journal of Geriatric Psychiatry and Neurology, 2016, 29, 338-343.	1.2	21
99	The relationship between adiposity and cognitive function in a large community-dwelling population: data from the Trinity Ulster Department of Agriculture (TUDA) ageing cohort study. British Journal of Nutrition, 2018, 120, 517-527.	1.2	21
100	Genetic variants in PLC, LPA, and SIGLEC 14 as well as smoking contribute to plasma plasminogen levels. Blood, 2014, 124, 3155-3164.	0.6	20
101	Folic Acid Supplementation in Postpolypectomy Patients in a Randomized Controlled Trial Increases Tissue Folate Concentrations and Reduces Aberrant DNA Biomarkers in Colonic Tissues Adjacent to the Former Polyp Site. Journal of Nutrition, 2016, 146, 933-939.	1.3	20
102	Low blood folates in NTD pregnancies are only partly explained by thermolabile 5,10-methylenetetrahydrofolate reductase: low folate status alone may be the critical factor. American Journal of Medical Genetics Part A, 1998, 78, 155-9.	2.4	20
103	Common Variants at Putative Regulatory Sites of the Tissue Nonspecific Alkaline Phosphatase Gene Influence Circulating Pyridoxal 5â€²-Phosphate Concentration in Healthy Adults. Journal of Nutrition, 2015, 145, 1386-1393.	1.3	19
104	Construction of a high resolution linkage disequilibrium map to evaluate common genetic variation in <i>TP53</i> and neural tube defect risk in an Irish population. American Journal of Medical Genetics, Part A, 2008, 146A, 2617-2625.	0.7	18
105	The 677Câ†’T variant of MTHFR is the major genetic modifier of biomarkers of folate status in a young, healthy Irish population. American Journal of Clinical Nutrition, 2018, 108, 1334-1341.	2.2	18
106	Serum Immune System Biomarkers Neopterin and Interleukin-10 Are Strongly Related to Tryptophan Metabolism in Healthy Young Adults. Journal of Nutrition, 2016, 146, 1801-1806.	1.3	17
107	The FUT2 secretor variant p.Trp154Ter influences serum vitamin B12 concentration via holo-haptocorrin, but not holo-transcobalamin, and is associated with haptocorrin glycosylation. Human Molecular Genetics, 2017, 26, 4975-4988.	1.4	16
108	Mice lacking the transcobalamin-vitamin B12 receptor, CD320, suffer from anemia and reproductive deficits when fed vitamin B12-deficient diet. Human Molecular Genetics, 2018, 27, 3627-3640.	1.4	16



#	ARTICLE	IF	CITATIONS
109	Impact of the common MTHFR 677C>T polymorphism on blood pressure in adulthood and role of riboflavin in modifying the genetic risk of hypertension: evidence from the JINGO project. BMC Medicine, 2020, 18, 318.	2.3	15
110	Maternal folate, vitamin B12 and homocysteine levels in pregnancies affected by congenital malformations other than neural tube defects. Birth Defects Research Part A: Clinical and Molecular Teratology, 2011, 91, 610-615.	1.6	14
111	Plasma concentrations of vitamin B <sub>12</sub> and folate and global cognitive function in an older population: cross-sectional findings from The Irish Longitudinal Study on Ageing (TILDA). British Journal of Nutrition, 2020, 124, 602-610.	1.2	14
112	Is impaired folate absorption a factor in neural tube defects?. American Journal of Clinical Nutrition, 2000, 72, 3-4.	2.2	13
113	Postprandial plasma betaine and other methyl donor-related responses after consumption of minimally processed wheat bran or wheat aleurone, or wheat aleurone incorporated into bread. British Journal of Nutrition, 2015, 113, 445-453.	1.2	13
114	Genome-wide studies of von Willebrand factor propeptide identify loci contributing to variation in propeptide levels and von Willebrand factor clearance. Journal of Thrombosis and Haemostasis, 2016, 14, 1888-1898.	1.9	13
115	Replication and exploratory analysis of 24 candidate risk polymorphisms for neural tube defects. BMC Medical Genetics, 2014, 15, 102.	2.1	11
116	The genetic landscape of polycystic kidney disease in Ireland. European Journal of Human Genetics, 2021, 29, 827-838.	1.4	11
117	Is low iron status a risk factor for neural tube defects?. Birth Defects Research Part A: Clinical and Molecular Teratology, 2014, 100, 100-106.	1.6	10
118	Association of a transcobalamin II genetic variant with falsely low results for the holotranscobalamin immunoassay. European Journal of Clinical Investigation, 2016, 46, 434-439.	1.7	10
119	Optimization of folic acid supplementation in the prevention of neural tube defects. Journal of Public Health, 2017, 40, 1-8.	1.0	10
120	Synthetic folic acid intakes and status in children living in Ireland exposed to voluntary fortification. American Journal of Clinical Nutrition, 2016, 103, 512-518.	2.2	9
121	Vitamin D Status Is Not Associated With Orthostatic Hypotension in Older Adults. Hypertension, 2019, 74, 639-644.	1.3	9
122	Genetic Variation and Nutritional Requirements. , 2004, 93, 153-163.		8
123	Low vitamin B <sub>12</sub> but not folate is associated with incident depressive symptoms in community-dwelling older adults: a 4-year longitudinal study. British Journal of Nutrition, 2023, 130, 268-275.	1.2	8
124	Evaluation of proton-coupled folate transporter ( <i>SLC46A1</i> ) polymorphisms as risk factors for neural tube defects and oral clefts. American Journal of Medical Genetics, Part A, 2016, 170, 1007-1016.	0.7	7
125	Long-Chain Polyunsaturated Fatty Acids, Homocysteine at Birth and Fatty Acid Desaturase Gene Cluster Polymorphisms Are Associated with Children's Processing Speed up to Age 9 Years. Nutrients, 2021, 13, 131.	1.7	7
126	Low folate predicts accelerated cognitive decline: 8-year follow-up of 3140 older adults in Ireland. European Journal of Clinical Nutrition, 2022, 76, 950-957.	1.3	7



#	ARTICLE	IF	CITATIONS
127	Polymorphisms within the vitamin B12 dependent methylmalonyl-coA mutase are not risk factors for neural tube defects. <i>Molecular Genetics and Metabolism</i> , 2003, 80, 463-468.	0.5	6
128	The Dihydrofolate Reductase 19 bp Polymorphism Is Not Associated with Biomarkers of Folate Status in Healthy Young Adults, Irrespective of Folic Acid Intake. <i>Journal of Nutrition</i> , 2015, 145, 2207-2211.	1.3	6
129	The impact of common genetic variants in the mitochondrial glycine cleavage system on relevant metabolites. <i>Molecular Genetics and Metabolism Reports</i> , 2018, 16, 20-22.	0.4	6
130	The relationship between maternal plasma homocysteine in early pregnancy and birth weight. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 3045-3049.	0.7	6
131	Adverse effects on cognition caused by combined low vitamin B-12 and high folate statusâ€”we must do better than a definite maybe!. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 1422-1423.	2.2	6
132	Identifying Key Predictors of Cognitive Dysfunction in Older People Using Supervised Machine Learning Techniques: Observational Study. <i>JMIR Medical Informatics</i> , 2020, 8, e20995.	1.3	6
133	Lifestyle, metabolite, and genetic determinants of formate concentrations in a cross-sectional study in young, healthy adults. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 345-354.	2.2	5
134	Phenylâ€”â€”valerolactones and healthy ageing: Linking dietary factors, nutrient biomarkers, metabolic status and inflammation with cognition in older adults (the VALID project). <i>Nutrition Bulletin</i> , 2020, 45, 415-423.	0.8	5
135	Vitamin D and Hospital Admission in Older Adults: A Prospective Association. <i>Nutrients</i> , 2021, 13, 616.	1.7	5
136	Role of Genetic Variation in Establishing Nutritional Requirements: Folate, a Case in Point. , 2001, 89, 68-75.		4
137	Comparison at the first prenatal visit of the maternal dietary intakes of smokers with non-smokers in a large maternity hospital: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e021721.	0.8	4
138	Longâ€”term anticholinergic, benzodiazepine and Zâ€”drug use in communityâ€”dwelling older adults: What is the impact on cognitive and neuropsychological performance?. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1767-1777.	1.3	4
139	Evaluation of the uptake of bioactive components from wheat-bran and wheat-aleurone fractions in healthy adults. <i>Proceedings of the Nutrition Society</i> , 2008, 67, .	0.4	3
140	Papers from the 7th International Neural Tube Defects Conference. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2012, 94, 747-748.	1.6	3
141	Effect of folic acid supplementation during pregnancy on cognitive development of the child at 6 years: preliminary results from the FASSTT Offspring Trial. <i>Proceedings of the Nutrition Society</i> , 2014, 73, .	0.4	3
142	Fortifying food with folic acid to prevent neural tube defects: are we now where we ought to be?. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 857-858.	2.2	3
143	Response to Letter Regarding Article, â€”Riboflavin Lowers Homocysteine in Individuals Homozygous for the MTHFR 677Câ†T Polymorphismâ€”. <i>Circulation</i> , 2006, 114, .	1.6	2
144	Assessing the genetic association between vitamin B6 metabolism and genetic generalized epilepsy. <i>Molecular Genetics and Metabolism Reports</i> , 2019, 21, 100518.	0.4	2

#	ARTICLE	IF	CITATIONS
145	A dihydrofolate reductase 2 ( <i>DHFR2</i> ) variant is associated with risk of neural tube defects in an Irish cohort but not in a United Kingdom cohort. American Journal of Medical Genetics, Part A, 2021, 185, 1307-1311.	0.7	2
146	Folic Acid and Infant Allergy: Avoiding Rash Judgments. Journal of Nutrition, 2021, 151, 1367-1368.	1.3	2
147	Lowering the risk of autism spectrum disorder with folic acid: can there be too much of a good thing?. American Journal of Clinical Nutrition, 2022, 115, 1268-1269.	2.2	2
148	Reply to SW D'Souza et al. American Journal of Clinical Nutrition, 2013, 98, 1598-1599.	2.2	1
149	260The Impact of Area Based Socioeconomic Deprivation on Osteoporosis. Age and Ageing, 2018, 47, v1-v12.	0.7	1
150	Glycated haemoglobin (HbA <sub>1c</sub> ), diabetes and neuropsychological performance in community-dwelling older adults. Diabetic Medicine, 2021, 38, e14668.	1.2	1
151	Folate-Vitamin B12 Interrelationships. , 2009, , 381-408.		1
152	Homocysteine, folate enzymes and neural tube defects. Haematologica, 1999, 84 Suppl EHA-4, 53-6.	1.7	1
153	Is Vitamin B12 status a risk factor for falling in older adults (>60 yrs)?. Proceedings of the Nutrition Society, 2013, 72, .	0.4	0
154	Determining diagnostic markers of vitamin B12 status in older adults- Data from the Trinity Ulster Department of Agriculture Ageing cohort study. Proceedings of the Nutrition Society, 2014, 73, .	0.4	0
155	Dairy intakes in older Irish adults and effects on vitamin micronutrient status: Data from the TUDA study. Proceedings of the Nutrition Society, 2016, 75, .	0.4	0
156	Vitamin B12 and vitamin D status of older Irish adults: Preliminary results from the BIO-TILDA Study. Proceedings of the Nutrition Society, 2016, 75, .	0.4	0
157	Variations in vitamin B12 and folate balance: implications for cognitive function? Findings from The Irish Longitudinal Study on Ageing (TILDA). Proceedings of the Nutrition Society, 2017, 76, .	0.4	0
158	High folate status is positively associated with cognitive function, irrespective of B12 status. Findings from The Irish Longitudinal Study on Ageing (TILDA). Proceedings of the Nutrition Society, 2018, 77, .	0.4	0
159	210Low Vitamin B12 and High Folate Status - Cause for Concern? Findings from The Irish Longitudinal Study on Ageing (TILDA). Age and Ageing, 2018, 47, v13-v60.	0.7	0
160	269B-Vitamin Biomarker Status - Predictors of Cognitive Function and Decline in Older Adults Over A 5-year Follow-up: The TUDA Study. Age and Ageing, 2018, 47, v13-v60.	0.7	0