

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/32043/publications.pdf Version: 2024-02-01



lucio

#	Article	IF	CITATIONS
1	Long non-coding RNA AFAP1-AS1 promotes thyroid cancer progression by sponging miR-204-3p and upregulating DUSP4. Journal of Biochemistry, 2022, 171, 131-140.	0.9	4
2	Transcriptome Analysis Identified 2 New IncRNAs Associated with the Metastasis of Papillary Thyroid Carcinoma. Orl, 2022, 84, 247-254.	0.6	0
3	Identification of key genes associated with papillary thyroid microcarcinoma characteristics by integrating transcriptome sequencing and weighted gene co-expression network analysis. Gene, 2022, 811, 146086.	1.0	4
4	Clinical Diagnosis and Treatment Analyses on SMARCB1 (Integrase Interactor 1)–Deficient Sinonasal Carcinoma: Case Series with Systematic Review of the Literature. World Neurosurgery, 2022, 161, e229-e243.	0.7	5
5	Flap Reconstruction of the Oropharyngeal Defect After Tumor Resection via Combined Transcervical and Transoral Approach in Patients With HPV-Positive and -Negative Oropharyngeal Squamous Cell Carcinoma. Frontiers in Oncology, 2022, 12, 857445.	1.3	0
6	miR-211-3p enhances induction chemotherapy insensitivity by upregulating CSF2/CCL20/TNF signaling in hypopharyngeal squamous cell carcinoma. Molecular Biology Reports, 2022, , .	1.0	0
7	Prognostic Factors of Sinonasal Squamous Cell Carcinomas Arising De Novo and From Inverted Papilloma. American Journal of Rhinology and Allergy, 2021, 35, 114-121.	1.0	13
8	High expression of novel biomarker KRT16P3 promotes the progression of tongue squamous cell carcinoma and predicts poor prognosis. Journal of Oral Pathology and Medicine, 2021, 50, 385-393.	1.4	4
9	KPNA4 regulated by miR-548b-3p promotes the malignant phenotypes of papillary thyroid cancer. Life Sciences, 2021, 265, 118743.	2.0	7
10	LINC00460 Promotes Cell Proliferation, Migration, Invasion, and Epithelial-Mesenchymal Transition of Head and Neck Squamous Cell Carcinoma via miR-320a/BGN Axis. OncoTargets and Therapy, 2021, Volume 14, 2279-2291.	1.0	14
11	A novel seven-gene panel predicts the sensitivity and prognosis of head and neck squamous cell carcinoma treated with platinum-based radio(chemo)therapy. European Archives of Oto-Rhino-Laryngology, 2021, 278, 3523-3531.	0.8	4
12	Variation of PPARG Expression in Chemotherapy-Sensitive Patients of Hypopharyngeal Squamous Cell Carcinoma. PPAR Research, 2021, 2021, 1-7.	1.1	7
13	Benign Intratracheal Thyroid: A Systematic Review of 43 Cases With Five New Case Reports. Laryngoscope, 2021, 131, E2609-E2617.	1.1	2
14	Author's reply to "A novel seven-gene panel predicts the sensitivity and prognosis of head and neck squamous cell carcinoma treated with platinum-based radio(chemo)therapy― European Archives of Oto-Rhino-Laryngology, 2021, 278, 3599-3600.	0.8	0
15	Risk factors for local recurrence of early bilateral vocal cord carcinoma treated with transoral CO ₂ laser microsurgery. Acta Oto-Laryngologica, 2021, 141, 860-864.	0.3	0
16	Regional pedicled flaps in prevention and repair of pharyngocutaneous fistulas. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2021, 42, 103119.	0.6	2
17	Silencing long nonâ€coding RNA DLX6â€AS1 or restoring microRNAâ€193bâ€3p enhances thyroid carcinoma cell autophagy and apoptosis via depressing HOXA1. Journal of Cellular and Molecular Medicine, 2021, 25, 9319-9330.	1.6	11
18	Long Non-Coding RNA LUCAT1 Promotes Progression of Thyroid Carcinoma by Reinforcing ADAM10 Expression Through Sequestering microRNA-493. International Journal of General Medicine, 2020, Volume 13, 847-860.	0.8	2

Jugao

#	Article	IF	CITATIONS
19	Screening of molecular markers of induced chemotherapy in supraglottic laryngeal squamouscell carcinoma. World Journal of Otorhinolaryngology - Head and Neck Surgery, 2020, 6, 34-40.	0.7	6
20	<i>Pparg</i> may Promote Chemosensitivity of Hypopharyngeal Squamous Cell Carcinoma. PPAR Research, 2020, 2020, 1-6.	1.1	11
21	Five genes influenced by obesity may contribute to the development of thyroid cancer through the regulation of insulin levels. PeerJ, 2020, 8, e9302.	0.9	6
22	Agingâ€ʿassociated genes TNFRSF12A and CHI3L1 contribute to thyroid cancer: An evidence for the involvement of hypoxia as a driver. Oncology Letters, 2020, 19, 3634-3642.	0.8	8
23	A meta-analysis evaluating the relationship between B-type Raf kinase mutation and cervical lymphatic metastasis in papillary thyroid cancer. Medicine (United States), 2020, 99, e18917.	0.4	2
24	Combination of TPF regimen and cinobufotalin inhibits proliferation and induces apoptosis in human hypopharyngeal and laryngeal squamous cell carcinoma cells. OncoTargets and Therapy, 2019, Volume 12, 341-348.	1.0	5
25	Study of the Ultrasound Appearance of the Normal Parathyroid Using an Intraoperative Procedure. Journal of Ultrasound in Medicine, 2019, 38, 321-327.	0.8	11
26	Survival outcomes and prognostic factors of squamous cell carcinomas arising from sinonasal inverted papillomas: a retrospective analysis of 120 patients. International Forum of Allergy and Rhinology, 2019, 9, 1367-1373.	1.5	12
27	Multimodality Treatment Options and Outcomes of Laryngeal Carcinosarcoma: A Clinical Analysis of a Rare Tumor from a Single Hospital. BioMed Research International, 2019, 2019, 1-4.	0.9	3
28	Head and Neck Cancers Promote an Inflammatory Transcriptome through Coactivation of Classic and Alternative NF-κB Pathways. Cancer Immunology Research, 2019, 7, 1760-1774.	1.6	17
29	Survival in Papillary Thyroid Microcarcinoma: A Comparative Analysis Between the 7th and 8th Versions of the AJCC/UICC Staging System Based on the SEER Database. Frontiers in Endocrinology, 2019, 10, 10.	1.5	30
30	A case report of application of posterior pharyngeal flap in resection and reconstruction of posterior pharyngeal wall carcinomas located at the level of the cricoid cartilage. Medicine (United) Tj ETQq0 0	0 rg b. 74/0v	erlack 10 Tf 5
31	The value of narrow band imaging combined with stroboscopy for the detection of applanate indiscernible early-stage vocal cord cancer. Acta Oto-Laryngologica, 2018, 138, 400-406.	0.3	12
32	Rational choice of induction chemotherapy-based larynx preservation for hypopharyngeal cancer. Acta Oto-Laryngologica, 2018, 138, 1146-1153.	0.3	2
33	LncRNA MIR31HG targets HIF1A and P21 to facilitate head and neck cancer cell proliferation and tumorigenesis by promoting cell-cycle progression. Molecular Cancer, 2018, 17, 162.	7.9	125
34	The identification of induction chemo-sensitivity genes of laryngeal squamous cell carcinoma and their clinical utilization. European Archives of Oto-Rhino-Laryngology, 2018, 275, 2773-2781.	0.8	12
35	A response prediction model for taxane, cisplatin, and 5-fluorouracil chemotherapy in hypopharyngeal carcinoma. Scientific Reports, 2018, 8, 12675.	1.6	14
36	Transcobalamin I: a novel prognostic biomarker of neoadjuvant chemotherapy in locally advanced hypopharyngeal squamous cell cancers. OncoTargets and Therapy, 2018, Volume 11, 4253-4261.	1.0	9

Jugao

#	Article	IF	CITATIONS
37	c-Jun and Camk2a contribute to the drug resistance of induction docetaxel/cisplatin/5-fluorouracil in hypopharyngeal carcinoma. International Journal of Clinical and Experimental Pathology, 2018, 11, 4605-4613.	0.5	2
38	<i>In vivo</i> gene expression profiling for chemosensitivity to docetaxel-cisplatin-5-FU (TPF) triplet regimen in laryngeal squamous cell carcinoma and the effect of TPF treatment on related gene expression <i>in vitro</i> . Acta Oto-Laryngologica, 2017, 137, 765-772.	0.3	5
39	SLC7A11, a component of cysteine/glutamate transporter, is a novel biomarker for the diagnosis and prognosis in laryngeal squamous cell carcinoma. Oncology Reports, 2017, 38, 3019-3029.	1.2	36
40	Clinicopathologic and prognostic factors in adenoid cystic carcinoma of head and neck minor salivary glands: A clinical analysis of 130 cases. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2017, 38, 157-162.	0.6	40
41	Identification of microRNAs associated with medullary thyroid carcinoma by bioinformatics analyses. Molecular Medicine Reports, 2017, 15, 4266-4272.	1.1	4
42	Hypopharynx giant fibrovascular polyps. Acta Oto-Laryngologica Case Reports, 2017, 2, 141-144.	0.1	0
43	Using IFN-Î ³ antibodies to identify the pathogens of fungal rhinosinusitis: A novel immunohistochemical approach. Molecular Medicine Reports, 2017, 17, 3627-3632.	1.1	2
44	Minimally invasive endoscopic resection for the treatment of sinonasal malignancy: the outcomes and risk factors for recurrence. Therapeutics and Clinical Risk Management, 2017, Volume 13, 593-602.	0.9	2
45	Competing endogenous RNA network analysis of CD274, IL‑10 and FOXP3 co‑expression in laryngeal squamous cell carcinoma. Molecular Medicine Reports, 2017, 17, 3859-3869.	1.1	19
46	Microarray gene expression analysis of chemosensitivity for docetaxel, cisplatin and 5-fluorouracil (TPF) combined chemotherapeutic regimen in hypopharyngeal squamous cell carcinoma. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research. 2017. 29, 204-212.	0.7	6
47	Clinical applications of free medial tibial flap with posterior tibial artery for head and neck reconstruction after tumor resection. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2017, 29, 231-236.	0.7	6
48	Tumor necrosis factor superfamily member 13 is a novel biomarker for diagnosis and prognosis and prognosis and promotes cancer cell proliferation in laryngeal squamous cell carcinoma. Tumor Biology, 2016, 37, 2635-2645.	0.8	13
49	Integrated Analysis of Long Noncoding RNA and mRNA Expression Profile in Advanced Laryngeal Squamous Cell Carcinoma. PLoS ONE, 2016, 11, e0169232.	1.1	51
50	Lentivirus-delivered nemo-like kinase small interfering RNA inhibits laryngeal cancer cell proliferation in vitro. Molecular Medicine Reports, 2015, 12, 5619-5624.	1.1	3
51	Frequency, Suppressive Capacity, Recruitment and Induction Mechanisms of Regulatory T Cells in Sinonasal Squamous Cell Carcinoma and Nasal Inverted Papilloma. PLoS ONE, 2015, 10, e0126463.	1.1	10
52	Endoscopic endonasal resection of esthesioneuroblastoma: A single center experience of 24 patients. Clinical Neurology and Neurosurgery, 2015, 138, 94-98.	0.6	17
53	Zinc finger protein x-linked (ZFX) contributes to patient prognosis, cell proliferation and apoptosis in human laryngeal squamous cell carcinoma. International Journal of Clinical and Experimental Pathology, 2015, 8, 13886-99.	0.5	5
54	A novel fungus concentration-dependent rat model for acute invasive fungal rhinosinusitis: an experimental study. BMC Infectious Diseases, 2014, 14, 3856.	1.3	23

Jugao

#	Article	IF	CITATIONS
55	Genome-wide association study identifies three susceptibility loci for laryngeal squamous cell carcinoma in the Chinese population. Nature Genetics, 2014, 46, 1110-1114.	9.4	57
56	Factors contributing to lymph node occult metastasis in supraglottic laryngeal carcinoma cT2-T4 NOMO and metastasis predictive equation. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2014, 26, 685-91.	0.7	12
57	Microarray Gene Expression Analysis of Tumorigenesis and Regional Lymph Node Metastasis in Laryngeal Squamous Cell Carcinoma. PLoS ONE, 2013, 8, e84854.	1.1	34
58	Expression of mismatch repair gene PMS2 in nasopharyngeal carcinoma and regulation by glycogen synthase kinase-3β in vivo and in vitro. Auris Nasus Larynx, 2012, 39, 71-76.	0.5	4
59	Knockdown of zinc finger protein, X-linked (ZFX) inhibits cell proliferation and induces apoptosis in human laryngeal squamous cell carcinoma. Molecular and Cellular Biochemistry, 2012, 360, 301-307.	1.4	35