

Sung Han Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3204316/publications.pdf>

Version: 2024-02-01

108
papers

1,296
citations

394421

19
h-index

501196

28
g-index

109
all docs

109
docs citations

109
times ranked

2231
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy and oncologic safety of nerve-sparing radical hysterectomy for cervical cancer: a randomized controlled trial. <i>Journal of Gynecologic Oncology</i> , 2015, 26, 90.	2.2	57
2	Upregulated expression of BCL2, MCM7, and CCNE1 indicate cisplatin-resistance in the set of two human bladder cancer cell lines: T24 cisplatin sensitive and T24R2 cisplatin resistant bladder cancer cell lines. <i>Investigative and Clinical Urology</i> , 2016, 57, 63.	2.0	52
3	Pretreatment assessment of tumor enhancement on contrast-enhanced computed tomography as a potential predictor of treatment outcome in metastatic renal cell carcinoma patients receiving antiangiogenic therapy. <i>Cancer</i> , 2010, 116, 2332-2342.	4.1	51
4	The prognostic value of BAP1, PBRM1, pS6, PTEN, TGase2, PD-L1, CA9, PSMA, and Ki-67 tissue markers in localized renal cell carcinoma: A retrospective study of tissue microarrays using immunohistochemistry. <i>PLoS ONE</i> , 2017, 12, e0179610.	2.5	48
5	Overexpression of ERG and Wild-Type PTEN Are Associated with Favorable Clinical Prognosis and Low Biochemical Recurrence in Prostate Cancer. <i>PLoS ONE</i> , 2015, 10, e0122498.	2.5	45
6	Validation of the MSKCC and Heng Risk Criteria Models for Predicting Survival in Patients with Metastatic Renal Cell Carcinoma Treated with Sunitinib. <i>Annals of Surgical Oncology</i> , 2013, 20, 4397-4404.	1.5	34
7	Surgical margin does not influence recurrence rate in pT1 clear cell renal cell carcinoma after partial nephrectomy: A multicenter study. <i>Journal of Surgical Oncology</i> , 2016, 114, 70-74.	1.7	33
8	Safety of pazopanib and sunitinib in treatment-naïve patients with metastatic renal cell carcinoma: Asian versus non-Asian subgroup analysis of the COMPARZ trial. <i>Journal of Hematology and Oncology</i> , 2018, 11, 69.	17.0	32
9	The establishment of KORCC (Korean Renal Cell Carcinoma) database. <i>Investigative and Clinical Urology</i> , 2016, 57, 50.	2.0	30
10	Incidence and Risk Factors of 30-Day Early and 90-Day Late Morbidity and Mortality of Radical Cystectomy During a 13-Year Follow-up: A Comparative Propensity-score Matched Analysis of Complications Between Neobladder and Ileal Conduit. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 677-685.	1.3	28
11	Pretreatment Prognostic Nutritional Index Is an Independent Predictor of Survival in Patients With Metastatic Renal Cell Carcinoma Treated With Targeted Therapy. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 100-111.	1.9	28
12	Influence of Thyroid-stimulating Hormone Suppression Therapy on Bone Mineral Density in Patients with Differentiated Thyroid Cancer: A Meta-analysis. <i>Journal of Bone Metabolism</i> , 2019, 26, 51.	1.3	28
13	Prostate stem cell antigen mRNA in peripheral blood as a potential predictor of biochemical recurrence in high-risk prostate cancer. <i>Journal of Surgical Oncology</i> , 2010, 101, 145-148.	1.7	26
14	Incidence and Risk Factors of Chronic Kidney Disease in Korean Patients with T1a Renal Cell Carcinoma Before and After Radical or Partial Nephrectomy. <i>Japanese Journal of Clinical Oncology</i> , 2013, 43, 1243-1248.	1.3	26
15	Retrospective Multicenter Long-Term Follow-up Analysis of Prognostic Risk Factors for Recurrence-Free, Metastasis-Free, Cancer-Specific, and Overall Survival After Curative Nephrectomy in Non-metastatic Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2019, 9, 859.	2.8	25
16	Human bloodstream infection caused by <i>Staphylococcus pettenkoferi</i> . <i>Journal of Medical Microbiology</i> , 2009, 58, 270-272.	1.8	24
17	The age-adjusted Charlson comorbidity index as a predictor of overall survival of surgically treated non-metastatic clear cell renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 187-196.	2.5	24
18	Systemic Treatments for Metastatic Renal Cell Carcinoma: 10-Year Experience of Immunotherapy and Targeted Therapy. <i>Cancer Research and Treatment</i> , 2016, 48, 1092-1101.	3.0	24

#	ARTICLE	IF	CITATIONS
19	Efficacy and safety of holmium laser enucleation of the prostate for extremely large prostatic adenoma in patients with benign prostatic hyperplasia. <i>Korean Journal of Urology</i> , 2015, 56, 218.	1.2	23
20	Trends in the Use of Chemotherapy before and after Radical Cystectomy in Patients with Muscle-invasive Bladder Cancer in Korea. <i>Journal of Korean Medical Science</i> , 2015, 30, 1150.	2.5	20
21	Prognostic Significance of Preoperative Neutrophil-to-Lymphocyte Ratio in Nonmetastatic Renal Cell Carcinoma: A Large, Multicenter Cohort Analysis. <i>BioMed Research International</i> , 2016, 2016, 1-8.	1.9	20
22	Impact of Young Age at Diagnosis on Survival in Patients with Surgically Treated Renal Cell Carcinoma: a Multicenter Study. <i>Journal of Korean Medical Science</i> , 2016, 31, 1976.	2.5	20
23	Low preoperative serum cholesterol level is associated with aggressive pathologic features and poor cancer-specific survival in patients with surgically treated renal cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2018, 23, 142-150.	2.2	20
24	A Low Geriatric Nutritional Risk Index is Associated with Aggressive Pathologic Characteristics and Poor Survival after Nephrectomy in Clear Renal Cell Carcinoma: A Multicenter Retrospective Study. <i>Nutrition and Cancer</i> , 2020, 72, 88-97.	2.0	19
25	Association between Postoperative Detection of Circulating Tumor Cells and Recurrence in Patients with Prostate Cancer. <i>Journal of Urology</i> , 2020, 203, 1128-1134.	0.4	19
26	Prognostic Impact of Nutritional Status Assessed by the Controlling Nutritional Status (CONUT) Score in Patients with Surgically Treated Renal Cell Carcinoma. <i>Nutrition and Cancer</i> , 2018, 70, 886-894.	2.0	18
27	Metastatic renal cell carcinoma to the pancreas: Clinical features and treatment outcome. <i>Journal of Surgical Oncology</i> , 2021, 123, 204-213.	1.7	18
28	Preoperative cholesterol level as a new independent predictive factor of survival in patients with metastatic renal cell carcinoma treated with cyto-reductive nephrectomy. <i>BMC Cancer</i> , 2017, 17, 364.	2.6	17
29	Clinical Significance of Subclassification of Papillary Renal Cell Carcinoma: Comparison of Clinicopathologic Parameters and Oncologic Outcomes Between Papillary Histologic Subtypes 1A and 2 Using the Korean Renal Cell Carcinoma Database. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e181-e186.	1.9	16
30	Changeable Conditional Survival Rates and Associated Prognosticators in Patients with Metastatic Renal Cell Carcinoma Receiving First Line Targeted Therapy. <i>Journal of Urology</i> , 2018, 200, 989-995.	0.4	16
31	Association of Body Composition With Survival and Treatment Efficacy in Castration-Resistant Prostate Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 558.	2.8	16
32	Guidelines for Cancer Care during the COVID-19 Pandemic in South Korea. <i>Cancer Research and Treatment</i> , 2021, 53, 323-329.	3.0	16
33	The prognostic role of preoperative serum albumin/globulin ratio in patients with non-metastatic renal cell carcinoma undergoing partial or radical nephrectomy. <i>Scientific Reports</i> , 2020, 10, 11999.	3.3	15
34	A Retrospective Analysis of Incidence and Its Associated Risk Factors of Upper Urinary Tract Recurrence following Radical Cystectomy for Bladder Cancer with Transitional Cell Carcinoma: The Significance of Local Pelvic Recurrence and Positive Lymph Node. <i>PLoS ONE</i> , 2014, 9, e96467.	2.5	15
35	Factors Affecting De Novo Urinary Retention after Holmium Laser Enucleation of the Prostate. <i>PLoS ONE</i> , 2014, 9, e84938.	2.5	13
36	Efficacy of First-Line Targeted Therapy in Real-World Korean Patients with Metastatic Renal Cell Carcinoma: Focus on Sunitinib and Pazopanib. <i>Journal of Korean Medical Science</i> , 2018, 33, e325.	2.5	13

#	ARTICLE	IF	CITATIONS
37	Survival and clinical prognostic factors in metastatic non-clear cell renal cell carcinoma treated with targeted therapy: A multi-institutional, retrospective study using the Korean metastatic renal cell carcinoma registry. <i>Cancer Medicine</i> , 2019, 8, 3401-3410.	2.8	13
38	A retrospective comparative study of progression-free survival and overall survival between metachronous and synchronous metastatic renal cell carcinoma in intermediate- or poor-risk patients treated with VEGF-targeted therapy. <i>Oncotarget</i> , 2017, 8, 93633-93643.	1.8	13
39	Surgical treatment of renal cell carcinoma: Can morphological features of inferior vena cava tumor thrombus on computed tomography or magnetic resonance imaging be a prognostic factor?. <i>International Journal of Urology</i> , 2017, 24, 102-109.	1.0	11
40	Prostate Cancer in a Patient with a Family History of BRCA Mutation: a Case Report and Literature Review. <i>Journal of Korean Medical Science</i> , 2017, 32, 377.	2.5	11
41	Laparoscopy versus Open Nephroureterectomy in Prognostic Outcome of Patients with Advanced Upper Tract Urothelial Cancer: A Retrospective, Multicenter, Propensity-Score Matching Analysis. <i>Cancer Research and Treatment</i> , 2019, 51, 963-972.	3.0	11
42	Overexpression of BRCA1 or BRCA2 in prostatectomy specimens is predictive of biochemical recurrence after radical prostatectomy. <i>Histopathology</i> , 2016, 68, 673-679.	2.9	10
43	Renal capsular invasion is a prognostic biomarker in localized clear cell renal cell carcinoma. <i>Scientific Reports</i> , 2018, 8, 202.	3.3	10
44	A propensity-matched comparison of perioperative complications and of chronic kidney disease between robot-assisted laparoscopic partial nephrectomy and radiofrequency ablative therapy. <i>Asian Journal of Surgery</i> , 2015, 38, 126-133.	0.4	9
45	The De Ritis and Neutrophil-to-Lymphocyte Ratios May Aid in the Risk Assessment of Patients with Metastatic Renal Cell Carcinoma. <i>Journal of Oncology</i> , 2018, 2018, 1-8.	1.3	9
46	Effect of Neoadjuvant Hormone Therapy on Resection Margin and Survival Prognoses in Locally Advanced Prostate Cancer after Prostatectomy Using Propensity-Score Matching. <i>BioMed Research International</i> , 2018, 2018, 1-7.	1.9	9
47	Age-dependent prognostic value of body mass index for non-metastatic clear cell renal cell carcinoma: A large multicenter retrospective analysis. <i>Journal of Surgical Oncology</i> , 2018, 118, 199-205.	1.7	9
48	How Does Androgen Deprivation Therapy Affect Mental Health including Cognitive Dysfunction in Patients with Prostate Cancer?. <i>World Journal of Men's Health</i> , 2021, 39, 598.	3.3	9
49	Impact of Benign Prostatic Hyperplasia and/or Prostatitis on the Risk of Prostate Cancer in Korean Patients. <i>World Journal of Men's Health</i> , 2021, 39, 358.	3.3	9
50	Association Between Antibiotic Treatment and the Efficacy of Intravesical BCG Therapy in Patients With High-Risk Non-Muscle Invasive Bladder Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 570077.	2.8	9
51	Application of the International Metastatic Renal Cell Carcinoma Database Consortium and Memorial Sloan Kettering Cancer Center Risk Models in Patients with Metastatic Non-Clear Cell Renal Cell Carcinoma: A Multi-Institutional Retrospective Study Using the Korean Metastatic Renal Cell Carcinoma Registry. <i>Cancer Research and Treatment</i> , 2019, 51, 758-768.	3.0	9
52	Prostate Specific Membrane Antigen mRNA in Blood as a Potential Predictor of Biochemical Recurrence after Radical Prostatectomy. <i>Journal of Korean Medical Science</i> , 2010, 25, 1291.	2.5	8
53	Comparison of bone mineral loss by combined androgen block agonist versus GnRH in patients with prostate cancer: A 12 month-prospective observational study. <i>Scientific Reports</i> , 2017, 7, 39562.	3.3	8
54	The neutrophil-to-lymphocyte ratio makes the Heng risk model improve better the prediction of overall survival in metastatic renal cell cancer patients. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 835-840.	1.3	8

#	ARTICLE	IF	CITATIONS
55	Localized non-conventional renal cell carcinoma: Prediction of clinical outcome according to histology. <i>International Journal of Urology</i> , 2014, 21, 359-364.	1.0	7
56	The prevalence and outcomes of pT0 disease after neoadjuvant hormonal therapy and radical prostatectomy in high-risk prostate cancer. <i>BMC Urology</i> , 2015, 15, 82.	1.4	7
57	Sex-Specific Prognostic Significance of Obesity in Nonmetastatic Clear-Cell Renal-Cell Carcinoma in Korea: A Large Multicenter Cohort Analysis. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e173-e179.	1.9	7
58	Partial versus Radical Nephrectomy for T1-T2 Renal Cell Carcinoma in Patients with Chronic Kidney Disease Stage III: a Multiinstitutional Analysis of Kidney Function and Survival Rate. <i>Journal of Korean Medical Science</i> , 2018, 33, e277.	2.5	7
59	Liver metastasis and Heng risk are prognostic factors in patients with non-nephrectomized synchronous metastatic renal cell carcinoma treated with systemic therapy. <i>PLoS ONE</i> , 2019, 14, e0211105.	2.5	7
60	Epithelial Splicing Regulatory Protein (ESPR1) Expression in an Unfavorable Prognostic Factor in Prostate Cancer Patients. <i>Frontiers in Oncology</i> , 2020, 10, 556650.	2.8	7
61	The platelet-to-lymphocyte ratio as a significant prognostic factor to predict survival outcomes in patients with synchronous metastatic renal cell carcinoma. <i>Investigative and Clinical Urology</i> , 2020, 61, 475.	2.0	7
62	Clinicohistological characteristics of renal cell carcinoma in children: A multicentre study. <i>Canadian Urological Association Journal</i> , 2015, 9, 705.	0.6	7
63	Oncologic aspects of long-term followed incidental prostate cancer detected by cystoprostatectomy in Korean patients. <i>Prostate International</i> , 2015, 3, 56-61.	2.3	6
64	Establishment and Application of Prostate Cancer Circulating Tumor Cells in the Era of Precision Medicine. <i>BioMed Research International</i> , 2017, 2017, 1-9.	1.9	6
65	Tumour heterogeneity in triplet-paired metastatic tumour tissues in metastatic renal cell carcinoma: concordance analysis of target gene sequencing data. <i>Journal of Clinical Pathology</i> , 2019, 72, 152-156.	2.0	6
66	Impact of preoperative thrombocytosis on prognosis after surgical treatment in pathological T1 and T2 renal cell carcinoma: results of a multi-institutional comprehensive study. <i>Oncotarget</i> , 2017, 8, 64449-64458.	1.8	6
67	Significant clinicopathologic prognostic factors for bladder recurrence, progression, and cancer-specific survival after surgery among patients with upper urinary tract urothelial carcinoma. <i>Investigative and Clinical Urology</i> , 2019, 60, 432.	2.0	6
68	Survival of patients receiving systematic therapy for metachronous or synchronous metastatic renal cell carcinoma: a retrospective analysis. <i>BMC Cancer</i> , 2019, 19, 688.	2.6	5
69	Use of docetaxel plus androgen deprivation therapy for metastatic hormone-sensitive prostate cancer in Korean patients: A retrospective study. <i>Investigative and Clinical Urology</i> , 2019, 60, 195.	2.0	5
70	Efficacy and Safety of Sorafenib Therapy on Metastatic Renal Cell Carcinoma in Korean Patients: Results from a Retrospective Multicenter Study. <i>PLoS ONE</i> , 2015, 10, e0135165.	2.5	5
71	Prostate Stem Cell Antigen Expression in Radical Prostatectomy Specimens Predicts Early Biochemical Recurrence in Patients with High Risk Prostate Cancer Receiving Neoadjuvant Hormonal Therapy. <i>PLoS ONE</i> , 2016, 11, e0151646.	2.5	5
72	Development of the clinical calculator for mortality of patients with metastatic clear cell type renal cell carcinoma: An analysis of patients from Korean Renal Cancer Study Group database. <i>Investigative and Clinical Urology</i> , 2020, 61, 260.	2.0	5

#	ARTICLE	IF	CITATIONS
73	A retrospective multicenter comparison of conditional cancer-specific survival between laparoscopic and open radical nephroureterectomy in locally advanced upper tract urothelial carcinoma. <i>PLoS ONE</i> , 2021, 16, e0255965.	2.5	5
74	Primary Tumor Characteristics Are Important Prognostic Factors for Sorafenib-Treated Patients with Metastatic Renal Cell Carcinoma: A Retrospective Multicenter Study. <i>BioMed Research International</i> , 2017, 2017, 1-13.	1.9	4
75	Prognostic significance of nephrectomy in metastatic renal cell carcinoma treated with systemic cytokine or targeted therapy: A 16-year retrospective analysis. <i>Scientific Reports</i> , 2018, 8, 2974.	3.3	4
76	Developing a prediction model for disease-free survival from upper urinary tract urothelial carcinoma in the Korean population. <i>Cancer Medicine</i> , 2019, 8, 4967-4975.	2.8	4
77	Intraoperative allogeneic blood transfusion is associated with adverse oncological outcomes in patients with surgically treated non-metastatic clear cell renal cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2020, 25, 1551-1561.	2.2	4
78	Impact of short warm ischemic time on longitudinal kidney function and survival rate after partial nephrectomy for renal cell carcinoma in patients with pre-existing chronic kidney disease stage III: A multi-institutional propensity score-matched study. <i>European Journal of Surgical Oncology</i> , 2021, 47, 470-476.	1.0	4
79	A Case Report of Partial Nephrectomy of Mucinous Cystadenocarcinoma in Kidney and Its Literature Review. <i>Cancer Research and Treatment</i> , 2016, 48, 838-842.	3.0	4
80	A Prospective Multicenter Trial of the Efficacy and Tolerability of Neoadjuvant Sunitinib for Inoperable Metastatic Renal Cell Carcinoma. <i>Journal of Korean Medical Science</i> , 2016, 31, 1983.	2.5	3
81	Baseline Chronic Kidney Disease and Ischemic Method of Partial Nephrectomy Are Important Factors for the Short- and Long-Term Deterioration in Renal Function for Renal Cell Carcinoma Staged T1-T2: A Retrospective Single Center Study. <i>BioMed Research International</i> , 2016, 2016, 1-8.	1.9	3
82	Programmed Cell Death-Ligand 1 Expression Status in Urothelial Carcinoma According to Clinical and Pathological Factors: A Multi-Institutional Retrospective Study. <i>Frontiers in Oncology</i> , 2020, 10, 568809.	2.8	3
83	The number of metabolic features as a significant prognostic factor in patients with metastatic renal cell carcinoma. <i>Scientific Reports</i> , 2020, 10, 6967.	3.3	3
84	The effect of subsequent immunosuppressant use in organ-transplanted patients on prostate cancer incidence: a retrospective analysis using the Korean National Health Insurance Database. <i>BMC Urology</i> , 2021, 21, 112.	1.4	3
85	Nonspecific Genitourinary Pain Improves after Prostatectomy Using Holmium Laser Enucleation of Prostate in Patients with Benign Prostatic Hyperplasia: A Prospective Study. <i>PLoS ONE</i> , 2014, 9, e98979.	2.5	3
86	Recommended oral sodium bicarbonate administration for urine alkalinization did not affect the concentration of mitomycin-C in non-muscle invasive bladder cancer patients. <i>Oncotarget</i> , 2017, 8, 96117-96125.	1.8	3
87	A Study of Relationship of Atheroembolic Risk Factors with Postoperative Recovery in Renal Function after Partial Nephrectomy in Patients Staged T1-2 Renal Cell Carcinoma during Median 4-Year Follow-up. <i>Cancer Research and Treatment</i> , 2016, 48, 288-296.	3.0	3
88	Prostate stem cell antigen mRNA in blood is a predictor of survival after radical prostatectomy in patients with high-risk prostate cancer. <i>Oncotarget</i> , 2018, 9, 26291-26298.	1.8	3
89	Analysis of the concordance of 20 immunohistochemical tissue markers in metastasectomy lesions in patients with metastatic renal cell carcinoma: A retrospective study using tissue microarray. <i>Investigative and Clinical Urology</i> , 2020, 61, 372.	2.0	3
90	A Surgically Treated Case of Ureterovesical Amyloidosis of the Bladder in a Patient with Idiopathic Thrombocytopenia. <i>Case Reports in Urology</i> , 2018, 2018, 1-4.	0.3	2

#	ARTICLE	IF	CITATIONS
91	Gender- and cholesterol-specific predictive value of body mass index in renal cell carcinoma: A multicenter study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2019, 15, e36-e42.	1.1	2
92	Prognostic factors for overall survival in patients with clear cell metastatic renal cell carcinoma. <i>Medicine (United States)</i> , 2021, 100, e26826.	1.0	2
93	Retrospective Study of the Significant Predictive Role of Inflammatory Degree in Initial and Repeat Prostate Biopsy Specimens for Detecting Prostate Cancer. <i>Cancer Research and Treatment</i> , 2019, 51, 910-918.	3.0	2
94	Initial computed tomography imaging details during first-line systemic therapy is of significant prognostic value in patients with naïve, unresectable metastatic renal cell carcinoma. <i>PLoS ONE</i> , 2017, 12, e0177975.	2.5	2
95	Trends in clinical, operative, and pathologic characteristics of surgically treated renal mass in a Korean center: A surgical series from 1988 through 2015. <i>Investigative and Clinical Urology</i> , 2019, 60, 184.	2.0	2
96	The effect of predisposing atheroembolic risk factors on renal functional recovery between laparoscopy and open technique in patients with T1-stage renal cell carcinoma who underwent partial nephrectomy: a retrospective comparison study. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 876-882.	1.3	1
97	Clear cell papillary renal cell carcinoma: A case report and review of the literature. <i>World Journal of Nephrology</i> , 2018, 7, 155-160.	2.0	1
98	Correlation Analyses of Computed Tomography and Magnetic Resonance Imaging for Calculation of Prostate Volume in Colorectal Cancer Patients with Voiding Problems Who Cannot Have Transrectal Ultrasonography. <i>BioMed Research International</i> , 2019, 2019, 1-8.	1.9	1
99	Single-Center Analysis of Human Papillomavirus Infection and P16INK4A Expression among Korean Patients with Penile Cancer. <i>BioMed Research International</i> , 2019, 2019, 1-7.	1.9	1
100	Case Report: Good responsiveness of metastatic sarcomatoid urothelial carcinoma with chondrosarcomatous differentiation to immune checkpoint inhibitor after radical surgery and adjuvant chemotherapy. <i>F1000Research</i> , 0, 9, 1458.	1.6	1
101	The Important Role of Poly ADP-Ribose Polymerase Inhibitor in Prostate Cancer. <i>The Korean Journal of Urological Oncology</i> , 2022, 20, 1-11.	0.1	1
102	Case Report: Good responsiveness of metastatic sarcomatoid urothelial carcinoma with chondrosarcomatous differentiation to immune checkpoint inhibitor after radical surgery and chemotherapy. <i>F1000Research</i> , 0, 9, 1458.	1.6	1
103	Targeted Inhibition of O-Linked β -N-Acetylglucosamine Transferase as a Promising Therapeutic Strategy to Restore Chemosensitivity and Attenuate Aggressive Tumor Traits in Chemoresistant Urothelial Carcinoma of the Bladder. <i>Biomedicines</i> , 2022, 10, 1162.	3.2	1
104	Adult's Wilms' Tumor Mimicking Renal Pelvis Tumor. <i>Korean Journal of Urology</i> , 2007, 48, 558.	0.2	0
105	Neoadjuvant Chemotherapy for Muscle-Invasive Bladder Cancer. , 2018, , 337-352.		0
106	Survival prognoses of Heng intermediate-risk patients with metastatic renal cell carcinoma treated with immunotherapy or targeted therapy: A real-world, single-center retrospective study. <i>Investigative and Clinical Urology</i> , 2020, 61, 146.	2.0	0
107	Cause of Mortality After Radical Prostatectomy and the Impact of Comorbidity in Men with Prostate Cancer: A Multi-Institutional Study in Korea. <i>Cancer Research and Treatment</i> , 2020, 52, 1242-1250.	3.0	0
108	De Ritis Ratio, Neutrophil-to-Lymphocyte Ratio, and Albumin Are Significant Prognostic Factors for Survival Even After Adjusted by the Treatment Duration in Metastatic Kidney and Bladder Cancer Treated With Immune-Checkpoint Inhibitors. <i>The Korean Journal of Urological Oncology</i> , 2022, 20, 25-33.	0.1	0