

Rafael De Oliveira Xavier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3205068/publications.pdf>

Version: 2024-02-01

19
papers

387
citations

1040056

9
h-index

839539

18
g-index

19
all docs

19
docs citations

19
times ranked

707
citing authors

#	ARTICLE	IF	CITATIONS
1	Can an invasive African grass affect carbon and nitrogen stocks in open habitats of the Brazilian Cerrado?. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2022, 286, 151968.	1.2	4
2	Effect of rhizome exposure to contrasting abiotic conditions on the performance of the invasive macrophyte <i>Hedychium coronarium</i> J. Koenig (Zingiberaceae). <i>Plant Ecology</i> , 2021, 222, 375-385.	1.6	2
3	Response of rhizomes of the invasive <i>Hedychium coronarium</i> J. Koenig (Zingiberaceae) to different soil moisture conditions. <i>Acta Botanica Brasílica</i> , 2021, 35, 122-125.	0.8	3
4	Distinctive seed dispersal and seed bank patterns of invasive African grasses favour their invasion in a neotropical savanna. <i>Oecologia</i> , 2021, 196, 155-169.	2.0	7
5	Litter accumulation and biomass dynamics in riparian zones in tropical South America of the Asian invasive plant <i>Hedychium coronarium</i> J. Koenig (Zingiberaceae). <i>Plant Ecology and Diversity</i> , 2020, 13, 47-59.	2.4	9
6	Remaining eucalypt trees may hamper woody plant regeneration in a neotropical savanna. <i>Acta Oecologica</i> , 2020, 109, 103658.	1.1	0
7	Differential effects of soil waterlogging on herbaceous and woody plant communities in a Neotropical savanna. <i>Oecologia</i> , 2019, 190, 471-483.	2.0	15
8	Phenological and reproductive traits and their response to environmental variation differ among native and invasive grasses in a Neotropical savanna. <i>Biological Invasions</i> , 2019, 21, 2761-2779.	2.4	12
9	Spatial pattern of invasive and native graminoids in the Brazilian cerrado. <i>Plant Ecology</i> , 2019, 220, 741-756.	1.6	7
10	Fraying around the edges: negative effects of the invasive <i>Tradescantia zebrina</i> Hort. ex Bosse (Commelinaceae) on tree regeneration in the Atlantic Forest under different competitive and environmental conditions. <i>Journal of Plant Ecology</i> , 2019, 12, 713-721.	2.3	4
11	Growth and mortality patterns of the Neotropical bracken (<i>Pteridium arachnoideum</i>) and their response to shading in a savanna-riparian forest transition. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2019, 252, 36-43.	1.2	6
12	Groundwater depth as a constraint on the woody cover in a Neotropical Savanna. <i>Plant and Soil</i> , 2018, 426, 1-15.	3.7	34
13	Groundwater recharge decrease with increased vegetation density in the Brazilian cerrado. <i>Ecohydrology</i> , 2017, 10, e1759.	2.4	56
14	Stress responses of native and exotic grasses in a Neotropical savanna predict impacts of global change on invasion spread. <i>Austral Ecology</i> , 2017, 42, 562-576.	1.5	15
15	The role of <i>Pteridium arachnoideum</i> (Kaulf) on the seed bank of the endangered Brazilian Cerrado. <i>Brazilian Journal of Biology</i> , 2016, 76, 256-267.	0.9	14
16	Multiple ecological strategies explain the distribution of exotic and native C4grasses in heterogeneous early successional sites in Hawai'i. <i>Journal of Plant Ecology</i> , 2016, , rtw056.	2.3	2
17	A comparative study of resource allocation in <i>Pteridium</i> in different Brazilian ecosystems and its relationship with European studies. <i>Brazilian Journal of Biology</i> , 2014, 74, 156-165.	0.9	11
18	Driving factors of small-scale variability in a savanna plant population after a fire. <i>Acta Oecologica</i> , 2014, 56, 47-55.	1.1	16

#	ARTICLE	IF	CITATIONS
19	Ecosystem services research in Latin America: The state of the art. <i>Ecosystem Services</i> , 2012, 2, 56-70.	5.4	170