

Seung Won Kim

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3205573/seung-won-kim-publications-by-citations.pdf>
Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46 papers	1,066 citations	19 h-index	32 g-index
49 ext. papers	1,303 ext. citations	5.9 avg, IF	3.86 L-index

#	Paper	IF	Citations
46	Genetic polymorphisms of IL-23R and IL-17A and novel insights into their associations with inflammatory bowel disease. <i>Gut</i> , 2011 , 60, 1527-36	19.2	98
45	Bifidobacterium lactis inhibits NF-kappaB in intestinal epithelial cells and prevents acute colitis and colitis-associated colon cancer in mice. <i>Inflammatory Bowel Diseases</i> , 2010 , 16, 1514-25	4.5	76
44	Influences of thiopurine methyltransferase genotype and activity on thiopurine-induced leukopenia in Korean patients with inflammatory bowel disease: a retrospective cohort study. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, e242-8	3	67
43	Interleukin-33 regulates intestinal inflammation by modulating macrophages in inflammatory bowel disease. <i>Scientific Reports</i> , 2017 , 7, 851	4.9	58
42	EW-7197, a novel ALK-5 kinase inhibitor, potently inhibits breast to lung metastasis. <i>Molecular Cancer Therapeutics</i> , 2014 , 13, 1704-16	6.1	58
41	TRIM31 promotes Atg5/Atg7-independent autophagy in intestinal cells. <i>Nature Communications</i> , 2016 , 7, 11726	17.4	52
40	Guggulsterone induces apoptosis in colon cancer cells and inhibits tumor growth in murine colorectal cancer xenografts. <i>Cancer Letters</i> , 2009 , 279, 93-100	9.9	51
39	Interactions between IL17A, IL23R, and STAT4 polymorphisms confer susceptibility to intestinal Behcet's disease in Korean population. <i>Life Sciences</i> , 2012 , 90, 740-6	6.8	48
38	A new histone deacetylase inhibitor improves liver fibrosis in BDL rats through suppression of hepatic stellate cells. <i>British Journal of Pharmacology</i> , 2014 , 171, 4820-30	8.6	43
37	Abrogation of galectin-4 expression promotes tumorigenesis in colorectal cancer. <i>Cellular Oncology (Dordrecht)</i> , 2013 , 36, 169-78	7.2	41
36	Associations between genetic variants in the IRGM gene and inflammatory bowel diseases in the Korean population. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 106-14	4.5	37
35	Lactobacillus acidophilus suppresses intestinal inflammation by inhibiting endoplasmic reticulum stress. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 178-185	4	34
34	Bovine colostrum inhibits nuclear factor kappaB-mediated proinflammatory cytokine expression in intestinal epithelial cells. <i>Nutrition Research</i> , 2009 , 29, 275-80	4	32
33	Melatonin controls microbiota in colitis by goblet cell differentiation and antimicrobial peptide production through Toll-like receptor 4 signalling. <i>Scientific Reports</i> , 2020 , 10, 2232	4.9	25
32	Expression of a soluble triggering receptor expressed on myeloid cells-1 (sTREM-1) correlates with clinical disease activity in intestinal Behcet's disease. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 2130-7	4.5	24
31	Survival of Cancer Stem-Like Cells Under Metabolic Stress via CaMK2 β -mediated Upregulation of Sarco/Endoplasmic Reticulum Calcium ATPase Expression. <i>Clinical Cancer Research</i> , 2018 , 24, 1677-1690	12.9	22
30	Association of signal transducer and activator of transcription 4 genetic variants with extra-intestinal manifestations in inflammatory bowel disease. <i>Life Sciences</i> , 2010 , 86, 661-7	6.8	21

29	Fecal calprotectin as a non-invasive biomarker for intestinal involvement of Behçet's disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 595-601	4	20
28	Abnormal genetic and epigenetic changes in signal transducer and activator of transcription 4 in the pathogenesis of inflammatory bowel diseases. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 2600-7	4	20
27	Correlation of genotypes for thiopurine methyltransferase and inosine triphosphate pyrophosphatase with long-term clinical outcomes in Korean patients with inflammatory bowel diseases during treatment with thiopurine drugs. <i>Journal of Human Genetics</i> , 2010 , 55, 121-3	4.3	18
26	Identification of genetic susceptibility loci for intestinal Behçet's disease. <i>Scientific Reports</i> , 2017 , 7, 39850	4.9	16
25	Identification of a subnuclear body involved in sequence-specific cytokine RNA processing. <i>Nature Communications</i> , 2015 , 6, 5791	17.4	16
24	Synthesis and biological evaluation of 2-benzylamino-4(5)-(6-methylpyridin-2-yl)-5(4)-([1,2,4]triazolo[1,5-a]-pyridin-6-yl)thiazoles as transforming growth factor- α type 1 receptor kinase inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2012 , 57, 74-81	6.8	15
23	Relationships between genetic polymorphisms of triggering receptor expressed on myeloid cells-1 and inflammatory bowel diseases in the Korean population. <i>Life Sciences</i> , 2011 , 89, 289-94	6.8	15
22	Lactobacillus plantarum CBT LP3 ameliorates colitis via modulating T cells in mice. <i>International Journal of Medical Microbiology</i> , 2020 , 310, 151391	3.7	14
21	Nanocomposites-based targeted oral drug delivery systems with infliximab in a murine colitis model. <i>Journal of Nanobiotechnology</i> , 2020 , 18, 133	9.4	14
20	The bifunctional autophagic flux by 2-deoxyglucose to control survival or growth of prostate cancer cells. <i>BMC Cancer</i> , 2015 , 15, 623	4.8	13
19	Protective effects of guggulsterone against colitis are associated with the suppression of TREM-1 and modulation of macrophages. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 315, G128-G139	5.1	12
18	Correlation between soluble triggering receptor expressed on myeloid cells-1 (sTREM-1) expression and endoscopic activity in inflammatory bowel diseases. <i>Digestive and Liver Disease</i> , 2012 , 44, 897-903	3.3	12
17	The novel histone deacetylase inhibitor, N-hydroxy-7-(2-naphthylthio) heptanamide, exhibits potent antitumor activity due to cytochrome-c-release-mediated apoptosis in renal cell carcinoma cells. <i>BMC Cancer</i> , 2015 , 15, 19	4.8	11
16	Synergistic Activity of Paclitaxel, Sorafenib, and Radiation Therapy in advanced Renal Cell Carcinoma and Breast Cancer. <i>Translational Oncology</i> , 2019 , 12, 381-388	4.9	11
15	Proteomic Analysis of Serum Amyloid A as a Potential Marker in Intestinal Behçet's Disease. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 1953-1962	4	10
14	The Correlation of Serum IL-12B Expression With Disease Activity in Patients With Inflammatory Bowel Disease. <i>Medicine (United States)</i> , 2016 , 95, e3772	1.8	10
13	Potential anti-cancer activity of N-hydroxy-7-(2-naphthylthio) heptanamide (HNHA), a histone deacetylase inhibitor, against breast cancer both in vitro and in vivo. <i>Cancer Science</i> , 2011 , 102, 343-50	6.9	10
12	Usefulness of Measuring Serum Procalcitonin Levels in Patients with Inflammatory Bowel Disease. <i>Gut and Liver</i> , 2016 , 10, 574-80	4.8	7

11	Proteomics-based functional studies reveal that galectin-3 plays a protective role in the pathogenesis of intestinal Behçet's disease. <i>Scientific Reports</i> , 2019 , 9, 11716	4.9	5
10	Glutathione S-transferase theta 1 protects against colitis through goblet cell differentiation via interleukin-22. <i>FASEB Journal</i> , 2020 , 34, 3289-3304	0.9	5
9	ZNF133 is associated with infliximab responsiveness in patients with inflammatory bowel diseases. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1727-1735	4	4
8	Deep Resequencing of Ulcerative Colitis-Associated Genes Identifies Novel Variants in Candidate Genes in the Korean Population. <i>Inflammatory Bowel Diseases</i> , 2018 , 24, 1706-1717	4.5	4
7	Correlation between soluble triggering receptor expressed on myeloid cells-1 and endoscopic activity in intestinal Behçet's disease. <i>Yonsei Medical Journal</i> , 2014 , 55, 960-6	3	4
6	A transepithelial pathway delivers succinate to macrophages, thus perpetuating their pro-inflammatory metabolic state. <i>Cell Reports</i> , 2021 , 36, 109521	10.6	4
5	Triggering Receptor Expressed on Myeloid Cells-1 Agonist Regulates Intestinal Inflammation via Cd177 Neutrophils. <i>Frontiers in Immunology</i> , 2021 , 12, 650864	8.4	3
4	Succinate-treated macrophages attenuate dextran sodium sulfate colitis in mice. <i>Intestinal Research</i> , 2021 , 19, 349-353	4.1	3
3	An Escherichia coli strain with extra catalase activity protects against murine colitis by scavenging hydrogen peroxide and regulating regulatory t cell/interleukin-17 pathways. <i>Free Radical Biology and Medicine</i> , 2021 , 174, 110-120	7.8	2
2	Anti-inflammatory properties of Escherichia coli Nissle 1917 in a murine colitis model. <i>Intestinal Research</i> , 2021 , 19, 478-481	4.1	1
1	Identification of Infliximab Responsiveness in Patients with Inflammatory Bowel Diseases using Whole-Exome Sequencing. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018 , WCP2018, PO4-10-15	0	