

Seung Won Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3205573/seung-won-kim-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46
papers

1,066
citations

19
h-index

32
g-index

49
ext. papers

1,303
ext. citations

5.9
avg, IF

3.86
L-index

#	Paper	IF	Citations
46	Anti-inflammatory properties of Escherichia coli Nissle 1917 in a murine colitis model. <i>Intestinal Research</i> , 2021 , 19, 478-481	4.1	1
45	Triggering Receptor Expressed on Myeloid Cells-1 Agonist Regulates Intestinal Inflammation via Cd177 Neutrophils. <i>Frontiers in Immunology</i> , 2021 , 12, 650864	8.4	3
44	Succinate-treated macrophages attenuate dextran sodium sulfate colitis in mice. <i>Intestinal Research</i> , 2021 , 19, 349-353	4.1	3
43	A transepithelial pathway delivers succinate to macrophages, thus perpetuating their pro-inflammatory metabolic state. <i>Cell Reports</i> , 2021 , 36, 109521	10.6	4
42	An Escherichia coli strain with extra catalase activity protects against murine colitis by scavenging hydrogen peroxide and regulating regulatory t cell/interleukin-17 pathways. <i>Free Radical Biology and Medicine</i> , 2021 , 174, 110-120	7.8	2
41	Melatonin controls microbiota in colitis by goblet cell differentiation and antimicrobial peptide production through Toll-like receptor 4 signalling. <i>Scientific Reports</i> , 2020 , 10, 2232	4.9	25
40	Lactobacillus plantarum CBT LP3 ameliorates colitis via modulating T cells in mice. <i>International Journal of Medical Microbiology</i> , 2020 , 310, 151391	3.7	14
39	Glutathione S-transferase theta 1 protects against colitis through goblet cell differentiation via interleukin-22. <i>FASEB Journal</i> , 2020 , 34, 3289-3304	0.9	5
38	Nanocomposites-based targeted oral drug delivery systems with infliximab in a murine colitis model. <i>Journal of Nanobiotechnology</i> , 2020 , 18, 133	9.4	14
37	Proteomics-based functional studies reveal that galectin-3 plays a protective role in the pathogenesis of intestinal Behçet's disease. <i>Scientific Reports</i> , 2019 , 9, 11716	4.9	5
36	ZNF133 is associated with infliximab responsiveness in patients with inflammatory bowel diseases. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1727-1735	4	4
35	Lactobacillus acidophilus suppresses intestinal inflammation by inhibiting endoplasmic reticulum stress. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 178-185	4	34
34	Synergistic Activity of Paclitaxel, Sorafenib, and Radiation Therapy in advanced Renal Cell Carcinoma and Breast Cancer. <i>Translational Oncology</i> , 2019 , 12, 381-388	4.9	11
33	Survival of Cancer Stem-Like Cells Under Metabolic Stress via CaMK2 β -mediated Upregulation of Sarco/Endoplasmic Reticulum Calcium ATPase Expression. <i>Clinical Cancer Research</i> , 2018 , 24, 1677-1690 ^{12.9}	12.9	22
32	Protective effects of guggulsterone against colitis are associated with the suppression of TREM-1 and modulation of macrophages. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 315, G128-G139 ^{5.1}	5.1	12
31	Deep Resequencing of Ulcerative Colitis-Associated Genes Identifies Novel Variants in Candidate Genes in the Korean Population. <i>Inflammatory Bowel Diseases</i> , 2018 , 24, 1706-1717	4.5	4
30	Identification of Infliximab Responsiveness in Patients with Inflammatory Bowel Diseases using Whole-Exome Sequencing. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018 , WCP2018, PO4-10-15	0	0

29	Interleukin-33 regulates intestinal inflammation by modulating macrophages in inflammatory bowel disease. <i>Scientific Reports</i> , 2017 , 7, 851	4.9	58
28	Proteomic Analysis of Serum Amyloid A as a Potential Marker in Intestinal Behçet's Disease. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 1953-1962	4	10
27	Identification of genetic susceptibility loci for intestinal Behçet's disease. <i>Scientific Reports</i> , 2017 , 7, 39850	4.9	16
26	Fecal calprotectin as a non-invasive biomarker for intestinal involvement of Behçet's disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 595-601	4	20
25	TRIM31 promotes Atg5/Atg7-independent autophagy in intestinal cells. <i>Nature Communications</i> , 2016 , 7, 11726	17.4	52
24	The Correlation of Serum IL-12B Expression With Disease Activity in Patients With Inflammatory Bowel Disease. <i>Medicine (United States)</i> , 2016 , 95, e3772	1.8	10
23	Usefulness of Measuring Serum Procalcitonin Levels in Patients with Inflammatory Bowel Disease. <i>Gut and Liver</i> , 2016 , 10, 574-80	4.8	7
22	Identification of a subnuclear body involved in sequence-specific cytokine RNA processing. <i>Nature Communications</i> , 2015 , 6, 5791	17.4	16
21	The novel histone deacetylase inhibitor, N-hydroxy-7-(2-naphthylthio) heptonamide, exhibits potent antitumor activity due to cytochrome-c-release-mediated apoptosis in renal cell carcinoma cells. <i>BMC Cancer</i> , 2015 , 15, 19	4.8	11
20	The bifunctional autophagic flux by 2-deoxyglucose to control survival or growth of prostate cancer cells. <i>BMC Cancer</i> , 2015 , 15, 623	4.8	13
19	Correlation between soluble triggering receptor expressed on myeloid cells-1 and endoscopic activity in intestinal Behçet's disease. <i>Yonsei Medical Journal</i> , 2014 , 55, 960-6	3	4
18	A new histone deacetylase inhibitor improves liver fibrosis in BDL rats through suppression of hepatic stellate cells. <i>British Journal of Pharmacology</i> , 2014 , 171, 4820-30	8.6	43
17	EW-7197, a novel ALK-5 kinase inhibitor, potently inhibits breast to lung metastasis. <i>Molecular Cancer Therapeutics</i> , 2014 , 13, 1704-16	6.1	58
16	Associations between genetic variants in the IRGM gene and inflammatory bowel diseases in the Korean population. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 106-14	4.5	37
15	Abrogation of galectin-4 expression promotes tumorigenesis in colorectal cancer. <i>Cellular Oncology (Dordrecht)</i> , 2013 , 36, 169-78	7.2	41
14	Synthesis and biological evaluation of 2-benzylamino-4(5)-(6-methylpyridin-2-yl)-5(4)-([1,2,4]triazolo[1,5-a]-pyridin-6-yl)thiazoles as transforming growth factor- β type 1 receptor kinase inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2012 , 57, 74-84	6.8	15
13	Abnormal genetic and epigenetic changes in signal transducer and activator of transcription 4 in the pathogenesis of inflammatory bowel diseases. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 2600-7	4	20
12	Interactions between IL17A, IL23R, and STAT4 polymorphisms confer susceptibility to intestinal Behçet's disease in Korean population. <i>Life Sciences</i> , 2012 , 90, 740-6	6.8	48

11	Correlation between soluble triggering receptor expressed on myeloid cells-1 (sTREM-1) expression and endoscopic activity in inflammatory bowel diseases. <i>Digestive and Liver Disease</i> , 2012 , 44, 897-903	3.3	12
10	Genetic polymorphisms of IL-23R and IL-17A and novel insights into their associations with inflammatory bowel disease. <i>Gut</i> , 2011 , 60, 1527-36	19.2	98
9	Relationships between genetic polymorphisms of triggering receptor expressed on myeloid cells-1 and inflammatory bowel diseases in the Korean population. <i>Life Sciences</i> , 2011 , 89, 289-94	6.8	15
8	Potential anti-cancer activity of N-hydroxy-7-(2-naphthylthio) heptanamide (HNHA), a histone deacetylase inhibitor, against breast cancer both in vitro and in vivo. <i>Cancer Science</i> , 2011 , 102, 343-50	6.9	10
7	Expression of a soluble triggering receptor expressed on myeloid cells-1 (sTREM-1) correlates with clinical disease activity in intestinal Behçet's disease. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 2130-7	4.5	24
6	Correlation of genotypes for thiopurine methyltransferase and inosine triphosphate pyrophosphatase with long-term clinical outcomes in Korean patients with inflammatory bowel diseases during treatment with thiopurine drugs. <i>Journal of Human Genetics</i> , 2010 , 55, 121-3	4.3	18
5	Association of signal transducer and activator of transcription 4 genetic variants with extra-intestinal manifestations in inflammatory bowel disease. <i>Life Sciences</i> , 2010 , 86, 661-7	6.8	21
4	Influences of thiopurine methyltransferase genotype and activity on thiopurine-induced leukopenia in Korean patients with inflammatory bowel disease: a retrospective cohort study. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, e242-8	3	67
3	<i>Bifidobacterium lactis</i> inhibits NF-kappaB in intestinal epithelial cells and prevents acute colitis and colitis-associated colon cancer in mice. <i>Inflammatory Bowel Diseases</i> , 2010 , 16, 1514-25	4.5	76
2	Guggulsterone induces apoptosis in colon cancer cells and inhibits tumor growth in murine colorectal cancer xenografts. <i>Cancer Letters</i> , 2009 , 279, 93-100	9.9	51
1	Bovine colostrum inhibits nuclear factor kappaB-mediated proinflammatory cytokine expression in intestinal epithelial cells. <i>Nutrition Research</i> , 2009 , 29, 275-80	4	32