

Carsten Lennerz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3206291/publications.pdf>

Version: 2024-02-01

27
papers

281
citations

1040056

9
h-index

940533

16
g-index

27
all docs

27
docs citations

27
times ranked

525
citing authors

#	ARTICLE	IF	CITATIONS
1	Colchicine for primary prevention of atrial fibrillation after open-heart surgery: Systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2017, 249, 127-137.	1.7	66
2	Reduced Risk for Inappropriate Implantable Cardioverter-Defibrillator Shocks With Dual-Chamber Therapy Compared With Single-Chamber Therapy. <i>JACC: Heart Failure</i> , 2014, 2, 611-619.	4.1	51
3	ICD Shock, Not Ventricular Fibrillation, Causes Elevation of High Sensitive Troponin T after Defibrillation Threshold Testingâ€”The Prospective, Randomized, Multicentre TropShock-Trial. <i>PLoS ONE</i> , 2015, 10, e0131570.	2.5	34
4	Electromagnetic Interference in Cardiac Implantable Electronic Devices. <i>Journal of the American College of Cardiology</i> , 2017, 69, 108-110.	2.8	18
5	Safety of mid-septal electrode placement in implantable cardioverter defibrillator recipients â€”Results of the SPICE (Septal Positioning of ventricular ICD Electrodes) study. <i>International Journal of Cardiology</i> , 2014, 174, 713-720.	1.7	15
6	Biomarker-based diagnosis of pacemaker and implantable cardioverter defibrillator pocket infections: A prospective, multicentre, case-control evaluation. <i>PLoS ONE</i> , 2017, 12, e0172384.	2.5	14
7	Right Bundle Branch Block-Like Pattern During Uncomplicated Right Ventricular Pacing and the Effect of Pacing Site. <i>American Journal of Cardiology</i> , 2016, 117, 935-939.	1.6	11
8	Impact of the Right Ventricular Lead Position on Clinical End Points in CRT Recipientsâ€”A Subanalysis of the Multicenter Randomized SPICE Trial. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 261-267.	1.2	10
9	A stepwise electrocardiographic algorithm for differentiation of mid-septal vs. apical right ventricular lead positioning: the SPICE ECG substudy. <i>Europace</i> , 2015, 17, 915-920.	1.7	9
10	Patients with pacemakers or defibrillators do not need to worry about e-Cars: An observational study. <i>Technology and Health Care</i> , 2020, 28, 1-12.	1.2	7
11	Cost-effectiveness of colchicine treatment on post-operative atrial fibrillation events in patients of major cardiac surgery. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018, 4, 126-131.	4.0	6
12	Pacemaker Implantation Associated Myocardial Micro-Damage: A Randomised Comparison between Active and Passive Fixation Leads. <i>Scientific Reports</i> , 2018, 8, 4870.	3.3	6
13	Deep sedation with propofol in patients undergoing left atrial ablation proceduresâ€”Is it safe?. <i>Heart Rhythm O2</i> , 2022, 3, 288-294.	1.7	5
14	Relation between detection rate and inappropriate shocks in single versus dual chamber cardioverter-defibrillator â€” an analysis from the OPTION trial. <i>Scientific Reports</i> , 2016, 6, 21748.	3.3	4
15	A case report of primary cardiac sarcoma: a diagnostic and therapeutic challenge. <i>European Heart Journal - Case Reports</i> , 2018, 2, yty143.	0.6	4
16	Cost Saving Potential of an Early Detection of Atrial Fibrillation in Patients after ICD Implantation. <i>BioMed Research International</i> , 2018, 2018, 1-12.	1.9	4
17	The impact of multipole pacing on left ventricular function in patients with cardiac resynchronization therapy â€” A real-time three-dimensional echocardiography approach. <i>International Journal of Cardiology</i> , 2018, 272, 238-243.	1.7	4
18	Modern Security Screening and Electromagnetic Interference With Cardiac Implantable Electronic Devices. <i>Journal of the American College of Cardiology</i> , 2020, 75, 1238-1239.	2.8	3

#	ARTICLE	IF	CITATIONS
19	Electrocardiographic identification of prior myocardial infarction during right ventricular pacing – Effect of septal versus apical pacing. International Journal of Cardiology, 2014, 177, 977-981.	1.7	2
20	Lead failure in an entirely subcutaneous implantable cardioverter-defibrillator. Europace, 2020, 22, 183.	1.7	2
21	A prospective case-control validation of procalcitonin as a biomarker diagnosing pacemaker and implantable cardioverter-defibrillator pocket infection. Kardiologia Polska, 2022, 80, 782-791.	0.6	2
22	Security millimetre wave body scanner safe for patients with leadless pacemakers or subcutaneous implantable cardioverter-defibrillators. Journal of Interventional Cardiac Electrophysiology, 2020, 61, 603-607.	1.3	1
23	Release of high-sensitive TROPonin T by implantation of an entirely subcutaneous Implantable Cardioverter-defibrillator compared to a conventional transvenous approach: the TROPIC registry. Journal of Interventional Cardiac Electrophysiology, 2021, 62, 75-81.	1.3	1
24	Role of the Ambulatory Assessed Apnea-Hypopnea Index for Predicting Recurring Atrial Fibrillation After Ablation Therapy. American Journal of Cardiology, 2021, 149, 36-41.	1.6	1
25	Patient Characteristics, Procedural Characteristics, and Outcomes in Patients Having Lead Extraction in a High-Volume Center. American Journal of Cardiology, 2022, 176, 51-57.	1.6	1
26	Myocardial Minimal Damage After Rapid Ventricular Pacing – the prospective randomized multicentre MyDate-Trial. Scientific Reports, 2020, 10, 4753.	3.3	0
27	Biomarkers in infections related to cardiac implantable electronic devices. Kardiologia Polska, 2019, 77, 897-898.	0.6	0