

# Dongfeng He

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/320732/publications.pdf>

Version: 2024-02-01

21  
papers

161  
citations

1307594

7  
h-index

1125743

13  
g-index

21  
all docs

21  
docs citations

21  
times ranked

130  
citing authors

#	ARTICLE	IF	CITATIONS
1	Detecting the defects of warm-sprayed Ti-6Al-4V coating using Eddy current testing method. NDT and E International, 2022, 125, 102565.	3.7	9
2	Reducing the Temperature Coefficient of the Magnetic Sensor with FeCoSiB Amorphous Wire. , 2021, , 1-1.		0
3	Low-Temperature Properties of the Magnetic Sensor with Amorphous Wire. Sensors, 2020, 20, 6986.	3.8	2
4	PT-Level High-Sensitivity Magnetic Sensor with Amorphous Wire. Sensors, 2020, 20, 161.	3.8	10
5	Corrosion Evaluation of Steel Rebar Using Electromagnetic Induction Method. Studies in Applied Electromagnetics and Mechanics, 2020, , .	0.2	1
6	A Feedback Method to Improve the Dynamic Range and the Linearity of Magnetoimpedance Magnetic Sensor. Journal of Sensors, 2019, 2019, 1-8.	1.1	1
7	Evaluation of 3D-Printed titanium alloy using eddy current testing with high-sensitivity magnetic sensor. NDT and E International, 2019, 102, 90-95.	3.7	15
8	On-Chip Terahertz Near-Field Generation/Detection Scheme. , 2018, , .		0
9	AMR Sensor and its Application on Nondestructive Evaluation. , 2017, , .		9
10	A Magnetic Sensor with Amorphous Wire. Sensors, 2014, 14, 10644-10649.	3.8	36
11	Nondestructive material reliability evaluation for Cu-alloy of combustion chamber. Journal of Fluid Science and Technology, 2014, 9, JFST0075-JFST0075.	0.6	0
12	High-Resolution Magnetic Field Measurement Using an STM-SQUID. Physics Procedia, 2012, 36, 300-305.	1.2	3
13	Evaluation of an STM-SQUID Probe Microscope. IEEE Transactions on Applied Superconductivity, 2011, 21, 420-423.	1.7	6
14	STM-SQUID Probe Microscope Based on an RF SQUID Magnetometer. IEEE Transactions on Applied Superconductivity, 2009, 19, 874-877.	1.7	11
15	High-Tc dc SQUID Cooled by Pulse-Tube Cooler and Corrosion Measurements. IEEE Transactions on Applied Superconductivity, 2005, 15, 40-43.	1.7	2
16	Saw-wave excitation eddy-current nde based on hts rf squid. IEEE Transactions on Applied Superconductivity, 2003, 13, 3803-3806.	1.7	6
17	HTS SQUID magnetometer with SQUID vector reference for operation in unshielded environment. IEEE Transactions on Applied Superconductivity, 1999, 9, 3684-3687.	1.7	11
18	Radio frequency bias current scheme for dc superconducting quantum interference device. IEEE Transactions on Applied Superconductivity, 1999, 9, 3813-3816.	1.7	0

#	ARTICLE	IF	CITATIONS
19	Radio frequency SQUIDs operating at 77 K with 1 GHz lumped-element tank circuits. Applied Physics Letters, 1998, 72, 969-971.	3.3	37
20	First-order gradiometer of high T <sub>c</sub> rf SQUID. Physica C: Superconductivity and Its Applications, 1997, 282-287, 2481-2482.	1.2	1
21	Evaluation of Steel Rebar in Concrete Using Electromagnetic Method. , 0, , .		1