

# Vanessa A Mendonça

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3207716/publications.pdf>

Version: 2024-02-01

118  
papers

1,938  
citations

304368

22  
h-index

315357

38  
g-index

122  
all docs

122  
docs citations

122  
times ranked

3033  
citing authors

#	ARTICLE	IF	CITATIONS
1	Associations of physical activity and cognitive function with gross motor skills in preschoolers: Cross-sectional study. <i>Journal of Motor Behavior</i> , 2023, 55, 564-579.	0.5	10
2	Effects of whole-body vibration exercise in patients with chronic kidney disease: a systematic review. <i>Disability and Rehabilitation</i> , 2023, 45, 415-424.	0.9	1
3	Maximal inspiratory pressure is associated with health-related quality of life and is a reliable method for evaluation of patients on hemodialysis. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 1050-1058.	0.6	2
4	Prenatal LPS exposure increases hippocampus IL-10 and prevents short-term memory loss in the male adolescent offspring of high-fat diet fed dams. <i>Physiology and Behavior</i> , 2022, 243, 113628.	1.0	4
5	Fibromyalgia in social media: content and quality of the information analysis of videos on the YouTube platform. <i>Informatics for Health and Social Care</i> , 2022, 47, 305-316.	1.4	1
6	Are oxidative stress biomarkers and respiratory muscles strength associated with COPD-related sarcopenia in older adults?. <i>Experimental Gerontology</i> , 2022, 157, 111630.	1.2	9
7	The health-related quality of life in patients with post-COVID-19 after hospitalization: a systematic review. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2022, 55, e0741.	0.4	19
8	Physical environmental opportunities for active play and physical activity level in preschoolers: a multicriteria analysis. <i>BMC Public Health</i> , 2022, 22, 340.	1.2	3
9	Determining factors of functioning in hemodialysis patients using the international classification of functioning, disability and health. <i>BMC Nephrology</i> , 2022, 23, 119.	0.8	2
10	Is body fat mass associated with worse gross motor skills in preschoolers? An exploratory study. <i>PLoS ONE</i> , 2022, 17, e0264182.	1.1	4
11	Plasma levels of myokines and inflammatory markers are related with functional and respiratory performance in older adults with COPD and sarcopenia. <i>Experimental Gerontology</i> , 2022, 164, 111834.	1.2	6
12	The superior beneficial effects of exercise training versus hormone replacement therapy on skeletal muscle of ovariectomized rats. <i>Scientific Reports</i> , 2022, 12, .	1.6	3
13	Efficacy of Acupuncture on Quality of Life, Functional Performance, Dyspnea, and Pulmonary Function in Patients with Chronic Obstructive Pulmonary Disease: Protocol for a Randomized Clinical Trial. <i>Journal of Clinical Medicine</i> , 2022, 11, 3048.	1.0	1
14	Oxidative Stress Biomarkers and Quality of Life Are Contributing Factors of Muscle Pain and Lean Body Mass in Patients with Fibromyalgia. <i>Biology</i> , 2022, 11, 935.	1.3	6
15	Functional tests associated with sarcopenia in moderate chronic obstructive pulmonary disease. <i>Expert Review of Respiratory Medicine</i> , 2021, 15, 569-576.	1.0	12
16	Association of Therapies With Reduced Pain and Improved Quality of Life in Patients With Fibromyalgia. <i>JAMA Internal Medicine</i> , 2021, 181, 104.	2.6	45
17	Reported quality of life in countries with cases of COVID19: a systematic review. <i>Expert Review of Respiratory Medicine</i> , 2021, 15, 213-220.	1.0	42
18	Assessment of functional performance in Chagas heart disease by Human Activity Profile questionnaire. <i>Disability and Rehabilitation</i> , 2021, 43, 1255-1259.	0.9	4

#	ARTICLE	IF	CITATIONS
19	Miconia albicans and Curcuma longa herbal medicines positively modulate joint pain, function and inflammation in patients with osteoarthritis: a clinical study. <i>Inflammopharmacology</i> , 2021, 29, 377-391.	1.9	10
20	Aerobic Training Modulates the Increase in Plasma Concentrations of Cytokines in response to a Session of Exercise. <i>Journal of Environmental and Public Health</i> , 2021, 2021, 1-13.	0.4	13
21	Altitude conditions seem to determine the evolution of COVID-19 in Brazil. <i>Scientific Reports</i> , 2021, 11, 4402.	1.6	18
22	Cardiopulmonary responses during dynamic squatting exercise with and without whole-body vibration in adolescents. <i>Revista Pesquisa Em Fisioterapia</i> , 2021, 11, 190-197.	0.1	1
23	The impact of COVID-19 pandemic in the quality of sleep by Pittsburgh Sleep Quality Index: A systematic review. <i>Ciencia E Saude Coletiva</i> , 2021, 26, 1457-1466.	0.1	24
24	Photobiomodulation Therapy (Light-Emitting Diode 630nm) Favored the Oxidative Stress and the Preservation of Articular Cartilage in an Induced Knee Osteoarthritis Model. <i>Photobiomodulation, Photomedicine, and Laser Surgery</i> , 2021, 39, 272-279.	0.7	7
25	Can a Single Trial of a Thoracolumbar Myofascial Release Technique Reduce Pain and Disability in Chronic Low Back Pain? A Randomized Balanced Crossover Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2006.	1.0	8
26	Whole-Body Vibration Exercise: A Possible Intervention in the Management of Post COVID-19 Complications?. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 5733.	1.3	6
27	Inflammatory and oxidative biomarkers as determinants of functional capacity in patients with COPD assessed by 6-min walk test-derived outcomes. <i>Experimental Gerontology</i> , 2021, 152, 111456.	1.2	9
28	Determinantes da Capacidade Funcional em Pacientes com Doença de Chagas. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 117, 934-941.	0.3	3
29	LPS tolerance prevents anxiety-like behavior and amygdala inflammation of high-fat-fed dams' adolescent offspring. <i>Behavioural Brain Research</i> , 2021, 411, 113371.	1.2	15
30	Does endurance training prior to ovariectomy protect against myocardial contractility dysfunction in rats?. <i>Experimental Gerontology</i> , 2021, 155, 111556.	1.2	2
31	The prognostic value of the Incremental Shuttle Walk Test in Chagas cardiomyopathy. <i>Disability and Rehabilitation</i> , 2021, , 1-6.	0.9	1
32	Differences in health-related quality of life in patients with mild and severe chronic venous insufficiency: A systematic review and meta-analysis. <i>Journal of Vascular Nursing</i> , 2021, 39, 126-133.	0.2	3
33	Inflammation Biomarkers Are Independent Contributors to Functional Performance in Chronic Conditions: An Exploratory Study. <i>International Journal of Medical Science and Health Research</i> , 2021, 05, .	0.1	4
34	Evaluation of the Relationships between Simple Anthropometric Measures and Bioelectrical Impedance Assessment Variables with Multivariate Linear Regression Models to Estimate Body Composition and Fat Distribution in Adults: Preliminary Results. <i>Biology</i> , 2021, 10, 1209.	1.3	7
35	Immediate Effects of Whole-Body Vibration Associated with Squatting Exercises on Hemodynamic Parameters in Sarcopenic Older People: A Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11852.	1.2	3
36	Efficacy of Whole-Body Vibration Training on Brain-Derived Neurotrophic Factor, Clinical and Functional Outcomes, and Quality of Life in Women with Fibromyalgia Syndrome: A Randomized Controlled Trial. <i>Journal of Healthcare Engineering</i> , 2021, 2021, 1-9.	1.1	6

#	ARTICLE	IF	CITATIONS
37	Acute Whole-Body Vibration Exercise Promotes Favorable Handgrip Neuromuscular Modifications in Rheumatoid Arthritis: A Cross-Over Randomized Clinical. <i>BioMed Research International</i> , 2021, 2021, 1-10.	0.9	4
38	Effects of Whole-Body Vibration in Cardiorespiratory and Hormonal Parameters in Elderly People: Preliminary Results. <i>Advances in Intelligent Systems and Computing</i> , 2020, , 653-657.	0.5	0
39	Efficacy of conservative therapy in older people with nonspecific low back pain: A systematic review with meta-analysis and GRADE recommendations. <i>Archives of Gerontology and Geriatrics</i> , 2020, 90, 104177.	1.4	16
40	Whole body vibration in the static modified push-up position in untrained healthy women stimulates neuromuscular system potentiating increased handgrip myogenic response. <i>Journal of Bodywork and Movement Therapies</i> , 2020, 24, 233-238.	0.5	6
41	An update on potential links between type 2 diabetes mellitus and Alzheimer's disease. <i>Molecular Biology Reports</i> , 2020, 47, 6347-6356.	1.0	28
42	Acute Effects of Whole-Body Vibration Exercise on Pain Level, Functionality, and Rating of Exertion of Elderly Obese Knee Osteoarthritis Individuals: A Randomized Study. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 5870.	1.3	1
43	Whole-Body Vibration as Antihypertensive Non-Pharmacological Treatment in Hypertensive Individuals with Knee Osteoarthritis: Randomized Cross-Over Trial. <i>Sustainability</i> , 2020, 12, 8944.	1.6	2
44	Effect of Whole-Body Vibration on the Functional Responses of the Patients with Knee Osteoarthritis by the Electromyographic Profile of the Vastus Lateralis Muscles during the Five-Repetition Chair Stand Test: A Randomized Crossover Trial. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 4302.	1.3	1
45	High-intensity resistance training induces changes in cognitive function, but not in locomotor activity or anxious behavior in rats induced to type 2 diabetes. <i>Physiology and Behavior</i> , 2020, 223, 112998.	1.0	21
46	Effect of the Combined Intervention with Passive Whole-Body Vibration and Auriculotherapy on the Quality of Life of Individuals with Knee Osteoarthritis Assessed by the WHOQOL-Bref: A Multi-Arm Clinical Trial. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 1956.	1.3	4
47	Cortisol secretion pattern in overweight/obese and normal-weight infants: a cross-sectional study. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2020, 33, 241-246.	0.4	1
48	Plasma levels of soluble TNF receptors are associated with cardiac function in patients with Chagas heart disease. <i>International Journal of Cardiology</i> , 2020, 316, 101-103.	0.8	5
49	Whole-Body Vibration Exercise in Different Postures on Handgrip Strength in Healthy Women: A Cross-Over Study. <i>Frontiers in Physiology</i> , 2020, 11, 469499.	1.3	6
50	Exercise tests in Chagas cardiomyopathy: an overview of functional evaluation, prognostic significance, and current challenges. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2020, 53, e20200100.	0.4	8
51	Effects of Whole-Body Vibration Exercises on the Body Fat Distribution of the Metabolic Syndrome Individuals: Preliminary Outcomes. <i>Advances in Intelligent Systems and Computing</i> , 2020, , 658-664.	0.5	0
52	Effect of Vibration Exercise in the Modified Push-Up Position on Hand Neural Efficiency in Rheumatoid Arthritis: Preliminary Results. <i>Advances in Intelligent Systems and Computing</i> , 2020, , 650-652.	0.5	0
53	Brazil before and during COVID-19 pandemic: Impact on the practice and habits of physical exercise. <i>Acta Biomedica</i> , 2020, 92, e2021027.	0.2	4
54	Does whole body vibration exercise improve oxidative stress markers in women with fibromyalgia?. <i>Brazilian Journal of Medical and Biological Research</i> , 2019, 52, e8688.	0.7	10

#	ARTICLE	IF	CITATIONS
55	A single session of high-intensity interval exercise increases antioxidants defenses in the hippocampus of Wistar rats. <i>Physiology and Behavior</i> , 2019, 211, 112675.	1.0	25
56	Effect of a Moderate-Intensity Aerobic Training on Joint Biomarkers and Functional Adaptations in Rats Subjected to Induced Knee Osteoarthritis. <i>Frontiers in Physiology</i> , 2019, 10, 1168.	1.3	8
57	High-intensity interval training improves cerebellar antioxidant capacity without affecting cognitive functions in rats. <i>Behavioural Brain Research</i> , 2019, 376, 112181.	1.2	31
58	Prevalência de sobrepeso e de obesidade no primeiro ano de vida nas Estratégias Saúde da Família. <i>Cadernos Saude Coletiva</i> , 2019, 27, 32-38.	0.2	4
59	Whole Body Vibration Training on Muscle Strength and Brain-Derived Neurotrophic Factor Levels in Elderly Woman With Knee Osteoarthritis: A Randomized Clinical Trial Study. <i>Frontiers in Physiology</i> , 2019, 10, 756.	1.3	33
60	Decreased percentage of CD4+ lymphocytes expressing chemokine receptors in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2019, 31, 246-251.	1.0	8
61	Cardiorespiratory fitness assessment and prediction of peak oxygen consumption by Incremental Shuttle Walking Test in healthy women. <i>PLoS ONE</i> , 2019, 14, e0211327.	1.1	15
62	Effects of Whole-Body Vibration Exercises on Parameters Related to the Sleep Quality in Metabolic Syndrome Individuals: A Clinical Trial Study. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 5183.	1.3	6
63	Evaluation of Whole-Body Vibration Exercise on Neuromuscular Activation Through Electromyographic Pattern of Vastus Lateralis Muscle and on Range of Motion of Knees in Metabolic Syndrome: A Quasi-Randomized Cross-Over Controlled Trial. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 4997.	1.3	4
64	Acute and Cumulative Effects With Whole-Body Vibration Exercises Using 2 Biomechanical Conditions on the Flexibility and Rating of Perceived Exertion in Individuals With Metabolic Syndrome: A Randomized Clinical Trial Pilot Study. <i>Dose-Response</i> , 2019, 17, 155932581988649.	0.7	9
65	Current evidence does not support whole body vibration in clinical practice in children and adolescents with disabilities: a systematic review of randomized controlled trial. <i>Brazilian Journal of Physical Therapy</i> , 2019, 23, 196-211.	1.1	16
66	Cardiorespiratory responses in different types of squats and frequencies of whole body vibration in patients with chronic obstructive pulmonary disease. <i>Journal of Applied Physiology</i> , 2019, 126, 23-29.	1.2	8
67	The prognostic value of inspiratory muscle weakness in hemodialysis patients. , 2019, , .		0
68	Land-based versus water-based walking programs in elderly women with knee osteoarthritis: preliminary results of a randomized clinical trial. <i>Brazilian Journal of Health and Biomedical Sciences</i> , 2019, 18, 114-124.	0.2	0
69	High intensity interval training modulates hippocampal oxidative stress, BDNF and inflammatory mediators in rats. <i>Physiology and Behavior</i> , 2018, 184, 6-11.	1.0	70
70	The Use of the Incremental Shuttle Walk Test to Identify Instrumental Activity Daily Living Disability and to Predict Peak Oxygen Consumption in Older Adults. <i>Topics in Geriatric Rehabilitation</i> , 2018, 34, 237-244.	0.2	0
71	Cardiorespiratory and metabolic responses and reference equation validation to predict peak oxygen uptake for the incremental shuttle waking test in adolescent boys. <i>PLoS ONE</i> , 2018, 13, e0206867.	1.1	5
72	Acute Effects of Whole-Body Vibration on Inflammatory Markers in People with Chronic Obstructive Pulmonary Disease: A Pilot Study. <i>Rehabilitation Research and Practice</i> , 2018, 2018, 1-7.	0.5	7

#	ARTICLE	IF	CITATIONS
73	Whole body vibration training increases physical measures and quality of life without altering inflammatory-oxidative biomarkers in patients with moderate COPD. <i>Journal of Applied Physiology</i> , 2018, 125, 520-528.	1.2	16
74	Inflammatory biomarkers responses after acute whole body vibration in fibromyalgia. <i>Brazilian Journal of Medical and Biological Research</i> , 2018, 51, e6775.	0.7	27
75	Effects of the inspiratory muscle training and aerobic training on respiratory and functional parameters, inflammatory biomarkers, redox status and quality of life in hemodialysis patients: A randomized clinical trial. <i>PLoS ONE</i> , 2018, 13, e0200727.	1.1	26
76	Central cholinergic activation induces greater thermoregulatory and cardiovascular responses in spontaneously hypertensive than in normotensive rats. <i>Journal of Thermal Biology</i> , 2018, 77, 86-95.	1.1	3
77	Association between obesity-related biomarkers and cognitive and motor development in infants. <i>Behavioural Brain Research</i> , 2017, 325, 12-16.	1.2	14
78	Different levels of brain-derived neurotrophic factor and cortisol in healthy heavy smokers. <i>Brazilian Journal of Medical and Biological Research</i> , 2017, 50, e6424.	0.7	18
79	Oxidative stress and skeletal muscle dysfunction are present in healthy smokers. <i>Brazilian Journal of Medical and Biological Research</i> , 2016, 49, e5512.	0.7	19
80	Aerobic training modulates T cell activation in elderly women with knee osteoarthritis. <i>Brazilian Journal of Medical and Biological Research</i> , 2016, 49, e5181.	0.7	11
81	Swimming training attenuates oxidative damage and increases enzymatic but not non-enzymatic antioxidant defenses in the rat brain. <i>Brazilian Journal of Medical and Biological Research</i> , 2016, 49, e5310.	0.7	24
82	Inflammatory cytokines and plasma redox status responses in hypertensive subjects after heat exposure. <i>Brazilian Journal of Medical and Biological Research</i> , 2016, 49, .	0.7	4
83	Neuroendocrine Inflammatory Responses in Overweight/Obese Infants. <i>PLoS ONE</i> , 2016, 11, e0167593.	1.1	6
84	Influence of Cytokines and Soluble Receptors in the Quality of Life and Functional Capacity of Workers Exposed to Silica. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 272-276.	0.9	13
85	Overweight and obese infants present lower cognitive and motor development scores than normal-weight peers. <i>Research in Developmental Disabilities</i> , 2016, 59, 410-416.	1.2	26
86	Electrochemical behavior of the cotinine at a boron-doped diamond electrode and its determination in saliva by multiple-pulse amperometry in an FIA system. <i>Electrochimica Acta</i> , 2016, 222, 331-337.	2.6	25
87	Comparison Between Whole-Body Vibration, Light-Emitting Diode, and Cycling Warm-up on High-Intensity Physical Performance During Sprint Bicycle Exercise. <i>Journal of Strength and Conditioning Research</i> , 2015, 29, 1542-1550.	1.0	14
88	Hypertension is associated with greater heat exchange during exercise recovery in a hot environment. <i>Brazilian Journal of Medical and Biological Research</i> , 2015, 48, 1122-1129.	0.7	12
89	Cardiorespiratory Responses and Prediction of Peak Oxygen Uptake during the Shuttle Walking Test in Healthy Sedentary Adult Men. <i>PLoS ONE</i> , 2015, 10, e0117563.	1.1	19
90	GAIT SPEED AS A PREDICTOR OF RESPIRATORY MUSCLE FUNCTION, STRENGTH, AND FRAILTY SYNDROME IN COMMUNITY-DWELLING ELDERLY PEOPLE. <i>Journal of Frailty &amp; Aging,the</i> , 2015, 4, 1-5.	0.8	18

#	ARTICLE	IF	CITATIONS
91	Association Between Inflammatory Biomarkers in Plasma, Radiological Severity, and Duration of Exposure in Patients With Silicosis. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 493-497.	0.9	13
92	Involvement of BDNF in knee osteoarthritis: the relationship with inflammation and clinical parameters. <i>Rheumatology International</i> , 2014, 34, 1153-1157.	1.5	44
93	Soluble TNF receptors are produced at sites of inflammation and are inversely associated with self-reported symptoms (WOMAC) in knee osteoarthritis. <i>Rheumatology International</i> , 2014, 34, 1759-1763.	1.5	11
94	Effect of exercise on the plasma BDNF levels in elderly women with knee osteoarthritis. <i>Rheumatology International</i> , 2014, 34, 841-846.	1.5	31
95	Serial measurement of the circulating levels of tumour necrosis factor and its soluble receptors 1 and 2 for monitoring leprosy patients during multidrug treatment. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2013, 108, 1051-1056.	0.8	1
96	Comparaçãõ da forçã muscular respiratãria entre os subgrupos de fragilidade em idosas da comunidade. <i>Fisioterapia E Pesquisa</i> , 2013, 20, 361-366.	0.3	7
97	Functional Performance and Inflammatory Cytokines After Squat Exercises and Whole-Body Vibration in Elderly Individuals With Knee Osteoarthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1692-1700.	0.5	97
98	Effect of aerobic training on plasma cytokines and soluble receptors in elderly women with knee osteoarthritis, in response to acute exercise. <i>Clinical Rheumatology</i> , 2012, 31, 759-766.	1.0	15
99	Comparaçãõ entre os dispositivos de higiene brãnquica Shaker® e Soproinho em relaçãõ aos parãmetros fãsicicos e nãõ fãsicicos em indivãduos saudãveis. <i>ConScientiae Saãde</i> , 2012, 11, 550-558.	0.1	1
100	Expression of the chemokine receptor CXCR4 on lymphocytes of leprosy patients. <i>Brazilian Journal of Medical and Biological Research</i> , 2011, 44, 1256-1260.	0.7	3
101	Study of the profile of the neurotrophin BDNF in new leprosy cases before, during and after multidrug therapy. <i>Arquivos De Neuro-Psiquiatria</i> , 2011, 69, 100-104.	0.3	5
102	Effect Of Squat Exercises Associated With Whole Body Vibration In Elderly With Knee Osteoarthritis. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 756.	0.2	0
103	Effect Of Exercise In Plasma Cytokines And Soluble Receptors Levels In Elderly Women With Osteoarthritis. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 880.	0.2	0
104	Higher Serum sTNFR1 Level Predicts Conversion from Mild Cognitive Impairment to Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2011, 22, 1305-1311.	1.2	85
105	Increased plasma levels of soluble TNF receptor I in patients with bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 139-143.	1.8	93
106	Increased soluble TNF receptor 2 in antidepressant-free patients with late-life depression. <i>Journal of Psychiatric Research</i> , 2010, 44, 917-920.	1.5	49
107	Serum brain-derived neurotrophic factor level is reduced in antidepressant-free patients with late-life depression. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 550-555.	1.3	56
108	Effect of brain-derived neurotrophic factor Val66Met polymorphism and serum levels on the progression of mild cognitive impairment. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 774-780.	1.3	116

#	ARTICLE	IF	CITATIONS
109	Increased plasma levels of brain-derived neurotrophic factor in patients with long-term bipolar disorder. <i>Neuroscience Letters</i> , 2010, 475, 95-98.	1.0	27
110	Plasma levels of chemokines during leprosy specific treatment. <i>Acta Tropica</i> , 2010, 113, 151-154.	0.9	6
111	Treinamento respiratório em paciente com mal formação de Chiari tipo I. <i>Revista Neurociencias</i> , 2010, 18, 28-35.	0.0	2
112	Increased Serum IL-1 $\beta$ Level in Alzheimer's Disease and Mild Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 507-512.	0.7	177
113	Reabilitação física em um paciente com a Doença de Charcot-Marie-Tooth. <i>Revista Neurociencias</i> , 2009, 17, 287-292.	0.0	2
114	Imunologia da hanseníase. <i>Anais Brasileiros De Dermatologia</i> , 2008, 83, 343-350.	0.5	50
115	Avaliação da expressão de interleucina 1 beta (IL-1 $\beta$ ) e antagonista do receptor de interleucina 1 (IL-1Ra) em pacientes com hanseníase. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2008, 41, 99-103.	0.4	7
116	Análise de receptores de quimiocinas na superfície de leucócitos circulantes de indivíduos infectados pelo <i>Mycobacterium leprae</i> : resultados preliminares. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2008, 41, 95-98.	0.4	3
117	Differentiation of Patients with Leprosy from Non-Infected Individuals by the Chemokine Eotaxin/CCL11. <i>American Journal of Tropical Medicine and Hygiene</i> , 2007, 77, 547-550.	0.6	16
118	Role of tachykinin NK receptors on the local and remote injuries following ischaemia and reperfusion of the superior mesenteric artery in the rat. <i>British Journal of Pharmacology</i> , 2002, 135, 303-312.	2.7	34