

Matthias Unseld

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3209356/publications.pdf>

Version: 2024-02-01

50
papers

579
citations

840728

11
h-index

677123

22
g-index

50
all docs

50
docs citations

50
times ranked

1157
citing authors

#	ARTICLE	IF	CITATIONS
1	Integrins in the Spotlight of Cancer. <i>International Journal of Molecular Sciences</i> , 2016, 17, 2037.	4.1	111
2	Angiogenesis in cancer: Anti-VEGF escape mechanisms. <i>Translational Lung Cancer Research</i> , 2012, 1, 14-25.	2.8	72
3	The concept of temperament in psychoactive substance use among college students. <i>Journal of Affective Disorders</i> , 2012, 141, 324-330.	4.1	35
4	A real-world analysis of second-line treatment options in pancreatic cancer: liposomal-irinotecan plus 5-fluorouracil and folinic acid. <i>Therapeutic Advances in Medical Oncology</i> , 2019, 11, 175883591985319.	3.2	29
5	Prevalence of pain and its association with symptoms of post-traumatic stress disorder, depression, anxiety and distress in 846 cancer patients: A cross sectional study. <i>Psycho-Oncology</i> , 2021, 30, 504-510.	2.3	26
6	Screening for post-traumatic stress disorders in 1017 cancer patients and correlation with anxiety, depression, and distress. <i>Psycho-Oncology</i> , 2019, 28, 2382-2388.	2.3	25
7	Impact of New Chemotherapy Regimens on the Treatment Landscape and Survival of Locally Advanced and Metastatic Pancreatic Cancer Patients. <i>Journal of Clinical Medicine</i> , 2020, 9, 648.	2.4	24
8	What Makes a Good Palliative Care Physician? A Qualitative Study about the Patient's Expectations and Needs when Being Admitted to a Palliative Care Unit. <i>PLoS ONE</i> , 2016, 11, e0158830.	2.5	22
9	Optimizing Treatment Sequence for Late-line Metastatic Colorectal Cancer Patients Using Trifluridine/Tipiracil and Regorafenib. <i>Clinical Colorectal Cancer</i> , 2018, 17, 274-279.	2.3	17
10	The impact of COVID-19 on cancer care of outpatients with low socioeconomic status. <i>International Journal of Cancer</i> , 2022, 151, 77-82.	5.1	15
11	Use of Natural Family Planning (NFP) and Its Effect on Couple Relationships and Sexual Satisfaction: A Multi-Country Survey of NFP Users from US and Europe. <i>Frontiers in Public Health</i> , 2017, 5, 42.	2.7	14
12	Plasma levels of interleukin-33 and soluble suppression of tumorigenicity 2 in patients with advanced pancreatic ductal adenocarcinoma undergoing systemic chemotherapy. <i>Medical Oncology</i> , 2019, 36, 1.	2.5	14
13	Vitamin C-garden: a qualitative study exploring perception/s of horticultural therapy on a palliative care ward. <i>Supportive Care in Cancer</i> , 2018, 26, 1799-1805.	2.2	12
14	Microvascular density assessed by CD31 predicts clinical benefit upon bevacizumab treatment in metastatic colorectal cancer: results of the PassionATE study, a translational prospective Phase II study of capecitabine and irinotecan plus bevacizumab followed by capecitabine and oxaliplatin plus bevacizumab or the reverse sequence in patients in mCRC. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883592092863.	3.2	12
15	Results of the extended analysis for cancer treatment (EXACT) trial: a prospective translational study evaluating individualized treatment regimens in oncology. <i>Oncotarget</i> , 2019, 10, 942-952.	1.8	11
16	A higher ctDNA fraction decreases survival in regorafenib-treated metastatic colorectal cancer patients. Results from the regorafenib's liquid biopsy translational biomarker phase II pilot study. <i>International Journal of Cancer</i> , 2021, 148, 1452-1461.	5.1	10
17	The HDL particle composition determines its antitumor activity in pancreatic cancer. <i>Life Science Alliance</i> , 2022, 5, e202101317.	2.8	10
18	Effects of cilengitide in osteoclast maturation and behavior. <i>Experimental Cell Research</i> , 2015, 337, 68-75.	2.6	9

#	ARTICLE	IF	CITATIONS
19	SERPINB7 Expression Predicts Poor Pancreatic Cancer Survival Upon Gemcitabine Treatment. <i>Translational Oncology</i> , 2019, 12, 15-23.	3.7	8
20	First evidence for the antitumor activity of nanoliposomal irinotecan with 5-fluorouracil and folinic acid in metastatic biliary tract cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2020, 86, 109-115.	2.3	8
21	Sarcopenia in cancer – a focus on elderly cancer patients. <i>Memo - Magazine of European Medical Oncology</i> , 2021, 14, 20-23.	0.5	8
22	Interim analysis of a real-world precision medicine platform for molecular profiling of metastatic or advanced cancers: MONDTI. <i>ESMO Open</i> , 2019, 4, e000538.	4.5	7
23	Targeted Therapy Recommendations for Therapy Refractory Solid Tumors – Data from the Real-World Precision Medicine Platform MONDTI. <i>Journal of Personalized Medicine</i> , 2020, 10, 188.	2.5	7
24	The cancer survival index – A prognostic score integrating psychosocial and biological factors in patients diagnosed with cancer or haematologic malignancies. <i>Cancer Medicine</i> , 2022, 11, 3387-3396.	2.8	7
25	Nab-paclitaxel as alternative treatment regimen in advanced cholangiocellular carcinoma. <i>Journal of Gastrointestinal Oncology</i> , 2016, 7, 588-594.	1.4	6
26	Palliative care units in lung cancer in the real-world setting: a single institution’s experience and its implications. <i>Annals of Palliative Medicine</i> , 2017, 6, 6-13.	1.2	6
27	Latent structure and measurement invariance of the Hospital Anxiety and Depression Scale in cancer outpatients. <i>International Journal of Clinical and Health Psychology</i> , 2022, 22, 100315.	5.1	6
28	Cross-over comparison and new chemotherapy regimens in metastatic pancreatic cancer. <i>Memo - Magazine of European Medical Oncology</i> , 2017, 10, 136-140.	0.5	5
29	Biochemical and genetic predictors of overall survival in patients with metastatic pancreatic cancer treated with capecitabine and nab-paclitaxel. <i>Scientific Reports</i> , 2017, 7, 4851.	3.3	5
30	Analysis of 10 Adrenocortical Carcinoma Patients in the Cohort of the Precision Medicine Platform MONDTI. <i>Oncology</i> , 2018, 94, 306-310.	1.9	5
31	Correlation of affective temperament and psychiatric symptoms in palliative care cancer patients. <i>Wiener Klinische Wochenschrift</i> , 2018, 130, 653-658.	1.9	5
32	Using medical comics to explore challenging everyday topics in medicine: lessons learned from teaching medical humanities. <i>Annals of Palliative Medicine</i> , 2020, 9, 1841-1846.	1.2	5
33	Patients’ attitude and knowledge towards resuscitation and advance care planning at the palliative care unit. <i>European Journal of Cancer Care</i> , 2019, 28, e13109.	1.5	3
34	Different Toxicity Profiles Predict Third Line Treatment Efficacy in Metastatic Colorectal Cancer Patients. <i>Journal of Clinical Medicine</i> , 2020, 9, 1772.	2.4	3
35	Establishing end-of-life boards for palliative care of patients with advanced diseases. <i>Wiener Klinische Wochenschrift</i> , 2018, 130, 259-263.	1.9	2
36	Bead-Based Isolation of Circulating Tumor DNA from Pancreatic Cancer Patients Enables High Fidelity Next Generation Sequencing. <i>Cancer Management and Research</i> , 2021, Volume 13, 6249-6261.	1.9	2

#	ARTICLE	IF	CITATIONS
37	Feasibility of personalized treatment concepts in gastrointestinal malignancies: Sub-group results of prospective clinical phase II trial EXACT. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2018, 30, 508-515.	2.2	2
38	C-reactive protein and white blood cell count are adverse prognostic markers for patients with advanced cancer on parenteral nutrition in a palliative care unit setting: A retrospective cohort study. Palliative Medicine, 2022, 36, 540-548.	3.1	2
39	Expression of CD98hc in Pancreatic Cancer and Its Role in Cancer Cell Behavior. Journal of Cancer, 2022, 13, 2271-2280.	2.5	2
40	Geriatric oncology: questions, answers and guidelines. Memo - Magazine of European Medical Oncology, 2021, 14, 24-28.	0.5	1
41	Urokinase Receptor (uPAR)-Dependent Integrin Redistribution Represents a Central Mechanism for Growth Factor Induced Endothelial Cell Migration. Blood, 2010, 116, 2119-2119.	1.4	1
42	Nab-paclitaxel as second-line treatment in advanced biliary cancer.. Journal of Clinical Oncology, 2015, 33, 463-463.	1.6	1
43	Soluble CD87 (s-uPAR) predicts bevacizumab-based first line treatment of metastatic colorectal cancer (mCRC): Results from a prospective multi-center study.. Journal of Clinical Oncology, 2017, 35, 604-604.	1.6	1
44	Impact of new chemotherapy regimens on the treatment landscape and survival of advanced pancreatic cancer (PAC) patients (pts).. Journal of Clinical Oncology, 2019, 37, 403-403.	1.6	1
45	uPAR Directly Interacts with LDLR-like Proteins to Induce Angiogenic Endothelial Cell Behavior. Blood, 2014, 124, 4172-4172.	1.4	1
46	Kidney Function Worsening Is Linked to Parenteral-Nutrition-Dependent Survival in Palliative Care Patients. Nutrients, 2022, 14, 769.	4.1	1
47	Retrospective qualitative pilot study incorporating patients' personal life aspects on admission to palliative care. Wiener Klinische Wochenschrift, 2019, 131, 576-581.	1.9	0
48	Palliative treatment in daily practice. Memo - Magazine of European Medical Oncology, 2021, 14, 5-6.	0.5	0
49	Urokinase-Type Plasminogen Activator Receptor (uPAR, CD87) Regulates Integrin Redistribution in Endothelial Cells Via Interaction with Low Density Lipoprotein Receptor- (LDLR-) Like Proteins. Blood, 2011, 118, 5315-5315.	1.4	0
50	Efficacy of liposomal-irinotecan (nal-IRI) plus 5-fluorouracil/folinic acid (5-FU/LV) versus oxaliplatin plus fluoropyrimidines in previous gemcitabine treated pancreatic adenocarcinoma (PAC) patients (pts).. Journal of Clinical Oncology, 2019, 37, 383-383.	1.6	0