

Toshiyuki Mito

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3212166/publications.pdf>

Version: 2024-02-01

379
papers

4,516
citations

168829

31
h-index

223390

49
g-index

386
all docs

386
docs citations

386
times ranked

1459
citing authors

#	ARTICLE	IF	CITATIONS
1	Conductive Micro-Paths for Current Sharing Between REBCO Tapes in High- T_c Superconducting Conductors to Improve Stability. IEEE Transactions on Applied Superconductivity, 2022, 32, 1-4.	1.1	0
2	Development of Static Magnetic Refrigeration System Using Multiple High-Temperature Superconducting Coils. IEEE Transactions on Applied Superconductivity, 2022, 32, 1-5.	1.1	2
3	Study of RHQT-processed Nb3Al multifilamentary rectangular tape strand to be applied to a fusion magnet. Fusion Engineering and Design, 2022, 180, 113169.	1.0	2
4	Reliable long-term operation of superconducting bus lines for the LHD. Journal of Physics: Conference Series, 2021, 1857, 012014.	0.3	0
5	Rotating magnetization method for inspection of local defect in HTS conductor. Journal of Physics: Conference Series, 2021, 1857, 012012.	0.3	1
6	Improvement of I_c degradation of HTS Conductor (FAIR Conductor) and FAIR Coil Structure for Fusion Device. IEEE Transactions on Applied Superconductivity, 2021, 31, 1-5.	1.1	6
7	Effect of Direction of External Magnetic Field on Minimum Propagation Current of a Composite Conductor for LHD Helical Coils. IEEE Transactions on Applied Superconductivity, 2021, 31, 1-5.	1.1	2
8	Feasibility Study of High-Efficiency Cooling of High-Temperature Superconducting Coils by Magnetic Refrigeration. IEEE Transactions on Applied Superconductivity, 2021, 31, 1-4.	1.1	4
9	Thermal Transport Properties of Multiple Oscillating Heat Pipes under Simultaneous Operation. Journal of Physics: Conference Series, 2020, 1559, 012091.	0.3	2
10	Development of FAIR conductor and HTS coil for fusion experimental device. Journal of Physics Communications, 2020, 4, 035009.	0.5	15
11	Reexamination of Refrigeration Power of the LHD Cryogenic System After Fire and Restart of Operation. IEEE Transactions on Applied Superconductivity, 2018, 28, 1-4.	1.1	3
12	Lessons learned from twenty-year operation of the Large Helical Device poloidal coils made from cable-in-conduit conductors. Cryogenics, 2018, 91, 1-6.	0.9	1
13	Operations of the Helium Subcooling System for the LHD Helical Coils during Ten Plasma Experimental Campaigns. Plasma and Fusion Research, 2018, 13, 3405057-3405057.	0.3	1
14	Investigation of long time constants of magnetic fields generated by the JT-60SA CS1 module. Fusion Engineering and Design, 2018, 137, 274-282.	1.0	1
15	Effect of electromagnetic force on a quad-pancake coil wound with a Nb ₃ Sn CIC conductor. Journal of Physics: Conference Series, 2018, 1054, 012067.	0.3	0
16	Highly Efficient Liquid Hydrogen Storage System by Magnetic Levitation Using HTS Coils. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-5.	1.1	0
17	Extension of the operational regime of the LHD towards a deuterium experiment. Nuclear Fusion, 2017, 57, 102023.	1.6	116
18	In-situ calibration method of orifice flow meter equipped in 600 W helium refrigerator/liqefier with variable temperature supplies. Fusion Engineering and Design, 2017, 123, 107-110.	1.0	1

#	ARTICLE	IF	CITATIONS
19	Current-carrying capability of the 100 kA-class HTS STARS conductor for the helical fusion reactor FFHR-d1. Journal of Physics: Conference Series, 2017, 871, 012099.	0.3	6
20	Transport Performance and Current Distribution of HTS Current Lead Prepared by the TFA-MOD Processed YBCO Tapes. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2016, 80, 443-446.	0.2	0
21	Commissioning Test Results of Variable-Temperature Helium Refrigerator/Liquefier for NIFS Superconducting Magnet Test Facility. IEEE Transactions on Applied Superconductivity, 2016, 26, 1-4.	1.1	4
22	Magnet design with 100-kA HTS STARS conductors for the helical fusion reactor. Cryogenics, 2016, 80, 243-249.	0.9	25
23	Transport Performance and Current Distribution of HTS Current Lead Prepared by YBCO Tapes. IEEE Transactions on Applied Superconductivity, 2016, 26, 1-4.	1.1	5
24	Conductor and joint test results of JT-60SA CS and EF coils using the NIFS test facility. Cryogenics, 2016, 73, 25-41.	0.9	9
25	Renewal of the Control System and Reliable Long Term Operation of the LHD Cryogenic System. Physics Procedia, 2015, 67, 77-82.	1.2	6
26	Plan for Testing High-Current Superconductors for Fusion Reactors with A 15T Test Facility. Plasma and Fusion Research, 2015, 10, 3405012-3405012.	0.3	11
27	A Cooling Concept for Indirectly Cooled Superconducting Magnets for the Fusion Reactor FFHR. Plasma and Fusion Research, 2015, 10, 3405011-3405011.	0.3	3
28	Design and development of high-temperature superconducting magnet system with joint-winding for the helical fusion reactor. Nuclear Fusion, 2015, 55, 053021.	1.6	61
29	Magnetic field measurements of JT-60SA CS model coil. Fusion Engineering and Design, 2015, 90, 55-61.	1.0	2
30	Effects of Subcooling on Lengths of Propagating Normal Zones in the LHD Helical Coils. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-5.	1.1	2
31	Development of Terminal Joint and Lead Extension for JT-60SA Central Solenoid. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-5.	1.1	6
32	Measurement and Analysis of Critical Current of 100-kA Class Simply-Stacked HTS Conductors. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-5.	1.1	33
33	Fabrication and Superconducting Properties of the Bronze-Processed Nb_3Sn Multifilamentary Wire Using Cu–Sn–Zn Alloy Matrix. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-4.	1.1	12
34	Flow damping due to stochastization of the magnetic field. Nature Communications, 2015, 6, 5816.	5.8	28
35	Overview of transport and MHD stability study: focusing on the impact of magnetic field topology in the Large Helical Device. Nuclear Fusion, 2015, 55, 104018.	1.6	10
36	Performance verification tests of JT-60SA CS model coil. Physica C: Superconductivity and Its Applications, 2015, 518, 96-100.	0.6	7

#	ARTICLE	IF	CITATIONS
37	Long-term Operational Performance of the LHD Cryogenic System. TEION KOGAKU (Journal of Tj ETQq1 1 0.784314,rgBT /Oyerlock 10	0.1	3
38	Feasibility of HTS Magnet Option for Fusion Reactors. Plasma and Fusion Research, 2014, 9, 1405013-1405013.	0.3	10
39	Experimental Results of the HTS Floating Coil Using REBCO Tapes for the Mini-RT Upgrading. IEEE Transactions on Applied Superconductivity, 2014, 24, 1-4.	1.1	4
40	Performance of a Mechanical Bridge Joint for 30-kA-Class High-Temperature Superconducting Conductors. IEEE Transactions on Applied Superconductivity, 2014, 24, 1-5.	1.1	16
41	Progress of the Design of HTS Magnet Option and R&D Activities for the Helical Fusion Reactor. IEEE Transactions on Applied Superconductivity, 2014, 24, 1-5.	1.1	23
42	Development and Test of JT-60SA Central Solenoid Model Coil. IEEE Transactions on Applied Superconductivity, 2014, 24, 1-5.	1.1	26
43	Critical Current Measurement of 30 kA-Class HTS Conductor Samples. IEEE Transactions on Applied Superconductivity, 2014, 24, 1-5.	1.1	16
44	Thermal Stability of Butt Joint for CS Conductor in JT-60SA. IEEE Transactions on Applied Superconductivity, 2014, 24, 1-4.	1.1	3
45	Development of an Indirectly Cooled Superconductor for the LHD Fusion Reactor FFHR. Plasma and Fusion Research, 2014, 9, 3405034-3405034.	0.3	3
46	Modeling of Butt Joint Composed of Nb ₃ Sn Cable-In-Conduit Conductors. Plasma and Fusion Research, 2014, 9, 3405122-3405122.	0.3	4
47	Enhancement of Thermal Properties of HTS Magnets Using Built-in Cryogenic Oscillating Heat Pipes. IEEE Transactions on Applied Superconductivity, 2013, 23, 4602905-4602905.	1.1	16
48	Development of a Flat-plate Cryogenic Oscillating Heat Pipe for Improving HTS Magnet Cooling. Physics Procedia, 2013, 45, 233-236.	1.2	11
49	Joint resistance measurements of pancake and terminal joints for JT-60SA EF coils. Fusion Engineering and Design, 2013, 88, 2773-2776.	1.0	3
50	Reconsideration of Evaluation of Balance Voltages During a Normal Zone Propagation in the LHD Helical Coils. IEEE Transactions on Applied Superconductivity, 2013, 23, 4700904-4700904.	1.1	2
51	LHD accomplishments/plans in support of fusion next-steps. , 2013, , .		0
52	Extension of operation regimes and investigation of three-dimensional currentless plasmas in the Large Helical Device. Nuclear Fusion, 2013, 53, 104015.	1.6	35
53	Effect of Bending on Critical Current and n-Value of React-and-Jacket Processed Nb ₃ Sn Conductor. Plasma and Fusion Research, 2013, 8, 2405008-2405008.	0.3	2
54	Self Magnetic Field Measurements on Cable-In-Conduit Conductors for JT-60SA EF-H and EF-L coils. IEEE Transactions on Applied Superconductivity, 2012, 22, 4803404-4803404.	1.1	1

#	ARTICLE	IF	CITATIONS
55	Novel Type of Aluminum-Alloy Jacketed Nb_3Sn Superconductors Manufactured by Friction Stir Welding Technique. IEEE Transactions on Applied Superconductivity, 2012, 22, 4802905-4802905.	1.1	5
56	Measurement of the Joint Resistance of Large-Current YBCO Conductors. Plasma and Fusion Research, 2012, 7, 2405027-2405027.	0.3	14
57	Development of Cryogenic Oscillating Heat Pipe as a New Device for Indirect/Conduction Cooled Superconducting Magnets. IEEE Transactions on Applied Superconductivity, 2012, 22, 4703904-4703904.	1.1	31
58	Feasibility of large-current capacity YBCO conductors with on-demand transposition. Physics Procedia, 2012, 27, 444-447.	1.2	3
59	Long-Term Monitoring of Hydraulic Characteristics of LHD Poloidal Coils. Plasma and Fusion Research, 2012, 7, 2405008-2405008.	0.3	3
60	Study on the dynamic behavior of a current in cable-in-conduit conductors by using self magnetic field measurements. Fusion Engineering and Design, 2011, 86, 1377-1380.	1.0	4
61	Fabrication and tests of EF conductors for JT-60SA. Fusion Engineering and Design, 2011, 86, 1432-1435.	1.0	10
62	HTS Current Leads Prepared by the TFA-MOD Processed YBCO Tapes. IEEE Transactions on Applied Superconductivity, 2011, 21, 1054-1057.	1.1	14
63	Development of an MgB_2 Coil Wound With a Parallel Conductor Composed of Two Tapes With Insulation. IEEE Transactions on Applied Superconductivity, 2011, 21, 1612-1615.	1.1	2
64	Design Progress on the High-Temperature Superconducting Coil Option for the Heliotron-Type Fusion Energy Reactor FFHR. Fusion Science and Technology, 2011, 60, 648-652.	0.6	42
65	Present states and future prospect of fast ignition realization experiment (FIREX) with Gekko and LFEX Lasers at ILE. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2011, 653, 84-88.	0.7	10
66	Heat transfer performance of cryogenic oscillating heat pipes for effective cooling of superconducting magnets. Cryogenics, 2011, 51, 309-314.	0.9	57
67	Critical current of react-and-jacket processed Nb_3Sn conductor. Cryogenics, 2011, 51, 397-399.	0.9	6
68	Stability Margin of NbTi CIC Conductor for JT-60SA Equilibrium Field Coil. IEEE Transactions on Applied Superconductivity, 2011, 21, 1991-1994.	1.1	5
69	Detection System for Propagating Normal-Zones With Pick-Up Coils in the LHD Helical Coils. IEEE Transactions on Applied Superconductivity, 2011, 21, 2316-2319.	1.1	4
70	Heat flux reduction by helical divertor coils in the heliotron fusion energy reactor. Nuclear Fusion, 2011, 51, 103017.	1.6	4
71	Achievement of High Heat Removal Characteristics of Superconducting Magnets With Imbedded Oscillating Heat Pipes. IEEE Transactions on Applied Superconductivity, 2011, 21, 2470-2473.	1.1	36
72	Hysteresis Loss in Poloidal Coils of the Large Helical Device. Plasma and Fusion Research, 2011, 6, 2405077-2405077.	0.3	1

#	ARTICLE	IF	CITATIONS
73	Conceptual design of 1 GW class hybrid energy transfer line of hydrogen and electricity. Journal of Physics: Conference Series, 2010, 234, 032064.	0.3	16
74	Rigidity evaluation of a superconducting helical coil for an LHD-type fusion magnet. Journal of Physics: Conference Series, 2010, 234, 032055.	0.3	3
75	Present status and future prospect of Fast Ignition Realization Experiment (FIREX) Project at ILE, Osaka. , 2010, , .		1
76	Overview of LHD Superconducting Magnet System and Its 10-Year Operation. Fusion Science and Technology, 2010, 58, 560-570.	0.6	10
77	Progress in the Integrated Development of the Helical System. Fusion Science and Technology, 2010, 58, 12-28.	0.6	19
78	Performance of the Superconducting Helical Coils of LHD. Fusion Science and Technology, 2010, 58, 571-580.	0.6	0
79	Helium Subcooling System for LHD Helical Coils. Fusion Science and Technology, 2010, 58, 581-585.	0.6	3
80	Goal and Achievements of Large Helical Device Project. Fusion Science and Technology, 2010, 58, 1-11.	0.6	127
81	HTS current lead units prepared by the TFAâ€‘MOD processed YBCO coated conductors. Physica C: Superconductivity and Its Applications, 2010, 470, 1887-1889.	0.6	1
82	Conceptual Design and Development of an Indirect-cooled Superconducting Helical Coil in the FFHR. Plasma and Fusion Research, 2010, 5, S1035-S1035.	0.3	9
83	Improvement of Electromagnetic Properties of MgB_2 Filaments Due to Deformation to Tape Shape. IEEE Transactions on Applied Superconductivity, 2010, 20, 1601-1604.	1.1	1
84	Magnetic Field Measurements on a Shake-Hands Lap Joint Sample of Cable-In-Conduit Conductors for JT-60SA EF Coil. IEEE Transactions on Applied Superconductivity, 2010, 20, 1471-1474.	1.1	3
85	Operation and Control of Helium Subcooling System of LHD Helical Coils During Change of Rotational Speed of Cold Compressors. IEEE Transactions on Applied Superconductivity, 2010, 20, 2051-2053.	1.1	8
86	AC Losses in Poloidal Coils of the Large Helical Device. IEEE Transactions on Applied Superconductivity, 2010, 20, 517-520.	1.1	2
87	Development of Highly Effective Cooling Technology for a Superconducting Magnet Using Cryogenic OHP. IEEE Transactions on Applied Superconductivity, 2010, 20, 2023-2026.	1.1	33
88	Experiments of Bending Strain on Reduced-Scale HTS Conductors for Fusion Energy Reactors. IEEE Transactions on Applied Superconductivity, 2010, 20, 1565-1568.	1.1	12
89	Increase of Operating Current of the LHD Helical Coils by Upgrading the Cooling System. IEEE Transactions on Applied Superconductivity, 2010, 20, 438-441.	1.1	3
90	Conceptual Design of Coaxial Multi-Layer Type CIC for SC Magnet of FFHR. IEEE Transactions on Applied Superconductivity, 2010, 20, 560-563.	1.1	1

#	ARTICLE	IF	CITATIONS
91	Stability and Quench Test for NbTi CIC Conductor of JT-60SA Equilibrium Field Coil. IEEE Transactions on Applied Superconductivity, 2010, 20, 512-516.	1.1	8
92	Concept of magnet systems for LHD-type reactor. Nuclear Fusion, 2009, 49, 075017.	1.6	35
93	Plasma physics and laser development for the Fast-Ignition Realization Experiment (FIREX) Project. Nuclear Fusion, 2009, 49, 104024.	1.6	45
94	Upgrading the NIFS superconductor test facility for JT-60SA cable-in-conduit conductors. Fusion Engineering and Design, 2009, 84, 1442-1445.	1.0	20
95	Critical current measurement of prototype NbTi cable-in-conduit conductor for JT-60SA. Fusion Engineering and Design, 2009, 84, 1058-1062.	1.0	16
96	10 years of engineering and physics achievements by the Large Helical Device project. Fusion Engineering and Design, 2009, 84, 186-193.	1.0	16
97	Critical Currents and AC Losses in $\{m \text{ MgB} \}_2$ Multifilamentary Tapes With 6 Twisted Filaments. IEEE Transactions on Applied Superconductivity, 2009, 19, 2686-2689.	1.1	9
98	Development of net-current free heliotron plasmas in the Large Helical Device. Nuclear Fusion, 2009, 49, 104015.	1.6	54
99	Summary of a 1 MJ Conduction-Cooled LTS Pulse Coil Developed for 1 MW, 1 s UPS-SMES. IEEE Transactions on Applied Superconductivity, 2009, 19, 1999-2003.	1.1	19
100	Temperature Control in a Cryogenic Target with a Conical Laser Guide for Fuel Layering. Fusion Science and Technology, 2009, 56, 427-431.	0.6	2
101	Extension of Improved Particle and Energy Confinement Regime in the Core of LHD Plasma. Plasma and Fusion Research, 2009, 4, 027-027.	0.3	15
102	Characteristics of the LHD Subcooling System. TEION KOGAKU (Journal of Cryogenics and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td	0.1	1
103	Design Study of an Indirect Cooling Superconducting Magnet for a Fusion Device. IEJ Transactions on Fundamentals and Materials, 2009, 129, 609-613.	0.2	0
104	Optimization activities on design studies of LHD-type reactor FFHR. Fusion Engineering and Design, 2008, 83, 1690-1695.	1.0	53
105	Control, data acquisition, data analysis and remote participation in LHD. Fusion Engineering and Design, 2008, 83, 170-175.	1.0	10
106	AC Losses in a Conduction-Cooled LTS Pulse Coil With Stored Energy of 1 MJ for UPS-SMES as Protection From Momentary Voltage Drops. IEEE Transactions on Applied Superconductivity, 2008, 18, 783-786.	1.1	11
107	Experimental Results of Large-Current Capacity HTS Conductors. IEEE Transactions on Applied Superconductivity, 2008, 18, 1151-1154.	1.1	19
108	Study on a fuel layering sequence of the foam target for the FIREX project. Journal of Physics: Conference Series, 2008, 112, 032067.	0.3	3

#	ARTICLE	IF	CITATIONS
109	Performance Tests of the Subcooling System for the LHD Helical Coils. IEEE Transactions on Applied Superconductivity, 2008, 18, 1475-1478.	1.1	6
110	Quench Characteristics of an NbTi CICC With Non-Uniform Current Distribution. IEEE Transactions on Applied Superconductivity, 2008, 18, 1245-1248.	1.1	1
111	Results of the Excitation Test of the LHD Helical Coils Cooled by Subcooled Helium. IEEE Transactions on Applied Superconductivity, 2008, 18, 455-458.	1.1	10
112	Bi2212 superconducting tubular conductors prepared by the diffusion process for current lead. Journal of Physics: Conference Series, 2008, 97, 012055.	0.3	0
113	Mechanical behaviour analysis of superconducting magnet in LHD-type reactor FFHR. Journal of Physics: Conference Series, 2008, 97, 012139.	0.3	6
114	Fabrication and characterization of planar cryogenic targets for GEKKO-XII. Journal of Physics: Conference Series, 2008, 112, 032068.	0.3	0
115	UNDERSTANDING DYNAMIC BEHAVIORS OF A LARGE SCALE CRYOGENIC PLANT. AIP Conference Proceedings, 2008, , .	0.3	3
116	PERFORMANCE OF UPGRADED COOLING SYSTEM FOR LHD HELICAL COILS. AIP Conference Proceedings, 2008, , .	0.3	7
117	OPTIMIZATION OF A TWO STAGE PULSE TUBE REFRIGERATOR FOR THE INTEGRATED CURRENT LEAD SYSTEM. AIP Conference Proceedings, 2008, , .	0.3	0
118	Developments of characterization of the foam shell target for fast ignition realization experiment-I (FIREX-I). Journal of Physics: Conference Series, 2008, 112, 032066.	0.3	3
119	High-Temperature Superconducting Coil Option for the LHD-Type Fusion Energy Reactor FFHR. Plasma and Fusion Research, 2008, 3, S1049-S1049.	0.3	29
120	Ramp Rate Limitation of NbTi Cable-in-Conduit Conductor With Artificially Introduced Non-Uniform Current Distribution. IEEE Transactions on Applied Superconductivity, 2007, 17, 2434-2437.	1.1	0
121	Extended steady-state and high-beta regimes of net-current free heliotron plasmas in the Large Helical Device. Nuclear Fusion, 2007, 47, S668-S676.	1.6	44
122	Achievement of high availability in long-term operation and upgrading plan of the LHD superconducting system. Nuclear Fusion, 2007, 47, 353-360.	1.6	13
123	Development of 1ÂMJ Conduction-Cooled LTS Pulse Coil for UPS-SMES. IEEE Transactions on Applied Superconductivity, 2007, 17, 1973-1976.	1.1	11
124	Improvements of Current Decay Behavior of HTS Coils in Persistent Current Operations. IEEE Transactions on Applied Superconductivity, 2007, 17, 2422-2425.	1.1	5
125	Experimental Investigation of the Minimum Propagation Currents and Quench Characteristics of LTS/HTS Hybrid Conductors. IEEE Transactions on Applied Superconductivity, 2007, 17, 2474-2477.	1.1	14
126	Cryogenic Stability of LTS/HTS Hybrid Conductors. IEEE Transactions on Applied Superconductivity, 2007, 17, 2486-2489.	1.1	14

#	ARTICLE	IF	CITATIONS
127	Transport Performance and Structures of Bi2212 Oxide Superconductors Prepared by Diffusion Process. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2007, 71, 972-976.	0.2	0
128	Preliminary Results of Fuel Layering on the Cryogenic Target for the FIREX Project. Fusion Science and Technology, 2007, 51, 753-757.	0.6	4
129	Electron Bernstein Wave Heating on the Internal Coil Device Mini-RT. Fusion Science and Technology, 2007, 51, 310-312.	0.6	1
130	The Design to Downsize a Conduction-Cooled LTS Pulse Coil for UPS-SMES as Protection From Momentary Voltage Drops. IEEE Transactions on Applied Superconductivity, 2007, 17, 1963-1966.	1.1	2
131	AC Losses and Critical Current Densities of NbTi/Cu Multifilamentary Tapes. IEEE Transactions on Applied Superconductivity, 2007, 17, 2546-2549.	1.1	3
132	Study of SMES system using dry type superconducting coil designed to protect from momentary voltage drop. , 2007, , .		0
133	Electromagnetic behavior of lap-joints for fusion magnet system. Cryogenics, 2007, 47, 25-30.	0.9	0
134	Design and fabrication of a superconducting conductor sample to evaluate instabilities due to artificial non-uniform current distribution. Cryogenics, 2007, 47, 490-496.	0.9	4
135	Conceptual design of an indirect-cooled superconducting magnet for the LHD-type fusion reactor FFHR. Fusion Engineering and Design, 2007, 82, 1487-1492.	1.0	31
136	Power saving of large scaled helium compressor for fusion device using an adsorption chiller. Fusion Engineering and Design, 2007, 82, 2824-2828.	1.0	3
137	Conceptual design of the cryogenic system for the helical-type fusion power plant FFHR. Fusion Engineering and Design, 2007, 82, 2817-2823.	1.0	6
138	Validation of the High Performance Conduction-Cooled Prototype LTS Pulse Coil for UPS-SMES. IEEE Transactions on Applied Superconductivity, 2006, 16, 608-611.	1.1	11
139	Heat Transfer Properties of a Conduction Cooled Prototype LTS Pulse Coil for UPS-SMES. IEEE Transactions on Applied Superconductivity, 2006, 16, 624-627.	1.1	6
140	Improvement in Cryogenic Stability of the Model Coil of the LHD Helical Coil by Lowering the Temperature. IEEE Transactions on Applied Superconductivity, 2006, 16, 755-758.	1.1	5
141	Bi2212 HTS Tubular Bulk with Conical Shape for Current Lead. Journal of Physics: Conference Series, 2006, 43, 1035-1038.	0.3	0
142	Overall Characteristics of 9 kW Class Helium Refrigerator for Experimental Fusion Device. Journal of Physics: Conference Series, 2006, 43, 1063-1067.	0.3	1
143	Power Saving of Large-Scaled Helium Compressor for Fusion Device. Journal of Physics: Conference Series, 2006, 43, 1072-1075.	0.3	0
144	Cool-down performance of the apparatus for the cryogenic target of the FIREX project. Fusion Engineering and Design, 2006, 81, 1647-1652.	1.0	16

#	ARTICLE	IF	CITATIONS
145	Pulse height analysis on the balance voltage and acoustic emission signals for the LHD superconducting coils. Fusion Engineering and Design, 2006, 81, 2561-2565.	1.0	3
146	Protection of LHD coils by intelligent observation of voltage signals. Fusion Engineering and Design, 2006, 81, 2567-2570.	1.0	0
147	Influence of magnetic hysteresis on quench-voltage detection in large superconducting magnets. Fusion Engineering and Design, 2006, 81, 2571-2575.	1.0	4
148	Optimization of a conduction-cooled LTS pulse coil. Fusion Engineering and Design, 2006, 81, 2457-2462.	1.0	2
149	Electromagnetic behavior of HTS coils in persistent current operations. Fusion Engineering and Design, 2006, 81, 2463-2466.	1.0	11
150	Bi2212 HTS bulk tubes prepared by the diffusion process for current lead application. Fusion Engineering and Design, 2006, 81, 2449-2455.	1.0	2
151	Application of high-temperature superconducting coil for internal ring devices. Fusion Engineering and Design, 2006, 81, 2361-2369.	1.0	4
152	Stability measurements with non-uniform current distribution in NbTi cable-in-conduit conductor for SST-1. Fusion Engineering and Design, 2006, 81, 2491-2495.	1.0	2
153	Stability measurements of LTS/HTS hybrid superconductors. Fusion Engineering and Design, 2006, 81, 2485-2489.	1.0	13
154	Applied superconductivity and cryogenic research activities in NIFS. Fusion Engineering and Design, 2006, 81, 2389-2400.	1.0	18
155	Performance of cold compressors in a cooling system of an R&D superconducting coil cooled with subcooled helium. Fusion Engineering and Design, 2006, 81, 2617-2621.	1.0	10
156	Steady state heat transfer of an oxidized copper surface in subcooled liquid helium. Fusion Engineering and Design, 2006, 81, 2611-2615.	1.0	3
157	Conceptual design activities and key issues on LHD-type reactor FFHR. Fusion Engineering and Design, 2006, 81, 2703-2712.	1.0	53
158	Upgrading program for improving the cryogenic stability of LHD helical coils by lowering the operating temperature. Fusion Engineering and Design, 2006, 81, 2583-2588.	1.0	13
159	Temperature dependence of the mechanical properties of melt-processed Dy ^{1.8} Ba ^{1.8} Cu ^{1.8} O bulk superconductors evaluated by three point bending tests. Superconductor Science and Technology, 2006, 19, S545-S549.	1.8	6
160	Characterization of a Co-axial Pulse Tube Cryocooler Applied as a Current Lead. AIP Conference Proceedings, 2006, , .	0.3	1
161	Dynamic Simulation of a Large Scale Cryogenic Plant. AIP Conference Proceedings, 2006, , .	0.3	7
162	Bi2212 HTS Conical Tubes Prepared by the Diffusion Process for Current Lead Application. IEEE Transactions on Applied Superconductivity, 2006, 16, 461-464.	1.1	4

#	ARTICLE	IF	CITATIONS
163	Preliminary results on the cryogenic target for FIREX project. European Physical Journal Special Topics, 2006, 133, 899-901.	0.2	0
164	ECH Plasma Experiments on an Internal Coil Device with a High Temperature Superconductor Coil. Fusion Science and Technology, 2005, 47, 63-70.	0.6	0
165	Compressive mechanical properties of Sm123 bulk superconductor at liquid nitrogen temperature. Physica C: Superconductivity and Its Applications, 2005, 426-431, 644-648.	0.6	12
166	A 1.8K current feedthrough using YBCO bulk conductor for supplying 20kA. Physica C: Superconductivity and Its Applications, 2005, 426-431, 770-776.	0.6	1
167	Dynamic simulation of the helium refrigerator/liquefier for LHD. Cryogenics, 2005, 45, 199-211.	0.9	31
168	Elimination of variable harmonics on motor generator circuit for experimental fusion facility. Fusion Engineering and Design, 2005, 75-79, 93-97.	1.0	4
169	AE Measurement of the LHD Helical Coils. IEEE Transactions on Applied Superconductivity, 2005, 15, 1423-1426.	1.1	11
170	Measurement of Residual Magnetic Field by Superconducting Magnets of the LHD. IEEE Transactions on Applied Superconductivity, 2005, 15, 1419-1422.	1.1	4
171	Recent Results in Large Helical Device. , 2005, , .		0
172	Effective Resistance of the HTS Floating Coil of the Mini-RT Project. IEEE Transactions on Applied Superconductivity, 2005, 15, 1399-1402.	1.1	3
173	Stability Evaluation of a Conduction-Cooled Prototype LTS Pulse Coil for UPS-SMES. IEEE Transactions on Applied Superconductivity, 2005, 15, 1891-1894.	1.1	3
174	Prototype Development of a Conduction-Cooled LTS Pulse Coil for UPS-SMES. IEEE Transactions on Applied Superconductivity, 2005, 15, 1935-1938.	1.1	7
175	Experimental Evaluation of Loss Generation in HTS Coils Under Various Conditions. IEEE Transactions on Applied Superconductivity, 2005, 15, 1711-1714.	1.1	13
176	Calibration of Inductive Heater for Stability Test of Cable in Conduit Conductor. IEEE Transactions on Applied Superconductivity, 2005, 15, 1695-1698.	1.1	1
177	Analysis of Joint-Resistance-Induced, Non-Uniform Current Distribution. IEEE Transactions on Applied Superconductivity, 2005, 15, 1595-1598.	1.1	10
178	Foam materials for cryogenic targets of fast ignition realization experiment (FIREX). Nuclear Fusion, 2005, 45, 1277-1283.	1.6	34
179	Introduction of Fuzzy Logic Theorem for Quench Detection in the Superconducting Coil System of a Large Helical Device. TEION KOGAKU (Journal of Cryogenics and Superconductivity Society of Japan), 2005, 40, 93-99.	0.1	2
180	Review on the Progress of the LHD Experiment. Fusion Science and Technology, 2004, 46, 1-12.	0.6	10

#	ARTICLE	IF	CITATIONS
181	Radial electric field and transport near the rational surface and the magnetic island in LHD. Nuclear Fusion, 2004, 44, 290-295.	1.6	58
182	Development of Evaluation Technique on Thermal Impedance between Dissimilar Solids. AIP Conference Proceedings, 2004, , .	0.3	0
183	Experimental Apparatus for Measuring the Characteristics of HTS Coils Under Controllable Magnetic Field, Orientation and Temperature. IEEE Transactions on Applied Superconductivity, 2004, 14, 1806-1809.	1.1	2
184	Performance of the Helical Coils for the Large Helical Device in Six Years' Operation. IEEE Transactions on Applied Superconductivity, 2004, 14, 1388-1393.	1.1	20
185	Thermal Hydraulic Characteristics of Superconducting Coil Cooled by Subcooled He I. IEEE Transactions on Applied Superconductivity, 2004, 14, 1439-1442.	1.1	5
186	Numerical Analyses of Non-Uniform Current Distribution Within the Multi-Strand Superconducting Cable for Fusion Apparatus. IEEE Transactions on Applied Superconductivity, 2004, 14, 1360-1364.	1.1	5
187	Thermal Contact Conductance Between the Bundle and the Conduit in Cable-in-Conduit Conductors. IEEE Transactions on Applied Superconductivity, 2004, 14, 1477-1480.	1.1	9
188	Design and Operation of the Sub-Cooled Helium Test Facility for the LHD Helical Coils. IEEE Transactions on Applied Superconductivity, 2004, 14, 1435-1438.	1.1	5
189	Experiments of the HTS Floating Coil System in the Mini-RT Project. IEEE Transactions on Applied Superconductivity, 2004, 14, 1539-1542.	1.1	6
190	Asymmetrical Normal-Zone Propagation Observed in the Aluminum-Stabilized Superconductor for the LHD Helical Coils. IEEE Transactions on Applied Superconductivity, 2004, 14, 1507-1510.	1.1	31
191	Line Voltage Detector for SMES System Designed to Protect From Momentary Voltage Drop. IEEE Transactions on Applied Superconductivity, 2004, 14, 754-757.	1.1	4
192	Design Study of HTS Current Lead Using Reinforced Bi-2212 Tubular Bulk. IEEE Transactions on Applied Superconductivity, 2004, 14, 686-689.	1.1	5
193	Results of Stability Test in Subcooled Helium for the R&D Coil of the LHD Helical Coil. IEEE Transactions on Applied Superconductivity, 2004, 14, 1511-1514.	1.1	17
194	Development of 1.8 K HTS Current Feedthrough Using Large-Sized YBCO Bulk Conductors. IEEE Transactions on Applied Superconductivity, 2004, 14, 1782-1785.	1.1	0
195	Measurement of Superconductor Motion in R&D Coil for Supercooling of the LHD Helical Coil. IEEE Transactions on Applied Superconductivity, 2004, 14, 1515-1518.	1.1	7
196	Transient Stability Analysis of Large Aluminum Stabilized Superconductor by 2D and 3D Finite Element Analysis. IEEE Transactions on Applied Superconductivity, 2004, 14, 1330-1333.	1.1	5
197	Dynamic Simulation of a Helium Liquefier. AIP Conference Proceedings, 2004, , .	0.3	8
198	Tensile and bending mechanical properties of bulk superconductors at room temperature. Physica C: Superconductivity and Its Applications, 2004, 412-414, 633-637.	0.6	22

#	ARTICLE	IF	CITATIONS
199	Compact stranded superconducting conductors with both low ac loss and high stability. I. Proposal of a new design. Cryogenics, 2004, 44, 617-622.	0.9	6
200	Compact stranded superconducting conductors with both low ac loss and high stability II. Experiment to confirm fundamental performance. Cryogenics, 2004, 44, 623-630.	0.9	4
201	Transport Performance in Bi2212 Cylinders Prepared by the Diffusion Process for Current Lead Application. IEEE Transactions on Applied Superconductivity, 2004, 14, 638-641.	1.1	6
202	MHD instabilities and their effects on plasma confinement in Large Helical Device plasmas. Nuclear Fusion, 2004, 44, 217-225.	1.6	57
203	Winding Techniques for Conduction Cooled LTS Pulse Coils for 100 kJ Class UPS-SMES as a Protection From Momentary Voltage Drops. IEEE Transactions on Applied Superconductivity, 2004, 14, 727-730.	1.1	13
204	Development of UPS-SMES as a Protection From Momentary Voltage Drop. IEEE Transactions on Applied Superconductivity, 2004, 14, 721-726.	1.1	21
205	Long-Pulse Operation and High-Energy Particle Confinement Study in ICRF Heating of LHD. Fusion Science and Technology, 2004, 46, 175-183.	0.6	5
206	Development of a 20 kA Current Feedthrough using YBCO Bulk Conductors. TEION KOGAKU (Journal of Tj ETQq0 0.0 rgBT /Qverlock 10	0.1	0
207	Dependence on winding tensions for stability of a superconducting coil. Cryogenics, 2003, 43, 649-658.	0.9	9
208	Stress/strain characteristics of PIT MgB2 tapes with nickel sheathâ€œâ€œeffect of indium addition to the core. Physica C: Superconductivity and Its Applications, 2003, 397, 95-98.	0.6	24
209	Coupling losses in cable-in-conduit conductors for LHD poloidal coils. Fusion Engineering and Design, 2003, 65, 39-45.	1.0	17
210	SMES-UPS for large-scaled SC magnet system of LHD. Fusion Engineering and Design, 2003, 66-68, 1149-1153.	1.0	0
211	Structure and performance of Bi-2212 hollow cylinders prepared by a new diffusion process. Physica C: Superconductivity and Its Applications, 2003, 386, 110-114.	0.6	3
212	Preparation and superconductivity of the BPSCCO-2223 sintered bulk by new designed composite. Physica C: Superconductivity and Its Applications, 2003, 392-396, 499-504.	0.6	0
213	A new winding method to reduce AC losses in stable LTS pulse coils. IEEE Transactions on Applied Superconductivity, 2003, 13, 2404-2407.	1.1	8
214	Complicated shape of the superconductive transition curve revealed by a sensitive OFC-magnetometer. IEEE Transactions on Applied Superconductivity, 2003, 13, 3574-3577.	1.1	0
215	Engineering design of the mini-RT device. IEEE Transactions on Applied Superconductivity, 2003, 13, 1500-1503.	1.1	16
216	Sawtooth Oscillation in Current-Carrying Plasma in the Large Helical Device. Physical Review Letters, 2003, 90, 205001.	2.9	16

#	ARTICLE	IF	CITATIONS
217	Consideration of conductor motions in the helical coils of the large Helical device. IEEE Transactions on Applied Superconductivity, 2003, 13, 1484-1487.	1.1	9
218	Excitation test results of the HTS floating coil for the mini-RT project. IEEE Transactions on Applied Superconductivity, 2003, 13, 1504-1507.	1.1	9
219	Recent advances in the LHD experiment. Nuclear Fusion, 2003, 43, 1674-1683.	1.6	119
220	Operational status of the superconducting system for LHD. IEEE Transactions on Applied Superconductivity, 2003, 13, 1464-1467.	1.1	2
221	Influence of intersecting angles of strands on contact resistance in cable-in-conduit conductors. IEEE Transactions on Applied Superconductivity, 2003, 13, 2392-2395.	1.1	9
222	Ion cyclotron range of frequencies heating and high-energy particle production in the Large Helical Device. Nuclear Fusion, 2003, 43, 738-743.	1.6	25
223	Fabrication and superconductivity of BPSCCO-2223 oxide bulk by a new design composite. Superconductor Science and Technology, 2003, 16, 845-851.	1.8	0
224	Impact of heat deposition profile on global confinement of NBI heated plasmas in the LHD. Nuclear Fusion, 2003, 43, 749-755.	1.6	39
225	Plasma performance and impurity behaviour in long pulse discharges on LHD. Nuclear Fusion, 2003, 43, 219-227.	1.6	34
226	Construction and Operation of an Internal Coil Device with a High Temperature Superconductor. Journal of Plasma and Fusion Research, 2003, 79, 643-644.	0.4	27
227	Compact Stranded Superconducting Conductors with both Low AC Loss and High Stability I. Proposal of a New Design. TEION KOGAKU (Journal of Cryogenics and Superconductivity Society of Japan), 2003, 38, 285-290.	0.1	3
228	Compact Stranded Superconducting Conductors with both Low AC Loss and High Stability II. Experiment to Confirm Fundamental Performance. TEION KOGAKU (Journal of Cryogenics and Superconductivity Society of Japan), 2003, 38, 291-296.	0.1	3
229	Direct observation of Hall voltage inside the LHD helical conductor. IEEE Transactions on Applied Superconductivity, 2002, 12, 1109-1112.	1.1	0
230	Analysis on the cryogenic stability and mechanical properties of the LHD helical coils. IEEE Transactions on Applied Superconductivity, 2002, 12, 662-665.	1.1	12
231	Stable long-term operation of superconducting current-feeder system for the LHD. IEEE Transactions on Applied Superconductivity, 2002, 12, 1328-1331.	1.1	5
232	Application of high temperature superconductor in National Institute for Fusion Science. IEEE Transactions on Applied Superconductivity, 2002, 12, 606-610.	1.1	3
233	Performance test of Bi-2212 HTS current leads prepared by the diffusion process. IEEE Transactions on Applied Superconductivity, 2002, 12, 1332-1335.	1.1	12
234	Engineering research and development of magnetically levitated high-temperature superconducting coil system for mini-RT project. IEEE Transactions on Applied Superconductivity, 2002, 12, 948-951.	1.1	9

#	ARTICLE	IF	CITATIONS
235	Mechanical properties and reinforcement of Bi-2212 tubular bulk superconductor for current lead. IEEE Transactions on Applied Superconductivity, 2002, 12, 1319-1322.	1.1	11
236	Subcooled He II heat transport in the channel with abrupt contractions/enlargements. AIP Conference Proceedings, 2002, , .	0.3	0
237	Performance of thermal shields of LHD cryostat cooled by gaseous helium with parallel paths. AIP Conference Proceedings, 2002, , .	0.3	0
238	Contact resistance and compressive deformation of strands in cable-in-conduit conductors. AIP Conference Proceedings, 2002, , .	0.3	5
239	Minimum quench energy of new type Rutherford cable with both high stability and low losses. Physica C: Superconductivity and Its Applications, 2002, 378-381, 1154-1157.	0.6	1
240	Evaluation of superconducting current feeder system for the Large Helical Device (LHD). IEEE Transactions on Applied Superconductivity, 2001, 11, 2563-2566.	1.1	4
241	Development program of a 60 kA high temperature superconductor current lead for the ITER toroidal field coils. Fusion Engineering and Design, 2001, 58-59, 105-109.	1.0	4
242	Kapitza conductance of an oxidized copper surface in saturated He II. Cryogenics, 2001, 41, 367-371.	0.9	18
243	Development of a 20 kA high temperature superconductor current lead. Cryogenics, 2001, 41, 539-547.	0.9	16
244	Transport performance of Bi-2212 current leads prepared by a diffusion process. IEEE Transactions on Applied Superconductivity, 2001, 11, 2555-2558.	1.1	11
245	Development of high temperature superconducting current feeders for a large-scale superconducting experimental fusion system. IEEE Transactions on Applied Superconductivity, 2001, 11, 2611-2614.	1.1	11
246	Excitation properties and cryogenic stability of helical coils for the LHD. IEEE Transactions on Applied Superconductivity, 2001, 11, 1889-1892.	1.1	11
247	Experimental studies towards long pulse steady state operation in LHD. Nuclear Fusion, 2001, 41, 779-790.	1.6	16
248	Overview of LHD experiments. Nuclear Fusion, 2001, 41, 1355-1367.	1.6	53
249	Achieved capability of the superconducting magnet system for the Large Helical Device. Nuclear Fusion, 2001, 41, 731-737.	1.6	3
250	Levitation Experiment Using a High-Temperature Superconductor Coil for a Plasma Confinement Device. Japanese Journal of Applied Physics, 2001, 40, L1029-L1031.	0.8	15
251	Test results of a 20 kA current lead using Ag/Au stabilized Bi-2223 tapes. IEEE Transactions on Applied Superconductivity, 2001, 11, 2603-2606.	1.1	12
252	Results of the first excitation of helical coils of the Large Helical Device. IEEE Transactions on Applied Superconductivity, 2000, 10, 606-609.	1.1	24

#	ARTICLE	IF	CITATIONS
253	Overview of long pulse operation in the Large Helical Device. Nuclear Fusion, 2000, 40, 1157-1166.	1.6	19
254	Progress summary of LHD engineering design and construction. Nuclear Fusion, 2000, 40, 599-609.	1.6	60
255	Bi-2212 current leads prepared by the diffusion process. IEEE Transactions on Applied Superconductivity, 2000, 10, 1481-1484.	1.1	9
256	Monitoring of superconducting bus-line of LHD using fuzzy theorem. IEEE Transactions on Applied Superconductivity, 2000, 10, 1122-1125.	1.1	0
257	Temperature and electric field distribution measurement inside of the LHD helical conductor. IEEE Transactions on Applied Superconductivity, 2000, 10, 1259-1262.	1.1	4
258	Results on the superconducting magnet system for the Large Helical Device. IEEE Transactions on Applied Superconductivity, 2000, 10, 600-605.	1.1	17
259	Performance of the LHD cryogenic system during cooling and excitation tests. IEEE Transactions on Applied Superconductivity, 2000, 10, 1507-1510.	1.1	2
260	Analysis of the normal transition event of the LHD helical coils. IEEE Transactions on Applied Superconductivity, 2000, 10, 610-613.	1.1	18
261	Hydraulic Characteristics of Cable-in-Conduit Conductors for Large Helical Device. , 2000, , 1111-1118.		6
262	LHD Cryogenic-Control System Performance Under Various Operating Conditions. , 2000, , 1339-1346.		7
263	Overall Operating Characteristics of Superconducting Current-Feeder System for the LHD. , 2000, , 1525-1532.		9
264	Design of a toroidal plasma confinement device with a levitated super-conducting internal coil. AIP Conference Proceedings, 1999, , .	0.3	7
265	Plasma confinement studies in LHD. Nuclear Fusion, 1999, 39, 1659-1666.	1.6	28
266	Overview of the Large Helical Device project. Nuclear Fusion, 1999, 39, 1245-1256.	1.6	270
267	Completion and trial operation of the superconducting magnets for the Large Helical Device. IEEE Transactions on Applied Superconductivity, 1999, 9, 1008-1011.	1.1	5
268	Stability test results on the aluminum stabilized superconductor for the helical coils of LHD. IEEE Transactions on Applied Superconductivity, 1999, 9, 1113-1116.	1.1	11
269	Increase of inter-strand coupling losses in superconducting cable-in-conduit conductor under actual condition of sweep rate. IEEE Transactions on Applied Superconductivity, 1999, 9, 727-730.	1.1	2
270	High current transport test of a YBCO bulk conductor up to 25 kA. IEEE Transactions on Applied Superconductivity, 1999, 9, 1281-1284.	1.1	14

#	ARTICLE	IF	CITATIONS
271	First cool-down performance of the LHD. IEEE Transactions on Applied Superconductivity, 1999, 9, 640-643.	1.1	5
272	Quench detection of superconducting bus-line of LHD by fuzzy theorem. IEEE Transactions on Applied Superconductivity, 1999, 9, 248-251.	1.1	2
273	Stability Characteristics of the Aluminum Stabilized Superconductor for the LHD Helical Coils. , 1999, , 991-994.		10
274	Extra AC losses for a CICC coil due to the non-uniform current distribution in the cable. Cryogenics, 1998, 38, 551-558.	0.9	31
275	Development of superconductors for the Large Helical Device. Journal of Nuclear Materials, 1998, 258-263, 1935-1939.	1.3	1
276	Developments of high-Tc superconducting current feeders for a large-scale superconducting coil system. Journal of Nuclear Materials, 1998, 258-263, 1940-1945.	1.3	3
277	Helical and poloidal coil R&D in LHD. Fusion Engineering and Design, 1998, 41, 231-239.	1.0	1
278	Development and quality control of the superconductors for the helical coils of LHD. Fusion Engineering and Design, 1998, 41, 241-246.	1.0	23
279	Development of a Cryogenic System for the Large Helical Device. , 1998, , 589-596.		6
280	Operation Characteristics of the Helium Refrigerator for the Large Helical Device with a Dummy Load Apparatus. , 1998, , 581-588.		2
281	Steady State Heat Transfer Characteristics in He I with Different Surface Area. , 1998, , 1481-1487.		2
282	Effects of the current redistribution within Nb/sub 3/Sn compacted-strand cable on its stability. IEEE Transactions on Applied Superconductivity, 1997, 7, 770-773.	1.1	6
283	Stability of HTS current leads considering unstable equilibrium temperature profile. IEEE Transactions on Applied Superconductivity, 1997, 7, 680-683.	1.1	2
284	Experimental study on the characteristics of current distribution in Rutherford cables and parallel strands. IEEE Transactions on Applied Superconductivity, 1997, 7, 766-769.	1.1	5
285	AC loss measurements of the experiments on a single inner vertical coil (EXSIV) for the Large Helical Device. IEEE Transactions on Applied Superconductivity, 1997, 7, 330-334.	1.1	20
286	Excitation test results on a single inner vertical coil for the Large Helical Device. IEEE Transactions on Applied Superconductivity, 1997, 7, 477-480.	1.1	14
287	Design and Construction of Cryogenic Components for LHD. , 1997, , 63-66.		2
288	Measurement of time constants for superconducting cables with Hall probes. Cryogenics, 1997, 37, 783-788.	0.9	11

#	ARTICLE	IF	CITATIONS
289	Superconducting System for the Large Helical Device. Development and Fabrication of Superconducting Poloidal Coils. Experiments of a Single Inner Vertical Coil(EXSIV).. TEION KOGAKU (Journal of Cryogenics and Superconductivity Society of Japan), 1997, 32, 580-585.	0.1	2
290	Liquefaction Control of 10 kW Class Cryogenic System for the LHD. , 1997, , 83-86.		0
291	Superconducting System for the Large Helical Device. Cryogenic System for the Large Helical Device. Cryogenic System.. TEION KOGAKU (Journal of Cryogenics and Superconductivity Society of Japan), 1997, 32, 608-616.	0.1	1
292	Heat Transfer Characteristics of a Prototype Pool Boiling Superconductor to Liquid Helium. , 1997, , 605-608.		1
293	Construction Report of 10 kW Class Helium Refrigerator for LHD. , 1997, , 75-78.		1
294	Experimental studies on stabilities of Rutherford cables for superconducting accelerator magnets. IEEE Transactions on Magnetics, 1996, 32, 2784-2787.	1.2	4
295	Cooling and excitation tests of an inner vertical coil for the Large Helical Device. IEEE Transactions on Magnetics, 1996, 32, 2244-2247.	1.2	4
296	Fracture toughness of partially welded joints of SUS316 stainless steel at 4 K by large bend-bar tests. IEEE Transactions on Magnetics, 1996, 32, 2941-2944.	1.2	6
297	Effects of spatially limited external magnetic fields on short sample tests of large-scale superconductors. IEEE Transactions on Magnetics, 1996, 32, 2418-2421.	1.2	0
298	Superconducting current feeder system for the large helical device. IEEE Transactions on Magnetics, 1996, 32, 2422-2425.	1.2	18
299	Large Helical Device (LHD) program. Journal of Fusion Energy, 1996, 15, 7-153.	0.5	67
300	Dependence of heat transfer from a wide copper plate to liquid helium on heat transfer surface orientation and treatment. Cryogenics, 1996, 36, 139-143.	0.9	5
301	Stability of NbTi forced-flow superconducting cable. Cryogenics, 1996, 36, 163-166.	0.9	2
302	Measurements of coupling losses in superconducting cable-in-conduit conductors affected by internal transverse electromagnetic-forces. IEEE Transactions on Magnetics, 1996, 32, 2838-2841.	1.2	4
303	Cooldown performance of an inner vertical field coil for the Large Helical Device. IEEE Transactions on Magnetics, 1996, 32, 2252-2255.	1.2	8
304	Thermal behavior of a composite superconductor in stability margin experiments. IEEE Transactions on Magnetics, 1996, 32, 3085-3088.	1.2	1
305	Heat Transfer from an Oxidized Large Copper Surface to Liquid Helium: Dependence on Surface Orientation and Treatment. Advances in Cryogenic Engineering, 1996, , 217-224.	0.3	11
306	Flux jump in solid multistrand superconducting cable for fusion magnet. Cryogenics, 1995, 35, 611-622.	0.9	2

#	ARTICLE	IF	CITATIONS
307	The change of coupling losses in aluminum-stabilized superconductors due to the Hall effect. IEEE Transactions on Applied Superconductivity, 1995, 5, 721-724.	1.1	1
308	Stability and safety estimates and tests of a superconducting bus-line for large-scale superconducting coils. IEEE Transactions on Applied Superconductivity, 1995, 5, 917-920.	1.1	5
309	Stabilities of the Rutherford cables with Cu matrix and CuMn barrier. IEEE Transactions on Applied Superconductivity, 1995, 5, 385-388.	1.1	19
310	Development and tests of a flexible superconducting bus-line for the Large Helical Device. IEEE Transactions on Magnetics, 1994, 30, 2090-2093.	1.2	9
311	Transverse-field losses in aluminum-stabilized superconducting conductors. IEEE Transactions on Magnetics, 1994, 30, 2491-2494.	1.2	6
312	Improvement of a high current DC power supply system for testing the large scaled superconducting cables and magnets. IEEE Transactions on Magnetics, 1994, 30, 1782-1785.	1.2	1
313	Effect of GFRP spacer on local deformation of large superconductor in coil pack. IEEE Transactions on Magnetics, 1994, 30, 1887-1890.	1.2	0
314	Interstrand coupling effect on losses and current distributions in superconducting cable conductors. Cryogenics, 1994, 34, 293-301.	0.9	22
315	Construction of a 10 kW class helium cryogenic system for the large helical device. Cryogenics, 1994, 34, 95-98.	0.9	9
316	Heat transfer of a large copper plate to liquid helium applicable to large scale superconductors. Cryogenics, 1994, 34, 321-324.	0.9	10
317	The Hall effect on coupling losses in aluminum-stabilized superconductors. IEEE Transactions on Magnetics, 1994, 30, 2562-2564.	1.2	1
318	Stability tests of the Nb-Ti cable-in-conduit superconductor with bare strands for demonstration of the Large Helical Device poloidal field coils. IEEE Transactions on Magnetics, 1994, 30, 1705-1709.	1.2	29
319	Experimental Rigidity Evaluation of Conduit Pack for Forced-Flow Superconducting Coil. , 1994, , 1413-1420.		2
320	Experimental Observation of Anomalous Magneto-Resistivity in 10â€“20 kA Class Aluminum-Stabilized Superconductors for the Large Helical Device. , 1994, , 459-468.		31
321	Analysis of Mechanical Rigidity Simulates Superconducting Coil Pack at Low Temperature. , 1994, , 1421-1428.		0
322	Reduction of Hydrocarbon Impurities in 200 L/H Helium Liquefier-Refrigerator System. , 1994, , 627-634.		0
323	Physics and engineering design studies on the Large Helical Device. Fusion Engineering and Design, 1993, 20, 3-14.	1.0	103
324	Present status of superconducting magnets design for the Large Helical Device. Fusion Engineering and Design, 1993, 20, 67-72.	1.0	5

#	ARTICLE	IF	CITATIONS
325	Conceptual design and development of a superconducting bus-line for the Large Helical Device. Fusion Engineering and Design, 1993, 20, 113-120.	1.0	3
326	Conceptual design of cryogenic refrigeration for the Large Helical Device. Fusion Engineering and Design, 1993, 20, 129-136.	1.0	5
327	Research and development of superconductors and superconducting coils for the Large Helical Device. Fusion Engineering and Design, 1993, 20, 139-146.	1.0	15
328	Fabrication of the R&D forced-flow poloidal coil (TOKI-PF). Fusion Engineering and Design, 1993, 20, 153-159.	1.0	7
329	Experimental results of the R&D forced-flow poloidal coil (TOKI-PF). Fusion Engineering and Design, 1993, 20, 161-166.	1.0	17
330	Development of a composite superconductor (Design-M) for research and development programs of the Large Helical Device. Fusion Engineering and Design, 1993, 20, 175-179.	1.0	0
331	Stress analysis of the Module Coil (TOKI-MC) as an R&D program for the Large Helical Device. Fusion Engineering and Design, 1993, 20, 181-185.	1.0	1
332	Fabrication of TOKI-MC R&D coil. Fusion Engineering and Design, 1993, 20, 187-193.	1.0	1
333	Design and construction of the helical R&D coil (TOKI-HB). Fusion Engineering and Design, 1993, 20, 195-200.	1.0	3
334	Characteristics of a dc 75 kA power supply in the superconducting magnet test facilities. Fusion Engineering and Design, 1993, 20, 201-209.	1.0	10
335	Rigidity tests of a superconducting coil at 4.2 K simulated for the helical coil on the LHD program. Fusion Engineering and Design, 1993, 20, 211-216.	1.0	6
336	Short sample tests of aluminum-stabilized superconductors for Large Helical Device. Fusion Engineering and Design, 1993, 20, 233-242.	1.0	32
337	Sweep-rate dependences of losses in aluminum-stabilized superconducting conductors for the Large Helical Device. Fusion Engineering and Design, 1993, 20, 371-376.	1.0	11
338	Superconducting test facility of NIFS for the Large Helical Device. Fusion Engineering and Design, 1993, 20, 147-151.	1.0	27
339	Mechanical analysis and fabrication of the R&D forced-flow helical coil (TOKI-PF). Fusion Engineering and Design, 1993, 20, 167-174.	1.0	4
340	Development of 100 kA current leads for superconductor critical current measurement. Fusion Engineering and Design, 1993, 20, 217-222.	1.0	9
341	Present status of design and manufacture of the superconducting magnets for the Large Helical Device. IEEE Transactions on Applied Superconductivity, 1993, 3, 365-368.	1.1	31
342	Excitation experiments of module coil (TOKI-MC) as an R&D program for Large Helical Device. IEEE Transactions on Applied Superconductivity, 1993, 3, 543-546.	1.1	5

#	ARTICLE	IF	CITATIONS
343	Monitoring system of superconducting magnet introducing fuzzy theorem. IEEE Transactions on Applied Superconductivity, 1993, 3, 301-304.	1.1	3
344	Losses in cable-in-conduit superconductors used for the poloidal coil system of the large helical device. IEEE Transactions on Applied Superconductivity, 1993, 3, 476-479.	1.1	9
345	Stability of cable-in-conduit superconductors for Large Helical Device. IEEE Transactions on Applied Superconductivity, 1993, 3, 511-514.	1.1	28
346	Stability tests of module coil (TOKI-MC) wound with an aluminum stabilized superconductor. IEEE Transactions on Applied Superconductivity, 1993, 3, 547-550.	1.1	4
347	Numerical analysis of stability and quench characteristics of superconductors for the LHD coils. IEEE Transactions on Applied Superconductivity, 1993, 3, 518-522.	1.1	3
348	Study on fluctuations in supporting force of conductors caused by fluctuations in conductor dimensions. IEEE Transactions on Applied Superconductivity, 1993, 3, 484-487.	1.1	5
349	Losses of aluminium-stabilized superconducting conductors for Large Helical Device. IEEE Transactions on Magnetics, 1992, 28, 210-213.	1.2	9
350	Short sample tests of full-scale superconducting conductors for Large Helical Device. IEEE Transactions on Magnetics, 1992, 28, 214-217.	1.2	19
351	Development of high current vapor-cooled current leads for large superconductor critical current measuring. IEEE Transactions on Magnetics, 1992, 28, 960-963.	1.2	4
352	Force-cooled Nb-Ti poloidal test coil for Large Helical Device. Cryogenics, 1992, 32, 445-449.	0.9	5
353	Cryogenic compressive deformation properties of superconducting coil packs simulated for helical coils on LHD program. Cryogenics, 1992, 32, 376-379.	0.9	6
354	Stability tests on R&D superconductors for the Large Helical Device. Cryogenics, 1991, 31, 634-639.	0.9	11
355	Design and fabrication of module coil as an R&D program for Large Helical Device. IEEE Transactions on Magnetics, 1991, 27, 2361-2364.	1.2	13
356	Design and fabrication of pool cooled helical coil as an R&D program for Large Helical Device. IEEE Transactions on Magnetics, 1991, 27, 2357-2360.	1.2	8
357	Losses of superconducting conductors for Large Helical Device. IEEE Transactions on Magnetics, 1991, 27, 2154-2158.	1.2	9
358	Development of forced-cooled superconducting coil for Large Helical Device. IEEE Transactions on Magnetics, 1991, 27, 2228-2231.	1.2	4
359	Development of superconducting conductors for Large Helical Device. IEEE Transactions on Magnetics, 1991, 27, 2224-2227.	1.2	19
360	Superconducting coil design for Large Helical Device. IEEE Transactions on Magnetics, 1991, 27, 2220-2223.	1.2	14

#	ARTICLE	IF	CITATIONS
361	Design and fabrication of forced-flow coils as an R&D program for Large Helical Device. IEEE Transactions on Magnetics, 1991, 27, 2353-2356.	1.2	18
362	A superconducting spectrometer for the study of hypernuclei via (\bar{p} , K $^{+}$) reactions. Il Nuovo Cimento A, 1989, 102, 679-694.	0.2	19
363	Prototype thin superconducting solenoid for particle astrophysics in space. IEEE Transactions on Magnetics, 1989, 25, 1663-1666.	1.2	6
364	Design of a large superconducting spectrometer magnet. IEEE Transactions on Magnetics, 1989, 25, 1667-1670.	1.2	6
365	A 3 T superconducting magnet for the amy detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1989, 274, 95-112.	0.7	10
366	Performance of a liquid helium centrifugal pump for the TOPAZ superconducting magnet. Cryogenics, 1988, 28, 157-160.	0.9	1
367	Conceptual design of a thin superconducting solenoid for particle astrophysics. IEEE Transactions on Magnetics, 1988, 24, 1421-1424.	1.2	37
368	Control System for Helium Refrigerators of Tristan Detector Magnets. Advances in Cryogenic Engineering, 1988, , 1105-1112.	0.3	3
369	Testing of a 3 Tesla Superconducting Magnet for the AMY Detector at Tristan. Advances in Cryogenic Engineering, 1988, , 33-40.	0.3	6
370	Pressure Drop in Forced Two Phase Cooling of the Large Thin Superconducting Solenoid. Advances in Cryogenic Engineering, 1988, , 543-549.	0.3	6
371	Cryogenic Characteristics of the Topaz Thin Superconducting Solenoid. Advances in Cryogenic Engineering, 1988, , 533-541.	0.3	0
372	Test operations of the VENUS superconducting magnet at KEK. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1987, 254, 317-326.	0.7	17
373	A superconducting secondary beam line in the 12 GeV proton synchrotron at KEK. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1987, 257, 105-113.	0.7	1
374	Quench Characteristics and Operational Stability of the TOPAZ Thin Superconducting Solenoid. Japanese Journal of Applied Physics, 1986, 25, L443-L445.	0.8	3
375	Performance of the TOPAZ Thin Superconducting Solenoid Wound with Internal Winding Method. Japanese Journal of Applied Physics, 1986, 25, L440-L442.	0.8	34
376	The Construction and Test Results of a 10T Dipole Magnet. IEEE Transactions on Nuclear Science, 1985, 32, 3719-3721.	1.2	4
377	Superconducting quadrupole magnet with a large rectangular aperture. Nuclear Instruments & Methods in Physics Research, 1983, 206, 57-65.	0.9	7
378	Design and fabrication of the R&D facility for Large Helical Device. , 0, , .		3

#	ARTICLE	IF	CITATIONS
379	Design, development and operation of superconducting system for LHD. , 0, , .		7