

Salvatore Siracusano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3214092/publications.pdf>

Version: 2024-02-01

58
papers

1,412
citations

304368

22
h-index

344852

36
g-index

58
all docs

58
docs citations

58
times ranked

1968
citing authors

#	ARTICLE	IF	CITATIONS
1	Validation of the 2009 TNM Version in a Large Multi-Institutional Cohort of Patients Treated for Renal Cell Carcinoma: Are Further Improvements Needed?. <i>European Urology</i> , 2010, 58, 588-595.	0.9	205
2	Lymphatic and vascular embolizations are independent predictive variables of inguinal lymph node involvement in patients with squamous cell carcinoma of the penis. <i>Cancer</i> , 2005, 103, 2507-2516.	2.0	122
3	Time to recurrence is a significant predictor of cancer-specific survival after recurrence in patients with recurrent renal cell carcinoma – results from a comprehensive multi-centre database (<scp>CORONA</scp>/<scp>SATURN</scp> –<scp>P</scp>roject). <i>BJU International</i> , 2013, 112, 909-916.	1.3	69
4	Effects of Formalin, Methacarn, and FineFIX Fixatives on RNA Preservation. <i>Diagnostic Molecular Pathology</i> , 2010, 19, 112-122.	2.1	68
5	Dissecting the expression of EEF1A1/2 genes in human prostate cancer cells: the potential of EEF1A2 as a hallmark for prostate transformation and progression. <i>British Journal of Cancer</i> , 2012, 106, 166-173.	2.9	58
6	The current role of contrast-enhanced ultrasound (CEUS) imaging in the evaluation of renal pathology. <i>World Journal of Urology</i> , 2011, 29, 633-638.	1.2	51
7	Bladder cancer genomics. <i>Urologia</i> , 2020, 87, 49-56.	0.3	43
8	The application of ultrasound contrast agents in the characterization of renal tumors. <i>World Journal of Urology</i> , 2004, 22, 316-322.	1.2	37
9	The Simultaneous Use of Telomerase, Cytokeratin 20 and CD4 for Bladder Cancer Detection in Urine. <i>European Urology</i> , 2005, 47, 327-333.	0.9	37
10	Quality of Life Assessment With Orthotopic Ileal Neobladder Reconstruction After Radical Cystectomy: Results From a Prospective Italian Multicenter Observational Study. <i>Urology</i> , 2015, 86, 974-980.	0.5	37
11	Laparoscopic mobilization of neovagina to assist secondary ileal vaginoplasty in male-to-female transsexuals. <i>Urology</i> , 2005, 66, 293-298.	0.5	32
12	The Role of Granulocytes Following Intravesical BCG Prophylaxis. <i>European Urology</i> , 2007, 51, 1589-1599.	0.9	32
13	The proliferation marker Ki67, but not neuroendocrine expression, is an independent factor in the prediction of prognosis of primary prostate cancer patients. <i>Radiology and Oncology</i> , 2016, 50, 313-320.	0.6	29
14	Urologic Dysfunction and Neurologic Outcome in Coma Survivors After Severe Traumatic Brain Injury in the Postacute and Chronic Phase. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1134-1138.	0.5	28
15	Low-Risk Prostate Cancer and Tumor Upgrading to Higher Patterns in the Surgical Specimen. Analysis of Clinical Factors Predicting Tumor Upgrading to Higher Gleason Patterns in a Contemporary Series of Patients Who Have Been Evaluated According to the Modified Gleason Score Grading System. <i>Urologia Internationalis</i> , 2016, 97, 32-41.	0.6	26
16	The usefulness of antibiotic prophylaxis in invasive urodynamics in postmenopausal female subjects. <i>International Urogynecology Journal</i> , 2008, 19, 939-942.	0.7	25
17	Decreased nocturnal urinary antidiuretic hormone excretion in enuresis is increased by imipramine. <i>BJU International</i> , 2001, 88, 932-937.	1.3	24
18	Condylomata acuminata of the Neovagina in a HIV-Seropositive Male-to-Female Transsexual. <i>Urologia Internationalis</i> , 2004, 73, 87-88.	0.6	24

#	ARTICLE	IF	CITATIONS
19	Prognostic factors in a large multi-institutional series of papillary renal cell carcinoma. <i>BJU International</i> , 2012, 109, 1140-1146.	1.3	24
20	Clinical Factors of Disease Reclassification or Progression in a Contemporary Cohort of Prostate Cancer Patients Elected to Active Surveillance. <i>Urologia Internationalis</i> , 2017, 98, 32-39.	0.6	24
21	How Accurately Do Solsona and European Association of Urology Risk Groups Predict for Risk of Lymph Node Metastases in Patients with Squamous Cell Carcinoma of the Penis?. <i>Urology</i> , 2008, 71, 328-333.	0.5	23
22	Patterns of prescription and adherence to European Association of Urology guidelines on androgen deprivation therapy in prostate cancer: an Italian multicentre cross-sectional analysis from the Choosing Treatment for Prostate Cancer (CHOICE) study. <i>BJU International</i> , 2016, 117, 867-873.	1.3	23
23	Association between Basal Total Testosterone Levels and Tumor Upgrading in Low and Intermediate Risk Prostate Cancer. <i>Urologia Internationalis</i> , 2017, 99, 215-221.	0.6	23
24	Colour Doppler ultrasonography of female urethral vascularization in normal young volunteers: a preliminary report. <i>BJU International</i> , 2001, 88, 378-381.	1.3	22
25	Role of US in acute scrotal pain. <i>World Journal of Urology</i> , 2011, 29, 639-643.	1.2	22
26	Health-related Quality of Life After Radical Cystectomy: A Cross-sectional Study With Matched-pair Analysis on Ileal Conduit vs Ileal Orthotopic Neobladder Diversion. <i>Urology</i> , 2017, 108, 82-89.	0.5	22
27	Prevalence of Cardiovascular Disease and Osteoporosis During Androgen Deprivation Therapy Prescription Discordant to EAU Guidelines: Results From a Multicenter, Cross-sectional Analysis From the CHOICE Treatment for Prostate cancer (CHOICE) Study. <i>Urology</i> , 2016, 96, 165-170.	0.5	21
28	Clinical Factors Predicting and Stratifying the Risk of Lymph Node Invasion in Localized Prostate Cancer. <i>Urologia Internationalis</i> , 2017, 99, 207-214.	0.6	21
29	Application of Ultrasound Contrast Agents for the Characterization of Female Urethral Vascularization in Healthy Pre- and Postmenopausal Volunteers: Preliminary Report. <i>European Urology</i> , 2006, 50, 1316-1322.	0.9	20
30	Clinical Factors Predicting Bilateral Lymph Node Invasion in High-Risk Prostate Cancer. <i>Urologia Internationalis</i> , 2017, 99, 392-399.	0.6	20
31	Long-term follow-up of anterior vaginal repair: A comparison among colporrhaphy, colporrhaphy with reinforcement by xenograft, and mesh. <i>Neurourology and Urodynamics</i> , 2018, 37, 278-283.	0.8	20
32	Transverse Retubularized Ileal Vaginoplasty: A New Application of the Monti Principle—Preliminary Report. <i>European Urology</i> , 2005, 48, 1018-1024.	0.9	17
33	Prognostic role of tumour multifocality in renal cell carcinoma. <i>BJU International</i> , 2012, 110, E443-E448.	1.3	14
34	Postoperative Quality of Life in Patients with Ileal Neobladder at Short-, Intermediate- and Long-Term Follow-Up. <i>Urologia Internationalis</i> , 2016, 97, 54-60.	0.6	14
35	Rare Association of Renal Angiomyolipoma and Oncocytoma. <i>Urology</i> , 1998, 51, 837-839.	0.5	12
36	The underestimated posterior lymphatic drainage of the prostate: An historical overview and preliminary anatomical study on cadaver. <i>Prostate</i> , 2020, 80, 153-161.	1.2	12

#	ARTICLE	IF	CITATIONS
37	Detection of focal renal perfusion defects in rabbits after sulphur hexafluoride-filled microbubble injection at low transmission power ultrasound insonation. <i>European Radiology</i> , 2006, 16, 166-172.	2.3	11
38	Morphological Changes on the Intestinal Mucosa in Orthotopic Neobladder. <i>Urologia Internationalis</i> , 2012, 89, 67-70.	0.6	11
39	A new training model for robot-assisted urethrovesical anastomosis and posterior muscle-fascial reconstruction: the Verona training technique. <i>Journal of Robotic Surgery</i> , 2017, 11, 123-128.	1.0	11
40	Urinary levels of glycosaminoglycans in patients with idiopathic detrusor overactivity. <i>International Urogynecology Journal</i> , 2009, 20, 1477-1480.	0.7	10
41	Prostate Volume Index Associates with a Decreased Risk of Prostate Cancer: Results of a Large Cohort of Patients Elected to a First Biopsy Set. <i>Urologia Internationalis</i> , 2017, 98, 22-27.	0.6	10
42	Transvaginal Bone-Anchored Sling Procedure: 4 Years of Follow-Up on More than 200 Consecutive Patients. <i>Urology</i> , 2008, 72, 313-317.	0.5	8
43	Modified pump-driven venous bypass in surgery for renal cell carcinoma (RCC) involving the inferior vena cava (IVC). <i>World Journal of Urology</i> , 2002, 20, 56-58.	1.2	7
44	Primary renal MALToma: A rare differential diagnosis for a recurrent renal mass after primary ablative therapy. <i>Canadian Urological Association Journal</i> , 2014, 8, 442.	0.3	7
45	Cryotherapy of Renal Lesions: Enhancement on Contrast-Enhanced Sonography on Postoperative Day 1 Does Not Imply Viable Tissue Persistence. <i>Journal of Ultrasound in Medicine</i> , 2017, 36, 301-310.	0.8	6
46	Surgical Management of Renal Cell Carcinoma (RCC) with Vena Cava Tumour Thrombus. <i>European Urology Supplements</i> , 2006, 5, 610-618.	0.1	5
47	Baroreceptor-heart rate reflex sensitivity enhancement after urinary bladder distention in essential hypertensives. <i>Urological Research</i> , 1999, 27, 153-156.	1.5	4
48	Simplified Politano-Leadbetter's ureteral reimplantation associated with psoas-hitch technique using a new clamp. <i>Urology</i> , 2002, 59, 930-931.	0.5	4
49	Prostate Tumor-Inducing Gene-1 Analysis in Human Prostate Cancer Cells and Tissue in Relation to <i>Mycoplasma</i> Infection. <i>Cancer Investigation</i> , 2008, 26, 800-808.	0.6	4
50	External validation of the preoperative Karakiewicz nomogram in a large multicentre series of patients with renal cell carcinoma. <i>World Journal of Urology</i> , 2013, 31, 1285-1290.	1.2	4
51	The Clinical Use of Statistical Permutation Test Methodology: A Tool for Identifying Predictive Variables of Outcome. <i>Urologia Internationalis</i> , 2015, 94, 262-269.	0.6	4
52	Clinical Factors Predicting Tumour Upgrading in Patients Under Active Surveillance and Elected to Active Treatment after Disease Reclassification or Progression. <i>Urologia Internationalis</i> , 2017, 99, 186-193.	0.6	2
53	The Skin Response in Evaluation of the Sympathetic Chains after Retroperitoneal Lymphadenectomy. <i>Scandinavian Journal of Urology and Nephrology</i> , 1994, 28, 405-407.	1.4	1
54	The Effect of Acute Bladder Filling on Plasmatic Antidiuretic Hormone Production in Healthy Adult Volunteers. <i>Scandinavian Journal of Urology and Nephrology</i> , 2002, 36, 25-27.	1.4	1

#	ARTICLE	IF	CITATIONS
55	An unusual use of AMS 800 artificial urinary sphincter cuff in the treatment of sphincteric neurogenic incontinence: case report. <i>Spinal Cord</i> , 2004, 42, 652-654.	0.9	1
56	Embryonal Adenoma of the Kidney: A Rare Embryonal Adenoma of the Kidney. <i>Scandinavian Journal of Urology and Nephrology</i> , 1998, 32, 67-69.	1.4	0
57	Clinical Considerations on the Perspectives in Renal Tumour Molecular Pathology. <i>European Urology Supplements</i> , 2006, 5, 566-572.	0.1	0
58	Male incontinence and the transobturator approach: An analysis of current outcomes. <i>Arab Journal of Urology Arab Association of Urology</i> , 2013, 11, 331-335.	0.7	0