

Salvatore Siracusano

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3214092/salvatore-siracusano-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

1,103
citations

19
h-index

31
g-index

58
ext. papers

1,285
ext. citations

3.5
avg, IF

3.37
L-index

#	Paper	IF	Citations
58	Bladder cancer genomics. <i>Urologia</i> , 2020 , 87, 49-56	1.2	8
57	The underestimated posterior lymphatic drainage of the prostate: An historical overview and preliminary anatomical study on cadaver. <i>Prostate</i> , 2020 , 80, 153-161	4.2	3
56	Long-term follow-up of anterior vaginal repair: A comparison among colporrhaphy, colporrhaphy with reinforcement by xenograft, and mesh. <i>Neurourology and Urodynamics</i> , 2018 , 37, 278-283	2.3	13
55	Cryotherapy of Renal Lesions: Enhancement on Contrast-Enhanced Sonography on Postoperative Day 1 Does Not Imply Viable Tissue Persistence. <i>Journal of Ultrasound in Medicine</i> , 2017 , 36, 301-310	2.9	5
54	Clinical Factors Predicting and Stratifying the Risk of Lymph Node Invasion in Localized Prostate Cancer. <i>Urologia Internationalis</i> , 2017 , 99, 207-214	1.9	19
53	Prostate Volume Index Associates with a Decreased Risk of Prostate Cancer: Results of a Large Cohort of Patients Elected to a First Biopsy Set. <i>Urologia Internationalis</i> , 2017 , 98, 22-27	1.9	8
52	Clinical Factors of Disease Reclassification or Progression in a Contemporary Cohort of Prostate Cancer Patients Elected to Active Surveillance. <i>Urologia Internationalis</i> , 2017 , 98, 32-39	1.9	18
51	Association between Basal Total Testosterone Levels and Tumor Upgrading in Low and Intermediate Risk Prostate Cancer. <i>Urologia Internationalis</i> , 2017 , 99, 215-221	1.9	20
50	Clinical Factors Predicting Tumour Upgrading in Patients Under Active Surveillance and Elected to Active Treatment after Disease Reclassification or Progression. <i>Urologia Internationalis</i> , 2017 , 99, 186-193 ¹⁹		2
49	Clinical Factors Predicting Bilateral Lymph Node Invasion in High-Risk Prostate Cancer. <i>Urologia Internationalis</i> , 2017 , 99, 392-399	1.9	17
48	Health-related Quality of Life After Radical Cystectomy: A Cross-sectional Study With Matched-pair Analysis on Ileal Conduit vs Ileal Orthotopic Neobladder Diversion. <i>Urology</i> , 2017 , 108, 82-89	1.6	14
47	A new training model for robot-assisted urethrovesical anastomosis and posterior muscle-fascial reconstruction: the Verona training technique. <i>Journal of Robotic Surgery</i> , 2017 , 11, 123-128	2.9	10
46	The proliferation marker Ki67, but not neuroendocrine expression, is an independent factor in the prediction of prognosis of primary prostate cancer patients. <i>Radiology and Oncology</i> , 2016 , 50, 313-20	3.8	26
45	Low-Risk Prostate Cancer and Tumor Upgrading to Higher Patterns in the Surgical Specimen. Analysis of Clinical Factors Predicting Tumor Upgrading to Higher Gleason Patterns in a Contemporary Series of Patients Who Have Been Evaluated According to the Modified Gleason Score Grading System. <i>Urologia Internationalis</i> , 2016 , 97, 32-41	1.9	21
44	Patterns of prescription and adherence to European Association of Urology guidelines on androgen deprivation therapy in prostate cancer: an Italian multicentre cross-sectional analysis from the Choosing Treatment for Prostate Cancer (CHOICE) study. <i>BJU International</i> , 2016 , 117, 867-73	5.6	14
43	Postoperative Quality of Life in Patients with Ileal Neobladder at Short-, Intermediate- and Long-Term Follow-Up. <i>Urologia Internationalis</i> , 2016 , 97, 54-60	1.9	6
42	Prevalence of Cardiovascular Disease and Osteoporosis During Androgen Deprivation Therapy Prescription Discordant to EAU Guidelines: Results From a Multicenter, Cross-sectional Analysis From the CHOICE Treatment for Prostate cancer (CHOICE) Study. <i>Urology</i> , 2016 , 96, 165-170	1.6	17

41	The clinical use of statistical permutation test methodology: a tool for identifying predictive variables of outcome. <i>Urologia Internationalis</i> , 2015 , 94, 262-9	1.9	4
40	Quality of Life Assessment With Orthotopic Ileal Neobladder Reconstruction After Radical Cystectomy: Results From a Prospective Italian Multicenter Observational Study. <i>Urology</i> , 2015 , 86, 974-9 ^{1,6}	1.6	29
39	Primary renal MALToma: A rare differential diagnosis for a recurrent renal mass after primary ablative therapy. <i>Canadian Urological Association Journal</i> , 2014 , 8, E442-4	1.2	5
38	External validation of the preoperative Karakiewicz nomogram in a large multicentre series of patients with renal cell carcinoma. <i>World Journal of Urology</i> , 2013 , 31, 1285-90	4	4
37	Male incontinence and the transobturator approach: An analysis of current outcomes. <i>Arab Journal of Urology Arab Association of Urology</i> , 2013 , 11, 331-5	1.7	
36	Time to recurrence is a significant predictor of cancer-specific survival after recurrence in patients with recurrent renal cell carcinoma--results from a comprehensive multi-centre database (CORONA/SATURN-Project). <i>BJU International</i> , 2013 , 112, 909-16	5.6	52
35	Prognostic factors in a large multi-institutional series of papillary renal cell carcinoma. <i>BJU International</i> , 2012 , 109, 1140-6	5.6	24
34	Prognostic role of tumour multifocality in renal cell carcinoma. <i>BJU International</i> , 2012 , 110, E443-8	5.6	9
33	Dissecting the expression of EEF1A1/2 genes in human prostate cancer cells: the potential of EEF1A2 as a hallmark for prostate transformation and progression. <i>British Journal of Cancer</i> , 2012 , 106, 166-73	8.7	47
32	Morphological changes on the intestinal mucosa in orthotopic neobladder. <i>Urologia Internationalis</i> , 2012 , 89, 67-70	1.9	8
31	Urologic dysfunction and neurologic outcome in coma survivors after severe traumatic brain injury in the postacute and chronic phase. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 1134-8	2.8	21
30	Role of US in acute scrotal pain. <i>World Journal of Urology</i> , 2011 , 29, 639-43	4	17
29	The current role of contrast-enhanced ultrasound (CEUS) imaging in the evaluation of renal pathology. <i>World Journal of Urology</i> , 2011 , 29, 633-8	4	36
28	Effects of formalin, methacarn, and fineFIX fixatives on RNA preservation. <i>Diagnostic Molecular Pathology</i> , 2010 , 19, 112-22		58
27	Validation of the 2009 TNM version in a large multi-institutional cohort of patients treated for renal cell carcinoma: are further improvements needed?. <i>European Urology</i> , 2010 , 58, 588-95	10.2	164
26	Urinary levels of glycosaminoglycans in patients with idiopathic detrusor overactivity. <i>International Urogynecology Journal</i> , 2009 , 20, 1477-80	2	10
25	How accurately do Solsona and European Association of Urology risk groups predict for risk of lymph node metastases in patients with squamous cell carcinoma of the penis?. <i>Urology</i> , 2008 , 71, 328-33 ^{1,6}	3.6	19
24	Transvaginal bone-anchored sling procedure: 4 years of follow-up on more than 200 consecutive patients. <i>Urology</i> , 2008 , 72, 313-7; discussion 317	1.6	5

23	Prostate-tumor-inducing gene-1 analysis in human prostate cancer cells and tissue in relation to Mycoplasma infection. <i>Cancer Investigation</i> , 2008 , 26, 800-8	2.1	3
22	The usefulness of antibiotic prophylaxis in invasive urodynamics in postmenopausal female subjects. <i>International Urogynecology Journal</i> , 2008 , 19, 939-42	2	18
21	The role of granulocytes following intravesical BCG prophylaxis. <i>European Urology</i> , 2007 , 51, 1589-97; discussion 1597-9	10.2	26
20	Application of ultrasound contrast agents for the characterization of female urethral vascularization in healthy pre- and postmenopausal volunteers: preliminary report. <i>European Urology</i> , 2006 , 50, 1316-22	10.2	16
19	Surgical Management of Renal Cell Carcinoma (RCC) with Vena Cava Tumour Thrombus. <i>European Urology Supplements</i> , 2006 , 5, 610-618	0.9	4
18	Clinical Considerations on the Perspectives in Renal Tumour Molecular Pathology. <i>European Urology Supplements</i> , 2006 , 5, 566-572	0.9	
17	Detection of focal renal perfusion defects in rabbits after sulphur hexafluoride-filled microbubble injection at low transmission power ultrasound insonation. <i>European Radiology</i> , 2006 , 16, 166-72	8	10
16	Laparoscopic mobilization of neovagina to assist secondary ileal vaginoplasty in male-to-female transsexuals. <i>Urology</i> , 2005 , 66, 293-8; discussion 298	1.6	28
15	The simultaneous use of telomerase, cytokeratin 20 and CD4 for bladder cancer detection in urine. <i>European Urology</i> , 2005 , 47, 327-33	10.2	32
14	Transverse retubularized ileal vaginoplasty: a new application of the Monti principle--preliminary report. <i>European Urology</i> , 2005 , 48, 1018-23; discussion 1023-4	10.2	14
13	Lymphatic and vascular embolizations are independent predictive variables of inguinal lymph node involvement in patients with squamous cell carcinoma of the penis: Gruppo Uro-Oncologico del Nord Est (Northeast Uro-Oncological Group) Penile Cancer data base data. <i>Cancer</i> , 2005 , 103, 2507-16	6.4	100
12	Condylomata acuminata of the neovagina in a HIV-seropositive male-to-female transsexual. <i>Urologia Internationalis</i> , 2004 , 73, 87-8	1.9	20
11	An unusual use of AMS 800 artificial urinary sphincter cuff in the treatment of sphincteric neurogenic incontinence: case report. <i>Spinal Cord</i> , 2004 , 42, 652-4	2.7	1
10	The application of ultrasound contrast agents in the characterization of renal tumors. <i>World Journal of Urology</i> , 2004 , 22, 316-22	4	31
9	Modified pump-driven venous bypass in surgery for renal cell carcinoma (RCC) involving the inferior vena cava (IVC). <i>World Journal of Urology</i> , 2002 , 20, 56-8	4	5
8	The effect of acute bladder filling on plasmatic antidiuretic hormone production in healthy adult volunteers. <i>Scandinavian Journal of Urology and Nephrology</i> , 2002 , 36, 25-7		1
7	Simplified Politano-Leadbetter's ureteral reimplantation associated with psoas-hitch technique using a new clamp. <i>Urology</i> , 2002 , 59, 930-1	1.6	4
6	Decreased nocturnal urinary antidiuretic hormone excretion in enuresis is increased by imipramine. <i>BJU International</i> , 2001 , 88, 932-7	5.6	24

- 5 Colour Doppler ultrasonography of female urethral vascularization in normal young volunteers: a preliminary report. *BJU International*, **2001**, 88, 378-81 5.6 17
- 4 Baroreceptor-heart rate reflex sensitivity enhancement after urinary bladder distention in essential hypertensives. *Urological Research*, **1999**, 27, 153-6 3
- 3 Embryonal adenoma of the kidney. A rare embryonal adenoma of the kidney. *Scandinavian Journal of Urology and Nephrology*, **1998**, 32, 67-9
- 2 Rare association of renal angiomyolipoma and oncocytoma. *Urology*, **1998**, 51, 837-9 1.6 12
- 1 The skin response in evaluation of the sympathetic chains after retroperitoneal lymphadenectomy. Preliminary report. *Scandinavian Journal of Urology and Nephrology*, **1994**, 28, 405-7 1