

Peter K Bijl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3214297/publications.pdf>

Version: 2024-02-01

68
papers

3,371
citations

201674

27
h-index

155660

55
g-index

85
all docs

85
docs citations

85
times ranked

2702
citing authors

#	ARTICLE	IF	CITATIONS
1	The Eocene-Oligocene boundary climate transition: an Antarctic perspective. , 2022, , 297-361.		4
2	Absence of a strong, deep-reaching Antarctic Circumpolar Current zonal flow across the Tasmanian gateway during the Oligocene to early Miocene. <i>Global and Planetary Change</i> , 2022, 208, 103718.	3.5	9
3	Enhanced Terrestrial Carbon Export From East Antarctica During the Early Eocene. <i>Paleoceanography and Paleoclimatology</i> , 2022, 37, .	2.9	3
4	DINOSTRAT: a global database of the stratigraphic and paleolatitudinal distribution of Mesozoic–Cenozoic organic-walled dinoflagellate cysts. <i>Earth System Science Data</i> , 2022, 14, 579-617.	9.9	10
5	Vegetation change across the Drake Passage region linked to late Eocene cooling and glacial disturbance after the Eocene–Oligocene transition. <i>Climate of the Past</i> , 2022, 18, 209-232.	3.4	11
6	Eocene to Oligocene vegetation and climate in the Tasmanian Gateway region were controlled by changes in ocean currents and CO_2 . <i>Climate of the Past</i> , 2022, 18, 525-546.	3.4	6
7	Sedimentary microplankton distributions are shaped by oceanographically connected areas. <i>Earth System Dynamics</i> , 2022, 13, 357-371.	7.1	3
8	Subduction initiation in the Scotia Sea region and opening of the Drake Passage: When and why?. <i>Earth-Science Reviews</i> , 2021, 215, 103551.	9.1	40
9	Campanian-Eocene dinoflagellate cyst biostratigraphy in the Southern Andean foreland basin: Implications for Drake Passage throughflow. <i>Andean Geology</i> , 2021, 48, 185.	0.5	11
10	Temperate Oligocene surface ocean conditions offshore of Cape Adare, Ross Sea, Antarctica. <i>Climate of the Past</i> , 2021, 17, 1423-1442.	3.4	9
11	Eocene-Oligocene paleoenvironmental changes in the South Orkney Microcontinent (Antarctica) linked to the opening of Powell Basin. <i>Global and Planetary Change</i> , 2021, 204, 103581.	3.5	8
12	Late Eocene–early Miocene evolution of the southern Australian subtropical front: a marine palynological approach. <i>Journal of Micropalaeontology</i> , 2021, 40, 175-193.	3.6	9
13	Gateway-driven weakening of ocean gyres leads to Southern Ocean cooling. <i>Nature Communications</i> , 2021, 12, 6465.	12.8	32
14	Maastrichtian–Rupelian paleoclimates in the southwest Pacific – a critical re-evaluation of biomarker paleothermometry and dinoflagellate cyst paleoecology at Ocean Drilling Program Site 1172. <i>Climate of the Past</i> , 2021, 17, 2393-2425.	3.4	14
15	Resolution dependency of sinking Lagrangian particles in ocean general circulation models. <i>PLoS ONE</i> , 2020, 15, e0238650.	2.5	18
16	A Warm, Stratified, and Restricted Labrador Sea Across the Middle Eocene and Its Climatic Optimum. <i>Paleoceanography and Paleoclimatology</i> , 2020, 35, e2020PA003932.	2.9	12
17	Late Oligocene-Miocene proto-Antarctic Circumpolar Current dynamics off the Wilkes Land margin, East Antarctica. <i>Global and Planetary Change</i> , 2020, 191, 103221.	3.5	20
18	Surface-circulation change in the southwest Pacific Ocean across the Middle Eocene Climatic Optimum: inferences from dinoflagellate cysts and biomarker paleothermometry. <i>Climate of the Past</i> , 2020, 16, 1667-1689.	3.4	17

#	ARTICLE	IF	CITATIONS
19	The middle to late Eocene greenhouse climate modelled using the CESM 1.0.5. <i>Climate of the Past</i> , 2020, 16, 2573-2597.	3.4	34
20	Resolution dependency of sinking Lagrangian particles in ocean general circulation models. , 2020, 15, e0238650.		0
21	Resolution dependency of sinking Lagrangian particles in ocean general circulation models. , 2020, 15, e0238650.		0
22	Resolution dependency of sinking Lagrangian particles in ocean general circulation models. , 2020, 15, e0238650.		0
23	Resolution dependency of sinking Lagrangian particles in ocean general circulation models. , 2020, 15, e0238650.		0
24	Resolution dependency of sinking Lagrangian particles in ocean general circulation models. , 2020, 15, e0238650.		0
25	Resolution dependency of sinking Lagrangian particles in ocean general circulation models. , 2020, 15, e0238650.		0
26	The DeepMIP contribution to PMIP4: methodologies for selection, compilation and analysis of latest Paleocene and early Eocene climate proxy data, incorporating version 0.1 of the DeepMIP database. <i>Geoscientific Model Development</i> , 2019, 12, 3149-3206.	3.6	131
27	Transport Bias by Ocean Currents in Sedimentary Microplankton Assemblages: Implications for Paleoceanographic Reconstructions. <i>Paleoceanography and Paleoclimatology</i> , 2019, 34, 1178-1194.	2.9	32
28	Harmful algae and export production collapse in the equatorial Atlantic during the zenith of Middle Eocene Climatic Optimum warmth. <i>Geology</i> , 2019, 47, 247-250.	4.4	21
29	Late Eocene Southern Ocean Cooling and Invigoration of Circulation Preconditioned Antarctica for Full-Scale Glaciation. <i>Geochemistry, Geophysics, Geosystems</i> , 2019, 20, 2214-2234.	2.5	55
30	<i>Nucicla umbiliphora</i> gen. et sp. nov.: a Quaternary peridinioid dinoflagellate cyst from the Antarctic margin. <i>Palynology</i> , 2019, 43, 94-103.	1.5	3
31	Growing <i>Azolla</i> to produce sustainable protein feed: the effect of differing species and CO ₂ concentrations on biomass productivity and chemical composition. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 4759-4768.	3.5	48
32	Southern Ocean warming and Wilkes Land ice sheet retreat during the mid-Miocene. <i>Nature Communications</i> , 2018, 9, 317.	12.8	80
33	Paleoceanography and ice sheet variability offshore Wilkes Land, Antarctica – Part 2: Insights from Oligocene–Miocene dinoflagellate cyst assemblages. <i>Climate of the Past</i> , 2018, 14, 1015-1033.	3.4	41
34	Paleoceanography and ice sheet variability offshore Wilkes Land, Antarctica – Part 1: Insights from late Oligocene astronomically paced contourite sedimentation. <i>Climate of the Past</i> , 2018, 14, 991-1014.	3.4	40
35	Paleoceanography and ice sheet variability offshore Wilkes Land, Antarctica – Part 3: Insights from Oligocene–Miocene TEX ₈₆ -based sea surface temperature reconstructions. <i>Climate of the Past</i> , 2018, 14, 1275-1297.	3.4	42
36	Synchronous tropical and polar temperature evolution in the Eocene. <i>Nature</i> , 2018, 559, 382-386.	27.8	185

#	ARTICLE	IF	CITATIONS
37	The Central Paratethys during Oligocene as an ancient counterpart of the present-day Black Sea: Unique records from the coccolith limestones. <i>Marine Geology</i> , 2018, 403, 301-328.	2.1	13
38	Stratigraphic calibration of Oligocene–Miocene organic-walled dinoflagellate cysts from offshore Wilkes Land, East Antarctica, and a zonation proposal. <i>Journal of Micropalaeontology</i> , 2018, 37, 105-138.	3.6	32
39	Identification of the Paleocene–Eocene boundary in coastal strata in the Otway Basin, Victoria, Australia. <i>Journal of Micropalaeontology</i> , 2018, 37, 317-339.	3.6	21
40	A review of the ecological affinities of marine organic microfossils from a Holocene record offshore of Ad�lie Land (East Antarctica). <i>Journal of Micropalaeontology</i> , 2018, 37, 445-497.	3.6	14
41	The age of the Takatika Grit, Chatham Islands, New Zealand. <i>Alcheringa</i> , 2017, 41, 383-396.	1.2	5
42	An Antarctic stratigraphic record of stepwise ice growth through the Eocene-Oligocene transition. <i>Bulletin of the Geological Society of America</i> , 2017, 129, 318-330.	3.3	35
43	Comment on ‘‘Wetzeliella and its allies – the ‘hole’ story: a taxonomic revision of the Paleogene dinoflagellate subfamily Wetzelielloideae’’ by Williams et al. (2015). <i>Palynology</i> , 2017, 41, 423-429.	1.5	19
44	A new quantitative approach to identify reworking in Eocene to Miocene pollen records from offshore Antarctica using red fluorescence and digital imaging. <i>Biogeosciences</i> , 2017, 14, 2089-2100.	3.3	14
45	Model simulations of early westward flow across the Tasman Gateway during the early Eocene. <i>Climate of the Past</i> , 2016, 12, 807-817.	3.4	20
46	Reconstructing geographical boundary conditions for palaeoclimate modelling during the Cenozoic. <i>Climate of the Past</i> , 2016, 12, 1635-1644.	3.4	41
47	(2450–2451) Proposals to conserve the names <i>Selenopemphix</i> against <i>Margosphaera</i> , and <i>S. nephroides</i> against <i>M. velata</i> (<i>Dinophyceae</i>). <i>Taxon</i> , 2016, 65, 636-637.	0.7	2
48	A Paleolatitude Calculator for Paleoclimate Studies. <i>PLoS ONE</i> , 2015, 10, e0126946.	2.5	376
49	A new genus and two new species of dinoflagellate cysts from lower Eocene marine sediments of the Wilkes Land Margin, Antarctica. <i>Review of Palaeobotany and Palynology</i> , 2015, 220, 88-97.	1.5	2
50	The role of ocean gateways on cooling climate on long time scales. <i>Global and Planetary Change</i> , 2014, 119, 1-22.	3.5	80
51	Organic-rich sedimentation in the South Pacific Ocean associated with Late Paleocene climatic cooling. <i>Earth-Science Reviews</i> , 2014, 134, 81-97.	9.1	50
52	Dynamic behaviour of the East Antarctic ice sheet during Pliocene warmth. <i>Nature Geoscience</i> , 2013, 6, 765-769.	12.9	219
53	Early to Middle Eocene vegetation dynamics at the Wilkes Land Margin (Antarctica). <i>Review of Palaeobotany and Palynology</i> , 2013, 197, 119-142.	1.5	54
54	A magneto- and chemostratigraphically calibrated dinoflagellate cyst zonation of the early Palaeogene South Pacific Ocean. <i>Earth-Science Reviews</i> , 2013, 124, 1-31.	9.1	72

#	ARTICLE	IF	CITATIONS
55	Relative sea-level rise around East Antarctica during Oligocene glaciation. <i>Nature Geoscience</i> , 2013, 6, 380-384.	12.9	63
56	A middle Eocene carbon cycle conundrum. <i>Nature Geoscience</i> , 2013, 6, 429-434.	12.9	68
57	Reorganization of Southern Ocean Plankton Ecosystem at the Onset of Antarctic Glaciation. <i>Science</i> , 2013, 340, 341-344.	12.6	97
58	Eocene cooling linked to early flow across the Tasmanian Gateway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 9645-9650.	7.1	204
59	Persistent near-tropical warmth on the Antarctic continent during the early Eocene epoch. <i>Nature</i> , 2012, 488, 73-77.	27.8	266
60	Environmental forcings of Paleogene Southern Ocean dinoflagellate biogeography. <i>Paleoceanography</i> , 2011, 26, .	3.0	71
61	<i>Malvinia escutiana</i> , a new biostratigraphically important Oligocene dinoflagellate cyst from the Southern Ocean. <i>Review of Palaeobotany and Palynology</i> , 2011, 165, 175-182.	1.5	26
62	Transient Middle Eocene Atmospheric CO ₂ and Temperature Variations. <i>Science</i> , 2010, 330, 819-821.	12.6	179
63	Early Palaeogene temperature evolution of the southwest Pacific Ocean. <i>Nature</i> , 2009, 461, 776-779.	27.8	325
64	Orbitally forced climate changes in the Tasman sector during the Middle Eocene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 280, 361-370.	2.3	23
65	Significant continental ice volumes on mid-Paleocene Antarctica? Latitudinal temperature gradients, sea level change and the carbon cycle. <i>Rendiconti Online Societa Geologica Italiana</i> , 0, 31, 31-32.	0.3	0
66	Is there a causal link between early Eocene opening of the Tasmanian Gateway and the onset of Eocene cooling?. <i>Rendiconti Online Societa Geologica Italiana</i> , 0, 31, 29-30.	0.3	0
67	Climate and oceanography of the Tasmanian Gateway during the Middle Eocene Climatic Optimum (MECO). <i>Rendiconti Online Societa Geologica Italiana</i> , 0, 31, 226-227.	0.3	0
68	Developing community-based scientific priorities and new drilling proposals in the southern Indian and southwestern Pacific oceans. <i>Scientific Drilling</i> , 0, 24, 61-70.	0.6	2