

Rudolf Berger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3215050/publications.pdf>

Version: 2024-02-01

21
papers

1,473
citations

840776

11
h-index

839539

18
g-index

21
all docs

21
docs citations

21
times ranked

1961
citing authors

#	ARTICLE	IF	CITATIONS
1	B-Type Natriuretic Peptide Predicts Sudden Death in Patients With Chronic Heart Failure. <i>Circulation</i> , 2002, 105, 2392-2397.	1.6	638
2	Effect of B-type natriuretic peptide-guided treatment of chronic heart failure on total mortality and hospitalization: an individual patient meta-analysis. <i>European Heart Journal</i> , 2014, 35, 1559-1567.	2.2	229
3	N-Terminal Pro-B-Type Natriuretic Peptide-Guided, Intensive Patient Management in Addition to Multidisciplinary Care in Chronic Heart Failure. <i>Journal of the American College of Cardiology</i> , 2010, 55, 645-653.	2.8	214
4	Which heart failure patients profit from natriuretic peptide guided therapy? A meta-analysis from individual patient data of randomized trials. <i>European Journal of Heart Failure</i> , 2015, 17, 1252-1261.	7.1	95
5	Effects of Endothelin A Receptor Blockade on Endothelial Function in Patients With Chronic Heart Failure. <i>Circulation</i> , 2001, 103, 981-986.	1.6	58
6	Fibroblast Growth Factor 23 Is an Independent and Specific Predictor of Mortality in Patients With Heart Failure and Reduced Ejection Fraction. <i>Circulation: Heart Failure</i> , 2015, 8, 1059-1067.	3.9	42
7	Levosimendan and prostaglandin E1 for uptitration of beta-blockade in patients with refractory, advanced chronic heart failure. <i>European Journal of Heart Failure</i> , 2007, 9, 202-208.	7.1	39
8	Soluble Urokinase-Type Plasminogen Activator Receptor Improves Risk Prediction in Patients With Chronic Heart Failure. <i>JACC: Heart Failure</i> , 2017, 5, 268-277.	4.1	37
9	Effect of β_1 blockade with atenolol on progression of heart failure in patients pretreated with high-dose enalapril. <i>European Journal of Heart Failure</i> , 2000, 2, 407-412.	7.1	33
10	Prognostic power of neurohumoral parameters in chronic heart failure depends on clinical stage and observation period. <i>Journal of Heart and Lung Transplantation</i> , 2003, 22, 1037-1045.	0.6	24
11	Inter-patient variability of platelet reactivity in patients treated with prasugrel and ticagrelor. <i>Platelets</i> , 2016, 27, 373-377.	2.3	24
12	Circadian variation in ventricular tachycardia and atrial fibrillation in a medical-cardiological ICU. <i>Intensive Care Medicine</i> , 2003, 29, 963-968.	8.2	10
13	Outcome after Elective Percutaneous Coronary Intervention Depends on Age in Patients with Stable Coronary Artery Disease – An Analysis of Relative Survival in a Multicenter Cohort and an OCT Substudy. <i>PLoS ONE</i> , 2016, 11, e0154025.	2.5	8
14	Impact of treatment strategies on long-term outcome of CTO patients. <i>European Journal of Internal Medicine</i> , 2020, 77, 97-104.	2.2	7
15	High N-Terminal pro-B-Type Natriuretic Peptide Indicates Elevated Risk of Death after Percutaneous Coronary Intervention Compared to Coronary Artery Bypass Surgery in Patients with Left Ventricular Dysfunction. <i>Journal of Clinical Medicine</i> , 2019, 8, 898.	2.4	6
16	Comparison of magnetic wire navigation with the conventional wire technique for percutaneous coronary intervention of chronic total occlusions: a randomised, controlled study. <i>Heart and Vessels</i> , 2016, 31, 1266-1276.	1.2	5
17	Incidence of late-acquired stent malapposition of drug eluting stents with second generation permanent and biodegradable polymer coatings – A prospective, randomized comparison using optical coherence tomography. <i>Journal of Interventional Cardiology</i> , 2018, 31, 780-791.	1.2	3
18	Unusual Locations for Adenosine-Sensitive Accessory Atrioventricular Pathways with Decremental Conduction. <i>Journal of Cardiovascular Electrophysiology</i> , 1998, 9, 909-915.	1.7	1

#	ARTICLE	IF	CITATIONS
19	Commentary. Evidence-based Cardiovascular Medicine, 2005, 9, 195-196.	0.0	0
20	Curriculum heart failure. Wiener Klinische Wochenschrift, 2019, 131, 299-312.	1.9	0
21	Death is associated to the type of drug-eluting stent in patients with left ventricular dysfunction and elevated natriuretic peptide levels. Scientific Reports, 2021, 11, 2443.	3.3	0