

Ewa Augustynowicz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3215848/publications.pdf>

Version: 2024-02-01

17
papers

299
citations

1163117

8
h-index

940533

16
g-index

17
all docs

17
docs citations

17
times ranked

345
citing authors

#	ARTICLE	IF	CITATIONS
1	BCG Moreau Polish Substrain Infections in Patients With Inborn Errors of Immunity: 40 Years of Experience in the Department of Immunology, Children's Memorial Health Institute, Warsaw. <i>Frontiers in Pediatrics</i> , 2022, 10, .	1.9	3
2	BCG Moreau Vaccine Safety Profile and NK Cellsâ€™ Double Protection Against Disseminated BCG Infection in Retrospective Study of BCG Vaccination in 52 Polish Children with Severe Combined Immunodeficiency. <i>Journal of Clinical Immunology</i> , 2020, 40, 138-146.	3.8	13
3	Exploring factors improving support for vaccinations among Polish primary care physicians. <i>PLoS ONE</i> , 2020, 15, e0232722.	2.5	20
4	Rubella in Poland in 2018. <i>Przegląd Epidemiologiczny</i> , 2020, 74, 391-397.	0.2	0
5	Colonization of <i>Bordetella pertussis</i> Clinical Isolates that Differ by Pulsed Field Gel Electrophoresis Types in the Lungs of Naïve Mice or Mice Immunized with the Whole-Cell Pertussis Vaccine Used in Poland. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2015, 63, 155-160.	2.3	2
6	Consistency of <i>Bordetella pertussis</i> vaccine seed strains and potency of whole-cell pertussis vaccine still in use in Poland. <i>Biologicals</i> , 2014, 42, 123-127.	1.4	5
7	Descendant of daughter Brazilian BCG Moreau substrain in Poland. <i>Vaccine</i> , 2012, 30, 5512-5518.	3.8	5
8	Effectiveness of the whole-cell pertussis vaccine produced in Poland against different <i>Bordetella parapertussis</i> isolates in the mouse intranasal challenge model. <i>Vaccine</i> , 2011, 29, 5488-5494.	3.8	5
9	Strain Variation among <i>Bordetella pertussis</i> Isolates Circulating in Poland after 50 Years of Whole-Cell Pertussis Vaccine Use. <i>Journal of Clinical Microbiology</i> , 2011, 49, 1452-1457.	3.9	20
10	Amplified fragment length polymorphism (AFLP) versus randomly amplified polymorphic DNA (RAPD) as new tools for inter- and intra-species differentiation within <i>Bordetella</i> . <i>Journal of Medical Microbiology</i> , 2005, 54, 333-346.	1.8	6
11	Pertussis in Poland. <i>International Journal of Epidemiology</i> , 2004, 33, 358-365.	1.9	53
12	Potency of pertussis component in the DTP vaccine â€” an overview of three decade study in Poland. <i>Biologicals</i> , 2004, 32, 129-137.	1.4	10
13	Sequence variation in pertussis S1 subunit toxin and pertussis genes in <i>Bordetella pertussis</i> strains used for the whole-cell pertussis vaccine produced in Poland since 1960. <i>Vaccine</i> , 2004, 22, 2122-2128.	3.8	41
14	Persistence of <i>Listeria monocytogenes</i> strains isolated from products in a Polish fish-processing plant over a 1-year period. <i>Food Microbiology</i> , 2003, 20, 715-724.	4.2	41
15	The possible effect of a sanitization program on intraspecies differentiation of <i>Listeria monocytogenes</i> strains isolated from a fish processing plant. <i>International Journal of Hygiene and Environmental Health</i> , 2003, 206, 583-590.	4.3	8
16	Comparison of usefulness of randomly amplified polymorphic DNA and amplified-fragment length polymorphism techniques in epidemiological studies on nasopharyngeal carriage of non-typable <i>Haemophilus influenzae</i> . <i>Journal of Medical Microbiology</i> , 2003, 52, 1005-1014.	1.8	6
17	Temporal nucleotide changes in pertactin and pertussis toxin genes in <i>Bordetella pertussis</i> strains isolated from clinical cases in Poland. <i>Vaccine</i> , 2001, 20, 299-303.	3.8	61