

Richard P Swatloski

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3217121/richard-p-swatloski-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36
papers

13,552
citations

27
h-index

39
g-index

39
ext. papers

14,159
ext. citations

6
avg, IF

5.94
L-index

#	Paper	IF	Citations
36	Properties of Cellulose/TiO ₂ Fibers Processed from Ionic Liquids. <i>ACS Symposium Series</i> , 2010 , 261-274	0.4	7
35	A comparison of the effects of prenatal exposure of CD-1 mice to three imidazolium-based ionic liquids. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2010 , 89, 233-8		4
34	Solvation of carbohydrates in n,n'-dialkylimidazolium ionic liquids: a multinuclear NMR spectroscopy study. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 11071-8	3.4	171
33	Ionic liquid-based preparation of cellulose-dendrimer films as solid supports for enzyme immobilization. <i>Biomacromolecules</i> , 2008 , 9, 381-7	6.9	82
32	Magnetite-embedded cellulose fibers prepared from ionic liquid. <i>Journal of Materials Chemistry</i> , 2008 , 18, 283-290		116
31	Developmental toxicity assessment of the ionic liquid 1-butyl-3-methylimidazolium chloride in CD-1 mice. <i>Green Chemistry</i> , 2008 , 10, 1213	10	40
30	Sensor technologies based on a cellulose supported platform. <i>Chemical Communications</i> , 2007 , 2025-7	5.8	46
29	Solid-State Analysis of Low-Melting 1,3-Dialkylimidazolium Hexafluorophosphate Salts (Ionic Liquids) by Combined X-ray Crystallographic and Computational Analyses. <i>Crystal Growth and Design</i> , 2007 , 7, 1106-1114	3.5	88
28	Ionic liquids via reaction of the zwitterionic 1,3-dimethylimidazolium-2-carboxylate with protic acids. Overcoming synthetic limitations and establishing new halide free protocols for the formation of ILs. <i>Green Chemistry</i> , 2007 , 9, 90-98	10	84
27	The third evolution of ionic liquids: active pharmaceutical ingredients. <i>New Journal of Chemistry</i> , 2007 , 31, 1429	3.6	665
26	Hydrophobic n-Alkyl-N-isoquinolinium Salts: Ionic Liquids and Low Melting Solids. <i>ACS Symposium Series</i> , 2007 , 362-380	0.4	2
25	Mode of Complex Formation Between Thiones and Silver Ion Within a Photothermographic Formulation: The Crystal and Molecular Structure of Hexa-(silver-5-methyl-2-mercaptobenzimidazole THF). <i>Journal of Imaging Science and Technology</i> , 2007 , 51, 547	1.2	1
24	Can ionic liquids dissolve wood? Processing and analysis of lignocellulosic materials with 1-n-butyl-3-methylimidazolium chloride. <i>Green Chemistry</i> , 2007 , 9, 63-69	10	687
23	Mechanism of cellulose dissolution in the ionic liquid 1-n-butyl-3-methylimidazolium chloride: a ¹³ C and ^{35/37} Cl NMR relaxation study on model systems. <i>Chemical Communications</i> , 2006 , 1271-3	5.8	567
22	Use of ionic liquids in the study of fruit ripening by high-resolution ¹³ C NMR spectroscopy: 'green' solvents meet green bananas. <i>Chemical Communications</i> , 2006 , 714-6	5.8	55
21	Applying Ionic Liquids for Controlled Processing of Polymer Materials. <i>ACS Symposium Series</i> , 2005 , 71-87	0.4	10
20	High-resolution ¹³ C NMR studies of cellulose and cellulose oligomers in ionic liquid solutions. <i>Chemical Communications</i> , 2005 , 1557-9	5.8	274

19	Using <i>Caenorhabditis elegans</i> to probe toxicity of 1-alkyl-3-methylimidazolium chloride based ionic liquids. <i>Chemical Communications</i> , 2004 , 668-9	5.8	165
18	Application of Poly(ethylene glycol)-based Aqueous Biphasic Systems as Reaction and Reactive Extraction Media. <i>Industrial & Engineering Chemistry Research</i> , 2004 , 43, 5358-5364	3.9	40
17	Controlling the aqueous miscibility of ionic liquids: aqueous biphasic systems of water-miscible ionic liquids and water-structuring salts for recycle, metathesis, and separations. <i>Journal of the American Chemical Society</i> , 2003 , 125, 6632-3	16.4	858
16	Ionic liquids are not always green: hydrolysis of 1-butyl-3-methylimidazolium hexafluorophosphate. <i>Green Chemistry</i> , 2003 , 5, 361	10	815
15	Mercury(II) partitioning from aqueous solutions with a new, hydrophobic ethylene-glycol functionalized bis-imidazolium ionic liquid. <i>Green Chemistry</i> , 2003 , 5, 129-135	10	123
14	Room Temperature Ionic Liquids as Replacements for Traditional Organic Solvents and Their Applications Towards Green Chemistry In Separation Processes 2003 , 137-156		8
13	Dissolution of cellulose [correction of cellose] with ionic liquids. <i>Journal of the American Chemical Society</i> , 2002 , 124, 4974-5	16.4	3815
12	Characterization of Hydrophilic and Hydrophobic Ionic Liquids: Alternatives to Volatile Organic Compounds for Liquid-Liquid Separations. <i>ACS Symposium Series</i> , 2002 , 289-308	0.4	24
11	Task-specific ionic liquids incorporating novel cations for the coordination and extraction of Hg ²⁺ and Cd ²⁺ : synthesis, characterization, and extraction studies. <i>Environmental Science & Technology</i> , 2002 , 36, 2523-9	10.3	426
10	Efficient, halide free synthesis of new, low cost ionic liquids: 1,3-dialkylimidazolium salts containing methyl- and ethyl-sulfate anions. <i>Green Chemistry</i> , 2002 , 4, 407-413	10	468
9	On the solubilization of water with ethanol in hydrophobic hexafluorophosphate ionic liquids. <i>Green Chemistry</i> , 2002 , 4, 81-87	10	151
8	LIQUID/LIQUID EXTRACTION OF METAL IONS IN ROOM TEMPERATURE IONIC LIQUIDS. <i>Separation Science and Technology</i> , 2001 , 36, 785-804	2.5	293
7	Task-specific ionic liquids for the extraction of metal ions from aqueous solutions. <i>Chemical Communications</i> , 2001 , 135-136	5.8	744
6	Solvation of 1-butyl-3-methylimidazolium hexafluorophosphate in aqueous ethanol--a green solution for dissolving 'hydrophobic' ionic liquids. <i>Chemical Communications</i> , 2001 , 2070-1	5.8	69
5	Green Separation Science and Technology: Replacement of Volatile Organic Compounds in Industrial Scale Liquid-Liquid or Chromatographic Separations. <i>ACS Symposium Series</i> , 2000 , 206-221	0.4	6
4	Traditional Extractants in Nontraditional Solvents: Groups 1 and 2 Extraction by Crown Ethers in Room-Temperature Ionic Liquids <i>Industrial & Engineering Chemistry Research</i> , 2000 , 39, 3596-3604	3.9	560
3	pH-Dependent partitioning in room temperature ionic liquids provides a link to traditional solvent extraction behavior. <i>Green Chemistry</i> , 2000 , 2, 1-4	10	241
2	Calixarenes as Ligands in Environmentally-Benign Liquid-Liquid Extraction Media. <i>ACS Symposium Series</i> , 2000 , 223-236	0.4	7

- 1 Room temperature ionic liquids as novel media for clean liquid-liquid extraction. *Chemical Communications*, **1998**, 1765-1766

5.8 1839