

# Bernhard K Kramer

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3218034/bernhard-k-kramer-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89  
papers

1,895  
citations

18  
h-index

42  
g-index

97  
ext. papers

2,767  
ext. citations

6.9  
avg, IF

4  
L-index

#	Paper	IF	Citations
89	Gender- and subgroup-specific sensitivity analysis of alcohol consumption and mortality in the Ludwigshafen Risk and Cardiovascular Health (LURIC) study.. <i>Data in Brief</i> , <b>2022</b> , 41, 107873	1.2	
88	Heterologous immunization with BNT162b2 followed by mRNA-1273 in dialysis patients: seroconversion and presence of neutralizing antibodies.. <i>Nephrology Dialysis Transplantation</i> , <b>2022</b> ,	4.3	3
87	High-fat, sucrose and salt-rich diet during rat spermatogenesis lead to the development of chronic kidney disease in the female offspring of the F2 generation.. <i>FASEB Journal</i> , <b>2022</b> , 36, e22259	0.9	0
86	Regulation of SARS CoV-2 host factors in the kidney and heart in rats with 5/6 nephrectomy-effects of salt, ARB, DPP4 inhibitor and SGLT2 blocker.. <i>BMC Nephrology</i> , <b>2022</b> , 23, 117	2.7	0
85	Vitamin D status and its association with parathyroid hormone in 23,134 outpatients.. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , <b>2022</b> , 220, 106101	5.1	0
84	Implantation of a peritoneal dialysis catheter in patients with ESRD using local anesthesia and Remifentanyl. <i>PLoS ONE</i> , <b>2021</b> , 16, e0259351	3.7	1
83	Antifibrotic effects of low dose SGLT2 Inhibition with empagliflozin in comparison to Ang II receptor blockade with telmisartan in 5/6 nephrectomised rats on high salt diet.. <i>Biomedicine and Pharmacotherapy</i> , <b>2021</b> , 146, 112606	7.5	3
82	FH ALERT: efficacy of a novel approach to identify patients with familial hypercholesterolemia. <i>Scientific Reports</i> , <b>2021</b> , 11, 20421	4.9	0
81	Relationship Between Vitamin D and Hormones Important for Human Fertility in Reproductive-Aged Women. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 666687	5.7	2
80	Methylglyoxal induces p53 activation and inhibits mTORC1 in human umbilical vein endothelial cells. <i>Scientific Reports</i> , <b>2021</b> , 11, 8004	4.9	0
79	C-terminal and intact FGF23 in kidney transplant recipients and their associations with overall graft survival. <i>BMC Nephrology</i> , <b>2021</b> , 22, 125	2.7	4
78	Comparison of infection risks and clinical outcomes in patients with and without SARS-CoV-2 lung infection under renin-angiotensin-aldosterone system blockade: Systematic review and meta-analysis. <i>British Journal of Clinical Pharmacology</i> , <b>2021</b> , 87, 2475-2492	3.8	11
77	Meta-analysis uncovers genome-wide significant variants for rapid kidney function decline. <i>Kidney International</i> , <b>2021</b> , 99, 926-939	9.9	6
76	The effect of hydroxychloroquine on platelet activation in model experiments. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2021</b> , 52, 674-679	5.1	1
75	Alcohol consumption and mortality: The Ludwigshafen Risk and Cardiovascular Health (LURIC) study. <i>Atherosclerosis</i> , <b>2021</b> , 335, 119-125	3.1	3
74	Combined Use of Serum Uromodulin and eGFR to Estimate Mortality Risk. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 723546	4.9	0
73	GWAS META-analysis followed by MENDELIAN randomisation revealed potential control mechanisms for circulating Ekloto levels. <i>Human Molecular Genetics</i> , <b>2021</b> ,	5.6	1

72	Patient and Graft Survival After Dual Kidney Transplantation With Marginal Donors in Comparison to Matched Control Groups. <i>Transplantation Proceedings</i> , <b>2021</b> , 53, 2180-2187	1.1	
71	Surrogate scores of advanced fibrosis in NAFLD/NASH do not predict mortality in patients with medium-to-high cardiovascular risk. <i>American Journal of Physiology - Renal Physiology</i> , <b>2021</b> , 321, G252-G261	5.1	1
70	Endostatin in Renal and Cardiovascular Diseases.. <i>Kidney Diseases (Basel, Switzerland)</i> , <b>2021</b> , 7, 468-481	3.3	1
69	Immune Status and Mortality in Smokers, Ex-smokers, and Never-Smokers: The Ludwigshafen Risk and Cardiovascular Health Study. <i>Nicotine and Tobacco Research</i> , <b>2021</b> , 23, 1191-1198	4.9	1
68	Hydroxychloroquine reduces IL-6 and pro-thrombotic status. <i>Autoimmunity Reviews</i> , <b>2020</b> , 19, 102555	13.6	3
67	Non-oxidized PTH (n-oxPTH) is associated with graft loss in kidney transplant recipients. <i>Clinica Chimica Acta</i> , <b>2020</b> , 508, 92-97	6.2	3
66	Linagliptin and telmisartan induced effects on renal and urinary exosomal miRNA expression in rats with 5/6 nephrectomy. <i>Scientific Reports</i> , <b>2020</b> , 10, 3373	4.9	13
65	Impact of maternal smoking associated lyso-phosphatidylcholine 20:3 on offspring brain development. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , <b>2020</b> , 199, 105591	5.1	3
64	Endostatin Is an Independent Risk Factor of Graft Loss after Kidney Transplant. <i>American Journal of Nephrology</i> , <b>2020</b> , 51, 373-380	4.6	1
63	Exosomal miRNAs as Potential Biomarkers to Monitor Phosphodiesterase 5 Inhibitor Induced Anti-Fibrotic Effects on CCl Treated Rats. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 22,	6.3	6
62	Long-Term Kidney Transplant Outcomes: Role of Prolonged-Release Tacrolimus. <i>Transplantation Proceedings</i> , <b>2020</b> , 52, 102-110	1.1	6
61	Bile Acids in Patients with Uncontrolled Type 2 Diabetes Mellitus - The Effect of Two Days of Oatmeal Treatment. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2020</b> , 128, 624-630	2.3	1
60	Influence of smoking and smoking cessation on biomarkers of endothelial function and their association with mortality. <i>Atherosclerosis</i> , <b>2020</b> , 292, 52-59	3.1	6
59	Association of double product and pulse pressure with cardiovascular and all-cause mortality in the LURIC study. <i>Journal of Clinical Hypertension</i> , <b>2020</b> , 22, 2332-2342	2.3	3
58	Human carnosinase 1 overexpression aggravates diabetes and renal impairment in BTBR mice. <i>Journal of Molecular Medicine</i> , <b>2020</b> , 98, 1333-1346	5.5	3
57	Sclerostin is an independent risk factor for all-cause mortality in kidney transplant recipients. <i>Clinical and Experimental Nephrology</i> , <b>2020</b> , 24, 1177-1183	2.5	1
56	Area-based socioeconomic status and mortality: the Ludwigshafen Risk and Cardiovascular Health study. <i>Clinical Research in Cardiology</i> , <b>2020</b> , 109, 103-114	6.1	5
55	Long- and short-term association of low-grade systemic inflammation with cardiovascular mortality in the LURIC study. <i>Clinical Research in Cardiology</i> , <b>2020</b> , 109, 358-373	6.1	7

54	Genome-wide association meta-analyses and fine-mapping elucidate pathways influencing albuminuria. <i>Nature Communications</i> , <b>2019</b> , 10, 4130	17.4	43
53	Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. <i>Nature Genetics</i> , <b>2019</b> , 51, 1459-1474	36.3	122
52	Association of soluble CD40L with short-term and long-term cardiovascular and all-cause mortality: The Ludwigshafen Risk and Cardiovascular Health (LURIC) study. <i>Atherosclerosis</i> , <b>2019</b> , 291, 127-131	3.1	7
51	Free 25-Vitamin D Is Correlated with Cardiovascular Events in Prevalent Hemodialysis Patients but Not with Markers of Renal Mineral Bone Disease. <i>Kidney and Blood Pressure Research</i> , <b>2019</b> , 44, 344-353	3.1	3
50	A catalog of genetic loci associated with kidney function from analyses of a million individuals. <i>Nature Genetics</i> , <b>2019</b> , 51, 957-972	36.3	217
49	Methylglyoxal down-regulates the expression of cell cycle associated genes and activates the p53 pathway in human umbilical vein endothelial cells. <i>Scientific Reports</i> , <b>2019</b> , 9, 1152	4.9	12
48	Detection of carnosinase-1 in urine of healthy individuals and patients with type 2 diabetes: correlation with albuminuria and renal function. <i>Amino Acids</i> , <b>2019</b> , 51, 17-25	3.5	2
47	The association of high-normal international-normalized-ratio (INR) with mortality in patients referred for coronary angiography. <i>PLoS ONE</i> , <b>2019</b> , 14, e0221112	3.7	1
46	Associations of autozygosity with a broad range of human phenotypes. <i>Nature Communications</i> , <b>2019</b> , 10, 4957	17.4	40
45	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. <i>Nature Genetics</i> , <b>2019</b> , 51, 452-469	36.3	44
44	Serum Carnosinase-1 and Albuminuria Rather than the Genotype Correlate with Urinary Carnosinase-1 in Diabetic and Nondiabetic Patients with Chronic Kidney Disease. <i>Journal of Diabetes Research</i> , <b>2019</b> , 2019, 6850628	3.9	1
43	Pulse Pressure and Outcome in Kidney Transplantation: Results From the Collaborative Transplant Study. <i>Transplantation</i> , <b>2019</b> , 103, 772-780	1.8	2
42	N-Octanoyl-Dopamine inhibits cytokine production in activated T-cells and diminishes MHC-class-II expression as well as adhesion molecules in IFN $\beta$ -stimulated endothelial cells. <i>Scientific Reports</i> , <b>2019</b> , 9, 19338	4.9	1
41	Quantitative assessment of microperfusion by indocyanine green angiography in kidney transplantation resembles chronic morphological changes in kidney specimens. <i>Microcirculation</i> , <b>2019</b> , 26, e12529	2.9	7
40	Dietary Intervention with Oatmeal in Patients with uncontrolled Type 2 Diabetes Mellitus - A Crossover Study. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2019</b> , 127, 623-629	2.3	5
39	Renal function, N-terminal Pro-B-Type natriuretic peptide, propeptide big-endothelin and patients with heart failure and preserved ejection fraction. <i>Peptides</i> , <b>2019</b> , 111, 112-117	3.8	5
38	Prospective cohort studies of beta-trace protein and mortality in haemodialysis patients and patients undergoing coronary angiography. <i>Nephrology Dialysis Transplantation</i> , <b>2018</b> , 33, 1984-1991	4.3	1
37	Neuronal damage and shortening of lifespan in by peritoneal dialysis fluid: Protection by glyoxalase-1. <i>Biomedical Reports</i> , <b>2018</b> , 8, 540-546	1.8	2

36	The Effect of Microgravity on Central Aortic Blood Pressure. <i>American Journal of Hypertension</i> , <b>2018</b> , 31, 1180-1182	2.3	0
35	The adenosinergic system: a potential player in the pathogenesis of ANCA-associated vasculitis?. <i>Clinical and Experimental Rheumatology</i> , <b>2018</b> , 36 Suppl 111, 143-151	2.2	1
34	Quantitative arterial spin labelling perfusion measurements in rat models of renal transplantation and acute kidney injury at 3T. <i>Zeitschrift Fur Medizinische Physik</i> , <b>2017</b> , 27, 39-48	7.6	15
33	Serum Uromodulin and Mortality Risk in Patients Undergoing Coronary Angiography. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2017</b> , 28, 2201-2210	12.7	51
32	Chronic kidney disease in primary care in Germany. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , <b>2017</b> , 25, 223-230	1.4	3
31	The value of ultrasound in diagnosing extracranial large-vessel vasculitis compared to FDG-PET/CT: A retrospective study. <i>Clinical Rheumatology</i> , <b>2017</b> , 36, 2079-2086	3.9	26
30	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , <b>2017</b> , 8, 14977	17.4	105
29	1000 Genomes-based meta-analysis identifies 10 novel loci for kidney function. <i>Scientific Reports</i> , <b>2017</b> , 7, 45040	4.9	70
28	Relations between lipoprotein(a) concentrations, LPA genetic variants, and the risk of mortality in patients with established coronary heart disease: a molecular and genetic association study. <i>Lancet Diabetes and Endocrinology</i> , <b>2017</b> , 5, 534-543	18.1	69
27	The (CTG) Polymorphism Is Associated with Biopsy-Proven Diabetic Nephropathy, Time on Hemodialysis, and Diabetes Duration. <i>Journal of Diabetes Research</i> , <b>2017</b> , 2017, 9506730	3.9	10
26	Changes in CD73, CD39 and CD26 expression on T-lymphocytes of ANCA-associated vasculitis patients suggest impairment in adenosine generation and turn-over. <i>Scientific Reports</i> , <b>2017</b> , 7, 11683	4.9	8
25	Dosing of indocyanine green for intraoperative laser fluorescence angiography in kidney transplantation. <i>Microcirculation</i> , <b>2017</b> , 24, e12392	2.9	13
24	Propeptide big-endothelin, N-terminal-pro brain natriuretic peptide and mortality. The Ludwigshafen risk and cardiovascular health (LURIC) study. <i>Biomarkers</i> , <b>2017</b> , 22, 315-320	2.6	2
23	Individual omega-9 monounsaturated fatty acids and mortality-The Ludwigshafen Risk and Cardiovascular Health Study. <i>Journal of Clinical Lipidology</i> , <b>2017</b> , 11, 126-135.e5	4.9	36
22	Neutrophil gelatinase-associated lipocalin levels are U-shaped in the Ludwigshafen Risk and Cardiovascular Health (LURIC) study-Impact for mortality. <i>PLoS ONE</i> , <b>2017</b> , 12, e0171574	3.7	8
21	Minoxidil for Treatment of Resistant Hypertension in Chronic Kidney Disease--A Retrospective Cohort Analysis. <i>Journal of Clinical Hypertension</i> , <b>2016</b> , 18, 1162-1167	2.3	7
20	Efficacy and safety of tacrolimus compared with ciclosporin-A in renal transplantation: 7-year observational results. <i>Transplant International</i> , <b>2016</b> , 29, 307-14	3	11
19	The Renin-Angiotensin-Aldosterone System in Smokers and Non-Smokers of the Ludwigshafen Risk and Cardiovascular Health (LURIC) Study. <i>Advances in Experimental Medicine and Biology</i> , <b>2016</b> , 935, 75-82	3.6	4

18	Performance of the 1 mg dexamethasone suppression test in patients with severe obesity. <i>Obesity</i> , <b>2016</b> , 24, 850-5	8	9
17	Genome-wide Association Studies Identify Genetic Loci Associated With Albuminuria in Diabetes. <i>Diabetes</i> , <b>2016</b> , 65, 803-17	0.9	96
16	N-octanoyl dopamine treatment exerts renoprotective properties in acute kidney injury but not in renal allograft recipients. <i>Nephrology Dialysis Transplantation</i> , <b>2016</b> , 31, 564-73	4.3	9
15	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. <i>Nature Communications</i> , <b>2016</b> , 7, 10023	17.4	295
14	Hyperglycemia Does Not Affect Iron Mediated Toxicity of Cultured Endothelial and Renal Tubular Epithelial Cells: Influence of L-Carnosine. <i>Journal of Diabetes Research</i> , <b>2016</b> , 2016, 8710432	3.9	5
13	Optimized donor management and organ preservation before kidney transplantation. <i>Transplant International</i> , <b>2016</b> , 29, 974-84	3	19
12	Renal Denervation in Patients with Resistant Hypertension-Assessment by 3T Renal <sup>23</sup> Na-MRI: Preliminary Results. <i>In Vivo</i> , <b>2016</b> , 30, 657-62	2.3	1
11	Galectin-3, Renal Function, and Clinical Outcomes: Results from the LURIC and 4D Studies. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2015</b> , 26, 2213-21	12.7	89
10	Cotinine as a marker for risk prediction in the Ludwigshafen Risk and Cardiovascular Health Study. <i>Respiratory Physiology and Neurobiology</i> , <b>2015</b> , 209, 17-22	2.8	4
9	Uric Acid and Cardiovascular Events: A Mendelian Randomization Study. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2015</b> , 26, 2831-8	12.7	151
8	Alemtuzumab induction therapy in kidney transplantation. <i>Lancet, The</i> , <b>2015</b> , 385, 770-1	40	1
7	Ceftolozane-tazobactam versus levofloxacin in urinary tract infection. <i>Lancet, The</i> , <b>2015</b> , 386, 1241-1242	40	3
6	Renal denervation for resistant hypertension. <i>Lancet, The</i> , <b>2015</b> , 386, 1239-1240	40	2
5	Genome-wide association study of kidney function decline in individuals of European descent. <i>Kidney International</i> , <b>2015</b> , 87, 1017-29	9.9	83
4	Excellent graft and patient survival after renal transplantation from donors after brain death with acute kidney injury: a case-control study. <i>International Urology and Nephrology</i> , <b>2015</b> , 47, 2039-46	2.3	13
3	N-octanoyl dopamine treatment of endothelial cells induces the unfolded protein response and results in hypometabolism and tolerance to hypothermia. <i>PLoS ONE</i> , <b>2014</b> , 9, e99298	3.7	5
2	Tacrolimus-based, steroid-free regimens in renal transplantation: 3-year follow-up of the ATLAS trial. <i>Transplantation</i> , <b>2012</b> , 94, 492-8	1.8	43
1	Single-dose thymoglobulin induction in living-donor renal transplantation. <i>Annals of Transplantation</i> , <b>2011</b> , 16, 50-8	1.4	11

