

# Yuriy I Kuzmin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3220395/publications.pdf>

Version: 2024-02-01

46  
papers

647  
citations

840776

11  
h-index

642732

23  
g-index

46  
all docs

46  
docs citations

46  
times ranked

542  
citing authors

#	ARTICLE	IF	CITATIONS
1	Helminth Diversity in Teleost Fishes from the South Orkney Islands Region, West Antarctica. <i>Zoodiversity</i> , 2022, 56, 135-152.	0.6	4
2	Two new species of Neofoleyellides (Nematoda: Onchocercidae) parasitising anuran amphibians in South Africa. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2021, 14, 298-307.	1.5	4
3	Helminths of the Antarctic dragonfish, <i>Parachaenichthys charcoti</i> (Perciformes, Notothenioidei). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 1.1</i> <i>Parasitologica</i> , 2021, 66, 1424-1430.	1.1	6
4	A new species of <i>Serpentirhabdias</i> Tkach, Kuzmin et Snyder, 2014 (Nematoda: Rhabdiasidae) parasitic in the herald snake, <i>Crotaphopeltis hotamboeia</i> (Laurenti) (Reptilia: Serpentes: Colubridae) in South Africa. <i>Systematic Parasitology</i> , 2021, 98, 477-485.	1.1	1
5	Helminth Diversity in Teleost Fishes from the Area of the Ukrainian Antarctic Station "Akademik Vernadsky", Argentine Islands, West Antarctica. <i>Zoodiversity</i> , 2021, 55, 251-264.	0.6	5
6	New records of <i>Amphibiophilus</i> spp. (Nematoda: Amphibiophilidae) parasitic in <i>Strongylopus grayii</i> (Smith) and <i>Amietia delalandii</i> (Duméril & Bibron) (Amphibia: Anura: Pyxicephalidae) in South Africa, with a description of <i>Amphibiophilus bialatus</i> n. sp.. <i>Systematic Parasitology</i> , 2020, 97, 713-725.	1.1	1
7	Description and molecular characterisation of a new nematode species parasitic in the lungs of <i>Strongylopus grayii</i> (Smith) (Anura: Pyxicephalidae) in South Africa. <i>Systematic Parasitology</i> , 2020, 97, 369-378.	1.1	4
8	Helminth Species and Infracommunities in Frogs <i>Pelophylax ridibundus</i> and <i>P. esculentus</i> (Amphibia). <i>Tj ETQq0 0 0 rgBT /Overlock 1.1</i> <i>10 Tf 13</i>	1.1	13
9	Phylogenetic Position of <i>Codonocephalus</i> Diesing, 1850 (Digenea, Diplostomoidea), an Unusual Diplostomid with Progenetic Metacercariae. <i>Journal of Parasitology</i> , 2019, 105, 821.	0.7	7
10	Phylogenetic Position of Diesing, 1850 (Digenea, Diplostomoidea), an Unusual Diplostomid with Progenetic Metacercariae. <i>Journal of Parasitology</i> , 2019, 105, 821-826.	0.7	4
11	Molecular and morphological characterisation of <i>Rhabdias picardiae</i> Junker, Lhermitte-Vallarino et Bain, 2010 (Nematoda: Rhabdiasidae) from Delalande's River Frog, <i>Amietia delalandii</i> (Duméril et Bibron). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 1.1</i>	1.1	4
12	Description, biology and molecular characterisation of <i>Serpentirhabdias moi</i> n. sp. (Nematoda). <i>Tj ETQq0 0 0 rgBT /Overlock 1.3</i> <i>10 Tf 50 30</i> <i>2018</i> , 67, 829-837.	1.3	5
13	Helminths of Wild Predatory Mammals of Ukraine. <i>Nematodes. Vestnik Zoologii</i> , 2017, 51, 187-202.	0.7	20
14	Description and phylogenetic position of a new species of <i>Rhabdias</i> Stiles et Hassall, 1905 (Nematoda). <i>Tj ETQq0 0 0 rgBT /Overlock 1.3</i> <i>10</i> <i>10</i> in South Africa. <i>Folia Parasitologica</i> , 2017, 64, .	1.3	10
15	First Record of <i>Dicheilonema Ciconiae</i> (Nematoda, Diplostomaidea) From <i>Ciconia Nigra</i> (Aves). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 1.1</i> <i>10</i>	1.1	10
16	Helminth Parasites of the <i>Pelophylax esculentus</i> Complex (Anura: Ranidae) in Hortobágy National Park (Hungary). <i>Comparative Parasitology</i> , 2016, 83, 36-48.	0.4	11
17	The morphology of free-living stages and immature parasites of <i>Rhabdias paraensis</i> (Nematoda). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 1.1</i> <i>5</i> <i>42-51</i> .	1.1	5
18	Description of <i>Serpentirhabdias atroxi</i> n. sp. (Nematoda: Rhabdiasidae), a parasite of <i>Bothrops atrox</i> (Linnaeus) (Reptilia: Serpentes: Viperidae) in Brazilian Amazonia. <i>Systematic Parasitology</i> , 2016, 93, 37-45.	1.1	7

#	ARTICLE	IF	CITATIONS
19	Two new species of <i>Rhabdias</i> Stiles et Hassall, 1905 (Nematoda: Rhabdiasidae) from anuran amphibians in Para, Brazil. <i>Folia Parasitologica</i> , 2016, 63, .	1.3	9
20	Shaking the Tree: Multi-locus Sequence Typing Usurps Current Onchocercid (Filarial Nematode) Phylogeny. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0004233.	3.0	96
21	Description of <i>Uncinaria lyonsi</i> n. sp. (Nematoda: Ancylostomatidae) from the California sea lion <i>Zalophus californianus</i> Lesson (Carnivora: Otariidae). <i>Systematic Parasitology</i> , 2015, 90, 165-176.	1.1	12
22	Some nematodes of the genus <i>Rhabdias</i> Stiles et Hassall, 1905 (Nematoda: Rhabdiasidae) parasitising amphibians in French Guiana. <i>Folia Parasitologica</i> , 2015, 62, .	1.3	12
23	Infective larvae of Rhabdiasidae (Nematoda): comparative morphology of seven European species. <i>Acta Parasitologica</i> , 2014, 59, 31-41.	1.1	7
24	Phylogenetic affinities and systematic position of <i>Entomelas sylvestris</i> Baker, 1982 (Nematoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 50). <i>Systematic Parasitology</i> , 2014, 87, 293-298.	1.1	11
25	Redescription of <i>Cercopithifilaria rugosicauda</i> (BÃ¼hm & Supperer, 1953) (Spirurida: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 50) characterisation. <i>Parasitology International</i> , 2014, 63, 808-816.	1.3	4
26	A new species of <i>Serpentirhabdias</i> Tkach, Kuzmin & Snyder, 2014 (Nematoda: Rhabdiasidae) parasitic in the brown ground snake <i>Atractus major</i> Boulenger (Reptilia: Serpentes: Dipsadidae) in Brazil. <i>Systematic Parasitology</i> , 2014, 89, 101-106.	1.1	11
27	Molecular insight into systematics, host associations, life cycles and geographic distribution of the nematode family Rhabdiasidae. <i>International Journal for Parasitology</i> , 2014, 44, 273-284.	3.1	54
28	New Species of <i>Kalicephalus</i> (Nematoda: Diaphanocephalidae) from a Snake, <i>Oxyrhabdium leporinum</i> , on Luzon Island, Philippines. <i>Comparative Parasitology</i> , 2013, 80, 240-246.	0.4	1
29	Ecological, morphological, and molecular studies of <i>Acanthocheilonema odendhali</i> (Nematoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 50). <i>Research</i> , 2013, 112, 3091-3100.	1.6	10
30	Redescription of <i>Setaria graberi</i> Shoho in Troncy, Graber & Thal, 1976 (Nematoda: Filarioidea) based on specimens from <i>Redunca arundinum</i> (Bovidae) in South Africa. <i>Parasite</i> , 2013, 20, 43.	2.0	1
31	Review of Rhabdiasidae (Nematoda) from the Holarctic. <i>Zootaxa</i> , 2013, 3639, 1-76.	0.5	34
32	A new species of <i>Rhabdias</i> Stiles et Hassall, 1905 (Nematoda: Rhabdiasidae) from <i>Blommersia domerguei</i> (GuibÃ©) (Amphibia: Mantellidae) in Madagascar. <i>Folia Parasitologica</i> , 2013, 60, 469-474.	1.3	7
33	<i>Oswaldocruzia duboisi</i> (Nematoda, Molineidae): Morphology, Hosts and Distribution in Ukraine. <i>Vestnik Zoologii</i> , 2012, 46, e-1-e-9.	0.7	4
34	A New Species of <i>Rhabdias</i> (Nematoda: Rhabdiasidae) from Agamid Lizards On Luzon Island, Philippines. <i>Journal of Parasitology</i> , 2012, 98, 608-611.	0.7	5
35	<i>Rhabdias mcguirei</i> sp. nov. (Nematoda, Rhabdiasidae) from the flying lizard, <i>Draco spilopterus</i> (Squamata, Agamidae) of the northern Philippines. <i>Acta Parasitologica</i> , 2011, 56, .	1.1	8
36	<i>Camallanus</i> Railliet et Henry, 1915 (Nematoda, Camallanidae) from Australian freshwater turtles with descriptions of two new species and molecular differentiation of known taxa. <i>Acta Parasitologica</i> , 2011, 56, .	1.1	11

#	ARTICLE	IF	CITATIONS
37	Description of a New Species of Kurilonema (Nematoda: Rhabdiasidae) From Lungs of the Skink Sphenomorphus abdictus aquilonius (Reptilia: Squamata: Scincidae) in the Philippines. Journal of Parasitology, 2011, 97, 506-512.	0.7	9
38	Krefftascaaris (Nematoda, Ascaridoidea) from Australian Side-Necked Turtles with Description of Krefftascaaris Sharpiloi SP. N. from Chelodina Rugosa. Vestnik Zoologii, 2010, 44, e-1-e-11.	0.7	3
39	Camallanus tuckeri n. sp. (Nematoda, Camallanidae) from Freshwater Turtles (Pleurodira: Chelidae), in the Kimberley, Western Australia. Comparative Parasitology, 2009, 76, 133-140.	0.4	4
40	Rhabdias Pearsoni SP. N. (Nematoda, Rhabdiasidae) From Keelback, Tropidonophis Mairii (Reptilia,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.7	4
41	TWO NEW SPECIES OF RHABDIAS (NEMATODA: RHABDIASIDAE) FROM THE MARINE TOAD, BUFO MARINUS (L.) (LISSAMPHIBIA: ANURA: BUFONIDAE), IN CENTRAL AMERICA. Journal of Parasitology, 2007, 93, 159-165.	0.7	54
42	A NEW SPECIES OF RHABDIAS FROM LUNGS OF THE WOOD FROG, RANA SYLVATICA, IN NORTH AMERICA: THE LAST SIBLING OF RHABDIAS RANAEEâ€š?. Journal of Parasitology, 2006, 92, 631-636.	0.7	34
43	Field study on the survival, migration and overwintering of infective larvae of horse strongyles on pasture in central Ukraine. Veterinary Parasitology, 2006, 141, 264-272.	1.8	24
44	Rhabdias kongmongthaensis sp. n. (Nematoda: Rhabdiasidae) from Polypedates leucomystax (Amphibia:) Tj ETQq0 0 0 rgBT /Overlock 1	1.3	12
45	The Nematode Genus Rhabdias (Nematoda: Rhabdiasidae) from Amphibians and Reptiles of the Nearctic. Comparative Parasitology, 2003, 70, 101-114.	0.4	49
46	Helminths of the sand lizard, Lacerta agilis (Reptilia, Lacertidae), in the Palaeartic: faunal diversity and spatial patterns of variation in the composition and structure of component communities. Parasitology, 2001, 123, 389-400.	1.5	45