

# Juha Tuukkanen

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3220655/juha-tuukkanen-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

173  
papers

6,594  
citations

44  
h-index

74  
g-index

178  
ext. papers

7,191  
ext. citations

5.5  
avg, IF

5.17  
L-index

#	Paper	IF	Citations
173	Cloning of a novel bacteria-binding receptor structurally related to scavenger receptors and expressed in a subset of macrophages. <i>Cell</i> , <b>1995</b> , 80, 603-9	56.2	410
172	Evidence for the presence of a proton pump of the vacuolar H(+)-ATPase type in the ruffled borders of osteoclasts. <i>Journal of Cell Biology</i> , <b>1990</b> , 111, 1305-11	7.3	332
171	Autoimmune regulator is expressed in the cells regulating immune tolerance in thymus medulla. <i>Biochemical and Biophysical Research Communications</i> , <b>1999</b> , 257, 821-5	3.4	229
170	Osteoblast-derived WNT16 represses osteoclastogenesis and prevents cortical bone fragility fractures. <i>Nature Medicine</i> , <b>2014</b> , 20, 1279-88	50.5	220
169	Effect of porosity on the osteointegration and bone ingrowth of a weight-bearing nickel-titanium bone graft substitute. <i>Biomaterials</i> , <b>2003</b> , 24, 4691-7	15.6	211
168	Comparison of three-point bending test and peripheral quantitative computed tomography analysis in the evaluation of the strength of mouse femur and tibia. <i>Bone</i> , <b>1998</b> , 23, 155-61	4.7	180
167	The mechanical strength of bone in different rat models of experimental osteoporosis. <i>Bone</i> , <b>1994</b> , 15, 523-32	4.7	156
166	In vivo biocompatibility evaluation of nickel-titanium shape memory metal alloy: muscle and perineural tissue responses and capsule membrane thickness. <i>Journal of Biomedical Materials Research Part B</i> , <b>1998</b> , 41, 481-8		139
165	Organization of osteoclast microfilaments during the attachment to bone surface in vitro. <i>Journal of Bone and Mineral Research</i> , <b>1989</b> , 4, 817-25	6.3	138
164	Omeprazole, a specific inhibitor of H <sup>+</sup> -K <sup>+</sup> -ATPase, inhibits bone resorption in vitro. <i>Calcified Tissue International</i> , <b>1986</b> , 38, 123-5	3.9	137
163	Adenoviral VEGF-A gene transfer induces angiogenesis and promotes bone formation in healing osseous tissues. <i>Journal of Gene Medicine</i> , <b>2003</b> , 5, 560-6	3.5	110
162	Effect of nickel-titanium shape memory metal alloy on bone formation. <i>Biomaterials</i> , <b>2001</b> , 22, 2475-80	15.6	102
161	Carbonic anhydrase II plays a major role in osteoclast differentiation and bone resorption by effecting the steady state intracellular pH and Ca <sup>2+</sup> . <i>Experimental Cell Research</i> , <b>1998</b> , 242, 128-37	4.2	102
160	Estrogen receptor- $\beta$ in osteocytes is important for trabecular bone formation in male mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 2294-9	11.5	100
159	Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on bone in two rat strains with different aryl hydrocarbon receptor structures. <i>Journal of Bone and Mineral Research</i> , <b>2001</b> , 16, 1812-20	6.3	90
158	Behaviour of nitinol in osteoblast-like ROS-17 cell cultures. <i>Biomaterials</i> , <b>2002</b> , 23, 645-50	15.6	89
157	Bone-resorbing osteoclasts contain gap-junctional connexin-43. <i>Journal of Bone and Mineral Research</i> , <b>2000</b> , 15, 919-26	6.3	88

156	Induced repatterning of type XVIII collagen expression in ureter bud from kidney to lung type: association with sonic hedgehog and ectopic surfactant protein C. <i>Development (Cambridge)</i> , <b>2001</b> , 128, 1573-1585	6.6	88
155	Dioxins interfere with differentiation of osteoblasts and osteoclasts. <i>Bone</i> , <b>2009</b> , 44, 1134-42	4.7	78
154	Effects of in utero and lactational TCDD exposure on bone development in differentially sensitive rat lines. <i>Toxicological Sciences</i> , <b>2005</b> , 85, 1003-12	4.4	77
153	Estrogen deposits extra mineral into bones of female rats in puberty, but simultaneously seems to suppress the responsiveness of female skeleton to mechanical loading. <i>Bone</i> , <b>2003</b> , 32, 642-51	4.7	75
152	A metaphyseal defect model of the femur for studies of murine bone healing. <i>Bone</i> , <b>2001</b> , 28, 423-9	4.7	75
151	Bone healing and mineralization, implant corrosion, and trace metals after nickel-titanium shape memory metal intramedullary fixation. <i>Journal of Biomedical Materials Research Part B</i> , <b>1999</b> , 47, 472-80		73
150	Bone modeling and cell-material interface responses induced by nickel-titanium shape memory alloy after periosteal implantation. <i>Biomaterials</i> , <b>1999</b> , 20, 1309-17	15.6	68
149	Changes induced in growing rat bone by immobilization and remobilization. <i>Bone</i> , <b>1991</b> , 12, 113-8	4.7	67
148	Melt spinning of poly(lactic acid) and hydroxyapatite composite fibers: influence of the filler content on the fiber properties. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2013</b> , 5, 6864-72	9.5	62
147	Bone modeling controlled by a nickel-titanium shape memory alloy intramedullary nail. <i>Biomaterials</i> , <b>2002</b> , 23, 2535-43	15.6	62
146	Femoral neck response to exercise and subsequent deconditioning in young and adult rats. <i>Journal of Bone and Mineral Research</i> , <b>2003</b> , 18, 1292-9	6.3	61
145	Biocompatibility and strength properties of nitinol shape memory alloy suture in rabbit tendon. <i>Biomaterials</i> , <b>2004</b> , 25, 353-8	15.6	57
144	Expression profiles of mRNAs for osteoblast and osteoclast proteins as indicators of bone loss in mouse immobilization osteopenia model. <i>Journal of Bone and Mineral Research</i> , <b>1999</b> , 14, 1934-42	6.3	56
143	In utero/lactational 2,3,7,8-tetrachlorodibenzo-p-dioxin exposure impairs molar tooth development in rats. <i>Toxicology and Applied Pharmacology</i> , <b>2001</b> , 174, 216-24	4.6	55
142	Osteogenic Differentiation of Human Mesenchymal Stem cells in a 3D Woven Scaffold. <i>Scientific Reports</i> , <b>2018</b> , 8, 10457	4.9	54
141	Exercise can provide protection against bone loss and prevent the decrease in mechanical strength of femoral neck in ovariectomized rats. <i>Journal of Bone and Mineral Research</i> , <b>1994</b> , 9, 1559-64	6.3	54
140	p38 Kinase rescues failing myocardium after myocardial infarction: evidence for angiogenic and anti-apoptotic mechanisms. <i>FASEB Journal</i> , <b>2006</b> , 20, 1907-9	0.9	54
139	The bone gain induced by exercise in puberty is not preserved through a virtually life-long deconditioning: a randomized controlled experimental study in male rats. <i>Journal of Bone and Mineral Research</i> , <b>2003</b> , 18, 544-52	6.3	53

138	Progression of human aortic valve stenosis is associated with tenascin-C expression. <i>Journal of the American College of Cardiology</i> , <b>2002</b> , 39, 96-101	15.1	53
137	Effect of modified pectin molecules on the growth of bone cells. <i>Biomacromolecules</i> , <b>2007</b> , 8, 509-15	6.9	52
136	Effect of bioactive extruded PLA/HA composite films on focal adhesion formation of preosteoblastic cells. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2014</b> , 121, 409-16	6	51
135	Mechanical properties in long bones of rat osteopetrotic mutations. <i>Journal of Biomechanics</i> , <b>2002</b> , 35, 161-5	2.9	49
134	High dietary phosphate intake reduces bone strength in the growing rat skeleton. <i>Journal of Bone and Mineral Research</i> , <b>2007</b> , 22, 83-92	6.3	47
133	<i>Chlamydia pneumoniae</i> inhibits apoptosis in human epithelial and monocyte cell lines. <i>Scandinavian Journal of Immunology</i> , <b>2002</b> , 55, 390-8	3.4	47
132	Osteoclasts and Remodeling Based Bone Formation. <i>Current Stem Cell Research and Therapy</i> , <b>2016</b> , 11, 626-633	3.6	47
131	Wnt-4 signaling is involved in the control of smooth muscle cell fate via Bmp-4 in the medullary stroma of the developing kidney. <i>Developmental Biology</i> , <b>2006</b> , 293, 473-83	3.1	45
130	Differentiation of osteoblasts on pectin-coated titanium. <i>Biomacromolecules</i> , <b>2008</b> , 9, 2369-76	6.9	44
129	Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin exposure on bone material properties. <i>Journal of Biomechanics</i> , <b>2010</b> , 43, 1097-103	2.9	43
128	rab5 GTPase regulates adenovirus endocytosis. <i>Journal of Virology</i> , <b>1999</b> , 73, 9664-8	6.6	42
127	Effects of developmental exposure to perfluorooctanoic acid (PFOA) on long bone morphology and bone cell differentiation. <i>Toxicology and Applied Pharmacology</i> , <b>2016</b> , 301, 14-21	4.6	42
126	Long-term effects of ovariectomy on the mechanical properties and chemical composition of rat bone. <i>Bone</i> , <b>1997</b> , 20, 207-12	4.7	41
125	Long-term administration of clodronate does not prevent fracture healing in rats. <i>Clinical Orthopaedics and Related Research</i> , <b>2003</b> , 268-78	2.2	41
124	The role of membrane ERK signaling in bone and other major estrogen responsive tissues. <i>Scientific Reports</i> , <b>2016</b> , 6, 29473	4.9	41
123	Ovariectomy-induced bone loss can be affected by different intensities of treadmill running exercise in rats. <i>Calcified Tissue International</i> , <b>1997</b> , 60, 441-8	3.9	40
122	A novel component of epidermal cell-matrix and cell-cell contacts: transmembrane protein type XIII collagen. <i>Journal of Investigative Dermatology</i> , <b>1999</b> , 113, 635-42	4.3	40
121	Physical exercise improves properties of bone and its collagen network in growing and maturing mice. <i>Calcified Tissue International</i> , <b>2009</b> , 85, 247-56	3.9	38

120	Connexin-mimetic peptide Gap 27 decreases osteoclastic activity. <i>BMC Musculoskeletal Disorders</i> , <b>2001</b> , 2, 10	2.8	37
119	Mineral density and bone strength are dissociated in long bones of rat osteopetrotic mutations. <i>Journal of Bone and Mineral Research</i> , <b>2000</b> , 15, 1905-11	6.3	37
118	Type XIII collagen strongly affects bone formation in transgenic mice. <i>Journal of Bone and Mineral Research</i> , <b>2005</b> , 20, 1381-93	6.3	36
117	Native bovine bone morphogenetic protein improves the potential of biocoral to heal segmental canine ulnar defects. <i>International Orthopaedics</i> , <b>2000</b> , 24, 289-94	3.8	35
116	Effects of recombinant human osteogenic protein-1 on the differentiation of osteoclast-like cells and bone resorption. <i>Biochemical and Biophysical Research Communications</i> , <b>1995</b> , 209, 433-43	3.4	35
115	The effect of training on the recovery from immobilization-induced bone loss in rats. <i>Acta Physiologica Scandinavica</i> , <b>1992</b> , 145, 407-11		35
114	Urinary bladder transitional cell carcinogenesis is associated with down-regulation of NF1 tumor suppressor gene in vivo and in vitro. <i>American Journal of Pathology</i> , <b>1999</b> , 154, 755-65	5.8	34
113	Femoral neck strength of mouse in two loading configurations: method evaluation and fracture characteristics. <i>Journal of Biomechanics</i> , <b>1998</b> , 31, 723-9	2.9	33
112	The bone-sparing effects of estrogen and WNT16 are independent of each other. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, 14972-7	11.5	32
111	Femoral neck is a sensitive indicator of bone loss in immobilized hind limb of mouse. <i>Journal of Bone and Mineral Research</i> , <b>1999</b> , 14, 1708-13	6.3	32
110	Expression of the Hutchinson-Gilford progeria mutation during osteoblast development results in loss of osteocytes, irregular mineralization, and poor biomechanical properties. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 33512-22	5.4	31
109	Estrogen receptor- $\beta$ expression in neuronal cells affects bone mass. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 983-8	11.5	31
108	Immunolocalization of EMMPRIN (CD147) in the human eye and detection of soluble form of EMMPRIN in ocular fluids. <i>Current Eye Research</i> , <b>2006</b> , 31, 917-24	2.9	31
107	TGF-beta1 secretion of ROS-17/2.8 cultures on NiTi implant material. <i>Biomaterials</i> , <b>2002</b> , 23, 3341-6	15.6	31
106	Dioxin-sensitive proteins in differentiating osteoblasts: effects on bone formation in vitro. <i>Toxicological Sciences</i> , <b>2009</b> , 108, 330-43	4.4	30
105	Endostatin inhibits VEGF-A induced osteoclastic bone resorption in vitro. <i>BMC Musculoskeletal Disorders</i> , <b>2006</b> , 7, 56	2.8	30
104	Propofol anesthesia induces phase synchronization changes in EEG. <i>Clinical Neurophysiology</i> , <b>2001</b> , 112, 386-92	4.3	30
103	Effect of running exercise on the bone loss induced by orchidectomy in the rat. <i>Calcified Tissue International</i> , <b>1994</b> , 55, 33-7	3.9	30

102	Perfluoroalkyl substances in human bone: concentrations in bones and effects on bone cell differentiation. <i>Scientific Reports</i> , <b>2017</b> , 7, 6841	4.9	29
101	Severe Extracellular Matrix Abnormalities and Chondrodysplasia in Mice Lacking Collagen Prolyl 4-Hydroxylase Isoenzyme II in Combination with a Reduced Amount of Isoenzyme I. <i>Journal of Biological Chemistry</i> , <b>2015</b> , 290, 16964-78	5.4	29
100	Comparison of radiographic and pQCT analyses of healing rat tibial fractures. <i>Calcified Tissue International</i> , <b>2000</b> , 66, 288-91	3.9	29
99	New insights to the role of aryl hydrocarbon receptor in bone phenotype and in dioxin-induced modulation of bone microarchitecture and material properties. <i>Toxicology and Applied Pharmacology</i> , <b>2013</b> , 273, 219-26	4.6	28
98	Keratinocytes cultured from patients with Hailey-Hailey disease and Darier disease display distinct patterns of calcium regulation. <i>British Journal of Dermatology</i> , <b>2005</b> , 153, 113-7	4	26
97	Bone resorption by aryl hydrocarbon receptor-expressing osteoclasts is not disturbed by TCDD in short-term cultures. <i>Life Sciences</i> , <b>2005</b> , 77, 1351-66	6.8	25
96	Quantitative characterization of changes in bone geometry, mineral density and biomechanical properties in two rat strains with different Ah-receptor structures after long-term exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>Toxicology</i> , <b>2010</b> , 273, 1-11	4.4	24
95	Toxicological profile of ultrapure 2,2,3,4,4,5,5-Heptachlorobiphenyl (PCB 180) in adult rats. <i>PLoS ONE</i> , <b>2014</b> , 9, e104639	3.7	22
94	Temporal trends in vertebral size and shape from medieval to modern-day. <i>PLoS ONE</i> , <b>2009</b> , 4, e4836	3.7	22
93	Female Mice Lacking Estrogen Receptor- $\beta$ in Hypothalamic Proopiomelanocortin (POMC) Neurons Display Enhanced Estrogenic Response on Cortical Bone Mass. <i>Endocrinology</i> , <b>2016</b> , 157, 3242-52	4.8	21
92	Porcupine inhibitors impair trabecular and cortical bone mass and strength in mice. <i>Journal of Endocrinology</i> , <b>2018</b> , 238, 13-23	4.7	21
91	Long-term voluntary exercise of male mice induces more beneficial effects on cancellous and cortical bone than on the collagenous matrix. <i>Experimental Gerontology</i> , <b>2009</b> , 44, 708-17	4.5	21
90	Biocompatibility of sol-gel-derived titania-silica coated intramedullary NiTi nails. <i>Acta Biomaterialia</i> , <b>2009</b> , 5, 785-93	10.8	21
89	Inducible inactivation: WNT16 regulates cortical bone thickness in adult mice. <i>Journal of Endocrinology</i> , <b>2018</b> , 237, 113-122	4.7	20
88	Bone morphogenetic proteins 4 and 2/7 induce osteogenic differentiation of mouse skin derived fibroblast and dermal papilla cells. <i>Cell and Tissue Research</i> , <b>2014</b> , 355, 463-70	4.2	20
87	Synergistic effects of tributyltin and 2,3,7,8-tetrachlorodibenzo-p-dioxin on differentiating osteoblasts and osteoclasts. <i>Toxicology and Applied Pharmacology</i> , <b>2012</b> , 263, 210-7	4.6	20
86	The role of activation functions 1 and 2 of estrogen receptor- $\beta$ for the effects of estradiol and selective estrogen receptor modulators in male mice. <i>Journal of Bone and Mineral Research</i> , <b>2013</b> , 28, 1117-26	6.3	20
85	Multiple miliary osteoma cutis is a distinct disease entity: four case reports and review of the literature. <i>British Journal of Dermatology</i> , <b>2011</b> , 164, 544-52	4	20

84	Clodronate prevents osteopenia and loss of trabecular connectivity in estrogen-deficient rats. <i>Journal of Bone and Mineral Research</i> , <b>1998</b> , 13, 287-96	6.3	20
83	Changes in subchondral bone mineral density and collagen matrix organization in growing horses. <i>Bone</i> , <b>2008</b> , 43, 1108-14	4.7	20
82	Alteration in the mechanical competence and structural properties in the femoral neck and vertebrae of ovariectomized rats. <i>Journal of Bone and Mineral Research</i> , <b>1999</b> , 14, 616-23	6.3	20
81	Calcitonin treatment of immobilization osteoporosis in rats. <i>Acta Physiologica Scandinavica</i> , <b>1991</b> , 141, 119-24		20
80	Osteoclasts secrete osteopontin into resorption lacunae during bone resorption. <i>Histochemistry and Cell Biology</i> , <b>2019</b> , 151, 475-487	2.4	20
79	Polarity of mature human odontoblasts. <i>Journal of Dental Research</i> , <b>2013</b> , 92, 1011-6	8.1	19
78	Transgene silencing of the Hutchinson-Gilford progeria syndrome mutation results in a reversible bone phenotype, whereas resveratrol treatment does not show overall beneficial effects. <i>FASEB Journal</i> , <b>2015</b> , 29, 3193-205	0.9	18
77	Influence of intensity and changes of physical activity on bone mineral density of immature equine subchondral bone. <i>Equine Veterinary Journal</i> , <b>2009</b> , 41, 564-71	2.4	18
76	Nuclear factor-kappaB signaling contributes to severe, but not moderate, angiotensin II-induced left ventricular remodeling. <i>Journal of Hypertension</i> , <b>2007</b> , 25, 1927-39	1.9	18
75	Renal insufficiency-induced bone loss is associated with an increase in bone size and preservation of strength in rat proximal femur. <i>Bone</i> , <b>2006</b> , 39, 353-60	4.7	18
74	Effect of metal alloy surface stresses on the viability of ROS-17/2.8 osteoblastic cells. <i>Biomaterials</i> , <b>2002</b> , 23, 3733-40	15.6	18
73	Endostatin inhibits endochondral ossification. <i>Journal of Gene Medicine</i> , <b>2007</b> , 9, 1057-64	3.5	17
72	The effect of oxide thickness on osteoblast attachment and survival on NiTi alloy. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2007</b> , 18, 959-67	4.5	17
71	Effect of exercise on osteoporosis induced by ovariectomy in rats. <i>Calcified Tissue International</i> , <b>1991</b> , 49 Suppl, S80	3.9	17
70	Enzalutamide Reduces the Bone Mass in the Axial But Not the Appendicular Skeleton in Male Mice. <i>Endocrinology</i> , <b>2016</b> , 157, 969-77	4.8	17
69	SERMs have substance-specific effects on bone, and these effects are mediated via ER $\alpha$ -1 in female mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2016</b> , 310, E912-8	6	16
68	A novel treatment of grade III acromioclavicular joint dislocations with a C-hook implant. <i>Archives of Orthopaedic and Trauma Surgery</i> , <b>2006</b> , 126, 22-7	3.6	16
67	Effects of long-term administration of clodronate on growing rat bone. <i>Calcified Tissue International</i> , <b>2001</b> , 69, 350-5	3.9	16

66	Osteoblast-derived NOTUM reduces cortical bone mass in mice and the locus is associated with bone mineral density in humans. <i>FASEB Journal</i> , <b>2019</b> , 33, 11163-11179	0.9	15
65	Affecting osteoblastic responses with in vivo engineered potato pectin fragments. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2012</b> , 100, 111-9	5.4	15
64	In utero and lactational exposure to Aroclor 1254 affects bone geometry, mineral density and biomechanical properties of rat offspring. <i>Toxicology Letters</i> , <b>2011</b> , 207, 82-8	4.4	15
63	Pectin-coated titanium implants are well-tolerated in vivo. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2010</b> , 93, 1404-9	5.4	15
62	The effect of perinatal TCDD exposure on caries susceptibility in rats. <i>Toxicological Sciences</i> , <b>2006</b> , 91, 568-75	4.4	15
61	Polarity of osteoblasts and osteoblast-like UMR-108 cells. <i>Journal of Bone and Mineral Research</i> , <b>1999</b> , 14, 1338-44	6.3	15
60	Hydroxyapatite as a Nanomaterial for Advanced Tissue Engineering and Drug Therapy. <i>Current Pharmaceutical Design</i> , <b>2017</b> , 23, 3786-3793	3.3	15
59	Age-related trends in vertebral dimensions. <i>Journal of Anatomy</i> , <b>2015</b> , 226, 434-9	2.9	14
58	Dioxin exposure in contaminated sawmill area: the use of molar teeth and bone of bank vole ( <i>Clethrionomys glareolus</i> ) and field vole ( <i>Microtus agrestis</i> ) as biomarkers. <i>Chemosphere</i> , <b>2007</b> , 68, 951-7	8.4	14
57	Unilateral masticatory function changes the proteoglycan content of mandibular condylar cartilage in rabbit. <i>Cells Tissues Organs</i> , <b>2000</b> , 167, 49-57	2.1	14
56	Peripheral blood monocytes show increased osteoclast differentiation potential compared to bone marrow monocytes. <i>Heliyon</i> , <b>2018</b> , 4, e00780	3.6	14
55	Osteoclasts in the interface with electrospun hydroxyapatite. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2015</b> , 135, 774-783	6	13
54	Bovine bone implant with bovine bone morphogenetic protein in healing a canine ulnar defect. <i>International Orthopaedics</i> , <b>2001</b> , 25, 5-8	3.8	13
53	Clinically relevant doses of vitamin A decrease cortical bone mass in mice. <i>Journal of Endocrinology</i> , <b>2018</b> , 239, 389-402	4.7	13
52	Adhesion and mechanical properties of nanocrystalline hydroxyapatite coating obtained by conversion of atomic layer-deposited calcium carbonate on titanium substrate. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2018</b> , 29, 111	4.5	12
51	Modeling skeletal traits and functions of the upper body: Comparing archaeological and anthropological material. <i>Journal of Anthropological Archaeology</i> , <b>2013</b> , 32, 347-351	1.9	12
50	The androgen receptor is required for maintenance of bone mass in adult male mice. <i>Molecular and Cellular Endocrinology</i> , <b>2019</b> , 479, 159-169	4.4	12
49	Compressive loading of the murine tibia reveals site-specific micro-scale differences in adaptation and maturation rates of bone. <i>Osteoporosis International</i> , <b>2017</b> , 28, 1121-1131	5.3	11



48	Preparation and bioactive properties of nanocrystalline hydroxyapatite thin films obtained by conversion of atomic layer deposited calcium carbonate. <i>Biointerphases</i> , <b>2014</b> , 9, 031008	1.8	11
47	Influence of physical activity on vertebral size. <i>Osteoporosis International</i> , <b>2011</b> , 22, 371-2	5.3	11
46	Osteoclastogenesis is influenced by modulation of gap junctional communication with antiarrhythmic peptides. <i>Calcified Tissue International</i> , <b>2013</b> , 92, 270-81	3.9	10
45	Perinatal exposure to environmental contaminants detected in Canadian Arctic human populations changes bone geometry and biomechanical properties in rat offspring. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2011</b> , 74, 1304-18	3.2	10
44	Osteoclasts and a small population of peripheral blood cells share common surface antigens. <i>Calcified Tissue International</i> , <b>1990</b> , 47, 8-17	3.9	10
43	Prednisolone treatment reduces the osteogenic effects of loading in mice. <i>Bone</i> , <b>2018</b> , 112, 10-18	4.7	9
42	Comparison of the bone modeling effects caused by curved and straight nickel-titanium intramedullary nails. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2002</b> , 13, 1157-61	4.5	9
41	Membrane estrogen receptor $\beta$ s essential for estrogen signaling in the male skeleton. <i>Journal of Endocrinology</i> , <b>2018</b> , 239, 303-312	4.7	9
40	Influence of physical activity on vertebral strength during late adolescence. <i>Spine Journal</i> , <b>2013</b> , 13, 184-9	4.9	8
39	Fibronectin modulates osteoblast behavior on Nitinol. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2009</b> , 88, 787-96	5.4	8
38	Increased amount of phosphorylated proinflammatory osteopontin in rheumatoid arthritis synovia is associated to decreased tartrate-resistant acid phosphatase 5B/5A ratio. <i>PLoS ONE</i> , <b>2017</b> , 12, e0182904	3.7	8
37	Endostatin affects osteoblast behavior in vitro, but collagen XVIII/endostatin is not essential for skeletal development in vivo. <i>Calcified Tissue International</i> , <b>2009</b> , 85, 412-20	3.9	7
36	Biocompatibility-related surface characteristics of oxidized NiTi. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2007</b> , 82, 810-9	5.4	7
35	The phase state of NiTi implant material affects osteoclastic attachment. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2005</b> , 75, 681-8	5.4	7
34	Identification of osteoclasts by rhodamine-conjugated peanut agglutinin. <i>Calcified Tissue International</i> , <b>1986</b> , 39, 161-5	3.9	7
33	Bone morphogenetic protein 3b expressing reindeer antler. <i>Journal of Biomedical Materials Research Part B</i> , <b>2002</b> , 59, 78-83		6
32	Liver-derived IGF-I regulates cortical bone mass but is dispensable for the osteogenic response to mechanical loading in female mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2016</b> , 311, E138-44	6	6
31	Gap junctional communication is involved in differentiation of osteoclasts from bone marrow and peripheral blood monocytes. <i>Heliyon</i> , <b>2018</b> , 4, e00621	3.6	5

30	In vivo biocompatibility evaluation of nickel-titanium shape memory metal alloy: Muscle and perineural tissue responses and capsule membrane thickness <b>1998</b> , 41, 481		5
29	Preservation of bone mass and biomechanical properties during winter sleep--the raccoon dog ( <i>Nyctereutes procyonoides</i> ) as a novel model species. <i>Bone</i> , <b>2011</b> , 48, 878-84	4.7	4
28	Development of a Low Temperature Sol-Gel-Derived Titania-Silica Implant Coating. <i>Materials Sciences and Applications</i> , <b>2010</b> , 01, 118-126	0.3	4
27	Biocompatibility of austenite and martensite phases in NiTi-based alloys. <i>European Physical Journal Special Topics</i> , <b>2003</b> , 112, 1117-1120		4
26	Microstructural properties of bone in rat vertebra after long-term clodronate treatment. <i>Journal of Bone and Mineral Metabolism</i> , <b>2002</b> , 20, 223-7	2.9	4
25	Androgen receptor SUMOylation regulates bone mass in male mice. <i>Molecular and Cellular Endocrinology</i> , <b>2019</b> , 479, 117-122	4.4	4
24	Effect of bioactive glass air-abrasion on the wettability and osteoblast proliferation on sandblasted and acid-etched titanium surfaces. <i>European Journal of Oral Sciences</i> , <b>2020</b> , 128, 160-169	2.3	3
23	The association between knee breadth and body mass: The Northern Finland Birth Cohort 1966 case study. <i>American Journal of Physical Anthropology</i> , <b>2019</b> , 170, 196-206	2.5	3
22	Cross sectional properties of the human radial tuberosity. <i>HOMO- Journal of Comparative Human Biology</i> , <b>2011</b> , 62, 459-65	0.5	3
21	Endocrine, metabolic and apical effects of in utero and lactational exposure to non-dioxin-like 2,2',3,4,4',5,5'heptachlorobiphenyl (PCB 180): A postnatal follow-up study in rats. <i>Reproductive Toxicology</i> , <b>2021</b> , 102, 109-127	3.4	3
20	The Bone Sparing Effects of 2-Methoxyestradiol Are Mediated via Estrogen Receptor- $\beta$ in Male Mice. <i>Endocrinology</i> , <b>2016</b> , 157, 4200-4205	4.8	3
19	RSPO3 is important for trabecular bone and fracture risk in mice and humans. <i>Nature Communications</i> , <b>2021</b> , 12, 4923	17.4	3
18	Raccoon dog model shows preservation of bone during prolonged catabolism and reduced physical activity. <i>Journal of Experimental Biology</i> , <b>2017</b> , 220, 2196-2202	3	2
17	Computed tomography of mummified human remains in old Finnish churches, a case study: the mummified remains of a 17th-century vicar revisited. <i>Post-Medieval Archaeology</i> , <b>2016</b> , 50, 368-379	0.1	2
16	Role of Phase Stress in Variations of Cell Behavior on NiTi. <i>Materials Science Forum</i> , <b>2013</b> , 738-739, 559-565	0.1	2
15	Abnormal response to physical activity in femurs after heterozygous inactivation of one allele of the Col2a1 gene for type II collagen in mice. <i>Calcified Tissue International</i> , <b>2005</b> , 77, 104-12	3.9	2
14	Increased bone mass in a mouse model with low fat mass. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2018</b> , 315, E1274-E1285	6	2
13	Polysaccharide Nanobiotechnology: A Case Study of Dental Implant Coating <b>2018</b> , 425-449		1

12	Maternal beef and postweaning herring diets increase bone mineral density and strength in mouse offspring. <i>Experimental Biology and Medicine</i> , <b>2013</b> , 238, 1362-9	3.7	1
11	Effect of strain on NiTi surface-optical reflectivity. <i>European Physical Journal Special Topics</i> , <b>2004</b> , 115, 287-295		1
10	Improving anatomical stature estimation method. The relationship between living stature and intervertebral disc thickness. <i>HOMO- Journal of Comparative Human Biology</i> , <b>2020</b> , 71, 37-42	0.5	1
9	Acute fat loss does not affect bone mass. <i>Scientific Reports</i> , <b>2021</b> , 11, 14177	4.9	1
8	Bone healing and mineralization, implant corrosion, and trace metals after nickel-titanium shape memory metal intramedullary fixation <b>1999</b> , 47, 472		1
7	Osteoblast Attachment on Titanium Coated with Hydroxyapatite by Atomic Layer Deposition. <i>Biomolecules</i> , <b>2022</b> , 12, 654	5.9	1
6	Osteocyte- and late osteoblast-derived NOTUM reduces cortical bone mass in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2021</b> , 320, E967-E975	6	0
5	Preliminary Report: Osteoarthritis and Rheumatoid Arthritis Synovial Fluid Increased Osteoclastogenesis In Vitro by Monocyte Differentiation Pathway Regulating Cytokines. <i>Mediators of Inflammation</i> , <b>2022</b> , 2022, 1-13	4.3	0
4	Biocompatibility Aspects of NiTi-Based Medical Implants. <i>Materials Science Forum</i> , <b>2009</b> , 631-632, 175-179	0.4	
3	Estrogen receptor $\alpha$ expression in neuronal cells affects bone mass. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, A65.1-A65	2.4	
2	FRESH TUBULAR LONG BONE AUTOGRAFTS AND ALLOGRAFTS IN THE HEALING OF CANINE ULNAR DEFECT FIXED WITH INTRAMEDULLARY KIRSCHNER WIRE. <i>Journal of Musculoskeletal Research</i> , <b>2000</b> , 04, 55-62	0.1	
1	Polysaccharide Nanobiotechnology: A Case Study of Dental Implant Coating	425-449	