

Francesco Gentile

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3221135/francesco-gentile-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122
papers

3,732
citations

31
h-index

58
g-index

131
ext. papers

4,279
ext. citations

5
avg, IF

5.02
L-index

#	Paper	IF	Citations
122	The small world coefficient 4.8 ± 1 optimizes information processing in 2D neuronal networks.. <i>Npj Systems Biology and Applications</i> , 2022 , 8, 4	5	0
121	Microfluidics for 3D Cell and Tissue Cultures: Microfabricative and Ethical Aspects Updates. <i>Cells</i> , 2022 , 11, 1699	7.9	1
120	Time dependent adhesion of cells on nanorough surfaces. <i>Journal of Biomechanics</i> , 2021 , 129, 110814	2.9	1
119	Cell aggregation on nanorough surfaces. <i>Journal of Biomechanics</i> , 2021 , 115, 110134	2.9	3
118	A theoretical and experimental study on l-tyrosine and citrate mediated sustainable production of near infrared absorbing twisted gold nanorods. <i>Materials Science and Engineering C</i> , 2021 , 118, 111515	8.3	6
117	Experimental and Theoretical Studies on Sustainable Synthesis of Gold Sol Displaying Dichroic Effect. <i>Nanomaterials</i> , 2021 , 11,	5.4	3
116	Multipoint connection by long-range density interaction and short-range distance rule. <i>Physica Scripta</i> , 2021 , 96, 045004	2.6	1
115	Size-Exclusion Particle Separation Driven by Micro-Flows in a Quasi-Spherical Droplet: Modelling and Experimental Results. <i>Micromachines</i> , 2021 , 12,	3.3	3
114	Optimized Identification of High-Grade Prostate Cancer by Combining Different PSA Molecular Forms and PSA Density in a Deep Learning Model. <i>Diagnostics</i> , 2021 , 11,	3.8	4
113	All-Polymeric Pressure Sensors Based on PEDOT:PSS-Modified Polyurethane Foam. <i>ACS Applied Polymer Materials</i> , 2021 , 3, 1563-1572	4.3	12
112	Methylglyoxal Adducts Levels in Blood Measured on by Portable Near-Infrared Spectroscopy. <i>Nanomaterials</i> , 2021 , 11,	5.4	1
111	Tailoring Chemometric Models on Blood-Derived Cultures Secretome to Assess Personalized Cancer Risk Score. <i>Cancers</i> , 2020 , 12,	6.6	4
110	Cell Theranostics on Mesoporous Silicon Substrates. <i>Pharmaceutics</i> , 2020 , 12,	6.4	3
109	A mathematical model of OECTs with variable internal geometry. <i>Sensors and Actuators A: Physical</i> , 2020 , 304, 111894	3.9	5
108	Emerging Designs of Electronic Devices in Biomedicine. <i>Micromachines</i> , 2020 , 11,	3.3	11
107	A nanomechanical model enables comprehensive characterization of biological tissues in ultrasound imaging. <i>Biomedical Physics and Engineering Express</i> , 2020 , 6, 035026	1.5	0
106	Nanoscaffolds for neural regenerative medicine 2020 , 47-88		0

105	Small-world networks of neuroblastoma cells cultured in three-dimensional polymeric scaffolds featuring multi-scale roughness. <i>Neural Regeneration Research</i> , 2020 , 15, 759-768	4.5	4
104	Ultrasensitive antibody-aptamer plasmonic biosensor for malaria biomarker detection in whole blood. <i>Nature Communications</i> , 2020 , 11, 6134	17.4	29
103	A droplet reactor on a super-hydrophobic surface allows control and characterization of amyloid fibril growth. <i>Communications Biology</i> , 2020 , 3, 457	6.7	6
102	Kinetic Rate Constants of Gold Nanoparticle Deposition on Silicon. <i>Langmuir</i> , 2019 , 35, 14258-14265	4	3
101	. <i>IEEE Sensors Journal</i> , 2019 , 19, 11753-11758	4	3
100	Nanotopographical Control of Cell Assembly into Supracellular Structures. <i>Advanced Structured Materials</i> , 2019 , 19-53	0.6	1
99	Microfluidic platforms for cell cultures and investigations. <i>Microelectronic Engineering</i> , 2019 , 208, 14-28	2.5	80
98	Quantitative micro-Raman analysis of micro-particles in drug delivery. <i>Nanoscale Advances</i> , 2019 , 1, 1541-1552	4	4
97	Transforming diatomaceous earth into sensing devices by surface modification with gold nanoparticles. <i>Micro and Nano Engineering</i> , 2019 , 2, 29-34	3.4	4
96	A quantitative approach for determining the role of geometrical constraints when shaping mesenchymal condensations. <i>Biomedical Microdevices</i> , 2019 , 21, 44	3.7	1
95	Cortical-like mini-columns of neuronal cells on zinc oxide nanowire surfaces. <i>Scientific Reports</i> , 2019 , 9, 4021	4.9	9
94	Relating the small world coefficient to the entropy of 2D networks and applications in neuromorphic engineering. <i>Journal of Physics Communications</i> , 2019 , 3, 095011	1.2	2
93	Development of an In Vivo Sensor to Monitor the Effects of Vapour Pressure Deficit (VPD) Changes to Improve Water Productivity in Agriculture. <i>Sensors</i> , 2019 , 19,	3.8	14
92	Experimental and theoretical study of biodirected green synthesis of gold nanoflowers. <i>Materials Today Chemistry</i> , 2019 , 14, 100203	6.2	8
91	Relating the rate of growth of metal nanoparticles to cluster size distribution in electroless deposition. <i>Nanoscale Advances</i> , 2019 , 1, 228-240	5.1	7
90	Biosensor for Point-of-Care Analysis of Immunoglobulins in Urine by Metal Enhanced Fluorescence from Gold Nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 3753-3762	9.5	32
89	The effect of connectivity on information in neural networks. <i>Integrative Biology (United Kingdom)</i> , 2018 , 10, 121-127	3.7	6
88	Silica diatom shells tailored with Au nanoparticles enable sensitive analysis of molecules for biological, safety and environment applications. <i>Nanoscale Research Letters</i> , 2018 , 13, 94	5	15

87	Superhydrophobic lab-on-chip measures secretome protonation state and provides a personalized risk assessment of sporadic tumour. <i>Npj Precision Oncology</i> , 2018 , 2, 26	9.8	16
86	Diffusion limited green synthesis of ultra-small gold nanoparticles at room temperature. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018 , 558, 548-557	5.1	15
85	Surface enhanced thermo lithography. <i>Microelectronic Engineering</i> , 2017 , 174, 52-58	2.5	1
84	Metal enhanced fluorescence on super-hydrophobic clusters of gold nanoparticles. <i>Microelectronic Engineering</i> , 2017 , 175, 7-11	2.5	12
83	Plasmonic nanoholes as SERS devices for biosensing applications: An easy route for nanostructures fabrication on glass substrates. <i>Microelectronic Engineering</i> , 2017 , 175, 30-33	2.5	12
82	Time resolved and label free monitoring of extracellular metabolites by surface enhanced Raman spectroscopy. <i>PLoS ONE</i> , 2017 , 12, e0175581	3.7	25
81	Nano-topography Enhances Communication in Neural Cells Networks. <i>Scientific Reports</i> , 2017 , 7, 9841	4.9	35
80	An in vivo biosensing, biomimetic electrochemical transistor with applications in plant science and precision farming. <i>Scientific Reports</i> , 2017 , 7, 16195	4.9	35
79	Nano-Particles for Biomedical Applications. <i>Springer Handbooks</i> , 2017 , 643-691	1.3	4
78	Enzymatic sensing with laccase-functionalized textile organic biosensors. <i>Organic Electronics</i> , 2017 , 40, 51-57	3.5	30
77	Stress distribution retrieval in granular materials: A multi-scale model and digital image correlation measurements. <i>Optics and Lasers in Engineering</i> , 2016 , 76, 17-26	4.6	12
76	Geometrical Patterning of Super-Hydrophobic Biosensing Transistors Enables Space and Time Resolved Analysis of Biological Mixtures. <i>Scientific Reports</i> , 2016 , 6, 18992	4.9	15
75	Plasmonic microholes for SERS study of biomolecules in liquid. <i>Microelectronic Engineering</i> , 2016 , 158, 59-63	2.5	1
74	Few molecule SERS detection using nanolens based plasmonic nanostructure: application to point mutation detection. <i>RSC Advances</i> , 2016 , 6, 107916-107923	3.7	7
73	Plasmonic 3D-structures based on silver decorated nanotips for biological sensing. <i>Optics and Lasers in Engineering</i> , 2016 , 76, 45-51	4.6	17
72	Combined effect of surface nano-topography and delivery of therapeutics on the adhesion of tumor cells on porous silicon substrates. <i>Microelectronic Engineering</i> , 2016 , 158, 6-10	2.5	7
71	Surface enhanced Raman spectroscopy measurements of MCF7 cells adhesion in confined micro-environments. <i>Optics and Lasers in Engineering</i> , 2016 , 76, 9-16	4.6	5
70	Nanostructures for Photonics 2016 , 2827-2843		

69	Information in a Network of Neuronal Cells: Effect of Cell Density and Short-Term Depression. <i>BioMed Research International</i> , 2016 , 2016, 2769698	3	9
68	Tailoring super-hydrophobic properties of electrochemical biosensor for early cancer detection. <i>MRS Advances</i> , 2016 , 1, 3545-3552	0.7	3
67	Multiscale modification of the conductive PEDOT:PSS polymer for the analysis of biological mixtures in a super-hydrophobic drop. <i>Microelectronic Engineering</i> , 2016 , 158, 80-84	2.5	1
66	A theoretical model for the time varying current in organic electrochemical transistors in a dynamic regime. <i>Organic Electronics</i> , 2016 , 35, 59-64	3.5	18
65	Inclusion of gold nanoparticles in meso-porous silicon for the SERS analysis of cell adhesion on nano-structured surfaces. <i>Microelectronic Engineering</i> , 2016 , 158, 102-106	2.5	10
64	Novel Plasmonic Probes and Smart Superhydrophobic Devices, New Tools for Forthcoming Spectroscopies at the Nanoscale. <i>NATO Science for Peace and Security Series B: Physics and Biophysics</i> , 2015 , 209-235	0.2	1
63	Detection of single amino acid mutation in human breast cancer by disordered plasmonic self-similar chain. <i>Science Advances</i> , 2015 , 1, e1500487	14.3	48
62	Soft Discoidal Polymeric Nanoconstructs Resist Macrophage Uptake and Enhance Vascular Targeting in Tumors. <i>ACS Nano</i> , 2015 , 9, 11628-41	16.7	114
61	The structure of DNA by direct imaging. <i>Science Advances</i> , 2015 , 1, e1500734	14.3	31
60	Networks of neuroblastoma cells on porous silicon substrates reveal a small world topology. <i>Integrative Biology (United Kingdom)</i> , 2015 , 7, 184-97	3.7	24
59	From nucleotides to DNA analysis by a SERS substrate of a self similar chain of silver nanospheres. <i>Journal of Optics (United Kingdom)</i> , 2015 , 17, 114021	1.7	15
58	A microfluidic dialysis device for complex biological mixture SERS analysis. <i>Microelectronic Engineering</i> , 2015 , 144, 37-41	2.5	22
57	Ligand engagement on material surfaces is discriminated by cell mechanosensing. <i>Biomaterials</i> , 2015 , 45, 72-80	15.6	29
56	Diffusion driven selectivity in organic electrochemical transistors. <i>Scientific Reports</i> , 2014 , 4, 4297	4.9	28
55	Selective on site separation and detection of molecules in diluted solutions with super-hydrophobic clusters of plasmonic nanoparticles. <i>Nanoscale</i> , 2014 , 6, 8208-25	7.7	44
54	Liquid electrolyte positioning along the device channel influences the operation of Organic Electro-Chemical Transistors. <i>Organic Electronics</i> , 2014 , 15, 3016-3023	3.5	8
53	Electroless formation of silver nanoaggregates: an experimental and molecular dynamics approach. <i>Molecular Physics</i> , 2014 , 112, 1375-1388	1.7	6
52	Raman spectroscopy for detection of stretched DNAs on superhydrophobic surfaces. <i>Microelectronic Engineering</i> , 2014 , 119, 151-154	2.5	8

51	Optimized fabrication protocols of microfluidic devices for X-ray analysis. <i>Microelectronic Engineering</i> , 2014 , 124, 13-16	2.5	13
50	Mechanical stress downregulates MHC class I expression on human cancer cell membrane. <i>PLoS ONE</i> , 2014 , 9, e111758	3.7	5
49	The Five Ws (and one H) of Super-Hydrophobic Surfaces in Medicine. <i>Micromachines</i> , 2014 , 5, 239-262	3.3	4
48	Electroless deposition and nanolithography can control the formation of materials at the nano-scale for plasmonic applications. <i>Sensors</i> , 2014 , 14, 6056-83	3.8	39
47	Microtexturing of the conductive PEDOT:PSS polymer for superhydrophobic organic electrochemical transistors. <i>BioMed Research International</i> , 2014 , 2014, 302694	3	15
46	Superhydrophobic Devices Molecular Detection. <i>Advances in Atom and Single Molecule Machines</i> , 2014 , 45-60	0	
45	Electroless deposition of metal nanoparticle clusters: Effect of pattern distance. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2014 , 32, 031804	1.3	9
44	Microfluidics & nanotechnology: towards fully integrated analytical devices for the detection of cancer biomarkers. <i>RSC Advances</i> , 2014 , 4, 55590-55598	3.7	25
43	Isolation of cancer cells by in situ microfluidic biofunctionalization protocols. <i>Microelectronic Engineering</i> , 2014 , 124, 76-80	2.5	5
42	Metal Structures as Advanced Materials in Nanotechnology 2014 , 615-669		0
41	Preliminary results on an innovative plasmonic device for macromolecules analysis and sequencing. <i>Microelectronic Engineering</i> , 2013 , 111, 360-364	2.5	2
40	Raman database of amino acids solutions: a critical study of extended multiplicative signal correction. <i>Analyst, The</i> , 2013 , 138, 7331-40	5	30
39	Nanostructured superhydrophobic substrates trigger the development of 3D neuronal networks. <i>Small</i> , 2013 , 9, 402-12	11	77
38	Non periodic patterning of super-hydrophobic surfaces for the manipulation of few molecules. <i>Microelectronic Engineering</i> , 2013 , 111, 272-276	2.5	19
37	Engineering discoidal polymeric nanoconstructs with enhanced magneto-optical properties for tumor imaging. <i>Biomaterials</i> , 2013 , 34, 5402-10	15.6	33
36	Selective modulation of cell response on engineered fractal silicon substrates. <i>Scientific Reports</i> , 2013 , 3, 1461	4.9	30
35	3D Cell Cultures: Nanostructured Superhydrophobic Substrates Trigger the Development of 3D Neuronal Networks (Small 3/2013). <i>Small</i> , 2013 , 9, 334-334	11	1
34	Transient adhesion mediated by ligand-receptor interaction on surfaces of variable nanotopography. <i>International Journal of Nanotechnology</i> , 2013 , 10, 404	1.5	3

33	Plasmonics and Super-Hydrophobicity: A New Class of Nano-Bio-Devices. <i>Challenges and Advances in Computational Chemistry and Physics</i> , 2013 , 501-524	0.7	
32	Direct imaging of DNA fibers: the visage of double helix. <i>Nano Letters</i> , 2012 , 12, 6453-8	11.5	59
31	Tailored Ag nanoparticles/nanoporous superhydrophobic surfaces hybrid devices for the detection of single molecule. <i>Microelectronic Engineering</i> , 2012 , 97, 349-352	2.5	18
30	A combined ElectroWetting On Dielectrics superhydrophobic platform based on silicon micro-structured pillars. <i>Microelectronic Engineering</i> , 2012 , 98, 651-654	2.5	3
29	SERS analysis on exosomes using super-hydrophobic surfaces. <i>Microelectronic Engineering</i> , 2012 , 97, 337-340	3.4	55
28	Differential cell adhesion on mesoporous silicon substrates. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 2903-11	9.5	59
27	Superhydrophobic surfaces as smart platforms for the analysis of diluted biological solutions. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 3213-24	9.5	85
26	Electroless deposition dynamics of silver nanoparticles clusters: A diffusion limited aggregation (DLA) approach. <i>Microelectronic Engineering</i> , 2012 , 98, 359-362	2.5	34
25	Silver self aggregation in a nanodevice for enhanced Raman spectroscopy: experiments vs. simplified modeling via molecular dynamics. <i>Nanoscale</i> , 2012 , 4, 2362-71	7.7	7
24	Cell rolling and adhesion on surfaces in shear flow. A model for an antibody-based microfluidic screening system. <i>Microelectronic Engineering</i> , 2012 , 98, 668-671	2.5	19
23	Microfluidic devices modulate tumor cell line susceptibility to NK cell recognition. <i>Small</i> , 2012 , 8, 2886-941	4.1	28
22	Breaking the diffusion limit with super-hydrophobic delivery of molecules to plasmonic nanofocusing SERS structures. <i>Nature Photonics</i> , 2011 , 5, 682-687	33.9	54 ⁰
21	Nanoparticle microinjection and Raman spectroscopy as tools for nanotoxicology studies. <i>Analyst, The</i> , 2011 , 136, 4402-8	5	41
20	Artificial surface-modified SiO ₂ nanopores for single surface-modified gold nanoparticle scanning. <i>Small</i> , 2011 , 7, 455-9	11	30
19	Ultrahydrophobic PMMA micro- and nano-textured surfaces fabricated by optical lithography and plasma etching for X-ray diffraction studies. <i>Microelectronic Engineering</i> , 2011 , 88, 1660-1663	2.5	27
18	Nanoporous- micropatterned- superhydrophobic surfaces as harvesting agents for few low molecular weight molecules. <i>Microelectronic Engineering</i> , 2011 , 88, 1749-1752	2.5	16
17	Fractal structure can explain the increased hydrophobicity of nanoporous silicon films. <i>Microelectronic Engineering</i> , 2011 , 88, 2537-2540	2.5	48
16	Principal component analysis based methodology to distinguish protein SERS spectra. <i>Journal of Molecular Structure</i> , 2011 , 993, 500-505	3.4	44

15	A doublet mechanics model for the ultrasound characterization of malignant tissues. <i>Journal of Biomedical Science and Engineering</i> , 2011 , 04, 362-374	0.7	14
14	Monitoring human leukocyte antigen class I molecules by micro-Raman spectroscopy at single-cell level. <i>Journal of Biomedical Optics</i> , 2010 , 15, 027007	3.5	17
13	Micro-Optics Fabrication on Top of Optical Fibers Using Two-Photon Lithography. <i>IEEE Photonics Technology Letters</i> , 2010 , 22, 474-476	2.2	70
12	In situ X-ray scattering studies of protein solution droplets drying on micro- and nanopatterned superhydrophobic PMMA surfaces. <i>Langmuir</i> , 2010 , 26, 15057-64	4	73
11	Cells preferentially grow on rough substrates. <i>Biomaterials</i> , 2010 , 31, 7205-12	15.6	201
10	FT-IR, Raman, RRS measurements and DFT calculation for doxorubicin. <i>Microscopy Research and Technique</i> , 2010 , 73, 991-5	2.8	62
9	Ultra low concentrated molecular detection using super hydrophobic surface based biophotonic devices. <i>Microelectronic Engineering</i> , 2010 , 87, 798-801	2.5	62
8	Optical micro-structures fabricated on top of optical fibers by means of two-photon photopolymerization. <i>Microelectronic Engineering</i> , 2010 , 87, 876-879	2.5	47
7	A Fluidic Motherboard for Multiplexed Simultaneous and Modular Detection in Microfluidic Systems for Biological Application. <i>Micro and Nanosystems</i> , 2010 , 2, 227-238	0.6	24
6	Nano-patterned SERS substrate: application for protein analysis vs. temperature. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 1693-9	11.8	200
5	Silver-based surface enhanced Raman scattering (SERS) substrate fabrication using nanolithography and site selective electroless deposition. <i>Microelectronic Engineering</i> , 2009 , 86, 1085-1088	2.5	89
4	The transport of nanoparticles in blood vessels: the effect of vessel permeability and blood rheology. <i>Annals of Biomedical Engineering</i> , 2008 , 36, 254-61	4.7	125
3	The margination propensity of spherical particles for vascular targeting in the microcirculation. <i>Journal of Nanobiotechnology</i> , 2008 , 6, 9	9.4	85
2	The effect of shape on the margination dynamics of non-neutrally buoyant particles in two-dimensional shear flows. <i>Journal of Biomechanics</i> , 2008 , 41, 2312-8	2.9	245
1	Flow chamber analysis of size effects in the adhesion of spherical particles. <i>International Journal of Nanomedicine</i> , 2007 , 2, 689-96	7.3	36