Kirsty Winkley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3221631/publications.pdf

Version: 2024-02-01

69 4,142 26 61 papers citations h-index g-index

74 74 74 5823
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Systematic review and meta-analysis of diabetes specialist delivered insulin education for adults with type 2 diabetes in outpatient settings. Patient Education and Counseling, 2022, 105, 835-842.	1.0	4
2	Delegation of medication administration from registered nurses to non-registered support workers in community care settings: A systematic review with critical interpretive synthesis. International Journal of Nursing Studies, 2022, 126, 104121.	2.5	9
3	An integrated primary care-based programme of PRE-Pregnancy cARE to improve pregnancy outcomes in women with type 2 Diabetes (TheAPREPAREDAstudy): protocol for a multi-method study of implementation, system adaptation and performance., 2022, 23, 76.		2
4	Prevention and Management of Diabetes-Related Foot Ulcers through Informal Caregiver Involvement: A Systematic Review. Journal of Diabetes Research, 2022, 2022, 1-12.	1.0	7
5	Needs, concerns and selfâ€management experiences of people with type 2 diabetes during the <scp>COVID</scp> â€19 pandemic: A qualitative study. Diabetic Medicine, 2022, 39, e14883.	1.2	4
6	Prospective study of the association between depressive symptoms at type 2 diabetes diagnosis and time to insulin initiation in the South London diabetes (SOUL-D) cohort. Primary Care Diabetes, 2022, 16, 502-508.	0.9	1
7	The Relationships between Caregivers' Concern about Child Weight and Their Non-Responsive Feeding Practices: A Systematic Review and Meta-Analysis. Nutrients, 2022, 14, 2885.	1.7	3
8	The impact of the COVIDâ€19 pandemic on people with diabetes and diabetes services: A panâ€European survey of diabetes specialist nurses undertaken by the Foundation of European Nurses in Diabetes survey consortium. Diabetic Medicine, 2021, 38, e14498.	1.2	43
9	Isolated low toe–brachial index is associated with increased mortality and morbidity: a retrospective cohort study. Journal of Wound Care, 2021, 30, 65-73.	0.5	4
10	Psychological interventions for treating foot ulcers, and preventing their recurrence, in people with diabetes. The Cochrane Library, 2021 , 2021 , .	1.5	10
11	The Effectiveness of Behavior Change Techniques Underpinning Psychological Interventions to Improve Glycemic Levels for Adults With Type 2 Diabetes: A Meta-Analysis. Frontiers in Clinical Diabetes and Healthcare, 2021, 2, .	0.3	4
12	Sexual health and function in women with diabetes. Diabetic Medicine, 2021, 38, e14644.	1.2	10
13	Psychosocial aspects and contributions of behavioural science to medicationâ€taking for adults with type 2 diabetes. Diabetic Medicine, 2020, 37, 427-435.	1.2	6
14	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. Psychotherapy and Psychosomatics, 2020, 89, 25-37.	4.0	67
15	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. Psychological Medicine, 2020, 50, 1368-1380.	2.7	175
16	Experiences of Attending Group Education to Support Insulin Initiation in Type 2 Diabetes: A Qualitative Study. Diabetes Therapy, 2020, 11, 119-132.	1.2	12
17	Exploring healthcare professionals' perspectives of barriers and facilitators to supporting people with severe mental illness and Type 2 diabetes mellitus. Health and Social Care in the Community, 2020, 28, 690-697.	0.7	6
18	Online Acceptance and Commitment Therapy for People with Painful Diabetic Neuropathy in the United Kingdom: A Single-Arm Feasibility Trial. Pain Medicine, 2020, 21, 2777-2788.	0.9	12

#	Article	IF	CITATIONS
19	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. JAMA - Journal of the American Medical Association, 2020, 323, 2290.	3.8	242
20	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. Journal of Clinical Epidemiology, 2020, 122, 115-128.e1.	2.4	113
21	Estimating the sample mean and standard deviation from commonly reported quantiles in meta-analysis. Statistical Methods in Medical Research, 2020, 29, 2520-2537.	0.7	366
22	Systematic review and metaâ€analysis of randomized controlled trials of psychological interventions to improve glycaemic control in children and adults with type 1 diabetes. Diabetic Medicine, 2020, 37, 735-746.	1.2	25
23	Psychological interventions to improve glycemic control in adults with type 2 diabetes: a systematic review and meta-analysis. BMJ Open Diabetes Research and Care, 2020, 8, e001150.	1.2	19
24	Reducing weight and increasing physical activity in people at high risk of cardiovascular disease: a randomised controlled trial comparing the effectiveness of enhanced motivational interviewing intervention with usual care. Heart, 2020, 106, 447-454.	1.2	22
25	Psychological interventions to improve self-management of type 1 and type 2 diabetes: a systematic review. Health Technology Assessment, 2020, 24, 1-232.	1.3	54
26	Might psychological flexibility processes and Acceptance and Commitment Therapy (ACT) apply in adults with painful diabetic neuropathy? A cross-sectional survey. Journal of Contextual Behavioral Science, 2019, 13, 66-73.	1.3	11
27	A systematic review of diabetes selfâ€management education interventions for people with type 2 diabetes mellitus in the Asian Western Pacific (AWP) region. Nursing Open, 2019, 6, 1424-1437.	1.1	22
28	Depression and change in occupational functioning in type 2 diabetes. Occupational Medicine, 2019, 69, 322-328.	0.8	4
29	Psychosocial Factors in Painful Diabetic Neuropathy: A Systematic Review of Treatment Trials and Survey Studies. Pain Medicine, 2019, 20, 1756-1773.	0.9	43
30	Barriers and facilitators to attendance at Type 2 diabetes structured education programmes: a qualitative study of educators and attendees. Diabetic Medicine, 2019, 36, 70-79.	1.2	19
31	Shortening self-report mental health symptom measures through optimal test assembly methods: Development and validation of the Patient Health Questionnaire-Depression-4. Depression and Anxiety, 2019, 36, 82-92.	2.0	16
32	Enhanced motivational interviewing for reducing weight and increasing physical activity in adults with high cardiovascular risk: the MOVE IT three-arm RCT. Health Technology Assessment, 2019, 23, 1-144.	1.3	17
33	Healthcare professionals' views of group structured education for people with newly diagnosed Type 2 diabetes. Diabetic Medicine, 2018, 35, 911-919.	1.2	8
34	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. British Journal of Psychiatry, 2018, 212, 377-385.	1.7	53
35	Response bias to a randomised controlled trial of a lifestyle intervention in people at high risk of cardiovascular disease: a cross-sectional analysis. BMC Public Health, 2018, 18, 1092.	1.2	13
36	Nurse-led psychological intervention for type 2 diabetes: a cluster randomised controlled trial (Diabetes-6 study) in primary care. British Journal of General Practice, 2018, 68, e531-e540.	0.7	26

3

#	Article	IF	CITATIONS
37	Assessing treatment fidelity and contamination in a cluster randomised controlled trial of motivational interviewing and cognitive behavioural therapy skills in type 2 diabetes. BMC Family Practice, 2018, 19, 60.	2.9	15
38	Association between depressive symptoms and objectively measured daily step count in individuals at high risk of cardiovascular disease in South London, UK: a cross-sectional study. BMJ Open, 2018, 8, e020942.	0.8	21
39	The association of depressive symptoms and diabetes distress with glycaemic control and diabetes complications over 2Ayears in newly diagnosed type 2 diabetes: a prospective cohort study. Diabetologia, 2017, 60, 2092-2102.	2.9	57
40	Psychological interventions for treating and preventing recurrence of foot ulcers in people with diabetes. The Cochrane Library, 2017, , .	1.5	3
41	P37 Barriers to and facilitators of effective diabetes self-management among people newly diagnosed with type 2 diabetes mellitus (t2dm): a qualitative study from malaysia. , 2017, , .		0
42	Model for Risk-Based Screening of Diabetic Retinopathy in People With Newly-Diagnosed Type 2 Diabetes Mellitus., 2017, 58, BIO99.		16
43	Glycaemic control in people with type 2 diabetes mellitus during and after cancer treatment: A systematic review and meta-analysis. PLoS ONE, 2017, 12, e0176941.	1.1	20
44	Psychological skills training to support diabetes self-management: Qualitative assessment of nurses' experiences. Primary Care Diabetes, 2016, 10, 376-382.	0.9	28
45	Investigating incretin-based therapies as a novel treatment for depression in type 2 diabetes: Findings from the South London Diabetes (SOUL-D) Study. Primary Care Diabetes, 2016, 10, 156-159.	0.9	23
46	Low attendance at structured education for people with newly diagnosed type 2 diabetes: General practice characteristics and individual patient factors predict uptake. Patient Education and Counseling, 2016, 99, 101-107.	1.0	31
47	Patient explanations for nonâ€attendance at structured diabetes education sessions for newly diagnosed Type 2 diabetes: a qualitative study. Diabetic Medicine, 2015, 32, 120-128.	1.2	76
48	Diabetes Complications at Presentation and One Year by Glycated Haemoglobin at Diagnosis in a Multiethnic and Diverse Socioeconomic Population: Results from the South London Diabetes Study. Journal of Diabetes Research, 2015, 2015, 1-8.	1.0	6
49	Comparing the effectiveness of an enhanced MOtiVational intErviewing InTervention (MOVE IT) with usual care for reducing cardiovascular risk in high risk subjects: study protocol for a randomised controlled trial. Trials, 2015, 16, 112.	0.7	15
50	The clinical characteristics at diagnosis of type 2 diabetes in a multi-ethnic population: the South London Diabetes cohort (SOUL-D). Diabetologia, 2013, 56, 1272-1281.	2.9	61
51	Social support and glycemic control in type 2 diabetes: A systematic review of observational studies. Patient Education and Counseling, 2013, 93, 549-558.	1.0	94
52	Comparison of Depressive Symptoms in Type 2 Diabetes Using a Two-Stage Survey Design. Psychosomatic Medicine, 2013, 75, 791-797.	1.3	51
53	Do the Effects of Psychological Treatments on Improving Glycemic Control in Type 1 Diabetes Persist Over Time? A Long-Term Follow-Up of a Randomized Controlled Trial. Psychosomatic Medicine, 2012, 74, 319-323.	1.3	18
54	Five-year follow-up of a cohort of people with their first diabetic foot ulcer: the persistent effect of depression on mortality. Diabetologia, 2012, 55, 303-310.	2.9	73

#	Article	IF	CITATIONS
55	Prevalence of Depression in Individuals With Impaired Glucose Metabolism or Undiagnosed Diabetes. Diabetes Care, 2011, 34, 752-762.	4.3	204
56	Type 2 diabetes mellitus as a risk factor for the onset of depression: a systematic review and meta-analysis. Diabetologia, 2010, 53, 2480-2486.	2.9	597
57	"For someone who's rich, it's not a problem". Insights from Tanzania on diabetes health-seeking and medical pluralism among Dar es Salaam's urban poor. Globalization and Health, 2010, 6, 8.	2.4	57
58	Quality of Life in People with Their First Diabetic Foot Ulcer. Journal of the American Podiatric Medical Association, 2009, 99, 406-414.	0.2	41
59	Clinical research in diabetes: a practical resource to assist with participant understanding and recruitment. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2009, 26, 216-217.	0.2	1
60	An updated meta-analysis to assess the effectiveness of psychological interventions delivered by psychological specialists and generalist clinicians on glycaemic control and on psychological status. Patient Education and Counseling, 2009, 75, 25-36.	1.0	86
61	The epidemiology of depression in diabetes. European Diabetes Nursing, 2008, 5, 91-96.	0.2	8
62	A Cohort Study of People With Diabetes and Their First Foot Ulcer: The role of depression on mortality. Diabetes Care, 2007, 30, 1473-1479.	4.3	192
63	Risk factors associated with adverse outcomes in a population-based prospective cohort study of people with their first diabetic foot ulcer. Journal of Diabetes and Its Complications, 2007, 21, 341-349.	1.2	115
64	Psychological interventions to improve glycaemic control in patients with type 1 diabetes: systematic review and meta-analysis of randomised controlled trials. BMJ: British Medical Journal, 2006, 333, 65.	2.4	294
65	Systematic review and meta-analysis of randomised controlled trials of psychological interventions to improve glycaemic control in patients with type 2 diabetes. Lancet, The, 2004, 363, 1589-1597.	6.3	452
66	Systematic Review and Meta-Analysis of Randomised Controlled Trials of Psychological Interventions to Improve Glycaemic Control in Children and Adults with Type 1 Diabetes. SSRN Electronic Journal, 0,	0.4	2
67	Systematic Review and Meta-Analysis of Randomised Controlled Trials of Psychological Interventions to Improve Glycaemic Control in Adults with Type 2 Diabetes. SSRN Electronic Journal, 0, , .	0.4	1
68	Eliciting the mechanisms of action of care navigators in the management of type 2 diabetes in people with severe mental illness: a qualitative study. Diabetic Medicine, 0, , .	1,2	3
69	Exploring the Experiences and Perspectives of Insulin Therapy in Type 2 Diabetes via Online UK Diabetes Health Forums: A Qualitative Thematic Analysis of Threads. (Preprint). JMIR Diabetes, 0, , .	0.9	O