Sebastian F F Schoppmann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3221682/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Tumor-Associated Macrophages Express Lymphatic Endothelial Growth Factors and Are Related to Peritumoral Lymphangiogenesis. American Journal of Pathology, 2002, 161, 947-956.	3.8	712
2	Isolation and Characterization of Dermal Lymphatic and Blood Endothelial Cells Reveal Stable and Functionally Specialized Cell Lineages. Journal of Experimental Medicine, 2001, 194, 797-808.	8.5	459
3	Overexpression of hypoxia-inducible factor 1alpha is associated with an unfavorable prognosis in lymph node-positive breast cancer. Clinical Cancer Research, 2002, 8, 1831-7.	7.0	312
4	Reactor <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">display="inline"><mml:msub><mml:mover accent="true"><mml:mi>î½<</mml:mi><mml:mo>Â⁻</mml:mo><mml:mi>e</mml:mi>in the Double Chooz experiment. Physical Review D, 2012, 86, .</mml:mover </mml:msub></mml:math>	1b> <1mml:r	nath>disappe
5	Prognostic Value of Lymphangiogenesis and Lymphovascular Invasion in Invasive Breast Cancer. Annals of Surgery, 2004, 240, 306-312.	4.2	232
6	Markers of sarcopenia quantified by computed tomography predict adverse long-term outcome in patients with resected oesophageal or gastro-oesophageal junction cancer. European Radiology, 2016, 26, 1359-1367.	4.5	172
7	Conversion from Sleeve Gastrectomy to Roux-en-Y Gastric Bypass—Indications and Outcome. Obesity Surgery, 2010, 20, 835-840.	2.1	155
8	VEGF-C expressing tumor-associated macrophages in lymph node positive breast cancer: impact on lymphangiogenesis and survival. Surgery, 2006, 139, 839-846.	1.9	142
9	Overexpression of Id-1 is associated with poor clinical outcome in node negative breast cancer. International Journal of Cancer, 2003, 104, 677-682.	5.1	135
10	Impact of sarcopenia on outcome in patients with esophageal resection following neoadjuvant chemotherapy for esophageal cancer. European Journal of Surgical Oncology, 2017, 43, 478-484.	1.0	114
11	Open versus minimally invasive esophagectomy: a single-center case controlled study. Surgical Endoscopy and Other Interventional Techniques, 2010, 24, 3044-3053.	2.4	107
12	Hypoxia inducible factor-1α correlates with VEGF-C expression and lymphangiogenesis in breast cancer. Breast Cancer Research and Treatment, 2006, 99, 135-141.	2.5	98
13	High Systemic Immune-Inflammation Index is an Adverse Prognostic Factor for Patients With Gastroesophageal Adenocarcinoma. Annals of Surgery, 2021, 273, 532-541.	4.2	95
14	Endoscopic anterior fundoplication with the Medigus Ultrasonic Surgical Endostapler (MUSEâ,,¢) for gastroesophageal reflux disease: 6-month results from a multi-center prospective trial. Surgical Endoscopy and Other Interventional Techniques, 2015, 29, 220-229.	2.4	94
15	Podoplanin-expressing cancer-associated fibroblasts are associated with poor prognosis in invasive breast cancer. Breast Cancer Research and Treatment, 2012, 134, 237-244.	2.5	90
16	Podoplanin expressing cancer associated fibroblasts are associated with unfavourable prognosis in adenocarcinoma of the esophagus. Clinical and Experimental Metastasis, 2013, 30, 441-446.	3.3	85
17	Increase in podoplanin-expressing intestinal lymphatic vessels in inflammatory bowel disease. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2003, 442, 231-237.	2.8	80
18	Temporary Placement of Self-Expanding Oesophageal Stents as Bridging for Neo-Adjuvant Therapy. Annals of Surgical Oncology, 2010, 17, 470-475.	1.5	61

#	Article	IF	CITATIONS
19	ALK gene translocations and amplifications in brain metastases of non-small cell lung cancer. Lung Cancer, 2013, 80, 278-283.	2.0	59
20	Expression of Her-2 in Carcinomas of the Esophagus. American Journal of Surgical Pathology, 2010, 34, 1868-1873.	3.7	58
21	Selective immunohistochemical staining shows significant prognostic influence of lymphatic and blood vessels in patients with malignant melanoma. European Journal of Cancer, 2004, 40, 358-364.	2.8	55
22	Surgery for Gastrointestinal Stromal Tumors of the Stomach. Journal of Gastrointestinal Surgery, 2009, 13, 1213-1219.	1.7	54
23	Thrombospondinâ€1: a unique marker to identify in vitro platelet activation when monitoring in vivo processes. Journal of Thrombosis and Haemostasis, 2010, 8, 1809-1819.	3.8	52
24	Overexpression of the human homologue for Caenorhabditis elegans cul-4 gene is associated with poor outcome in node-negative breast cancer. Anticancer Research, 2007, 27, 949-52.	1.1	50
25	HER2/neu expression correlates with vascular endothelial growth factor-C and lymphangiogenesis in lymph node-positive breast cancer. Annals of Oncology, 2010, 21, 955-960.	1.2	49
26	Improved molecular classification of serrated lesions of the colon by immunohistochemical detection of BRAF V600E. Modern Pathology, 2014, 27, 135-144.	5.5	49
27	The biomarker TP53 divides patients with neoadjuvantly treated esophageal cancer into 2 subgroups with markedly different outcomes. A p53 Research Group study. Journal of Thoracic and Cardiovascular Surgery, 2014, 148, 2280-2286.	0.8	48
28	Lymphangiogenesis and lymphovascular invasion diminishes prognosis in esophageal cancer. Surgery, 2013, 153, 526-534.	1.9	46
29	Lymphatic vessels and lymphangiogenesis in female cancer: mechanisms, clinical impact and possible implications for anti-lymphangiogenic therapies (Review). Oncology Reports, 2002, 9, 455-60.	2.6	40
30	High risk of unilateral recurrent laryngeal nerve paralysis after esophagectomy using cervical anastomosis. European Archives of Oto-Rhino-Laryngology, 2011, 268, 1605-1610.	1.6	39
31	Mutant IDH1 inhibits PI3K/Akt signaling in human glioma. Cancer, 2014, 120, 2440-2447.	4.1	39
32	Platelet-Stored Angiogenesis Factors: Clinical Monitoring Is Prone to Artifacts. Disease Markers, 2011, 31, 55-65.	1.3	38
33	Carbonic Anhydrase IX Overexpression is Associated with Diminished Prognosis in Esophageal Cancer and Correlates with Her-2 Expression. Annals of Surgical Oncology, 2011, 18, 3330-3337.	1.5	38
34	Phosphorylation of signal transducer and activator of transcription 3 (STAT3) correlates with Her-2 status, carbonic anhydrase 9 expression and prognosis in esophageal cancer. Clinical and Experimental Metastasis, 2012, 29, 615-624.	3.3	38
35	Modern Esophageal Function Testing and Gastroesophageal Reflux Disease in Morbidly Obese Patients. Obesity Surgery, 2019, 29, 3536-3541.	2.1	38
36	Do we understand the pathophysiology of GERD after sleeve gastrectomy?. Annals of the New York Academy of Sciences, 2020, 1482, 26-35.	3.8	38

#	Article	IF	CITATIONS
37	Adequate preoperative staging rarely leads to a change of intraoperative strategy in patients undergoing surgery for colorectal cancer liver metastases. Surgery, 2008, 143, 648-657.	1.9	36
38	PD-L1 expression is an independent predictor of favorable outcome in patients with localized esophageal adenocarcinoma. Oncolmmunology, 2018, 7, e1435226.	4.6	36
39	Telomerase-Immortalized Lymphatic and Blood Vessel Endothelial Cells are Functionally Stable and Retain Their Lineage Specificity. Microcirculation, 2004, 11, 261-269.	1.8	35
40	Accuracy of hydro-multidetector row CT in the local T staging of oesophageal cancer compared to postoperative histopathological results. European Radiology, 2011, 21, 2326-2335.	4.5	35
41	MicroRNA Profiles of Barrett's Esophagus and Esophageal Adenocarcinoma: Differences in Glandular Non-native Epithelium. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 429-437.	2.5	33
42	First measurement of the muon neutrino charged current single pion production cross section on water with the T2K near detector. Physical Review D, 2017, 95, .	4.7	33
43	Human homologue for <i>Caenorhabditis elegans</i> CUL-4 protein overexpression is associated with malignant potential of epithelial ovarian tumours and poor outcome in carcinoma. Journal of Clinical Pathology, 2012, 65, 507-511.	2.0	32
44	Novel Clinically Relevant Genes in Gastrointestinal Stromal Tumors Identified by Exome Sequencing. Clinical Cancer Research, 2013, 19, 5329-5339.	7.0	32
45	Change in volume parameters induced by neoadjuvant chemotherapy provide accurate prediction of overall survival after resection in patients with oesophageal cancer. European Radiology, 2016, 26, 311-321.	4.5	32
46	Selective resection of colorectal liver metastases. European Journal of Surgical Oncology, 2007, 33, 174-182.	1.0	31
47	MAPKAP Kinase 2 Overexpression Influences Prognosis in Gastrointestinal Stromal Tumors and Associates with Copy Number Variations on Chromosome 1 and Expression of p38 MAP Kinase and ETV1. Clinical Cancer Research, 2012, 18, 1879-1887.	7.0	31
48	The modified glasgow prognostic score is an independent prognostic indicator in neoadjuvantly treated adenocarcinoma of the esophagogastric junction. Oncotarget, 2018, 9, 6968-6976.	1.8	31
49	Outcome and complications of long-term self-expanding esophageal stenting. Ecological Management and Restoration, 2013, 26, 154-158.	0.4	30
50	Morbidity in open versus minimally invasive hybrid esophagectomy (MIOMIE). European Surgery - Acta Chirurgica Austriaca, 2018, 50, 249-255.	0.7	30
51	Overexpression of CMET is associated with signal transducer and activator of transcription 3 activation and diminished prognosis in oesophageal adenocarcinoma but not in squamous cell carcinoma. European Journal of Cancer, 2014, 50, 1354-1360.	2.8	28
52	Platelet-stored angiogenesis factors: clinical monitoring is prone to artifacts. Disease Markers, 2011, 31, 55-65.	1.3	28
53	Expression of BRAF V600E Mutant Protein in Epithelial Ovarian Tumors. Applied Immunohistochemistry and Molecular Morphology, 2013, 21, 159-164.	1.2	27
54	Lymphovascular invasion of tumor cells in lymph node metastases has a negative impact on survival in esophageal cancer. Surgery, 2016, 160, 331-340.	1.9	26

#	Article	IF	CITATIONS
55	High Mean Corpuscular Volume Predicts Poor Outcome for Patients With Gastroesophageal Adenocarcinoma. Annals of Surgical Oncology, 2019, 26, 976-985.	1.5	26
56	Lymphangiogenesis, inflammation and metastasis. Anticancer Research, 2005, 25, 4503-11.	1.1	25
57	Heat Shock Treatment of Tumor Lysate-Pulsed Dendritic Cells Enhances Their Capacity to Elicit Antitumor T Cell Responses against Medullary Thyroid Carcinoma. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 4571-4577.	3.6	24
58	HER-2 status in primary oesophageal cancer, lymph nodes and distant metastases. British Journal of Surgery, 2011, 98, 1408-1413.	0.3	24
59	Measurement of Coherent <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">display="inline"><mml:mrow><mml:msup><mml:mrow><mml:mi>ï€</mml:mi></mml:mrow><mml:mrow><mml:r Production in Low Energy Neutrino-Carbon Scattering. Physical Review Letters, 2016, 117, 192501.</mml:r </mml:mrow></mml:msup></mml:mrow></mml:math>	m 28 + <td>n<mark>2#</mark>10></td>	n <mark>2#</mark> 10>
60	Prognostic value of volumetric PET parameters in unresectable and metastatic esophageal cancer. European Journal of Radiology, 2016, 85, 540-545.	2.6	24
61	Expression of Programmed Cell Death Protein 1 by Tumor-Infiltrating Lymphocytes and Tumor Cells is Associated with Advanced Tumor Stage in Patients with Esophageal Adenocarcinoma. Annals of Surgical Oncology, 2017, 24, 2698-2706.	1.5	24
62	Phenotypes of Jackhammer esophagus in patients with typical symptoms of gastroesophageal reflux disease responsive to proton pump inhibitors. Scientific Reports, 2018, 8, 9949.	3.3	24
63	Solving the Problem of Difficult Stent Removal Due to Tissue Ingrowth in Partially Uncovered Esophageal Self-Expanding Metal Stents. Annals of Thoracic Surgery, 2010, 89, 1691-1692.	1.3	23
64	HER2 Gene Amplification and Protein Expression in Pancreatic Ductal Adenocarcinomas. Applied Immunohistochemistry and Molecular Morphology, 2014, 22, 146-152.	1.2	23
65	Targeted therapy in gastric cancer. European Surgery - Acta Chirurgica Austriaca, 2016, 48, 278-284.	0.7	23
66	PD1-positive tumor-infiltrating lymphocytes are associated with poor clinical outcome after pulmonary metastasectomy for colorectal cancer. Oncolmmunology, 2017, 6, e1331194.	4.6	23
67	RAF-kinase inhibitor protein (RKIP) downregulation in esophageal cancer and its metastases. Clinical and Experimental Metastasis, 2012, 29, 551-559.	3.3	22
68	Direct measurement of backgrounds using reactor-off data in Double Chooz. Physical Review D, 2013, 87, .	4.7	21
69	Results of Magnetic Sphincter Augmentation for Gastroesophageal Reflux Disease. World Journal of Surgery, 2018, 42, 3263-3269.	1.6	20
70	Her-2/neu gene amplification and over-expression in stomach and esophageal adenocarcinoma: From pathology to treatment. Critical Reviews in Oncology/Hematology, 2012, 82, 310-322.	4.4	19
71	Dysphagia severity is related to the amplitude of distal contractile integral in patients with Jackhammer esophagus. Neurogastroenterology and Motility, 2018, 30, e13276.	3.0	19
72	Fifty-five minimally invasive Esophagectomies: a single centre experience. Anticancer Research, 2009, 29, 2719-25.	1.1	19

#	Article	IF	CITATIONS
73	Plasma fibrinogen and blood platelet counts are associated with response to neoadjuvant therapy in esophageal cancer. Biomarkers in Medicine, 2015, 9, 327-335.	1.4	18
74	Persistent dysphagia is a rare problem after laparoscopic Nissen fundoplication. Surgical Endoscopy and Other Interventional Techniques, 2019, 33, 1196-1205.	2.4	18
75	Myelosuppression of Thrombocytes and Monocytes Is Associated with a Lack of Synergy between Chemotherapy and Anti-VECF Treatment. Neoplasia, 2011, 13, 419-427.	5.3	17
76	Amplification but not translocation of anaplastic lymphoma kinase is a frequent event in oesophageal cancer. European Journal of Cancer, 2013, 49, 1876-1881.	2.8	17
77	Comparison of Inflammation-Based Prognostic Scores in a Cohort of Patients with Resectable Esophageal Cancer. Gastroenterology Research and Practice, 2017, 2017, 1-10.	1.5	17
78	Radiofrequency ablation in patients with large cervical heterotopic gastric mucosa and globus sensation: Closing the treatment gap. Digestive Endoscopy, 2018, 30, 212-218.	2.3	17
79	Discrimination between Circulating Endothelial Cells and Blood Cell Populations with Overlapping Phenotype Reveals Distinct Regulation and Predictive Potential in Cancer Therapy. Neoplasia, 2011, 13, 980-990.	5.3	16
80	Stromal expression of carbonic anhydrase IX in esophageal cancer. Clinical and Translational Oncology, 2014, 16, 966-972.	2.4	16
81	Crural Closure improves Outcomes of Magnetic Sphincter Augmentation in GERD patients with Hiatal Hernia. Scientific Reports, 2018, 8, 7319.	3.3	16
82	Surgical treatment of GIST – An institutional experience of a high-volume center. International Journal of Surgery, 2013, 11, 801-806.	2.7	15
83	Upper esophageal sphincter dysfunction: diverticula–globus pharyngeus. Annals of the New York Academy of Sciences, 2013, 1300, 250-260.	3.8	15
84	Targeting HER 2 and angiogenesis in gastric cancer. Expert Review of Anticancer Therapy, 2016, 16, 111-122.	2.4	15
85	Waist to hip ratio is a better predictor of esophageal acid exposure than body mass index. Neurogastroenterology and Motility, 2017, 29, e13033.	3.0	15
86	PD-L1 and HER2 Expression in Gastroesophageal Cancer: a Matched Case Control Study. Pathology and Oncology Research, 2020, 26, 2225-2235.	1.9	15
87	Thrombocytes Correlate with Lymphangiogenesis in Human Esophageal Cancer and Mediate Growth of Lymphatic Endothelial Cells In Vitro. PLoS ONE, 2013, 8, e66941.	2.5	15
88	Brain metastases of gastro-oesophageal cancer: evaluation of molecules with relevance for targeted therapies. Anticancer Research, 2013, 33, 1065-71.	1.1	15
89	A phase II trial of two durations of Bevacizumab added to neoadjuvant gemcitabine for borderline and locally advanced pancreatic cancer. Anticancer Research, 2014, 34, 2377-84.	1.1	15
90	The Value of Protecting the Longitudinal Staple Line with Invaginating Sutures during Esophageal Reconstruction by Gastric Tube Pull-Up. Digestive Surgery, 2009, 26, 337-341.	1.2	14

#	Article	IF	CITATIONS
91	Strategies for Weight Regain After Sleeve Gastrectomy. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2010, 20, 159-161.	0.8	14
92	Correlation of trastuzumab-based treatment with clinical characteristics and prognosis in HER2-positive gastric and gastroesophageal junction cancer: A retrospective single center analysis. Cancer Biology and Therapy, 2018, 19, 169-174.	3.4	14
93	Alternative therapies for GERD: a way to personalized antireflux surgery. Annals of the New York Academy of Sciences, 2018, 1434, 360-369.	3.8	14
94	Ineffective Esophageal Motility in Patients with GERD is no Contraindication for Nissen Fundoplication. World Journal of Surgery, 2020, 44, 186-193.	1.6	14
95	Three-year clinical experience with magnetic sphincter augmentation and laparoscopic fundoplication. Surgical Endoscopy and Other Interventional Techniques, 2021, 35, 3449-3458.	2.4	14
96	Expression of FGF8, FGF18, and FGFR4 in Gastroesophageal Adenocarcinomas. Cells, 2019, 8, 1092.	4.1	13
97	No Evidence for BRAF-V600E Mutations in Gastroeosophageal Tumors. Applied Immunohistochemistry and Molecular Morphology, 2013, 21, 426-430.	1.2	12
98	Maintaining Bone Density in Patients Undergoing Treatment for Breast Cancer: Is There an Adjuvant Benefit?. Clinical Breast Cancer, 2009, 9, S18-S27.	2.4	11
99	Small bowel adenocarcinoma - terra incognita: A demand for cross-national pooling of data. Oncology Letters, 2014, 7, 1613-1617.	1.8	11
100	MAP kinase activity supported by BRAF V600E mutation rather than gene amplification is associated with ETV1 expression in melanoma brain metastases. Archives of Dermatological Research, 2014, 306, 873-884.	1.9	11
101	Silent Gastroesophageal Reflux Disease in Patients with Morbid Obesity Prior to Primary Metabolic Surgery. Obesity Surgery, 2020, 30, 4885-4891.	2.1	11
102	Endoscopic stent suture fixation for prevention of esophageal stent migration during prolonged dilatation for achalasia treatment. Ecological Management and Restoration, 2017, 30, 1-6.	0.4	10
103	Update on the management of Barrett's esophagus in Austria. European Surgery - Acta Chirurgica Austriaca, 2017, 49, 282-287.	0.7	10
104	Electrical lower esophageal sphincter augmentation in patients with GERD and severe ineffective esophageal motility—a safety and efficacy study. Surgical Endoscopy and Other Interventional Techniques, 2019, 33, 3623-3628.	2.4	10
105	Swallowing MRI—a reliable method for the evaluation of the postoperative gastroesophageal situs after Nissen fundoplication. European Radiology, 2019, 29, 4400-4407.	4.5	10
106	Elevated Free Thyroxine Levels Are Associated with Poorer Overall Survival in Patients with Gastroesophageal Cancer: A Retrospective Single Center Analysis. Hormones and Cancer, 2020, 11, 42-51.	4.9	10
107	The cardia: Esophageal or gastric? Critical reviewing the anatomy and histopathology of the esophagogastric junction. Acta Chirurgica lugoslavica, 2012, 59, 15-26.	0.0	9
108	Gastrointestinal stromal tumors: Diagnosis, therapy and follow-up care in Austria. Wiener Medizinische Wochenschrift, 2013, 163, 137-152.	1.1	9

#	Article	IF	CITATIONS
109	Diagnosis and treatment of benign inflammatory esophageal diseases. European Surgery - Acta Chirurgica Austriaca, 2015, 47, 188-198.	0.7	9
110	microRNA-21 Expression is Elevated in Esophageal Adenocarcinoma After Neoadjuvant Chemotherapy. Cancer Investigation, 2015, 33, 246-250.	1.3	9
111	External validation of the NUn score for predicting anastomotic leakage after oesophageal resection. Scientific Reports, 2017, 7, 9725.	3.3	9
112	MK2 and ETV1 Are Prognostic Factors in Esophageal Adenocarcinomas. Journal of Cancer, 2018, 9, 460-468.	2.5	9
113	A Diagnostic Algorithm That Combines Quantitative 18F-FDG PET Parameters and Contrast-Enhanced CT Improves Posttherapeutic Locoregional Restaging and Prognostication of Survival in Patients With Esophageal Cancer. Clinical Nuclear Medicine, 2019, 44, e13-e21.	1.3	9
114	Expression of podoplanin is a rare event in sporadic gastrointestinal stromal tumors and does not influence prognosis. Future Oncology, 2012, 8, 859-866.	2.4	8
115	Radiofrequency ablation of Barrett's esophagus and early cancer within the background of the pathophysiology of the disease. European Surgery - Acta Chirurgica Austriaca, 2012, 44, 366-382.	0.7	8
116	Influence of resection extent on morbidity in surgery for squamous cell cancer at the pharyngoesophageal junction. Langenbeck's Archives of Surgery, 2013, 398, 221-230.	1.9	8
117	Downregulation of phosphatidylethanolamine binding protein 1 associates with clinical risk factors in gastrointestinal stromal tumors, but not with activation of the RAF-1-MEK-ETV1 pathway. Cancer Letters, 2013, 335, 26-30.	7.2	8
118	A pilot study of the endomicroscopic assessment of tumor extension in Barrett's esophagus–associated neoplasia before endoscopic resection. Endoscopy International Open, 2015, 03, E19-E28.	1.8	8
119	The role of magnetic sphincter augmentation in the treatment of gastroesophageal reflux disease. Current Opinion in Gastroenterology, 2021, 37, 384-389.	2.3	8
120	Turning the tables on surgical oncology: the • Pancho trial unplugged. European Surgery - Acta Chirurgica Austriaca, 2008, 40, 277-283.	0.7	7
121	Assessment of columnar-lined esophagus in controls and patients with gastroesophageal reflux disease with and without proton-pump inhibitor therapy. European Surgery - Acta Chirurgica Austriaca, 2012, 44, 304-313.	0.7	7
122	Phosphorylation of <scp>STAT</scp> 3 correlates with <scp>HER</scp> 2 status, but not with survival in pancreatic ductal adenocarcinoma. Apmis, 2014, 122, 476-481.	2.0	7
123	Expanded Indication for Magnetic Sphincter Augmentation: Outcomes in Weakly Acidic Reflux Compared to Standard GERD Patients. Journal of Gastrointestinal Surgery, 2022, 26, 532-541.	1.7	7
124	Abdominal drainage after liver transplantation from deceased donors. Langenbeck's Archives of Surgery, 2015, 400, 813-819.	1.9	6
125	The Oncogene AF1Q is Associated with WNT and STAT Signaling and Offers a Novel Independent Prognostic Marker in Patients with Resectable Esophageal Cancer. Cells, 2019, 8, 1357.	4.1	6
126	Tailored modern GERD therapy – steps towards the development of an aid to guide personalized anti-reflux surgery. Scientific Reports, 2019, 9, 19174.	3.3	6

#	Article	IF	CITATIONS
127	Review on novel concepts of columnar lined esophagus. Wiener Klinische Wochenschrift, 2013, 125, 577-590.	1.9	5
128	Austrian expert panel recommendation for radiofrequency ablation of Barrett's esophagus. European Surgery - Acta Chirurgica Austriaca, 2015, 47, 319-323.	0.7	5
129	Dietary sugar and Barrett's esophagus. European Surgery - Acta Chirurgica Austriaca, 2017, 49, 279-281.	0.7	5
130	•ÂPancho trial (p53-adapted neoadjuvant chemotherapy for resectable esophageal cancer) completed—mutation rate of the marker higher than expected. European Surgery - Acta Chirurgica Austriaca, 2018, 50, 160-166.	0.7	5
131	Electrical Stimulation of the Lower Esophageal Sphincter to Treat Gastroesophageal Reflux After POEM. Surgical Innovation, 2018, 25, 346-349.	0.9	5
132	Modification of preoperative radiochemotherapy for esophageal cancer (CROSS protocol) is safe and efficient with no impact on surgical morbidity. Strahlentherapie Und Onkologie, 2020, 196, 779-786.	2.0	5
133	Her-2 in gastroesophageal cancer: pathobiology, diagnostic and therapeutic implications. European Surgery - Acta Chirurgica Austriaca, 2011, 43, 162-167.	0.7	4
134	No Evidence for Recipient-Derived Hepatocytes in Serial Biopsies of Sex-Mismatched Liver Transplants. Transplantation, 2012, 94, 953-957.	1.0	4
135	Does anti-reflux surgery disrupt the pathway of Barrett's esophagus progression to cancer?. Translational Gastroenterology and Hepatology, 2018, 3, 101-101.	3.0	4
136	Fibroblast growth factorÂ8 overexpression is predictive of poor prognosis in pancreatic ductal adenocarcinoma. European Surgery - Acta Chirurgica Austriaca, 2020, 52, 282-289.	0.7	4
137	Clinical characteristics and comparison of the outcome in young versus older patients with upper gastrointestinal carcinoma. Journal of Cancer Research and Clinical Oncology, 2020, 146, 3313-3322.	2.5	4
138	Tumor cell budding in preoperative biopsies of esophageal and gastroesophageal junction carcinoma independently predicts survival in a grade-dependent manner. Surgery, 2022, 172, 567-574.	1.9	4
139	Severe Dysphagia is Rare After Magnetic Sphincter Augmentation. World Journal of Surgery, 2022, 46, 2243-2250.	1.6	4
140	Gastrointestinal reconstructions in 1200 patients with cancer at the pharyngesophageal junction. European Surgery - Acta Chirurgica Austriaca, 2010, 42, 38-48.	0.7	3
141	Fast-track Ivor Lewis esophageal resection. European Surgery - Acta Chirurgica Austriaca, 2015, 47, 59-64.	0.7	3
142	A retrospective study on the safety, diagnostic yield, and therapeutic effects of endoscopic unroofing for small gastric subepithelial tumors. Gastrointestinal Endoscopy, 2016, 84, 924-929.	1.0	3
143	Programmed death ligandÂ2 expression plays aÂlimited role in adenocarcinomas of the gastroesophageal junction after preoperative chemotherapy. European Surgery - Acta Chirurgica Austriaca, 2021, 53, 287-293.	0.7	3
144	Expression of programmed cell death protein 1 (PD-1) and programmed cell death 1 ligand (PD-L1) in adenocarcinomas of the gastroesophageal junction change significantly after neoadjuvant treatment. European Journal of Surgical Oncology, 2022, 48, 383-390.	1.0	3

#	Article	IF	CITATIONS
145	Is Endocrine Therapy Really Pleasant? Considerations about the Long-Term Use of Antihormonal Therapy and Its Benefit/Side Effect Ratio. Breast Care, 2009, 4, 155-161.	1.4	2
146	Downregulation of CIC Does Not Associate with Overexpression of ETV1 or MAP Kinase Pathway Activation in Gastrointestinal Stromal Tumors. Cancer Investigation, 2014, 32, 363-367.	1.3	2
147	Face Barrett's: Esophageal Adenocarcinoma Affects the Young. Journal of Gastrointestinal Surgery, 2014, 18, 882-883.	1.7	2
148	Swallowing MRI for GERD—diagnosis and treatment monitoring. European Surgery - Acta Chirurgica Austriaca, 2019, 51, 231-238.	0.7	2
149	Effect of electrical stimulation therapy of the lower esophageal sphincter in GERD patients with ineffective esophageal motility. Surgical Endoscopy and Other Interventional Techniques, 2020, 35, 6101-6107.	2.4	2
150	Electrical stimulation therapy of the lower esophageal sphincter in GERD patients—aÂprospective single-center study. European Surgery - Acta Chirurgica Austriaca, 2021, 53, 29-34.	0.7	2
151	Exploring the concept of centralization of surgery for benign esophageal diseases: a Delphi based consensus from the European Society for Diseases of the Esophagus. Ecological Management and Restoration, 2021, 34, .	0.4	2
152	Performance of a new natural oral contrast agent (LumiVision®) in dynamic MR swallowing. European Radiology, 2021, 31, 8578-8585.	4.5	2
153	Esophageal resection in Austria—preparing aÂnational registry. European Surgery - Acta Chirurgica Austriaca, 2021, 53, 206-214.	0.7	2
154	Surgical oncology: impact of lymphangiogenesis for metastasis formation. European Surgery - Acta Chirurgica Austriaca, 2005, 37, 153-158.	0.7	1
155	A Case of Phyllodes Tumor with Focal Transition into Low-Grade Lymphangiosarcoma. Breast Care, 2006, 1, 391-394.	1.4	1
156	Early-Stage Breast Cancer – Highlights at ASCO 2006. Breast Care, 2006, 1, 265-269.	1.4	1
157	Gastroesophageal Reflux Disease and Metabolic Syndrome. Internal Medicine, 2012, 51, 2993-2993.	0.7	1
158	Letter: cancer risk among persons with columnarâ€lined oesophagus. Alimentary Pharmacology and Therapeutics, 2012, 36, 599-599.	3.7	1
159	Extending Barrett's esophagus cancer risk profile towards genetic abnormalities. Molecular Cytogenetics, 2013, 6, 10.	0.9	1
160	Dilated Distal Esophagus: Optimal Position for Magnetic Sphincter Augmentation. Journal of the American College of Surgeons, 2013, 217, 1155-1156.	0.5	1
161	Barrett's esophagus as a marker for increased risk for esophageal cancer and cardiorespiratory disease. Endoscopy, 2013, 45, 152-152.	1.8	1
162	Lack of correlation between blood group and HER-2 status in adenocarcinomas of the upper gastrointestinal tract. Molecular and Clinical Oncology, 2013, 1, 1079-1083.	1.0	1

#	Article	IF	CITATIONS
163	Selected commentary to "Radiofrequency ablation vs endoscopic surveillance for patients with Barrett esophagus and low-grade dysplasia. A randomized clinical trial― European Surgery - Acta Chirurgica Austriaca, 2014, 46, 133-136.	0.7	1
164	Laryngopharyngeal reflux COPD to uncover reflux and columnar lined esophagus. International Journal of COPD, 2015, 10, 2095.	2.3	1
165	Should antireflux surgery be considered after successful endoscopic treatment of Barrett's esophagus with dysplasia and early cancer?. Endoscopy, 2015, 48, 92-92.	1.8	1
166	Tu1510 Implementation of PerOral Endoscopic Myotomy (POEM) and Prolonged Dilatation As Treatment for Achalasia: Is It Worth the Cost?. Gastrointestinal Endoscopy, 2015, 81, AB490-AB491.	1.0	1
167	Tension-Free Inlay Repair of Large Hiatal Hernias Using Dual-Sided Composite PTFE/ePTFE Meshes in Laparoscopic Surgery for Gastroesophageal Reflux Disease. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2017, 27, 710-714.	1.0	1
168	Multidisciplinary Management: Alternative Perspectives for the Management of Gastroesophageal Reflux Disease (GERD) and Barrett's Esophagus (BE). , 2021, , 187-203.		1
169	Vascular endothelial growth factor-C expression and lymphangiogenesis in colorectal cancer. European Surgery - Acta Chirurgica Austriaca, 2006, 38, 149-154.	0.7	0
170	Radial esophageal acid exposure and the dilated distal esophagus. Journal of Gastroenterology, 2012, 47, 1275-1276.	5.1	0
171	Selected commentary to "Incidence of adenocarcinoma among patients with Barrett's esophagus". European Surgery - Acta Chirurgica Austriaca, 2012, 44, 291-295.	0.7	0
172	Otolaryngeal GERD Symptoms and Barrett Esophagus. Journal of Clinical Gastroenterology, 2014, 48, 191.	2.2	0
173	Surgical controversies in esophageal cancer. Memo - Magazine of European Medical Oncology, 2014, 7, 30-33.	0.5	0
174	Barrett's Esophagus and Antireflux Surgery. Annals of Surgery, 2015, 261, e49.	4.2	0
175	Selected commentary to "Treatment of Barrett's esophagus with a novel focal cryoablation device: a safety and feasibility studyâ€: European Surgery - Acta Chirurgica Austriaca, 2015, 47, 274-278.	0.7	0
176	Tu1275 Immediate Surgery and Not Preoperative Chemotherapy Improves Recurrence-Free Interval in Patients With cT2 Esophageal Cancer. Gastroenterology, 2016, 150, S1249.	1.3	0
177	Innovations in Minimally Invasive Therapy of GERD. Introductory Series in Medicine, 2018, , 35-53.	0.0	0
178	No Difference of the Systemic Immune-Inflammation Index as Prognostic Factor for Patients with Adenocarcinoma of the Gastroesophageal Junction With or Without Neoadjuvant Treatment. Journal of the American College of Surgeons, 2018, 227, S245-S246.	0.5	0
179	Elevated Mean Corpuscular Volume Predicts Poor Outcome in Patients With Adenocarcinomas of the Esophagogastric Junction. Journal of the American College of Surgeons, 2018, 227, e215.	0.5	0
180	Additional fundophrenicopexia, after Nissen fundoplication, reduces postoperative dysphagia and re-operation rate in the long-term follow up. Surgical Endoscopy and Other Interventional Techniques, 2021, , 1.	2.4	0

#	Article	IF	CITATIONS
181	Thyroid Hormone Replacement Therapy Is Associated with Longer Overall Survival in Patients with Resectable Gastroesophageal Cancer: A Retrospective Single-Center Analysis. Cancers, 2021, 13, 5050.	3.7	0
182	Radiofrequency Ablation and Antireflux Management for Non-dysplastic Barrett's Esophagus. , 2012, , 27-41.		0
183	Abstract 4463: The coactivator oncogene AF1Q associates with STAT3 activation downstream of MET action in gastro-esophageal cancer patients. , 2017, , .		0
184	Endoscopic Therapy for Barrett's Esophagus: Who and How?. Introductory Series in Medicine, 2018, , 105-131.	0.0	0