

# Sebastian F F Schoppmann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3221682/publications.pdf>

Version: 2024-02-01

184  
papers

5,968  
citations

109264

35  
h-index

85498

71  
g-index

191  
all docs

191  
docs citations

191  
times ranked

8168  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Tumor-Associated Macrophages Express Lymphatic Endothelial Growth Factors and Are Related to Peritumoral Lymphangiogenesis. <i>American Journal of Pathology</i> , 2002, 161, 947-956.   | 1.9 | 712       |
| 2  | Isolation and Characterization of Dermal Lymphatic and Blood Endothelial Cells Reveal Stable and Functionally Specialized Cell Lineages. <i>Journal of Experimental Medicine</i> , 2001, 194, 797-808.   | 4.2 | 459       |
| 3  | Overexpression of hypoxia-inducible factor 1alpha is associated with an unfavorable prognosis in lymph node-positive breast cancer. <i>Clinical Cancer Research</i> , 2002, 8, 1831-7.   | 3.2 | 312       |
| 4  | Reactor $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mover accent="true"} \rangle \langle \text{mml:mi} \rangle \frac{1}{2} \langle \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\Lambda} \langle \text{mml:mo} \rangle \langle \text{mml:mover} \rangle \langle \text{mml:mi} \rangle e \langle \text{mml:mi} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:math} \rangle$ disappearance in the Double Chooz experiment. <i>Physical Review D</i> , 2012, 86, . | 1.6 | 275       |
| 5  | Prognostic Value of Lymphangiogenesis and Lymphovascular Invasion in Invasive Breast Cancer. <i>Annals of Surgery</i> , 2004, 240, 306-312.  | 2.1 | 232       |
| 6  | Markers of sarcopenia quantified by computed tomography predict adverse long-term outcome in patients with resected oesophageal or gastro-oesophageal junction cancer. <i>European Radiology</i> , 2016, 26, 1359-1367.  | 2.3 | 172       |
| 7  | Conversion from Sleeve Gastrectomy to Roux-en-Y Gastric Bypass – Indications and Outcome. <i>Obesity Surgery</i> , 2010, 20, 835-840.  | 1.1 | 155       |
| 8  | VEGF-C expressing tumor-associated macrophages in lymph node positive breast cancer: impact on lymphangiogenesis and survival. <i>Surgery</i> , 2006, 139, 839-846.  | 1.0 | 142       |
| 9  | Overexpression of Id-1 is associated with poor clinical outcome in node negative breast cancer. <i>International Journal of Cancer</i> , 2003, 104, 677-682.   | 2.3 | 135       |
| 10 | Impact of sarcopenia on outcome in patients with esophageal resection following neoadjuvant chemotherapy for esophageal cancer. <i>European Journal of Surgical Oncology</i> , 2017, 43, 478-484.  | 0.5 | 114       |
| 11 | Open versus minimally invasive esophagectomy: a single-center case controlled study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010, 24, 3044-3053.  | 1.3 | 107       |
| 12 | Hypoxia inducible factor-1 $\pm$ correlates with VEGF-C expression and lymphangiogenesis in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2006, 99, 135-141.  | 1.1 | 98        |
| 13 | High Systemic Immune-Inflammation Index is an Adverse Prognostic Factor for Patients With Gastroesophageal Adenocarcinoma. <i>Annals of Surgery</i> , 2021, 273, 532-541.  | 2.1 | 95        |
| 14 | Endoscopic anterior fundoplication with the Medigus Ultrasonic Surgical Endostapler (MUSE $\hat{a}$ , $\text{c}$ ) for gastroesophageal reflux disease: 6-month results from a multi-center prospective trial. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015, 29, 220-229.  | 1.3 | 94        |
| 15 | Podoplanin-expressing cancer-associated fibroblasts are associated with poor prognosis in invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012, 134, 237-244.  | 1.1 | 90        |
| 16 | Podoplanin expressing cancer associated fibroblasts are associated with unfavourable prognosis in adenocarcinoma of the esophagus. <i>Clinical and Experimental Metastasis</i> , 2013, 30, 441-446.  | 1.7 | 85        |
| 17 | Increase in podoplanin-expressing intestinal lymphatic vessels in inflammatory bowel disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003, 442, 231-237.  | 1.4 | 80        |
| 18 | Temporary Placement of Self-Expanding Oesophageal Stents as Bridging for Neo-Adjuvant Therapy. <i>Annals of Surgical Oncology</i> , 2010, 17, 470-475.   | 0.7 | 61        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | ALK gene translocations and amplifications in brain metastases of non-small cell lung cancer. Lung Cancer, 2013, 80, 278-283.  | 0.9 | 59        |
| 20 | Expression of Her-2 in Carcinomas of the Esophagus. American Journal of Surgical Pathology, 2010, 34, 1868-1873.   | 2.1 | 58        |
| 21 | Selective immunohistochemical staining shows significant prognostic influence of lymphatic and blood vessels in patients with malignant melanoma. European Journal of Cancer, 2004, 40, 358-364.   | 1.3 | 55        |
| 22 | Surgery for Gastrointestinal Stromal Tumors of the Stomach. Journal of Gastrointestinal Surgery, 2009, 13, 1213-1219.  | 0.9 | 54        |
| 23 | Thrombospondin-1: a unique marker to identify in vitro platelet activation when monitoring in vivo processes. Journal of Thrombosis and Haemostasis, 2010, 8, 1809-1819.   | 1.9 | 52        |
| 24 | Overexpression of the human homologue for Caenorhabditis elegans cul-4 gene is associated with poor outcome in node-negative breast cancer. Anticancer Research, 2007, 27, 949-52.   | 0.5 | 50        |
| 25 | HER2/neu expression correlates with vascular endothelial growth factor-C and lymphangiogenesis in lymph node-positive breast cancer. Annals of Oncology, 2010, 21, 955-960.  | 0.6 | 49        |
| 26 | Improved molecular classification of serrated lesions of the colon by immunohistochemical detection of BRAF V600E. Modern Pathology, 2014, 27, 135-144.  | 2.9 | 49        |
| 27 | The biomarker TP53 divides patients with neoadjuvantly treated esophageal cancer into 2 subgroups with markedly different outcomes. A p53 Research Group study. Journal of Thoracic and Cardiovascular Surgery, 2014, 148, 2280-2286.    | 0.4 | 48        |
| 28 | Lymphangiogenesis and lymphovascular invasion diminishes prognosis in esophageal cancer. Surgery, 2013, 153, 526-534.  | 1.0 | 46        |
| 29 | Lymphatic vessels and lymphangiogenesis in female cancer: mechanisms, clinical impact and possible implications for anti-lymphangiogenic therapies (Review). Oncology Reports, 2002, 9, 455-60.  | 1.2 | 40        |
| 30 | High risk of unilateral recurrent laryngeal nerve paralysis after esophagectomy using cervical anastomosis. European Archives of Oto-Rhino-Laryngology, 2011, 268, 1605-1610.  | 0.8 | 39        |
| 31 | Mutant IDH1 inhibits PI3K/Akt signaling in human glioma. Cancer, 2014, 120, 2440-2447.   | 2.0 | 39        |
| 32 | Platelet-Stored Angiogenesis Factors: Clinical Monitoring Is Prone to Artifacts. Disease Markers, 2011, 31, 55-65.   | 0.6 | 38        |
| 33 | Carbonic Anhydrase IX Overexpression is Associated with Diminished Prognosis in Esophageal Cancer and Correlates with Her-2 Expression. Annals of Surgical Oncology, 2011, 18, 3330-3337.  | 0.7 | 38        |
| 34 | Phosphorylation of signal transducer and activator of transcription 3 (STAT3) correlates with Her-2 status, carbonic anhydrase 9 expression and prognosis in esophageal cancer. Clinical and Experimental Metastasis, 2012, 29, 615-624. | 1.7 | 38        |
| 35 | Modern Esophageal Function Testing and Gastroesophageal Reflux Disease in Morbidly Obese Patients. Obesity Surgery, 2019, 29, 3536-3541.   | 1.1 | 38        |
| 36 | Do we understand the pathophysiology of GERD after sleeve gastrectomy?. Annals of the New York Academy of Sciences, 2020, 1482, 26-35.   | 1.8 | 38        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Adequate preoperative staging rarely leads to a change of intraoperative strategy in patients undergoing surgery for colorectal cancer liver metastases. <i>Surgery</i> , 2008, 143, 648-657.   | 1.0 | 36        |
| 38 | PD-L1 expression is an independent predictor of favorable outcome in patients with localized esophageal adenocarcinoma. <i>Oncology</i> , 2018, 7, e1435226.  | 2.1 | 36        |
| 39 | Telomerase-Immortalized Lymphatic and Blood Vessel Endothelial Cells are Functionally Stable and Retain Their Lineage Specificity. <i>Microcirculation</i> , 2004, 11, 261-269.   | 1.0 | 35        |
| 40 | Accuracy of hydro-multidetector row CT in the local T staging of oesophageal cancer compared to postoperative histopathological results. <i>European Radiology</i> , 2011, 21, 2326-2335.   | 2.3 | 35        |
| 41 | MicroRNA Profiles of Barrett's Esophagus and Esophageal Adenocarcinoma: Differences in Glandular Non-native Epithelium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 429-437.   | 1.1 | 33        |
| 42 | First measurement of the muon neutrino charged current single pion production cross section on water with the T2K near detector. <i>Physical Review D</i> , 2017, 95, .   | 1.6 | 33        |
| 43 | Human homologue for <i>Caenorhabditis elegans</i> CUL-4 protein overexpression is associated with malignant potential of epithelial ovarian tumours and poor outcome in carcinoma. <i>Journal of Clinical Pathology</i> , 2012, 65, 507-511.                | 1.0 | 32        |
| 44 | Novel Clinically Relevant Genes in Gastrointestinal Stromal Tumors Identified by Exome Sequencing. <i>Clinical Cancer Research</i> , 2013, 19, 5329-5339.   | 3.2 | 32        |
| 45 | Change in volume parameters induced by neoadjuvant chemotherapy provide accurate prediction of overall survival after resection in patients with oesophageal cancer. <i>European Radiology</i> , 2016, 26, 311-321.   | 2.3 | 32        |
| 46 | Selective resection of colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2007, 33, 174-182.   | 0.5 | 31        |
| 47 | MAPKAP Kinase 2 Overexpression Influences Prognosis in Gastrointestinal Stromal Tumors and Associates with Copy Number Variations on Chromosome 1 and Expression of p38 MAP Kinase and ETV1. <i>Clinical Cancer Research</i> , 2012, 18, 1879-1887.         | 3.2 | 31        |
| 48 | The modified glasgow prognostic score is an independent prognostic indicator in neoadjuvantly treated adenocarcinoma of the esophagogastric junction. <i>Oncotarget</i> , 2018, 9, 6968-6976.   | 0.8 | 31        |
| 49 | Outcome and complications of long-term self-expanding esophageal stenting. <i>Ecological Management and Restoration</i> , 2013, 26, 154-158.  | 0.2 | 30        |
| 50 | Morbidity in open versus minimally invasive hybrid esophagectomy (MIOMIE). <i>European Surgery - Acta Chirurgica Austriaca</i> , 2018, 50, 249-255.   | 0.3 | 30        |
| 51 | Overexpression of CMET is associated with signal transducer and activator of transcription 3 activation and diminished prognosis in oesophageal adenocarcinoma but not in squamous cell carcinoma. <i>European Journal of Cancer</i> , 2014, 50, 1354-1360. | 1.3 | 28        |
| 52 | Platelet-stored angiogenesis factors: clinical monitoring is prone to artifacts. <i>Disease Markers</i> , 2011, 31, 55-65.  | 0.6 | 28        |
| 53 | Expression of BRAF V600E Mutant Protein in Epithelial Ovarian Tumors. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2013, 21, 159-164.   | 0.6 | 27        |
| 54 | Lymphovascular invasion of tumor cells in lymph node metastases has a negative impact on survival in esophageal cancer. <i>Surgery</i> , 2016, 160, 331-340.  | 1.0 | 26        |



| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Plasma fibrinogen and blood platelet counts are associated with response to neoadjuvant therapy in esophageal cancer. <i>Biomarkers in Medicine</i> , 2015, 9, 327-335.  | 0.6 | 18        |
| 74 | Persistent dysphagia is a rare problem after laparoscopic Nissen fundoplication. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019, 33, 1196-1205.  | 1.3 | 18        |
| 75 | Myelosuppression of Thrombocytes and Monocytes Is Associated with a Lack of Synergy between Chemotherapy and Anti-VEGF Treatment. <i>Neoplasia</i> , 2011, 13, 419-427.  | 2.3 | 17        |
| 76 | Amplification but not translocation of anaplastic lymphoma kinase is a frequent event in oesophageal cancer. <i>European Journal of Cancer</i> , 2013, 49, 1876-1881.  | 1.3 | 17        |
| 77 | Comparison of Inflammation-Based Prognostic Scores in a Cohort of Patients with Resectable Esophageal Cancer. <i>Gastroenterology Research and Practice</i> , 2017, 2017, 1-10.  | 0.7 | 17        |
| 78 | Radiofrequency ablation in patients with large cervical heterotopic gastric mucosa and globus sensation: Closing the treatment gap. <i>Digestive Endoscopy</i> , 2018, 30, 212-218.                                      | 1.3 | 17        |
| 79 | Discrimination between Circulating Endothelial Cells and Blood Cell Populations with Overlapping Phenotype Reveals Distinct Regulation and Predictive Potential in Cancer Therapy. <i>Neoplasia</i> , 2011, 13, 980-990. | 2.3 | 16        |
| 80 | Stromal expression of carbonic anhydrase IX in esophageal cancer. <i>Clinical and Translational Oncology</i> , 2014, 16, 966-972.  | 1.2 | 16        |
| 81 | Crural Closure improves Outcomes of Magnetic Sphincter Augmentation in GERD patients with Hiatal Hernia. <i>Scientific Reports</i> , 2018, 8, 7319.  | 1.6 | 16        |
| 82 | Surgical treatment of GIST – An institutional experience of a high-volume center. <i>International Journal of Surgery</i> , 2013, 11, 801-806.   | 1.1 | 15        |
| 83 | Upper esophageal sphincter dysfunction: diverticula – globus pharyngeus. <i>Annals of the New York Academy of Sciences</i> , 2013, 1300, 250-260.  | 1.8 | 15        |
| 84 | Targeting HER 2 and angiogenesis in gastric cancer. <i>Expert Review of Anticancer Therapy</i> , 2016, 16, 111-122.  | 1.1 | 15        |
| 85 | Waist to hip ratio is a better predictor of esophageal acid exposure than body mass index. <i>Neurogastroenterology and Motility</i> , 2017, 29, e13033.   | 1.6 | 15        |
| 86 | PD-L1 and HER2 Expression in Gastroesophageal Cancer: a Matched Case Control Study. <i>Pathology and Oncology Research</i> , 2020, 26, 2225-2235.  | 0.9 | 15        |
| 87 | Thrombocytes Correlate with Lymphangiogenesis in Human Esophageal Cancer and Mediate Growth of Lymphatic Endothelial Cells In Vitro. <i>PLoS ONE</i> , 2013, 8, e66941.  | 1.1 | 15        |
| 88 | Brain metastases of gastro-oesophageal cancer: evaluation of molecules with relevance for targeted therapies. <i>Anticancer Research</i> , 2013, 33, 1065-71.  | 0.5 | 15        |
| 89 | A phase II trial of two durations of Bevacizumab added to neoadjuvant gemcitabine for borderline and locally advanced pancreatic cancer. <i>Anticancer Research</i> , 2014, 34, 2377-84.                                 | 0.5 | 15        |
| 90 | The Value of Protecting the Longitudinal Staple Line with Invaginating Sutures during Esophageal Reconstruction by Gastric Tube Pull-Up. <i>Digestive Surgery</i> , 2009, 26, 337-341.                                   | 0.6 | 14        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Strategies for Weight Regain After Sleeve Gastrectomy. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2010, 20, 159-161.   | 0.4 | 14        |
| 92  | Correlation of trastuzumab-based treatment with clinical characteristics and prognosis in HER2-positive gastric and gastroesophageal junction cancer: A retrospective single center analysis. Cancer Biology and Therapy, 2018, 19, 169-174. | 1.5 | 14        |
| 93  | Alternative therapies for GERD: a way to personalized antireflux surgery. Annals of the New York Academy of Sciences, 2018, 1434, 360-369.   | 1.8 | 14        |
| 94  | Ineffective Esophageal Motility in Patients with GERD is no Contraindication for Nissen Fundoplication. World Journal of Surgery, 2020, 44, 186-193.   | 0.8 | 14        |
| 95  | Three-year clinical experience with magnetic sphincter augmentation and laparoscopic fundoplication. Surgical Endoscopy and Other Interventional Techniques, 2021, 35, 3449-3458.  | 1.3 | 14        |
| 96  | Expression of FGF8, FGF18, and FGFR4 in Gastroesophageal Adenocarcinomas. Cells, 2019, 8, 1092.  | 1.8 | 13        |
| 97  | No Evidence for BRAF-V600E Mutations in Gastroesophageal Tumors. Applied Immunohistochemistry and Molecular Morphology, 2013, 21, 426-430.   | 0.6 | 12        |
| 98  | Maintaining Bone Density in Patients Undergoing Treatment for Breast Cancer: Is There an Adjuvant Benefit?. Clinical Breast Cancer, 2009, 9, S18-S27.  | 1.1 | 11        |
| 99  | Small bowel adenocarcinoma - terra incognita: A demand for cross-national pooling of data. Oncology Letters, 2014, 7, 1613-1617.   | 0.8 | 11        |
| 100 | MAP kinase activity supported by BRAF V600E mutation rather than gene amplification is associated with ETV1 expression in melanoma brain metastases. Archives of Dermatological Research, 2014, 306, 873-884.                                | 1.1 | 11        |
| 101 | Silent Gastroesophageal Reflux Disease in Patients with Morbid Obesity Prior to Primary Metabolic Surgery. Obesity Surgery, 2020, 30, 4885-4891.   | 1.1 | 11        |
| 102 | Endoscopic stent suture fixation for prevention of esophageal stent migration during prolonged dilatation for achalasia treatment. Ecological Management and Restoration, 2017, 30, 1-6.   | 0.2 | 10        |
| 103 | Update on the management of Barrett's esophagus in Austria. European Surgery - Acta Chirurgica Austriaca, 2017, 49, 282-287.   | 0.3 | 10        |
| 104 | Electrical lower esophageal sphincter augmentation in patients with GERD and severe ineffective esophageal motility—a safety and efficacy study. Surgical Endoscopy and Other Interventional Techniques, 2019, 33, 3623-3628.                | 1.3 | 10        |
| 105 | Swallowing MRI—a reliable method for the evaluation of the postoperative gastroesophageal situs after Nissen fundoplication. European Radiology, 2019, 29, 4400-4407.  | 2.3 | 10        |
| 106 | Elevated Free Thyroxine Levels Are Associated with Poorer Overall Survival in Patients with Gastroesophageal Cancer: A Retrospective Single Center Analysis. Hormones and Cancer, 2020, 11, 42-51.   | 4.9 | 10        |
| 107 | The cardia: Esophageal or gastric? Critical reviewing the anatomy and histopathology of the esophagogastric junction. Acta Chirurgica Iugoslavica, 2012, 59, 15-26.  | 0.0 | 9         |
| 108 | Gastrointestinal stromal tumors: Diagnosis, therapy and follow-up care in Austria. Wiener Medizinische Wochenschrift, 2013, 163, 137-152.  | 0.5 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Diagnosis and treatment of benign inflammatory esophageal diseases. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2015, 47, 188-198.  | 0.3 | 9         |
| 110 | microRNA-21 Expression is Elevated in Esophageal Adenocarcinoma After Neoadjuvant Chemotherapy. <i>Cancer Investigation</i> , 2015, 33, 246-250.  | 0.6 | 9         |
| 111 | External validation of the NUn score for predicting anastomotic leakage after oesophageal resection. <i>Scientific Reports</i> , 2017, 7, 9725.   | 1.6 | 9         |
| 112 | MK2 and ETV1 Are Prognostic Factors in Esophageal Adenocarcinomas. <i>Journal of Cancer</i> , 2018, 9, 460-468.   | 1.2 | 9         |
| 113 | A Diagnostic Algorithm That Combines Quantitative 18F-FDG PET Parameters and Contrast-Enhanced CT Improves Posttherapeutic Locoregional Restaging and Prognostication of Survival in Patients With Esophageal Cancer. <i>Clinical Nuclear Medicine</i> , 2019, 44, e13-e21. | 0.7 | 9         |
| 114 | Expression of podoplanin is a rare event in sporadic gastrointestinal stromal tumors and does not influence prognosis. <i>Future Oncology</i> , 2012, 8, 859-866.   | 1.1 | 8         |
| 115 | Radiofrequency ablation of Barrett's esophagus and early cancer within the background of the pathophysiology of the disease. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2012, 44, 366-382.   | 0.3 | 8         |
| 116 | Influence of resection extent on morbidity in surgery for squamous cell cancer at the pharyngo-esophageal junction. <i>Langenbeck's Archives of Surgery</i> , 2013, 398, 221-230.   | 0.8 | 8         |
| 117 | Downregulation of phosphatidylethanolamine binding protein 1 associates with clinical risk factors in gastrointestinal stromal tumors, but not with activation of the RAF-1-MEK-ETV1 pathway. <i>Cancer Letters</i> , 2013, 335, 26-30.                                     | 3.2 | 8         |
| 118 | A pilot study of the endomicroscopic assessment of tumor extension in Barrett's esophagus-associated neoplasia before endoscopic resection. <i>Endoscopy International Open</i> , 2015, 03, E19-E28.  | 0.9 | 8         |
| 119 | The role of magnetic sphincter augmentation in the treatment of gastroesophageal reflux disease. <i>Current Opinion in Gastroenterology</i> , 2021, 37, 384-389.  | 1.0 | 8         |
| 120 | Turning the tables on surgical oncology: the Pancho trial unplugged. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2008, 40, 277-283.   | 0.3 | 7         |
| 121 | Assessment of columnar-lined esophagus in controls and patients with gastroesophageal reflux disease with and without proton-pump inhibitor therapy. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2012, 44, 304-313.   | 0.3 | 7         |
| 122 | Phosphorylation of STAT3 correlates with HER2 status, but not with survival in pancreatic ductal adenocarcinoma. <i>Apmis</i> , 2014, 122, 476-481.   | 0.9 | 7         |
| 123 | Expanded Indication for Magnetic Sphincter Augmentation: Outcomes in Weakly Acidic Reflux Compared to Standard GERD Patients. <i>Journal of Gastrointestinal Surgery</i> , 2022, 26, 532-541.   | 0.9 | 7         |
| 124 | Abdominal drainage after liver transplantation from deceased donors. <i>Langenbeck's Archives of Surgery</i> , 2015, 400, 813-819.  | 0.8 | 6         |
| 125 | The Oncogene AF1Q is Associated with WNT and STAT Signaling and Offers a Novel Independent Prognostic Marker in Patients with Resectable Esophageal Cancer. <i>Cells</i> , 2019, 8, 1357.   | 1.8 | 6         |
| 126 | Tailored modern GERD therapy steps towards the development of an aid to guide personalized anti-reflux surgery. <i>Scientific Reports</i> , 2019, 9, 19174.   | 1.6 | 6         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Review on novel concepts of columnar lined esophagus. Wiener Klinische Wochenschrift, 2013, 125, 577-590.   | 1.0 | 5         |
| 128 | Austrian expert panel recommendation for radiofrequency ablation of Barrett's esophagus. European Surgery - Acta Chirurgica Austriaca, 2015, 47, 319-323.   | 0.3 | 5         |
| 129 | Dietary sugar and Barrett's esophagus. European Surgery - Acta Chirurgica Austriaca, 2017, 49, 279-281.   | 0.3 | 5         |
| 130 | panco trial (p53-adapted neoadjuvant chemotherapy for resectable esophageal cancer) completed - mutation rate of the marker higher than expected. European Surgery - Acta Chirurgica Austriaca, 2018, 50, 160-166.  | 0.3 | 5         |
| 131 | Electrical Stimulation of the Lower Esophageal Sphincter to Treat Gastroesophageal Reflux After POEM. Surgical Innovation, 2018, 25, 346-349.   | 0.4 | 5         |
| 132 | Modification of preoperative radiochemotherapy for esophageal cancer (CROSS protocol) is safe and efficient with no impact on surgical morbidity. Strahlentherapie Und Onkologie, 2020, 196, 779-786.   | 1.0 | 5         |
| 133 | Her-2 in gastroesophageal cancer: pathobiology, diagnostic and therapeutic implications. European Surgery - Acta Chirurgica Austriaca, 2011, 43, 162-167.   | 0.3 | 4         |
| 134 | No Evidence for Recipient-Derived Hepatocytes in Serial Biopsies of Sex-Mismatched Liver Transplants. Transplantation, 2012, 94, 953-957.   | 0.5 | 4         |
| 135 | Does anti-reflux surgery disrupt the pathway of Barrett's esophagus progression to cancer?. Translational Gastroenterology and Hepatology, 2018, 3, 101-101.  | 1.5 | 4         |
| 136 | Fibroblast growth factor 8 overexpression is predictive of poor prognosis in pancreatic ductal adenocarcinoma. European Surgery - Acta Chirurgica Austriaca, 2020, 52, 282-289.   | 0.3 | 4         |
| 137 | Clinical characteristics and comparison of the outcome in young versus older patients with upper gastrointestinal carcinoma. Journal of Cancer Research and Clinical Oncology, 2020, 146, 3313-3322.  | 1.2 | 4         |
| 138 | Tumor cell budding in preoperative biopsies of esophageal and gastroesophageal junction carcinoma independently predicts survival in a grade-dependent manner. Surgery, 2022, 172, 567-574.   | 1.0 | 4         |
| 139 | Severe Dysphagia is Rare After Magnetic Sphincter Augmentation. World Journal of Surgery, 2022, 46, 2243-2250.  | 0.8 | 4         |
| 140 | Gastrointestinal reconstructions in 1200 patients with cancer at the pharyngoesophageal junction. European Surgery - Acta Chirurgica Austriaca, 2010, 42, 38-48.  | 0.3 | 3         |
| 141 | Fast-track Ivor Lewis esophageal resection. European Surgery - Acta Chirurgica Austriaca, 2015, 47, 59-64.  | 0.3 | 3         |
| 142 | A retrospective study on the safety, diagnostic yield, and therapeutic effects of endoscopic unroofing for small gastric subepithelial tumors. Gastrointestinal Endoscopy, 2016, 84, 924-929.   | 0.5 | 3         |
| 143 | Programmed death ligand 2 expression plays a limited role in adenocarcinomas of the gastroesophageal junction after preoperative chemotherapy. European Surgery - Acta Chirurgica Austriaca, 2021, 53, 287-293.   | 0.3 | 3         |
| 144 | Expression of programmed cell death protein 1 (PD-1) and programmed cell death 1 ligand (PD-L1) in adenocarcinomas of the gastroesophageal junction change significantly after neoadjuvant treatment. European Journal of Surgical Oncology, 2022, 48, 383-390. | 0.5 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Is Endocrine Therapy Really Pleasant? Considerations about the Long-Term Use of Antihormonal Therapy and Its Benefit/Side Effect Ratio. <i>Breast Care</i> , 2009, 4, 155-161.  | 0.8 | 2         |
| 146 | Downregulation of CIC Does Not Associate with Overexpression of ETV1 or MAP Kinase Pathway Activation in Gastrointestinal Stromal Tumors. <i>Cancer Investigation</i> , 2014, 32, 363-367.                                      | 0.6 | 2         |
| 147 | Face Barrett's Esophageal Adenocarcinoma Affects the Young. <i>Journal of Gastrointestinal Surgery</i> , 2014, 18, 882-883.   | 0.9 | 2         |
| 148 | Swallowing MRI for GERD diagnosis and treatment monitoring. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2019, 51, 231-238.  | 0.3 | 2         |
| 149 | Effect of electrical stimulation therapy of the lower esophageal sphincter in GERD patients with ineffective esophageal motility. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 35, 6101-6107.          | 1.3 | 2         |
| 150 | Electrical stimulation therapy of the lower esophageal sphincter in GERD patients - a prospective single-center study. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2021, 53, 29-34.                                   | 0.3 | 2         |
| 151 | Exploring the concept of centralization of surgery for benign esophageal diseases: a Delphi based consensus from the European Society for Diseases of the Esophagus. <i>Ecological Management and Restoration</i> , 2021, 34, . | 0.2 | 2         |
| 152 | Performance of a new natural oral contrast agent (LumiVision®) in dynamic MR swallowing. <i>European Radiology</i> , 2021, 31, 8578-8585.   | 2.3 | 2         |
| 153 | Esophageal resection in Austria - preparing a national registry. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2021, 53, 206-214.   | 0.3 | 2         |
| 154 | Surgical oncology: impact of lymphangiogenesis for metastasis formation. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2005, 37, 153-158.   | 0.3 | 1         |
| 155 | A Case of Phyllodes Tumor with Focal Transition into Low-Grade Lymphangiosarcoma. <i>Breast Care</i> , 2006, 1, 391-394.  | 0.8 | 1         |
| 156 | Early-Stage Breast Cancer - Highlights at ASCO 2006. <i>Breast Care</i> , 2006, 1, 265-269.   | 0.8 | 1         |
| 157 | Gastroesophageal Reflux Disease and Metabolic Syndrome. <i>Internal Medicine</i> , 2012, 51, 2993-2993.   | 0.3 | 1         |
| 158 | Letter: cancer risk among persons with columnar-lined oesophagus. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 36, 599-599.  | 1.9 | 1         |
| 159 | Extending Barrett's esophagus cancer risk profile towards genetic abnormalities. <i>Molecular Cytogenetics</i> , 2013, 6, 10.   | 0.4 | 1         |
| 160 | Dilated Distal Esophagus: Optimal Position for Magnetic Sphincter Augmentation. <i>Journal of the American College of Surgeons</i> , 2013, 217, 1155-1156.  | 0.2 | 1         |
| 161 | Barrett's esophagus as a marker for increased risk for esophageal cancer and cardiorespiratory disease. <i>Endoscopy</i> , 2013, 45, 152-152.   | 1.0 | 1         |
| 162 | Lack of correlation between blood group and HER-2 status in adenocarcinomas of the upper gastrointestinal tract. <i>Molecular and Clinical Oncology</i> , 2013, 1, 1079-1083.   | 0.4 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Selected commentary to "Radiofrequency ablation vs endoscopic surveillance for patients with Barrett esophagus and low-grade dysplasia. A randomized clinical trial" European Surgery - Acta Chirurgica Austriaca, 2014, 46, 133-136.                    | 0.3 | 1         |
| 164 | Laryngopharyngeal reflux COPD to uncover reflux and columnar lined esophagus. International Journal of COPD, 2015, 10, 2095.   | 0.9 | 1         |
| 165 | Should antireflux surgery be considered after successful endoscopic treatment of Barrett's esophagus with dysplasia and early cancer?. Endoscopy, 2015, 48, 92-92.   | 1.0 | 1         |
| 166 | Tu1510 Implementation of PerOral Endoscopic Myotomy (POEM) and Prolonged Dilatation As Treatment for Achalasia: Is It Worth the Cost?. Gastrointestinal Endoscopy, 2015, 81, AB490-AB491.  | 0.5 | 1         |
| 167 | Tension-Free Inlay Repair of Large Hiatal Hernias Using Dual-Sided Composite PTFE/ePTFE Meshes in Laparoscopic Surgery for Gastroesophageal Reflux Disease. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2017, 27, 710-714.    | 0.5 | 1         |
| 168 | Multidisciplinary Management: Alternative Perspectives for the Management of Gastroesophageal Reflux Disease (GERD) and Barrett's Esophagus (BE)., 2021, , 187-203.  |     | 1         |
| 169 | Vascular endothelial growth factor-C expression and lymphangiogenesis in colorectal cancer. European Surgery - Acta Chirurgica Austriaca, 2006, 38, 149-154.   | 0.3 | 0         |
| 170 | Radial esophageal acid exposure and the dilated distal esophagus. Journal of Gastroenterology, 2012, 47, 1275-1276.  | 2.3 | 0         |
| 171 | Selected commentary to "Incidence of adenocarcinoma among patients with Barrett's esophagus". European Surgery - Acta Chirurgica Austriaca, 2012, 44, 291-295.   | 0.3 | 0         |
| 172 | Otolaryngeal GERD Symptoms and Barrett Esophagus. Journal of Clinical Gastroenterology, 2014, 48, 191.   | 1.1 | 0         |
| 173 | Surgical controversies in esophageal cancer. Memo - Magazine of European Medical Oncology, 2014, 7, 30-33.   | 0.3 | 0         |
| 174 | Barrett's Esophagus and Antireflux Surgery. Annals of Surgery, 2015, 261, e49.   | 2.1 | 0         |
| 175 | Selected commentary to "Treatment of Barrett's esophagus with a novel focal cryoablation device: a safety and feasibility study" European Surgery - Acta Chirurgica Austriaca, 2015, 47, 274-278.  | 0.3 | 0         |
| 176 | Tu1275 Immediate Surgery and Not Preoperative Chemotherapy Improves Recurrence-Free Interval in Patients With cT2 Esophageal Cancer. Gastroenterology, 2016, 150, S1249.   | 0.6 | 0         |
| 177 | Innovations in Minimally Invasive Therapy of GERD. Introductory Series in Medicine, 2018, , 35-53.   | 0.0 | 0         |
| 178 | No Difference of the Systemic Immune-Inflammation Index as Prognostic Factor for Patients with Adenocarcinoma of the Gastroesophageal Junction With or Without Neoadjuvant Treatment. Journal of the American College of Surgeons, 2018, 227, S245-S246. | 0.2 | 0         |
| 179 | Elevated Mean Corpuscular Volume Predicts Poor Outcome in Patients With Adenocarcinomas of the Esophagogastric Junction. Journal of the American College of Surgeons, 2018, 227, e215.   | 0.2 | 0         |
| 180 | Additional fundophrenicopexia, after Nissen fundoplication, reduces postoperative dysphagia and re-operation rate in the long-term follow up. Surgical Endoscopy and Other Interventional Techniques, 2021, , 1.   | 1.3 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Thyroid Hormone Replacement Therapy Is Associated with Longer Overall Survival in Patients with Resectable Gastroesophageal Cancer: A Retrospective Single-Center Analysis. <i>Cancers</i> , 2021, 13, 5050. | 1.7 | 0         |
| 182 | Radiofrequency Ablation and Antireflux Management for Non-dysplastic Barrett's Esophagus. , 2012, , 27-41.   |     | 0         |
| 183 | Abstract 4463: The coactivator oncogene AF1Q associates with STAT3 activation downstream of MET action in gastro-esophageal cancer patients. , 2017, , .   |     | 0         |
| 184 | Endoscopic Therapy for Barrett's Esophagus: Who and How?. <i>Introductory Series in Medicine</i> , 2018, , 105-131.  | 0.0 | 0         |