

Sebastian F F Schoppmann

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3221682/sebastian-f-f-schoppmann-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

174
papers

4,909
citations

33
h-index

65
g-index

191
ext. papers

5,431
ext. citations

3.8
avg, IF

5.21
L-index

#	Paper	IF	Citations
174	Tumor-associated macrophages express lymphatic endothelial growth factors and are related to peritumoral lymphangiogenesis. <i>American Journal of Pathology</i> , 2002 , 161, 947-56	5.8	628
173	Isolation and characterization of dermal lymphatic and blood endothelial cells reveal stable and functionally specialized cell lineages. <i>Journal of Experimental Medicine</i> , 2001 , 194, 797-808	16.6	415
172	Overexpression of hypoxia-inducible factor 1alpha is associated with an unfavorable prognosis in lymph node-positive breast cancer. <i>Clinical Cancer Research</i> , 2002 , 8, 1831-7	12.9	275
171	Reactor Ξ disappearance in the Double Chooz experiment. <i>Physical Review D</i> , 2012 , 86,	4.9	238
170	Prognostic value of lymphangiogenesis and lymphovascular invasion in invasive breast cancer. <i>Annals of Surgery</i> , 2004 , 240, 306-12	7.8	193
169	Markers of sarcopenia quantified by computed tomography predict adverse long-term outcome in patients with resected oesophageal or gastro-oesophageal junction cancer. <i>European Radiology</i> , 2016 , 26, 1359-67	8	140
168	Conversion from sleeve gastrectomy to Roux-en-Y gastric bypass--indications and outcome. <i>Obesity Surgery</i> , 2010 , 20, 835-40	3.7	130
167	Overexpression of Id-1 is associated with poor clinical outcome in node negative breast cancer. <i>International Journal of Cancer</i> , 2003 , 104, 677-82	7.5	125
166	VEGF-C expressing tumor-associated macrophages in lymph node positive breast cancer: impact on lymphangiogenesis and survival. <i>Surgery</i> , 2006 , 139, 839-46	3.6	121
165	Open versus minimally invasive esophagectomy: a single-center case controlled study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010 , 24, 3044-53	5.2	92
164	Hypoxia inducible factor-1alpha correlates with VEGF-C expression and lymphangiogenesis in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2006 , 99, 135-41	4.4	87
163	Impact of sarcopenia on outcome in patients with esophageal resection following neoadjuvant chemotherapy for esophageal cancer. <i>European Journal of Surgical Oncology</i> , 2017 , 43, 478-484	3.6	77
162	Podoplanin-expressing cancer-associated fibroblasts are associated with poor prognosis in invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012 , 134, 237-44	4.4	76
161	Podoplanin expressing cancer associated fibroblasts are associated with unfavourable prognosis in adenocarcinoma of the esophagus. <i>Clinical and Experimental Metastasis</i> , 2013 , 30, 441-6	4.7	75
160	Endoscopic anterior fundoplication with the Medigus Ultrasonic Surgical Endostapler (MUSE) for gastroesophageal reflux disease: 6-month results from a multi-center prospective trial. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015 , 29, 220-9	5.2	74
159	Increase in podoplanin-expressing intestinal lymphatic vessels in inflammatory bowel disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003 , 442, 231-7	5.1	74
158	Temporary placement of self-expanding oesophageal stents as bridging for neo-adjuvant therapy. <i>Annals of Surgical Oncology</i> , 2010 , 17, 470-5	3.1	56

157	Expression of Her-2 in carcinomas of the esophagus. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 1868-73	6.7	52
156	ALK gene translocations and amplifications in brain metastases of non-small cell lung cancer. <i>Lung Cancer</i> , 2013 , 80, 278-83	5.9	50
155	Selective immunohistochemical staining shows significant prognostic influence of lymphatic and blood vessels in patients with malignant melanoma. <i>European Journal of Cancer</i> , 2004 , 40, 358-64	7.5	49
154	Surgery for gastrointestinal stromal tumors of the stomach. <i>Journal of Gastrointestinal Surgery</i> , 2009 , 13, 1213-9	3.3	48
153	Overexpression of the human homologue for <i>Caenorhabditis elegans</i> cul-4 gene is associated with poor outcome in node-negative breast cancer. <i>Anticancer Research</i> , 2007 , 27, 949-52	2.3	48
152	Thrombospondin-1: a unique marker to identify in vitro platelet activation when monitoring in vivo processes. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 1809-19	15.4	44
151	The biomarker TP53 divides patients with neoadjuvantly treated esophageal cancer into 2 subgroups with markedly different outcomes. A p53 Research Group study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 148, 2280-6	1.5	42
150	Lymphangiogenesis and lymphovascular invasion diminishes prognosis in esophageal cancer. <i>Surgery</i> , 2013 , 153, 526-34	3.6	42
149	HER2/neu expression correlates with vascular endothelial growth factor-C and lymphangiogenesis in lymph node-positive breast cancer. <i>Annals of Oncology</i> , 2010 , 21, 955-60	10.3	42
148	Improved molecular classification of serrated lesions of the colon by immunohistochemical detection of BRAF V600E. <i>Modern Pathology</i> , 2014 , 27, 135-44	9.8	39
147	Lymphatic vessels and lymphangiogenesis in female cancer: mechanisms, clinical impact and possible implications for anti-lymphangiogenic therapies (Review). <i>Oncology Reports</i> , 2002 , 9, 455-60	3.5	39
146	Phosphorylation of signal transducer and activator of transcription 3 (STAT3) correlates with Her-2 status, carbonic anhydrase 9 expression and prognosis in esophageal cancer. <i>Clinical and Experimental Metastasis</i> , 2012 , 29, 615-24	4.7	38
145	High Systemic Immune-Inflammation Index is an Adverse Prognostic Factor for Patients With Gastroesophageal Adenocarcinoma. <i>Annals of Surgery</i> , 2021 , 273, 532-541	7.8	37
144	Carbonic anhydrase IX overexpression is associated with diminished prognosis in esophageal cancer and correlates with Her-2 expression. <i>Annals of Surgical Oncology</i> , 2011 , 18, 3330-7	3.1	35
143	Mutant IDH1 inhibits PI3K/Akt signaling in human glioma. <i>Cancer</i> , 2014 , 120, 2440-7	6.4	33
142	Platelet-Stored Angiogenesis Factors: Clinical Monitoring Is Prone to Artifacts. <i>Disease Markers</i> , 2011 , 31, 55-65	3.2	33
141	Telomerase-immortalized lymphatic and blood vessel endothelial cells are functionally stable and retain their lineage specificity. <i>Microcirculation</i> , 2004 , 11, 261-9	2.9	33
140	High risk of unilateral recurrent laryngeal nerve paralysis after esophagectomy using cervical anastomosis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011 , 268, 1605-10	3.5	31

139	Adequate preoperative staging rarely leads to a change of intraoperative strategy in patients undergoing surgery for colorectal cancer liver metastases. <i>Surgery</i> , 2008 , 143, 648-57	3.6	31
138	MAPKAP kinase 2 overexpression influences prognosis in gastrointestinal stromal tumors and associates with copy number variations on chromosome 1 and expression of p38 MAP kinase and ETV1. <i>Clinical Cancer Research</i> , 2012 , 18, 1879-87	12.9	30
137	Selective resection of colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2007 , 33, 174-83	3.6	30
136	Outcome and complications of long-term self-expanding esophageal stenting. <i>Ecological Management and Restoration</i> , 2013 , 26, 154-8	3	27
135	Accuracy of hydro-multidetector row CT in the local T staging of oesophageal cancer compared to postoperative histopathological results. <i>European Radiology</i> , 2011 , 21, 2326-35	8	27
134	Human homologue for <i>Caenorhabditis elegans</i> CUL-4 protein overexpression is associated with malignant potential of epithelial ovarian tumours and poor outcome in carcinoma. <i>Journal of Clinical Pathology</i> , 2012 , 65, 507-11	3.9	27
133	Change in volume parameters induced by neoadjuvant chemotherapy provide accurate prediction of overall survival after resection in patients with oesophageal cancer. <i>European Radiology</i> , 2016 , 26, 311-21	8	26
132	Novel clinically relevant genes in gastrointestinal stromal tumors identified by exome sequencing. <i>Clinical Cancer Research</i> , 2013 , 19, 5329-39	12.9	26
131	Expression of BRAF V600E mutant protein in epithelial ovarian tumors. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2013 , 21, 159-64	1.9	25
130	First measurement of the muon neutrino charged current single pion production cross section on water with the T2K near detector. <i>Physical Review D</i> , 2017 , 95,	4.9	24
129	PD-L1 expression is an independent predictor of favorable outcome in patients with localized esophageal adenocarcinoma. <i>Oncotmunology</i> , 2018 , 7, e1435226	7.2	23
128	HER-2 status in primary oesophageal cancer, lymph nodes and distant metastases. <i>British Journal of Surgery</i> , 2011 , 98, 1408-13	5.3	23
127	Heat shock treatment of tumor lysate-pulsed dendritic cells enhances their capacity to elicit antitumor T cell responses against medullary thyroid carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 4571-7	5.6	23
126	Platelet-stored angiogenesis factors: clinical monitoring is prone to artifacts. <i>Disease Markers</i> , 2011 , 31, 55-65	3.2	23
125	MicroRNA Profiles of Barrett's Esophagus and Esophageal Adenocarcinoma: Differences in Glandular Non-native Epithelium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 429-37	4	22
124	Overexpression of CMET is associated with signal transducer and activator of transcription 3 activation and diminished prognosis in oesophageal adenocarcinoma but not in squamous cell carcinoma. <i>European Journal of Cancer</i> , 2014 , 50, 1354-60	7.5	22
123	Lymphangiogenesis, inflammation and metastasis. <i>Anticancer Research</i> , 2005 , 25, 4503-11	2.3	22
122	Expression of Programmed Cell Death Protein 1 by Tumor-Infiltrating Lymphocytes and Tumor Cells is Associated with Advanced Tumor Stage in Patients with Esophageal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2698-2706	3.1	20

121	RAF-kinase inhibitor protein (RKIP) downregulation in esophageal cancer and its metastases. <i>Clinical and Experimental Metastasis</i> , 2012 , 29, 551-9	4.7	20
120	Solving the problem of difficult stent removal due to tissue ingrowth in partially uncovered esophageal self-expanding metal stents. <i>Annals of Thoracic Surgery</i> , 2010 , 89, 1691-2	2.7	20
119	Targeted therapy in gastric cancer. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2016 , 48, 278-284	0.9	20
118	The modified glasgow prognostic score is an independent prognostic indicator in neoadjuvantly treated adenocarcinoma of the esophagogastric junction. <i>Oncotarget</i> , 2018 , 9, 6968-6976	3.3	20
117	Modern Esophageal Function Testing and Gastroesophageal Reflux Disease in Morbidly Obese Patients. <i>Obesity Surgery</i> , 2019 , 29, 3536-3541	3.7	19
116	PD1-positive tumor-infiltrating lymphocytes are associated with poor clinical outcome after pulmonary metastasectomy for colorectal cancer. <i>Oncolmunology</i> , 2017 , 6, e1331194	7.2	19
115	Lymphovascular invasion of tumor cells in lymph node metastases has a negative impact on survival in esophageal cancer. <i>Surgery</i> , 2016 , 160, 331-40	3.6	19
114	HER2 gene amplification and protein expression in pancreatic ductal adenocarcinomas. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2014 , 22, 146-52	1.9	18
113	Direct measurement of backgrounds using reactor-off data in Double Chooz. <i>Physical Review D</i> , 2013 , 87,	4.9	18
112	Morbidity in open versus minimally invasive hybrid esophagectomy (MIOMIE): Long-term results of a randomized controlled clinical study. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2018 , 50, 249-255	0.9	18
111	Fifty-five minimally invasive Esophagectomies: a single centre experience. <i>Anticancer Research</i> , 2009 , 29, 2719-25	2.3	18
110	Prognostic value of volumetric PET parameters in unresectable and metastatic esophageal cancer. <i>European Journal of Radiology</i> , 2016 , 85, 540-5	4.7	17
109	Phenotypes of Jackhammer esophagus in patients with typical symptoms of gastroesophageal reflux disease responsive to proton pump inhibitors. <i>Scientific Reports</i> , 2018 , 8, 9949	4.9	17
108	Comparison of Inflammation-Based Prognostic Scores in a Cohort of Patients with Resectable Esophageal Cancer. <i>Gastroenterology Research and Practice</i> , 2017 , 2017, 1678584	2	16
107	Amplification but not translocation of anaplastic lymphoma kinase is a frequent event in oesophageal cancer. <i>European Journal of Cancer</i> , 2013 , 49, 1876-81	7.5	16
106	Measurement of Coherent $\bar{\nu}_e$ Production in Low Energy Neutrino-Carbon Scattering. <i>Physical Review Letters</i> , 2016 , 117, 192501	7.4	15
105	A phase II trial of two durations of Bevacizumab added to neoadjuvant gemcitabine for borderline and locally advanced pancreatic cancer. <i>Anticancer Research</i> , 2014 , 34, 2377-84	2.3	15
104	Plasma fibrinogen and blood platelet counts are associated with response to neoadjuvant therapy in esophageal cancer. <i>Biomarkers in Medicine</i> , 2015 , 9, 327-35	2.3	14

103	Dysphagia severity is related to the amplitude of distal contractile integral in patients with Jackhammer esophagus. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13276	4	14
102	Results of Magnetic Sphincter Augmentation for Gastroesophageal Reflux Disease. <i>World Journal of Surgery</i> , 2018 , 42, 3263-3269	3.3	14
101	Targeting HER 2 and angiogenesis in gastric cancer. <i>Expert Review of Anticancer Therapy</i> , 2016 , 16, 111-235	3.5	14
100	Stromal expression of carbonic anhydrase IX in esophageal cancer. <i>Clinical and Translational Oncology</i> , 2014 , 16, 966-72	3.6	14
99	Her-2/neu gene amplification and over-expression in stomach and esophageal adenocarcinoma: from pathology to treatment. <i>Critical Reviews in Oncology/Hematology</i> , 2012 , 82, 310-22	7	14
98	Surgical treatment of GIST--an institutional experience of a high-volume center. <i>International Journal of Surgery</i> , 2013 , 11, 801-6	7.5	14
97	Brain metastases of gastro-oesophageal cancer: evaluation of molecules with relevance for targeted therapies. <i>Anticancer Research</i> , 2013 , 33, 1065-71	2.3	14
96	Radiofrequency ablation in patients with large cervical heterotopic gastric mucosa and globus sensation: Closing the treatment gap. <i>Digestive Endoscopy</i> , 2018 , 30, 212-218	3.7	13
95	Myelosuppression of thrombocytes and monocytes is associated with a lack of synergy between chemotherapy and anti-VEGF treatment. <i>Neoplasia</i> , 2011 , 13, 419-27	6.4	13
94	Strategies for weight regain after sleeve gastrectomy. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2010 , 20, 159-61	1.3	13
93	Persistent dysphagia is a rare problem after laparoscopic Nissen fundoplication. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019 , 33, 1196-1205	5.2	13
92	High Mean Corpuscular Volume Predicts Poor Outcome for Patients With Gastroesophageal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2019 , 26, 976-985	3.1	12
91	Correlation of trastuzumab-based treatment with clinical characteristics and prognosis in HER2-positive gastric and gastroesophageal junction cancer: A retrospective single center analysis. <i>Cancer Biology and Therapy</i> , 2018 , 19, 169-174	4.6	12
90	Crural Closure improves Outcomes of Magnetic Sphincter Augmentation in GERD patients with Hiatal Hernia. <i>Scientific Reports</i> , 2018 , 8, 7319	4.9	12
89	Discrimination between circulating endothelial cells and blood cell populations with overlapping phenotype reveals distinct regulation and predictive potential in cancer therapy. <i>Neoplasia</i> , 2011 , 13, 980-90	6.4	12
88	Do we understand the pathophysiology of GERD after sleeve gastrectomy?. <i>Annals of the New York Academy of Sciences</i> , 2020 , 1482, 26-35	6.5	12
87	Waist to hip ratio is a better predictor of esophageal acid exposure than body mass index. <i>Neurogastroenterology and Motility</i> , 2017 , 29, e13033	4	11
86	Small bowel adenocarcinoma - : A demand for cross-national pooling of data. <i>Oncology Letters</i> , 2014 , 7, 1613-1617	2.6	11

85	Maintaining bone density in patients undergoing treatment for breast cancer: is there an adjuvant benefit?. <i>Clinical Breast Cancer</i> , 2009 , 9 Suppl 1, S18-27	3	11
84	Thrombocytes Correlate with Lymphangiogenesis in Human Esophageal Cancer and Mediate Growth of Lymphatic Endothelial Cells In Vitro. <i>PLoS ONE</i> , 2013 , 8, e66941	3.7	11
83	The value of protecting the longitudinal staple line with invaginating sutures during esophageal reconstruction by gastric tube pull-up. <i>Digestive Surgery</i> , 2009 , 26, 337-41	2.5	10
82	Ineffective Esophageal Motility in Patients with GERD is no Contraindication for Nissen Fundoplication. <i>World Journal of Surgery</i> , 2020 , 44, 186-193	3.3	10
81	Upper esophageal sphincter dysfunction: diverticula-globus pharyngeus. <i>Annals of the New York Academy of Sciences</i> , 2013 , 1300, 250-260	6.5	9
80	Alternative therapies for GERD: a way to personalized antireflux surgery. <i>Annals of the New York Academy of Sciences</i> , 2018 , 1434, 360-369	6.5	9
79	Endoscopic stent suture fixation for prevention of esophageal stent migration during prolonged dilatation for achalasia treatment. <i>Ecological Management and Restoration</i> , 2017 , 30, 1-6	3	8
78	microRNA-21 expression is elevated in esophageal adenocarcinoma after neoadjuvant chemotherapy. <i>Cancer Investigation</i> , 2015 , 33, 246-50	2.1	8
77	MK2 and ETV1 Are Prognostic Factors in Esophageal Adenocarcinomas. <i>Journal of Cancer</i> , 2018 , 9, 460-468	4.8	8
76	MAP kinase activity supported by BRAF (V600E) mutation rather than gene amplification is associated with ETV1 expression in melanoma brain metastases. <i>Archives of Dermatological Research</i> , 2014 , 306, 873-84	3.3	8
75	Gastrointestinal stromal tumors: diagnosis, therapy and follow-up care in Austria. <i>Wiener Medizinische Wochenschrift</i> , 2013 , 163, 137-52	2.9	8
74	No evidence for BRAF-V600E mutations in gastroesophageal tumors: results from a high-throughput analysis of 534 cases using a mutation-specific antibody. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2013 , 21, 426-30	1.9	8
73	Electrical lower esophageal sphincter augmentation in patients with GERD and severe ineffective esophageal motility-a safety and efficacy study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019 , 33, 3623-3628	5.2	7
72	Diagnosis and treatment of benign inflammatory esophageal diseases. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2015 , 47, 188-198	0.9	7
71	Expression of podoplanin is a rare event in sporadic gastrointestinal stromal tumors and does not influence prognosis. <i>Future Oncology</i> , 2012 , 8, 859-66	3.6	7
70	Expression of FGF8, FGF18, and FGFR4 in Gastroesophageal Adenocarcinomas. <i>Cells</i> , 2019 , 8,	7.9	6
69	Phosphorylation of STAT3 correlates with HER2 status, but not with survival in pancreatic ductal adenocarcinoma. <i>Apmis</i> , 2014 , 122, 476-81	3.4	6
68	Downregulation of phosphatidylethanolamine binding protein 1 associates with clinical risk factors in gastrointestinal stromal tumors, but not with activation of the RAF-1-MEK-ETV1 pathway. <i>Cancer Letters</i> , 2013 , 335, 26-30	9.9	6

67	External validation of the NUn score for predicting anastomotic leakage after oesophageal resection. <i>Scientific Reports</i> , 2017 , 7, 9725	4.9	6
66	Radiofrequency ablation of Barrett's esophagus and early cancer within the background of the pathophysiology of the disease. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2012 , 44, 366-382	0.9	6
65	Swallowing MRI-a reliable method for the evaluation of the postoperative gastroesophageal situs after Nissen fundoplication. <i>European Radiology</i> , 2019 , 29, 4400-4407	8	6
64	A pilot study of the endomicroscopic assessment of tumor extension in Barrett's esophagus-associated neoplasia before endoscopic resection. <i>Endoscopy International Open</i> , 2015 , 3, E19-28	3	5
63	Abdominal drainage after liver transplantation from deceased donors. <i>Langenbeck's Archives of Surgery</i> , 2015 , 400, 813-9	3.4	5
62	Modification of preoperative radiochemotherapy for esophageal cancer (CROSS protocol) is safe and efficient with no impact on surgical morbidity. <i>Strahlentherapie Und Onkologie</i> , 2020 , 196, 779-786	4.3	5
61	Update on the management of Barrett's esophagus in Austria. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2017 , 49, 282-287	0.9	5
60	Elevated Free Thyroxine Levels Are Associated with Poorer Overall Survival in Patients with Gastroesophageal Cancer: A Retrospective Single Center Analysis. <i>Hormones and Cancer</i> , 2020 , 11, 42-51 ⁵		5
59	Tailored modern GERD therapy - steps towards the development of an aid to guide personalized anti-reflux surgery. <i>Scientific Reports</i> , 2019 , 9, 19174	4.9	5
58	Influence of resection extent on morbidity in surgery for squamous cell cancer at the pharyngo-esophageal junction. <i>Langenbeck's Archives of Surgery</i> , 2013 , 398, 221-30	3.4	4
57	Dietary sugar and Barrett's esophagus. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2017 , 49, 279-281	0.9	4
56	Austrian expert panel recommendation for radiofrequency ablation of Barrett's esophagus. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2015 , 47, 319-323	0.9	4
55	Assessment of columnar-lined esophagus in controls and patients with gastroesophageal reflux disease with and without proton-pump inhibitor therapy. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2012 , 44, 304-313	0.9	4
54	Review on novel concepts of columnar lined esophagus. <i>Wiener Klinische Wochenschrift</i> , 2013 , 125, 577-90 ₃		4
53	No evidence for recipient-derived hepatocytes in serial biopsies of sex-mismatched liver transplants. <i>Transplantation</i> , 2012 , 94, 953-7	1.8	4
52	Turning the tables on surgical oncology: the Pancho trial unplugged. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2008 , 40, 277-283	0.9	4
51	Silent Gastroesophageal Reflux Disease in Patients with Morbid Obesity Prior to Primary Metabolic Surgery. <i>Obesity Surgery</i> , 2020 , 30, 4885-4891	3.7	4
50	A Diagnostic Algorithm That Combines Quantitative 18F-FDG PET Parameters and Contrast-Enhanced CT Improves Posttherapeutic Locoregional Restaging and Prognostication of Survival in Patients With Esophageal Cancer. <i>Clinical Nuclear Medicine</i> , 2019 , 44, e13-e21	1.7	4

49	Three-year clinical experience with magnetic sphincter augmentation and laparoscopic fundoplication. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 3449-3458	5.2	4
48	PD-L1 and HER2 Expression in Gastroesophageal Cancer: a Matched Case Control Study. <i>Pathology and Oncology Research</i> , 2020 , 26, 2225-2235	2.6	3
47	Electrical Stimulation of the Lower Esophageal Sphincter to Treat Gastroesophageal Reflux After POEM. <i>Surgical Innovation</i> , 2018 , 25, 346-349	2	3
46	The cardia: esophageal or gastric? Critical reviewing the anatomy and histopathology of the esophagogastric junction. <i>Acta Chirurgica Iugoslavica</i> , 2012 , 59, 15-26		3
45	Her-2 in gastroesophageal cancer: pathobiology, diagnostic and therapeutic implications. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2011 , 43, 162-167	0.9	3
44	Gastrointestinal reconstructions in 1200 patients with cancer at the pharyngoesophageal junction. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2010 , 42, 38-48	0.9	3
43	The role of magnetic sphincter augmentation in the treatment of gastroesophageal reflux disease. <i>Current Opinion in Gastroenterology</i> , 2021 , 37, 384-389	3	3
42	IPancho trial (p53-adapted neoadjuvant chemotherapy for resectable esophageal cancer) completed-mutation rate of the marker higher than expected. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2018 , 50, 160-166	0.9	3
41	Fast-track Ivor Lewis esophageal resection. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2015 , 47, 59-64	0.9	2
40	The Oncogene AF1Q is Associated with WNT and STAT Signaling and Offers a Novel Independent Prognostic Marker in Patients with Resectable Esophageal Cancer. <i>Cells</i> , 2019 , 8,	7.9	2
39	Downregulation of CIC does not associate with overexpression of ETV1 or MAP kinase pathway activation in gastrointestinal stromal tumors. <i>Cancer Investigation</i> , 2014 , 32, 363-7	2.1	2
38	Face Barrett's: esophageal adenocarcinoma affects the young. <i>Journal of Gastrointestinal Surgery</i> , 2014 , 18, 882-3	3.3	2
37	Is Endocrine Therapy Really Pleasant? Considerations about the Long-Term Use of Antihormonal Therapy and Its Benefit/Side Effect Ratio. <i>Breast Care</i> , 2009 , 4, 155-161	2.4	2
36	Fibroblast growth factor 8 overexpression is predictive of poor prognosis in pancreatic ductal adenocarcinoma. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2020 , 52, 282-289	0.9	2
35	Effect of electrical stimulation therapy of the lower esophageal sphincter in GERD patients with ineffective esophageal motility. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 6101-6107	5.3	2
34	A retrospective study on the safety, diagnostic yield, and therapeutic effects of endoscopic unroofing for small gastric subepithelial tumors. <i>Gastrointestinal Endoscopy</i> , 2016 , 84, 924-929	5.2	2
33	Does anti-reflux surgery disrupt the pathway of Barrett's esophagus progression to cancer?. <i>Translational Gastroenterology and Hepatology</i> , 2018 , 3, 101	5.2	2
32	Tension-Free Inlay Repair of Large Hiatal Hernias Using Dual-Sided Composite PTFE/ePTFE Meshes in Laparoscopic Surgery for Gastroesophageal Reflux Disease. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2017 , 27, 710-714	2.1	1

31	Clinical characteristics and comparison of the outcome in young versus older patients with upper gastrointestinal carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 3313-3322	4.9	1
30	Swallowing MRI for GERD diagnosis and treatment monitoring. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2019 , 51, 231-238	0.9	1
29	Selected commentary to Radiofrequency ablation vs endoscopic surveillance for patients with Barrett esophagus and low-grade dysplasia. A randomized clinical trial. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2014 , 46, 133-136	0.9	1
28	Dilated distal esophagus: optimal position for magnetic sphincter augmentation. <i>Journal of the American College of Surgeons</i> , 2013 , 217, 1155-6	4.4	1
27	Laryngopharyngeal reflux COPD to uncover reflux and columnar lined esophagus. <i>International Journal of COPD</i> , 2015 , 10, 2095-6	3	1
26	Letter: cancer risk among persons with columnar-lined oesophagus. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 36, 599; author reply 600	6.1	1
25	Gastroesophageal reflux disease and metabolic syndrome. <i>Internal Medicine</i> , 2012 , 51, 2993; author reply 2995	1.1	1
24	A Case of Phyllodes Tumor with Focal Transition into Low-Grade Lymphangiosarcoma. <i>Breast Care</i> , 2006 , 1, 391-394	2.4	1
23	Early-Stage Breast Cancer Highlights at ASCO 2006. <i>Breast Care</i> , 2006 , 1, 265-269	2.4	1
22	Surgical oncology: impact of lymphangiogenesis for metastasis formation. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2005 , 37, 153-158	0.9	1
21	Electrical stimulation therapy of the lower esophageal sphincter in GERD patients: prospective single-center study. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2021 , 53, 29-34	0.9	1
20	Esophageal resection in Austria: preparing a national registry. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2021 , 53, 206-214	0.9	1
19	Expanded Indication for Magnetic Sphincter Augmentation: Outcomes in Weakly Acidic Reflux Compared to Standard GERD Patients. <i>Journal of Gastrointestinal Surgery</i> , 2021 , 1	3.3	1
18	Multidisciplinary Management: Alternative Perspectives for the Management of Gastroesophageal Reflux Disease (GERD) and Barrett's Esophagus (BE) 2021 , 187-203		0
17	Programmed death ligand 2 expression plays a limited role in adenocarcinomas of the gastroesophageal junction after preoperative chemotherapy. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2021 , 53, 287-293	0.9	0
16	Severe Dysphagia is Rare After Magnetic Sphincter Augmentation.. <i>World Journal of Surgery</i> , 2022 , 1	3.3	0
15	Selected commentary to Treatment of Barrett's esophagus with a novel focal cryoablation device: a safety and feasibility study. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2015 , 47, 274-278	0.9	
14	Innovations in Minimally Invasive Therapy of GERD. <i>Introductory Series in Medicine</i> , 2018 , 35-53		

- 13 Surgical controversies in esophageal cancer. *Memo - Magazine of European Medical Oncology*, **2014**, 7, 30-33 0.3
- 12 Barrett's esophagus and antireflux surgery: wraps, rings, and HALOs. *Annals of Surgery*, **2015**, 261, e49 7.8
- 11 Otolaryngeal GERD symptoms and Barrett esophagus: implications for cancer prevention. *Journal of Clinical Gastroenterology*, **2014**, 48, 191 3
- 10 Radial esophageal acid exposure and the dilated distal esophagus. *Journal of Gastroenterology*, **2012**, 47, 1275-6; author reply 1277-8 6.9
- 9 Selected commentary to "Incidence of adenocarcinoma among patients with Barrett's esophagus". *European Surgery - Acta Chirurgica Austriaca*, **2012**, 44, 291-295 0.9
- 8 Barrett's esophagus as a marker for increased risk for esophageal cancer and cardiorespiratory disease. *Endoscopy*, **2013**, 45, 152 3.4
- 7 Lack of correlation between blood group and HER-2 status in adenocarcinomas of the upper gastrointestinal tract. *Molecular and Clinical Oncology*, **2013**, 1, 1079-1083 1.6
- 6 Vascular endothelial growth factor-C expression and lymphangiogenesis in colorectal cancer. *European Surgery - Acta Chirurgica Austriaca*, **2006**, 38, 149-154 0.9
- 5 Esophageal Function Testing for Gastroesophageal Reflux Disease **2021**, 33-42
- 4 Endoscopic Therapy for Barrett's Esophagus: Who and How?. *Introductory Series in Medicine*, **2018**, 105-131
- 3 Radiofrequency Ablation and Antireflux Management for Non-dysplastic Barrett's Esophagus **2012**, 27-41
- 2 Performance of a new natural oral contrast agent (LumiVision®) in dynamic MR swallowing. *European Radiology*, **2021**, 31, 8578-8585 8
- 1 Additional fundoprenicopexia, after Nissen fundoplication, reduces postoperative dysphagia and re-operation rate in the long-term follow up. *Surgical Endoscopy and Other Interventional Techniques*, **2021**, 1 5.2