

Sebastian F F Schoppmann

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3221682/sebastian-f-f-schoppmann-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

174
papers

4,909
citations

33
h-index

65
g-index

191
ext. papers

5,431
ext. citations

3.8
avg, IF

5.21
L-index

#	Paper	IF	Citations
174	Severe Dysphagia is Rare After Magnetic Sphincter Augmentation.. <i>World Journal of Surgery</i> , 2022 , 1	3.3	0
173	Esophageal Function Testing for Gastroesophageal Reflux Disease 2021 , 33-42		
172	Multidisciplinary Management: Alternative Perspectives for the Management of Gastroesophageal Reflux Disease (GERD) and Barrett's Esophagus (BE) 2021 , 187-203		0
171	Effect of electrical stimulation therapy of the lower esophageal sphincter in GERD patients with ineffective esophageal motility. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 6101-6107	5.3	2
170	The role of magnetic sphincter augmentation in the treatment of gastroesophageal reflux disease. <i>Current Opinion in Gastroenterology</i> , 2021 , 37, 384-389	3	3
169	Performance of a new natural oral contrast agent (LumiVision®) in dynamic MR swallowing. <i>European Radiology</i> , 2021 , 31, 8578-8585	8	
168	Programmed death ligand-1 expression plays a limited role in adenocarcinomas of the gastroesophageal junction after preoperative chemotherapy. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2021 , 53, 287-293	0.9	0
167	Additional fundophrenicopexia, after Nissen fundoplication, reduces postoperative dysphagia and re-operation rate in the long-term follow up. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 1	5.2	
166	Three-year clinical experience with magnetic sphincter augmentation and laparoscopic fundoplication. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 3449-3458	5.2	4
165	Electrical stimulation therapy of the lower esophageal sphincter in GERD patients: prospective single-center study. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2021 , 53, 29-34	0.9	1
164	High Systemic Immune-Inflammation Index is an Adverse Prognostic Factor for Patients With Gastroesophageal Adenocarcinoma. <i>Annals of Surgery</i> , 2021 , 273, 532-541	7.8	37
163	Esophageal resection in Austria: preparing a national registry. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2021 , 53, 206-214	0.9	1
162	Expanded Indication for Magnetic Sphincter Augmentation: Outcomes in Weakly Acidic Reflux Compared to Standard GERD Patients. <i>Journal of Gastrointestinal Surgery</i> , 2021 , 1	3.3	1
161	PD-L1 and HER2 Expression in Gastroesophageal Cancer: a Matched Case Control Study. <i>Pathology and Oncology Research</i> , 2020 , 26, 2225-2235	2.6	3
160	Clinical characteristics and comparison of the outcome in young versus older patients with upper gastrointestinal carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 3313-3322	4.9	1
159	Modification of preoperative radiochemotherapy for esophageal cancer (CROSS protocol) is safe and efficient with no impact on surgical morbidity. <i>Strahlentherapie Und Onkologie</i> , 2020 , 196, 779-786	4.3	5
158	Elevated Free Thyroxine Levels Are Associated with Poorer Overall Survival in Patients with Gastroesophageal Cancer: A Retrospective Single Center Analysis. <i>Hormones and Cancer</i> , 2020 , 11, 42-51	5	5

157	Fibroblast growth factor 8 overexpression is predictive of poor prognosis in pancreatic ductal adenocarcinoma. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2020 , 52, 282-289	0.9	2
156	Silent Gastroesophageal Reflux Disease in Patients with Morbid Obesity Prior to Primary Metabolic Surgery. <i>Obesity Surgery</i> , 2020 , 30, 4885-4891	3.7	4
155	Do we understand the pathophysiology of GERD after sleeve gastrectomy?. <i>Annals of the New York Academy of Sciences</i> , 2020 , 1482, 26-35	6.5	12
154	Ineffective Esophageal Motility in Patients with GERD is no Contraindication for Nissen Fundoplication. <i>World Journal of Surgery</i> , 2020 , 44, 186-193	3.3	10
153	Expression of FGF8, FGF18, and FGFR4 in Gastroesophageal Adenocarcinomas. <i>Cells</i> , 2019 , 8,	7.9	6
152	Electrical lower esophageal sphincter augmentation in patients with GERD and severe ineffective esophageal motility-a safety and efficacy study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019 , 33, 3623-3628	5.2	7
151	High Mean Corpuscular Volume Predicts Poor Outcome for Patients With Gastroesophageal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2019 , 26, 976-985	3.1	12
150	Modern Esophageal Function Testing and Gastroesophageal Reflux Disease in Morbidly Obese Patients. <i>Obesity Surgery</i> , 2019 , 29, 3536-3541	3.7	19
149	Swallowing MRI for GERD diagnosis and treatment monitoring. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2019 , 51, 231-238	0.9	1
148	The Oncogene AF1Q is Associated with WNT and STAT Signaling and Offers a Novel Independent Prognostic Marker in Patients with Resectable Esophageal Cancer. <i>Cells</i> , 2019 , 8,	7.9	2
147	Tailored modern GERD therapy - steps towards the development of an aid to guide personalized anti-reflux surgery. <i>Scientific Reports</i> , 2019 , 9, 19174	4.9	5
146	Persistent dysphagia is a rare problem after laparoscopic Nissen fundoplication. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019 , 33, 1196-1205	5.2	13
145	Swallowing MRI-a reliable method for the evaluation of the postoperative gastroesophageal situs after Nissen fundoplication. <i>European Radiology</i> , 2019 , 29, 4400-4407	8	6
144	A Diagnostic Algorithm That Combines Quantitative 18F-FDG PET Parameters and Contrast-Enhanced CT Improves Posttherapeutic Locoregional Restaging and Prognostication of Survival in Patients With Esophageal Cancer. <i>Clinical Nuclear Medicine</i> , 2019 , 44, e13-e21	1.7	4
143	PD-L1 expression is an independent predictor of favorable outcome in patients with localized esophageal adenocarcinoma. <i>OncImmunology</i> , 2018 , 7, e1435226	7.2	23
142	Innovations in Minimally Invasive Therapy of GERD. <i>Introductory Series in Medicine</i> , 2018 , 35-53		
141	Dysphagia severity is related to the amplitude of distal contractile integral in patients with Jackhammer esophagus. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13276	4	14
140	Correlation of trastuzumab-based treatment with clinical characteristics and prognosis in HER2-positive gastric and gastroesophageal junction cancer: A retrospective single center analysis. <i>Cancer Biology and Therapy</i> , 2018 , 19, 169-174	4.6	12

139	Results of Magnetic Sphincter Augmentation for Gastroesophageal Reflux Disease. <i>World Journal of Surgery</i> , 2018 , 42, 3263-3269	3.3	14
138	Radiofrequency ablation in patients with large cervical heterotopic gastric mucosa and globus sensation: Closing the treatment gap. <i>Digestive Endoscopy</i> , 2018 , 30, 212-218	3.7	13
137	MK2 and ETV1 Are Prognostic Factors in Esophageal Adenocarcinomas. <i>Journal of Cancer</i> , 2018 , 9, 460-468	4.8	8
136	Electrical Stimulation of the Lower Esophageal Sphincter to Treat Gastroesophageal Reflux After POEM. <i>Surgical Innovation</i> , 2018 , 25, 346-349	2	3
135	Crural Closure improves Outcomes of Magnetic Sphincter Augmentation in GERD patients with Hiatal Hernia. <i>Scientific Reports</i> , 2018 , 8, 7319	4.9	12
134	Endoscopic Therapy for Barrett's Esophagus: Who and How?. <i>Introductory Series in Medicine</i> , 2018 , 105-131		
133	Does anti-reflux surgery disrupt the pathway of Barrett's esophagus progression to cancer?. <i>Translational Gastroenterology and Hepatology</i> , 2018 , 3, 101	5.2	2
132	Morbidity in open versus minimally invasive hybrid esophagectomy (MIOMIE): Long-term results of a randomized controlled clinical study. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2018 , 50, 249-255	0.9	18
131	The modified glasgow prognostic score is an independent prognostic indicator in neoadjuvantly treated adenocarcinoma of the esophagogastric junction. <i>Oncotarget</i> , 2018 , 9, 6968-6976	3.3	20
130	Pancho trial (p53-adapted neoadjuvant chemotherapy for resectable esophageal cancer) completed-mutation rate of the marker higher than expected. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2018 , 50, 160-166	0.9	3
129	Alternative therapies for GERD: a way to personalized antireflux surgery. <i>Annals of the New York Academy of Sciences</i> , 2018 , 1434, 360-369	6.5	9
128	Phenotypes of Jackhammer esophagus in patients with typical symptoms of gastroesophageal reflux disease responsive to proton pump inhibitors. <i>Scientific Reports</i> , 2018 , 8, 9949	4.9	17
127	Waist to hip ratio is a better predictor of esophageal acid exposure than body mass index. <i>Neurogastroenterology and Motility</i> , 2017 , 29, e13033	4	11
126	Expression of Programmed Cell Death Protein 1 by Tumor-Infiltrating Lymphocytes and Tumor Cells is Associated with Advanced Tumor Stage in Patients with Esophageal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2698-2706	3.1	20
125	Tension-Free Inlay Repair of Large Hiatal Hernias Using Dual-Sided Composite PTFE/ePTFE Meshes in Laparoscopic Surgery for Gastroesophageal Reflux Disease. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2017 , 27, 710-714	2.1	1
124	Endoscopic stent suture fixation for prevention of esophageal stent migration during prolonged dilatation for achalasia treatment. <i>Ecological Management and Restoration</i> , 2017 , 30, 1-6	3	8
123	Impact of sarcopenia on outcome in patients with esophageal resection following neoadjuvant chemotherapy for esophageal cancer. <i>European Journal of Surgical Oncology</i> , 2017 , 43, 478-484	3.6	77
122	First measurement of the muon neutrino charged current single pion production cross section on water with the T2K near detector. <i>Physical Review D</i> , 2017 , 95,	4.9	24

121	PD1-positive tumor-infiltrating lymphocytes are associated with poor clinical outcome after pulmonary metastasectomy for colorectal cancer. <i>OncoImmunology</i> , 2017 , 6, e1331194	7.2	19
120	External validation of the NUn score for predicting anastomotic leakage after oesophageal resection. <i>Scientific Reports</i> , 2017 , 7, 9725	4.9	6
119	Update on the management of Barrett's esophagus in Austria. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2017 , 49, 282-287	0.9	5
118	Dietary sugar and Barrett's esophagus. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2017 , 49, 279-281	0.9	4
117	Comparison of Inflammation-Based Prognostic Scores in a Cohort of Patients with Resectable Esophageal Cancer. <i>Gastroenterology Research and Practice</i> , 2017 , 2017, 1678584	2	16
116	Markers of sarcopenia quantified by computed tomography predict adverse long-term outcome in patients with resected oesophageal or gastro-oesophageal junction cancer. <i>European Radiology</i> , 2016 , 26, 1359-67	8	140
115	Measurement of Coherent μ -Production in Low Energy Neutrino-Carbon Scattering. <i>Physical Review Letters</i> , 2016 , 117, 192501	7.4	15
114	Prognostic value of volumetric PET parameters in unresectable and metastatic esophageal cancer. <i>European Journal of Radiology</i> , 2016 , 85, 540-5	4.7	17
113	MicroRNA Profiles of Barrett's Esophagus and Esophageal Adenocarcinoma: Differences in Glandular Non-native Epithelium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 429-37	4	22
112	Targeting HER 2 and angiogenesis in gastric cancer. <i>Expert Review of Anticancer Therapy</i> , 2016 , 16, 111-23,5	3.5	14
111	Change in volume parameters induced by neoadjuvant chemotherapy provide accurate prediction of overall survival after resection in patients with oesophageal cancer. <i>European Radiology</i> , 2016 , 26, 311-21	8	26
110	Lymphovascular invasion of tumor cells in lymph node metastases has a negative impact on survival in esophageal cancer. <i>Surgery</i> , 2016 , 160, 331-40	3.6	19
109	Targeted therapy in gastric cancer. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2016 , 48, 278-284	0.9	20
108	A retrospective study on the safety, diagnostic yield, and therapeutic effects of endoscopic unroofing for small gastric subepithelial tumors. <i>Gastrointestinal Endoscopy</i> , 2016 , 84, 924-929	5.2	2
107	Diagnosis and treatment of benign inflammatory esophageal diseases. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2015 , 47, 188-198	0.9	7
106	Endoscopic anterior fundoplication with the Medigus Ultrasonic Surgical Endostapler (MUSE) for gastroesophageal reflux disease: 6-month results from a multi-center prospective trial. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015 , 29, 220-9	5.2	74
105	Fast-track Ivor Lewis esophageal resection. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2015 , 47, 59-64	0.9	2
104	microRNA-21 expression is elevated in esophageal adenocarcinoma after neoadjuvant chemotherapy. <i>Cancer Investigation</i> , 2015 , 33, 246-50	2.1	8

103	Plasma fibrinogen and blood platelet counts are associated with response to neoadjuvant therapy in esophageal cancer. <i>Biomarkers in Medicine</i> , 2015 , 9, 327-35	2.3	14
102	A pilot study of the endomicroscopic assessment of tumor extension in Barrett's esophagus-associated neoplasia before endoscopic resection. <i>Endoscopy International Open</i> , 2015 , 3, E19-28	3	5
101	Selected commentary to "Treatment of Barrett's esophagus with a novel focal cryoablation device: a safety and feasibility study" <i>European Surgery - Acta Chirurgica Austriaca</i> , 2015 , 47, 274-278	0.9	
100	Abdominal drainage after liver transplantation from deceased donors. <i>Langenbeck's Archives of Surgery</i> , 2015 , 400, 813-9	3.4	5
99	Austrian expert panel recommendation for radiofrequency ablation of Barrett's esophagus. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2015 , 47, 319-323	0.9	4
98	Barrett's esophagus and antireflux surgery: wraps, rings, and HALOs. <i>Annals of Surgery</i> , 2015 , 261, e49	7.8	
97	Laryngopharyngeal reflux COPD to uncover reflux and columnar lined esophagus. <i>International Journal of COPD</i> , 2015 , 10, 2095-6	3	1
96	Surgical controversies in esophageal cancer. <i>Memo - Magazine of European Medical Oncology</i> , 2014 , 7, 30-33	0.3	
95	Mutant IDH1 inhibits PI3K/Akt signaling in human glioma. <i>Cancer</i> , 2014 , 120, 2440-7	6.4	33
94	The biomarker TP53 divides patients with neoadjuvantly treated esophageal cancer into 2 subgroups with markedly different outcomes. A p53 Research Group study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 148, 2280-6	1.5	42
93	Phosphorylation of STAT3 correlates with HER2 status, but not with survival in pancreatic ductal adenocarcinoma. <i>Apmis</i> , 2014 , 122, 476-81	3.4	6
92	Improved molecular classification of serrated lesions of the colon by immunohistochemical detection of BRAF V600E. <i>Modern Pathology</i> , 2014 , 27, 135-44	9.8	39
91	Selected commentary to "Radiofrequency ablation vs endoscopic surveillance for patients with Barrett esophagus and low-grade dysplasia. A randomized clinical trial" <i>European Surgery - Acta Chirurgica Austriaca</i> , 2014 , 46, 133-136	0.9	1
90	Stromal expression of carbonic anhydrase IX in esophageal cancer. <i>Clinical and Translational Oncology</i> , 2014 , 16, 966-72	3.6	14
89	Overexpression of CMET is associated with signal transducer and activator of transcription 3 activation and diminished prognosis in oesophageal adenocarcinoma but not in squamous cell carcinoma. <i>European Journal of Cancer</i> , 2014 , 50, 1354-60	7.5	22
88	Small bowel adenocarcinoma - : A demand for cross-national pooling of data. <i>Oncology Letters</i> , 2014 , 7, 1613-1617	2.6	11
87	Downregulation of CIC does not associate with overexpression of ETV1 or MAP kinase pathway activation in gastrointestinal stromal tumors. <i>Cancer Investigation</i> , 2014 , 32, 363-7	2.1	2
86	MAP kinase activity supported by BRAF (V600E) mutation rather than gene amplification is associated with ETV1 expression in melanoma brain metastases. <i>Archives of Dermatological Research</i> , 2014 , 306, 873-84	3.3	8

85	Otolaryngeal GERD symptoms and Barrett esophagus: implications for cancer prevention. <i>Journal of Clinical Gastroenterology</i> , 2014 , 48, 191	3	
84	HER2 gene amplification and protein expression in pancreatic ductal adenocarcinomas. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2014 , 22, 146-52	1.9	18
83	Face Barrett's: esophageal adenocarcinoma affects the young. <i>Journal of Gastrointestinal Surgery</i> , 2014 , 18, 882-3	3.3	2
82	A phase II trial of two durations of Bevacizumab added to neoadjuvant gemcitabine for borderline and locally advanced pancreatic cancer. <i>Anticancer Research</i> , 2014 , 34, 2377-84	2.3	15
81	Outcome and complications of long-term self-expanding esophageal stenting. <i>Ecological Management and Restoration</i> , 2013 , 26, 154-8	3	27
80	Influence of resection extent on morbidity in surgery for squamous cell cancer at the pharyngoesophageal junction. <i>Langenbeck's Archives of Surgery</i> , 2013 , 398, 221-30	3.4	4
79	Lymphangiogenesis and lymphovascular invasion diminishes prognosis in esophageal cancer. <i>Surgery</i> , 2013 , 153, 526-34	3.6	42
78	Surgical treatment of GIST--an institutional experience of a high-volume center. <i>International Journal of Surgery</i> , 2013 , 11, 801-6	7.5	14
77	Upper esophageal sphincter dysfunction: diverticula-globus pharyngeus. <i>Annals of the New York Academy of Sciences</i> , 2013 , 1300, 250-260	6.5	9
76	Dilated distal esophagus: optimal position for magnetic sphincter augmentation. <i>Journal of the American College of Surgeons</i> , 2013 , 217, 1155-6	4.4	1
75	Downregulation of phosphatidylethanolamine binding protein 1 associates with clinical risk factors in gastrointestinal stromal tumors, but not with activation of the RAF-1-MEK-ETV1 pathway. <i>Cancer Letters</i> , 2013 , 335, 26-30	9.9	6
74	Gastrointestinal stromal tumors: diagnosis, therapy and follow-up care in Austria. <i>Wiener Medizinische Wochenschrift</i> , 2013 , 163, 137-52	2.9	8
73	Amplification but not translocation of anaplastic lymphoma kinase is a frequent event in oesophageal cancer. <i>European Journal of Cancer</i> , 2013 , 49, 1876-81	7.5	16
72	Podoplanin expressing cancer associated fibroblasts are associated with unfavourable prognosis in adenocarcinoma of the esophagus. <i>Clinical and Experimental Metastasis</i> , 2013 , 30, 441-6	4.7	75
71	ALK gene translocations and amplifications in brain metastases of non-small cell lung cancer. <i>Lung Cancer</i> , 2013 , 80, 278-83	5.9	50
70	Review on novel concepts of columnar lined esophagus. <i>Wiener Klinische Wochenschrift</i> , 2013 , 125, 577-90	3	4
69	Barrett's esophagus as a marker for increased risk for esophageal cancer and cardiorespiratory disease. <i>Endoscopy</i> , 2013 , 45, 152	3.4	
68	No evidence for BRAF-V600E mutations in gastroesophageal tumors: results from a high-throughput analysis of 534 cases using a mutation-specific antibody. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2013 , 21, 426-30	1.9	8

67	Expression of BRAF V600E mutant protein in epithelial ovarian tumors. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2013 , 21, 159-64	1.9	25
66	Novel clinically relevant genes in gastrointestinal stromal tumors identified by exome sequencing. <i>Clinical Cancer Research</i> , 2013 , 19, 5329-39	12.9	26
65	Lack of correlation between blood group and HER-2 status in adenocarcinomas of the upper gastrointestinal tract. <i>Molecular and Clinical Oncology</i> , 2013 , 1, 1079-1083	1.6	
64	Direct measurement of backgrounds using reactor-off data in Double Chooz. <i>Physical Review D</i> , 2013 , 87,	4.9	18
63	Thrombocytes Correlate with Lymphangiogenesis in Human Esophageal Cancer and Mediate Growth of Lymphatic Endothelial Cells In Vitro. <i>PLoS ONE</i> , 2013 , 8, e66941	3.7	11
62	Brain metastases of gastro-oesophageal cancer: evaluation of molecules with relevance for targeted therapies. <i>Anticancer Research</i> , 2013 , 33, 1065-71	2.3	14
61	Her-2/neu gene amplification and over-expression in stomach and esophageal adenocarcinoma: from pathology to treatment. <i>Critical Reviews in Oncology/Hematology</i> , 2012 , 82, 310-22	7	14
60	Letter: cancer risk among persons with columnar-lined oesophagus. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 36, 599; author reply 600	6.1	1
59	Radial esophageal acid exposure and the dilated distal esophagus. <i>Journal of Gastroenterology</i> , 2012 , 47, 1275-6; author reply 1277-8	6.9	
58	Selected commentary to "Incidence of adenocarcinoma among patients with Barrett's esophagus". <i>European Surgery - Acta Chirurgica Austriaca</i> , 2012 , 44, 291-295	0.9	
57	Assessment of columnar-lined esophagus in controls and patients with gastroesophageal reflux disease with and without proton-pump inhibitor therapy. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2012 , 44, 304-313	0.9	4
56	Radiofrequency ablation of Barrett's esophagus and early cancer within the background of the pathophysiology of the disease. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2012 , 44, 366-382	0.9	6
55	Reactor $\bar{\nu}$ disappearance in the Double Chooz experiment. <i>Physical Review D</i> , 2012 , 86,	4.9	238
54	The cardia: esophageal or gastric? Critical reviewing the anatomy and histopathology of the esophagogastric junction. <i>Acta Chirurgica Iugoslavica</i> , 2012 , 59, 15-26		3
53	RAF-kinase inhibitor protein (RKIP) downregulation in esophageal cancer and its metastases. <i>Clinical and Experimental Metastasis</i> , 2012 , 29, 551-9	4.7	20
52	Phosphorylation of signal transducer and activator of transcription 3 (STAT3) correlates with Her-2 status, carbonic anhydrase 9 expression and prognosis in esophageal cancer. <i>Clinical and Experimental Metastasis</i> , 2012 , 29, 615-24	4.7	38
51	Podoplanin-expressing cancer-associated fibroblasts are associated with poor prognosis in invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012 , 134, 237-44	4.4	76
50	Human homologue for <i>Caenorhabditis elegans</i> CUL-4 protein overexpression is associated with malignant potential of epithelial ovarian tumours and poor outcome in carcinoma. <i>Journal of Clinical Pathology</i> , 2012 , 65, 507-11	3.9	27

49	MAPKAP kinase 2 overexpression influences prognosis in gastrointestinal stromal tumors and associates with copy number variations on chromosome 1 and expression of p38 MAP kinase and ETV1. <i>Clinical Cancer Research</i> , 2012 , 18, 1879-87	12.9	30
48	Expression of podoplanin is a rare event in sporadic gastrointestinal stromal tumors and does not influence prognosis. <i>Future Oncology</i> , 2012 , 8, 859-66	3.6	7
47	No evidence for recipient-derived hepatocytes in serial biopsies of sex-mismatched liver transplants. <i>Transplantation</i> , 2012 , 94, 953-7	1.8	4
46	Gastroesophageal reflux disease and metabolic syndrome. <i>Internal Medicine</i> , 2012 , 51, 2993; author reply 2995	1.1	1
45	Radiofrequency Ablation and Antireflux Management for Non-dysplastic Barrett's Esophagus 2012 , 27-41		
44	Discrimination between circulating endothelial cells and blood cell populations with overlapping phenotype reveals distinct regulation and predictive potential in cancer therapy. <i>Neoplasia</i> , 2011 , 13, 980-90	6.4	12
43	Myelosuppression of thrombocytes and monocytes is associated with a lack of synergy between chemotherapy and anti-VEGF treatment. <i>Neoplasia</i> , 2011 , 13, 419-27	6.4	13
42	Platelet-Stored Angiogenesis Factors: Clinical Monitoring Is Prone to Artifacts. <i>Disease Markers</i> , 2011 , 31, 55-65	3.2	33
41	Accuracy of hydro-multidetector row CT in the local T staging of oesophageal cancer compared to postoperative histopathological results. <i>European Radiology</i> , 2011 , 21, 2326-35	8	27
40	Carbonic anhydrase IX overexpression is associated with diminished prognosis in esophageal cancer and correlates with Her-2 expression. <i>Annals of Surgical Oncology</i> , 2011 , 18, 3330-7	3.1	35
39	High risk of unilateral recurrent laryngeal nerve paralysis after esophagectomy using cervical anastomosis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011 , 268, 1605-10	3.5	31
38	Her-2 in gastroesophageal cancer: pathobiology, diagnostic and therapeutic implications. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2011 , 43, 162-167	0.9	3
37	HER-2 status in primary oesophageal cancer, lymph nodes and distant metastases. <i>British Journal of Surgery</i> , 2011 , 98, 1408-13	5.3	23
36	Platelet-stored angiogenesis factors: clinical monitoring is prone to artifacts. <i>Disease Markers</i> , 2011 , 31, 55-65	3.2	23
35	HER2/neu expression correlates with vascular endothelial growth factor-C and lymphangiogenesis in lymph node-positive breast cancer. <i>Annals of Oncology</i> , 2010 , 21, 955-60	10.3	42
34	Expression of Her-2 in carcinomas of the esophagus. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 1868-73	6.7	52
33	Strategies for weight regain after sleeve gastrectomy. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2010 , 20, 159-61	1.3	13
32	Temporary placement of self-expanding oesophageal stents as bridging for neo-adjuvant therapy. <i>Annals of Surgical Oncology</i> , 2010 , 17, 470-5	3.1	56

31	Gastrointestinal reconstructions in 1200 patients with cancer at the pharyngoesophageal junction. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2010 , 42, 38-48	0.9	3
30	Open versus minimally invasive esophagectomy: a single-center case controlled study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010 , 24, 3044-53	5.2	92
29	Conversion from sleeve gastrectomy to Roux-en-Y gastric bypass--indications and outcome. <i>Obesity Surgery</i> , 2010 , 20, 835-40	3.7	130
28	Solving the problem of difficult stent removal due to tissue ingrowth in partially uncovered esophageal self-expanding metal stents. <i>Annals of Thoracic Surgery</i> , 2010 , 89, 1691-2	2.7	20
27	Thrombospondin-1: a unique marker to identify in vitro platelet activation when monitoring in vivo processes. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 1809-19	15.4	44
26	The value of protecting the longitudinal staple line with invaginating sutures during esophageal reconstruction by gastric tube pull-up. <i>Digestive Surgery</i> , 2009 , 26, 337-41	2.5	10
25	Is Endocrine Therapy Really Pleasant? Considerations about the Long-Term Use of Antihormonal Therapy and Its Benefit/Side Effect Ratio. <i>Breast Care</i> , 2009 , 4, 155-161	2.4	2
24	Maintaining bone density in patients undergoing treatment for breast cancer: is there an adjuvant benefit?. <i>Clinical Breast Cancer</i> , 2009 , 9 Suppl 1, S18-27	3	11
23	Surgery for gastrointestinal stromal tumors of the stomach. <i>Journal of Gastrointestinal Surgery</i> , 2009 , 13, 1213-9	3.3	48
22	Fifty-five minimally invasive Esophagectomies: a single centre experience. <i>Anticancer Research</i> , 2009 , 29, 2719-25	2.3	18
21	Adequate preoperative staging rarely leads to a change of intraoperative strategy in patients undergoing surgery for colorectal cancer liver metastases. <i>Surgery</i> , 2008 , 143, 648-57	3.6	31
20	Turning the tables on surgical oncology: the Pancho trial unplugged. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2008 , 40, 277-283	0.9	4
19	Selective resection of colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2007 , 33, 174-82	3.6	30
18	Overexpression of the human homologue for <i>Caenorhabditis elegans</i> cul-4 gene is associated with poor outcome in node-negative breast cancer. <i>Anticancer Research</i> , 2007 , 27, 949-52	2.3	48
17	VEGF-C expressing tumor-associated macrophages in lymph node positive breast cancer: impact on lymphangiogenesis and survival. <i>Surgery</i> , 2006 , 139, 839-46	3.6	121
16	Heat shock treatment of tumor lysate-pulsed dendritic cells enhances their capacity to elicit antitumor T cell responses against medullary thyroid carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 4571-7	5.6	23
15	A Case of Phyllodes Tumor with Focal Transition into Low-Grade Lymphangiosarcoma. <i>Breast Care</i> , 2006 , 1, 391-394	2.4	1
14	Early-Stage Breast Cancer [Highlights at ASCO 2006. <i>Breast Care</i> , 2006 , 1, 265-269	2.4	1

13	Hypoxia inducible factor-1alpha correlates with VEGF-C expression and lymphangiogenesis in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2006 , 99, 135-41	4.4	87
12	Vascular endothelial growth factor-C expression and lymphangiogenesis in colorectal cancer. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2006 , 38, 149-154	0.9	
11	Surgical oncology: impact of lymphangiogenesis for metastasis formation. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2005 , 37, 153-158	0.9	1
10	Lymphangiogenesis, inflammation and metastasis. <i>Anticancer Research</i> , 2005 , 25, 4503-11	2.3	22
9	Telomerase-immortalized lymphatic and blood vessel endothelial cells are functionally stable and retain their lineage specificity. <i>Microcirculation</i> , 2004 , 11, 261-9	2.9	33
8	Selective immunohistochemical staining shows significant prognostic influence of lymphatic and blood vessels in patients with malignant melanoma. <i>European Journal of Cancer</i> , 2004 , 40, 358-64	7.5	49
7	Prognostic value of lymphangiogenesis and lymphovascular invasion in invasive breast cancer. <i>Annals of Surgery</i> , 2004 , 240, 306-12	7.8	193
6	Increase in podoplanin-expressing intestinal lymphatic vessels in inflammatory bowel disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003 , 442, 231-7	5.1	74
5	Overexpression of Id-1 is associated with poor clinical outcome in node negative breast cancer. <i>International Journal of Cancer</i> , 2003 , 104, 677-82	7.5	125
4	Tumor-associated macrophages express lymphatic endothelial growth factors and are related to peritumoral lymphangiogenesis. <i>American Journal of Pathology</i> , 2002 , 161, 947-56	5.8	628
3	Lymphatic vessels and lymphangiogenesis in female cancer: mechanisms, clinical impact and possible implications for anti-lymphangiogenic therapies (Review). <i>Oncology Reports</i> , 2002 , 9, 455-60	3.5	39
2	Overexpression of hypoxia-inducible factor 1alpha is associated with an unfavorable prognosis in lymph node-positive breast cancer. <i>Clinical Cancer Research</i> , 2002 , 8, 1831-7	12.9	275
1	Isolation and characterization of dermal lymphatic and blood endothelial cells reveal stable and functionally specialized cell lineages. <i>Journal of Experimental Medicine</i> , 2001 , 194, 797-808	16.6	415