Fiona E Matthews

List of Publications by Citations

Source: https://exaly.com/author-pdf/3222900/fiona-e-matthews-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23,671 146 332 74 h-index g-index citations papers 28,675 6.2 7.02 352 avg, IF L-index ext. papers ext. citations

#	Paper	IF	Citations
332	Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimerß disease. Nature Genetics, 2013 , 45, 1452-8	36.3	2714
331	Potential for primary prevention of Alzheimerß disease: an analysis of population-based data. Lancet Neurology, The, 2014 , 13, 788-94	24.1	1337
330	A commentary on studies presenting projections of the future prevalence of dementia. <i>BMC Public Health</i> , 2013 , 13, 1	4.1	723
329	A two-decade comparison of prevalence of dementia in individuals aged 65 years and older from three geographical areas of England: results of the Cognitive Function and Ageing Study I and II. <i>Lancet, The</i> , 2013 , 382, 1405-12	40	669
328	Age, neuropathology, and dementia. New England Journal of Medicine, 2009, 360, 2302-9	59.2	648
327	Prevalence of autism-spectrum conditions: UK school-based population study. <i>British Journal of Psychiatry</i> , 2009 , 194, 500-9	5.4	601
326	The cervical cancer epidemic that screening has prevented in the UK. <i>Lancet, The</i> , 2004 , 364, 249-56	40	564
325	Continuing increase in mesothelioma mortality in Britain. <i>Lancet, The</i> , 1995 , 345, 535-9	40	435
324	The COVID-19 pandemic and health inequalities. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 964-968	5.1	422
323	White matter lesions in an unselected cohort of the elderly: molecular pathology suggests origin from chronic hypoperfusion injury. <i>Stroke</i> , 2006 , 37, 1391-8	6.7	416
322	Anticholinergic medication use and cognitive impairment in the older population: the medical research council cognitive function and ageing study. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 1477-83	5.6	382
321	Delirium is a strong risk factor for dementia in the oldest-old: a population-based cohort study. <i>Brain</i> , 2012 , 135, 2809-16	11.2	365
320	Dementia and survival in Parkinson disease: a 12-year population study. <i>Neurology</i> , 2008 , 70, 1017-22	6.5	346
319	The changing prevalence and incidence of dementia over time - current evidence. <i>Nature Reviews Neurology</i> , 2017 , 13, 327-339	15	319
318	Objective measures of physical capability and subsequent health: a systematic review. <i>Age and Ageing</i> , 2011 , 40, 14-23	3	299
317	A systematic literature review of attrition between waves in longitudinal studies in the elderly shows a consistent pattern of dropout between differing studies. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 13-9	5.7	293
316	Survival times in people with dementia: analysis from population based cohort study with 14 year follow-up. <i>BMJ, The</i> , 2008 , 336, 258-62	5.9	273

(2009-2016)

315	Dementia in western Europe: epidemiological evidence and implications for policy making. <i>Lancet Neurology, The</i> , 2016 , 15, 116-24	24.1	255
314	Education, the brain and dementia: neuroprotection or compensation?. <i>Brain</i> , 2010 , 133, 2210-6	11.2	251
313	Astrocyte phenotype in relation to Alzheimer-type pathology in the ageing brain. <i>Neurobiology of Aging</i> , 2010 , 31, 578-90	5.6	243
312	The Cambridge Centre for Ageing and Neuroscience (Cam-CAN) study protocol: a cross-sectional, lifespan, multidisciplinary examination of healthy cognitive ageing. <i>BMC Neurology</i> , 2014 , 14, 204	3.1	237
311	Prevalence, correlates and course of behavioural and psychological symptoms of dementia in the population. <i>British Journal of Psychiatry</i> , 2009 , 194, 212-9	5.4	237
310	Changes in health in England, with analysis by English regions and areas of deprivation, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 2257-74	40	231
309	Anticholinergic drugs and risk of dementia: case-control study. <i>BMJ, The</i> , 2018 , 361, k1315	5.9	215
308	Epidemiological pathology of dementia: attributable-risks at death in the Medical Research Council Cognitive Function and Ageing Study. <i>PLoS Medicine</i> , 2009 , 6, e1000180	11.6	188
307	Patterns and stages of alpha-synucleinopathy: Relevance in a population-based cohort. <i>Neurology</i> , 2008 , 70, 1042-8	6.5	188
306	Two-year progression from mild cognitive impairment to dementia: to what extent do different definitions agree?. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1424-33	5.6	174
305	What sleep characteristics predict cognitive decline in the elderly?. Sleep Medicine, 2012, 13, 886-92	4.6	158
304	The Prevalence of Mild Cognitive Impairment in Diverse Geographical and Ethnocultural Regions: The COSMIC Collaboration. <i>PLoS ONE</i> , 2015 , 10, e0142388	3.7	157
303	State and Trait Components of Functional Connectivity: Individual Differences Vary with Mental State. <i>Journal of Neuroscience</i> , 2015 , 35, 13949-61	6.6	147
302	Association of Delirium With Cognitive Decline in Late Life: A Neuropathologic Study of 3 Population-Based Cohort Studies. <i>JAMA Psychiatry</i> , 2017 , 74, 244-251	14.5	145
301	Prevalence of dementia in institutional care. <i>Lancet, The</i> , 2002 , 360, 225-6	40	145
300	Life course trajectories of systolic blood pressure using longitudinal data from eight UK cohorts. <i>PLoS Medicine</i> , 2011 , 8, e1000440	11.6	141
299	Microarray analysis of the astrocyte transcriptome in the aging brain: relationship to Alzheimerß pathology and APOE genotype. <i>Neurobiology of Aging</i> , 2011 , 32, 1795-807	5.6	133
298	Hippocampal tau pathology is related to neuroanatomical connections: an ageing population-based study. <i>Brain</i> , 2009 , 132, 1324-34	11.2	129

297	Neuropathological correlates of late-life depression in older people. <i>British Journal of Psychiatry</i> , 2011 , 198, 109-14	5.4	129
296	White matter lesions in an unselected cohort of the elderly: astrocytic, microglial and oligodendrocyte precursor cell responses. <i>Neuropathology and Applied Neurobiology</i> , 2007 , 33, 410-9	5.2	129
295	Neuropathological correlates of dementia in over-80-year-old brain donors from the population-based Cambridge city over-75s cohort (CC75C) study. <i>Journal of Alzheimerls Disease</i> , 2009 , 18, 645-58	4.3	126
294	Prevalence of depression in older people in England and Wales: the MRC CFA Study. <i>Psychological Medicine</i> , 2007 , 37, 1787-95	6.9	121
293	A comparison of health expectancies over two decades in England: results of the Cognitive Function and Ageing Study I and II. <i>Lancet, The</i> , 2016 , 387, 779-86	40	108
292	Risk factors for incident dementia in England and Wales: The Medical Research Council Cognitive Function and Ageing Study. A population-based nested case-control study. <i>Age and Ageing</i> , 2006 , 35, 154-60	3	107
291	The burden of diseases on disability-free life expectancy in later life. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 408-14	6.4	107
290	The Vascular Impairment of Cognition Classification Consensus Study. <i>Alzheimerls and Dementia</i> , 2017 , 13, 624-633	1.2	106
289	Prevalence of autism in mainland China, Hong Kong and Taiwan: a systematic review and meta-analysis. <i>Molecular Autism</i> , 2013 , 4, 7	6.5	106
288	Attrition and bias in the MRC cognitive function and ageing study: an epidemiological investigation. <i>BMC Public Health</i> , 2004 , 4, 12	4.1	106
287	Thyroid function and cognitive decline in the MRC Cognitive Function and Ageing Study. <i>Psychoneuroendocrinology</i> , 2008 , 33, 1013-22	5	105
286	Potentially modifiable lifestyle factors, cognitive reserve, and cognitive function in later life: A cross-sectional study. <i>PLoS Medicine</i> , 2017 , 14, e1002259	11.6	105
285	The reporting of theoretical health risks by the media: Canadian newspaper reporting of potential blood transmission of Creutzfeldt-Jakob disease. <i>BMC Public Health</i> , 2004 , 4, 1	4.1	104
284	Comparison of the pathology of cerebral white matter with post-mortem magnetic resonance imaging (MRI) in the elderly brain. <i>Neuropathology and Applied Neurobiology</i> , 2004 , 30, 385-95	5.2	101
283	Microglial immunophenotype in dementia with Alzheimerß pathology. <i>Journal of Neuroinflammation</i> , 2016 , 13, 135	10.1	99
282	Social activity, cognitive decline and dementia risk: a 20-year prospective cohort study. <i>BMC Public Health</i> , 2015 , 15, 1089	4.1	99
281	Autism prevalence in China is comparable to Western prevalence. <i>Molecular Autism</i> , 2019 , 10, 7	6.5	96
280	Dementia risk prediction in the population: are screening models accurate?. <i>Nature Reviews Neurology</i> , 2010 , 6, 318-26	15	96

(2019-2006)

279	Dementia before death in ageing societiesthe promise of prevention and the reality. <i>PLoS Medicine</i> , 2006 , 3, e397	11.6	94	
278	Cognitive lifestyle and long-term risk of dementia and survival after diagnosis in a multicenter population-based cohort. <i>American Journal of Epidemiology</i> , 2011 , 173, 1004-12	3.8	93	
277	Early cognitive change in the general population: how do different definitions work?. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 1534-40	5.6	93	
276	Cohort profile: the Medical Research Council Cognitive Function and Ageing Study (CFAS). <i>International Journal of Epidemiology</i> , 2006 , 35, 1140-5	7.8	93	
275	The incidence of dementia in England and Wales: findings from the five identical sites of the MRC CFA Study. <i>PLoS Medicine</i> , 2005 , 2, e193	11.6	93	
274	Prevalence and symptomatology of depression in older people living in institutions in England and Wales. <i>Age and Ageing</i> , 2007 , 36, 562-8	3	91	
273	Grouping of behavioural and psychological symptoms of dementia. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 562-8	3.9	90	
272	Development, appraisal, validation and implementation of a consensus protocol for the assessment of cerebral amyloid angiopathy in post-mortem brain tissue. <i>American Journal of Neurodegenerative Disease</i> , 2014 , 3, 19-32	2.5	89	
271	Microglial activation in white matter lesions and nonlesional white matter of ageing brains. <i>Neuropathology and Applied Neurobiology</i> , 2007 , 33, 670-83	5.2	88	
270	Diseases and impairments as risk factors for onset of disability in the older population in England and Wales: findings from the Medical Research Council Cognitive Function and Ageing Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2005, 60, 248-54	6.4	86	
269	Prevalence studies of dementia in mainland china, Hong Kong and taiwan: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e66252	3.7	85	
268	Epidemiological neuropathology: the MRC Cognitive Function and Aging Study experience. <i>Journal of Alzheimerls Disease</i> , 2011 , 25, 359-72	4.3	83	
267	Is late-life dependency increasing or not? A comparison of the Cognitive Function and Ageing Studies (CFAS). <i>Lancet, The</i> , 2017 , 390, 1676-1684	40	79	
266	Age-related cognitive decline and associations with sex, education and apolipoprotein E genotype across ethnocultural groups and geographic regions: a collaborative cohort study. <i>PLoS Medicine</i> , 2017 , 14, e1002261	11.6	79	
265	Cancer mortality in relatives of women with breast cancer: the OPCS Study. Office of Population Censuses and Surveys. <i>International Journal of Cancer</i> , 1996 , 65, 275-83	7.5	78	
264	HEALTHY AGEING FOR ALL? SOCIOECONOMIC CHANGES OVER TIME IN DISABILITY-FREE AND INDEPENDENT LIFE EXPECTANCIES. <i>Innovation in Aging</i> , 2019 , 3, S902-S902	0.1	78	
263	MEASURING SOCIOECONOMIC STATUS IN OLDER POPULATIONS: A SCOPING REVIEW AND INTERNATIONAL PERSPECTIVE. <i>Innovation in Aging</i> , 2019 , 3, S265-S265	0.1	78	
262	LIVING ALONE WITH DEMENTIA: FINDINGS FROM THE IDEAL COHORT. Innovation in Aging, 2019, 3, S4	0-8:40	78	

261	TOWARD AN OPERATIONAL DEFINITION OF COGNITIVE LIFESTYLE: MODELING RESERVE ACROSS THE LIFESPAN. <i>Innovation in Aging</i> , 2019 , 3, S484-S485	0.1	78
260	The neuropathological profile of mild cognitive impairment (MCI): a systematic review. <i>Molecular Psychiatry</i> , 2012 , 17, 1056-76	15.1	76
259	Twenty-seven-year time trends in dementia incidence in Europe and the United States: The Alzheimer Cohorts Consortium. <i>Neurology</i> , 2020 , 95, e519-e531	6.5	73
258	Social isolation, cognitive reserve, and cognition in healthy older people. <i>PLoS ONE</i> , 2018 , 13, e0201008	3.7	73
257	Alterations in the blood brain barrier in ageing cerebral cortex in relationship to Alzheimer-type pathology: a study in the MRC-CFAS population neuropathology cohort. <i>Neuroscience Letters</i> , 2011 , 505, 25-30	3.3	73
256	Self-rated health status as a predictor of death, functional and cognitive impairment: a longitudinal cohort study. <i>European Journal of Ageing</i> , 2006 , 3, 193-206	3.6	72
255	Population variation in oxidative stress and astrocyte DNA damage in relation to Alzheimer-type pathology in the ageing brain. <i>Neuropathology and Applied Neurobiology</i> , 2010 , 36, 25-40	5.2	71
254	Community-level socio-economic status and cognitive and functional impairment in the older population. <i>European Journal of Public Health</i> , 2008 , 18, 48-54	2.1	69
253	Active cognitive lifestyle is associated with positive cognitive health transitions and compression of morbidity from age sixty-five. <i>PLoS ONE</i> , 2012 , 7, e50940	3.7	69
252	Beyond mild cognitive impairment: vascular cognitive impairment, no dementia (VCIND). <i>Alzheimerls Research and Therapy</i> , 2009 , 1, 4	9	68
251	Educational differences in the dynamics of disability incidence, recovery and mortality: Findings from the MRC Cognitive Function and Ageing Study (MRC CFAS). <i>International Journal of Epidemiology</i> , 2007 , 36, 358-65	7.8	68
250	Multiple biological pathways link cognitive lifestyle to protection from dementia. <i>Biological Psychiatry</i> , 2012 , 71, 783-91	7.9	66
249	Exposure to secondhand smoke and cognitive impairment in non-smokers: national cross sectional study with cotinine measurement. <i>BMJ, The</i> , 2009 , 338, b462	5.9	65
248	Active cognitive lifestyle associates with cognitive recovery and a reduced risk of cognitive decline. Journal of Alzheimerls Disease, 2012 , 28, 223-30	4.3	62
247	Health and ill-health in the older population in England and Wales. The Medical Research Council Cognitive Function and Ageing Study (MRC CFAS). <i>Age and Ageing</i> , 2001 , 30, 53-62	3	61
246	The Childhood Autism Spectrum Test (CAST): sex differences. <i>Journal of Autism and Developmental Disorders</i> , 2008 , 38, 1731-9	4.6	60
245	Co-occurrence of anxiety and depressive disorders in a community sample of older people: results from the MRC CFAS (Medical Research Council Cognitive Function and Ageing Study). <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 229-37	3.9	60
244	Cognitive lifestyle jointly predicts longitudinal cognitive decline and mortality risk. <i>European Journal of Epidemiology</i> , 2014 , 29, 211-9	12.1	59

243	Alterations of the blood-brain barrier in cerebral white matter lesions in the ageing brain. <i>Neuroscience Letters</i> , 2010 , 486, 246-51	3.3	59	
242	Microarray RNA expression analysis of cerebral white matter lesions reveals changes in multiple functional pathways. <i>Stroke</i> , 2009 , 40, 369-75	6.7	59	
241	Variation over time in the association between polypharmacy and mortality in the older population. <i>Drugs and Aging</i> , 2011 , 28, 547-60	4.7	58	
240	Brain haemosiderin in older people: pathological evidence for an ischaemic origin of magnetic resonance imaging (MRI) microbleeds. <i>Neuropathology and Applied Neurobiology</i> , 2014 , 40, 258-69	5.2	56	
239	Cancer mortality in relatives of women with ovarian cancer: the OPCS Study. Office of Population Censuses and Surveys. <i>International Journal of Cancer</i> , 1996 , 65, 284-94	7.5	56	
238	An investigation of whether factors associated with short-term attrition change or persist over ten years: data from the Medical Research Council Cognitive Function and Ageing Study (MRC CFAS). <i>BMC Public Health</i> , 2006 , 6, 185	4.1	55	
237	Are autism spectrum conditions more prevalent in an information-technology region? A school-based study of three regions in the Netherlands. <i>Journal of Autism and Developmental Disorders</i> , 2012 , 42, 734-9	4.6	54	
236	Idiosyncratic responding during movie-watching predicted by age differences in attentional control. <i>Neurobiology of Aging</i> , 2015 , 36, 3045-3055	5.6	53	
235	Community environment, cognitive impairment and dementia in later life: results from the Cognitive Function and Ageing Study. <i>Age and Ageing</i> , 2015 , 44, 1005-11	3	52	
234	Falls in advanced old age: recalled falls and prospective follow-up of over-90-year-olds in the Cambridge City over-75s Cohort study. <i>BMC Geriatrics</i> , 2008 , 8, 6	4.1	52	
233	Effect of 3 years of SAFE (surgery, antibiotics, facial cleanliness, and environmental change) strategy for trachoma control in southern Sudan: a cross-sectional study. <i>Lancet, The</i> , 2006 , 368, 589-95	40	52	
232	Education and trajectories of cognitive decline over 9 years in very old people: methods and risk analysis. <i>Age and Ageing</i> , 2009 , 38, 277-82	3	51	
231	Operationalization of mild cognitive impairment: a graphical approach. <i>PLoS Medicine</i> , 2007 , 4, 1615-9	11.6	51	
230	Trachoma survey methods: a literature review. Bulletin of the World Health Organization, 2009, 87, 143-	58.2	49	
229	Performance and normative values of a concise neuropsychological test (CAMCOG) in an elderly population sample. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 631-44	3.9	46	
228	The neuropathology of vascular disease in the Medical Research Council Cognitive Function and Ageing Study (MRC CFAS). <i>Current Alzheimer Research</i> , 2012 , 9, 687-96	3	45	
227	An investigation of the population impact of variation in HbA1c levels in older people in England and Wales: from a population based multi-centre longitudinal study. <i>BMC Public Health</i> , 2008 , 8, 54	4.1	45	
226	Translational research on reserve against neurodegenerative disease: consensus report of the International Conference on Cognitive Reserve in the Dementias and the Alzheimerß Association Reserve, Resilience and Protective Factors Professional Interest Area working groups. <i>BMC</i>	11.4	43	

225	Medication usage change in older people (65+) in England over 20 years: findings from CFAS I and CFAS II. <i>Age and Ageing</i> , 2018 , 47, 220-225	3	43
224	Shared genetic contribution to Ischaemic Stroke and Alzheimerß Disease. <i>Annals of Neurology</i> , 2016 , 79, 739-747	9.4	42
223	The impact of co-morbidity on the quality of life of people with dementia: findings from the IDEAL study. <i>Age and Ageing</i> , 2019 , 48, 361-367	3	42
222	The Built Environment and Cognitive Disorders: Results From the Cognitive Function and Ageing Study II. <i>American Journal of Preventive Medicine</i> , 2017 , 53, 25-32	6.1	41
221	Lifestyle activities in mid-life contribute to cognitive reserve in late-life, independent of education, occupation, and late-life activities. <i>Neurobiology of Aging</i> , 2018 , 70, 180-183	5.6	41
220	COSMIC (Cohort Studies of Memory in an International Consortium): an international consortium to identify risk and protective factors and biomarkers of cognitive ageing and dementia in diverse ethnic and sociocultural groups. <i>BMC Neurology</i> , 2013 , 13, 165	3.1	41
219	Prevalence of dementia in East Asia: a synthetic review of time trends. <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 793-801	3.9	41
218	Oxidative Glial Cell Damage Associated with White Matter Lesions in the Aging Human Brain. <i>Brain Pathology</i> , 2015 , 25, 565-74	6	41
217	Population variation in glial fibrillary acidic protein levels in brain ageing: relationship to Alzheimer-type pathology and dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009 , 27, 465-73	2.6	41
216	Multiple determinants of lifespan memory differences. <i>Scientific Reports</i> , 2016 , 6, 32527	4.9	41
215	Are optimal levels of testosterone associated with better cognitive function in healthy older women and men?. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2010 , 1800, 1145-52	4	39
214	One size fits all? Why we need more sophisticated analytical methods in the explanation of trajectories of cognition in older age and their potential risk factors. <i>International Psychogeriatrics</i> , 2010 , 22, 291-9	3.4	39
213	Brief cognitive assessment in a UK population sample distributional properties and the relationship between the MMSE and an extended mental state examination. <i>BMC Geriatrics</i> , 2005 , 5, 7	4.1	39
212	Cohort differences in disease and disability in the young-old: findings from the MRC Cognitive Function and Ageing Study (MRC-CFAS). <i>BMC Public Health</i> , 2007 , 7, 156	4.1	38
211	Prevalence and causes of blindness and low vision in southern Sudan. <i>PLoS Medicine</i> , 2006 , 3, e477	11.6	38
210	Frailty trajectories to identify end of life: a longitudinal population-based study. <i>BMC Medicine</i> , 2018 , 16, 171	11.4	38
209	Preserved cognitive functions with age are determined by domain-dependent shifts in network responsivity. <i>Nature Communications</i> , 2017 , 8, 14743	17.4	37
208	Living alone and cognitive function in later life. <i>Archives of Gerontology and Geriatrics</i> , 2019 , 81, 222-23.	34	37

(2015-2015)

A reduced astrocyte response to Emyloid plaques in the ageing brain associates with cognitive impairment. <i>PLoS ONE</i> , 2015 , 10, e0118463	3.7	36	
Nonlinear decline of mini-mental state examination in Parkinson® disease. <i>Movement Disorders</i> , 2011 , 26, 334-7	7	36	
Mild cognitive impairment in the older population: Who is missed and does it matter?. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 863-71	3.9	36	
Older people, the natural environment and common mental disorders: cross-sectional results from the Cognitive Function and Ageing Study. <i>BMJ Open</i> , 2015 , 5, e007936	3	35	
Examining the influence of gender, education, social class and birth cohort on MMSE tracking over time: a population-based prospective cohort study. <i>BMC Geriatrics</i> , 2012 , 12, 45	4.1	35	
Calcium dysregulation in relation to Alzheimer-type pathology in the ageing brain. <i>Neuropathology and Applied Neurobiology</i> , 2013 , 39, 788-99	5.2	34	
The nuclear retention of transcription factor FOXO3a correlates with a DNA damage response and increased glutamine synthetase expression by astrocytes suggesting a neuroprotective role in the ageing brain. <i>Neuroscience Letters</i> , 2015 , 609, 11-7	3.3	34	
Associations between active trachoma and community intervention with Antibiotics, Facial cleanliness, and Environmental improvement (A,F,E). <i>PLoS Neglected Tropical Diseases</i> , 2008 , 2, e229	4.8	34	
Dementia incidence trend over 1992-2014 in the Netherlands: Analysis of primary care data. <i>PLoS Medicine</i> , 2017 , 14, e1002235	11.6	33	
TDP-43 pathology in the population: prevalence and associations with dementia and age. <i>Journal of Alzheimerls Disease</i> , 2014 , 42, 641-50	4.3	33	
Service provision for autism in mainland China: preliminary mapping of service pathways. <i>Social Science and Medicine</i> , 2013 , 98, 87-94	5.1	33	
Behavioural and psychological symptoms in the older population without dementiarelationship with socio-demographics, health and cognition. <i>BMC Geriatrics</i> , 2010 , 10, 87	4.1	33	
The oldest old in England and Wales: a descriptive analysis based on the MRC Cognitive Function and Ageing Study. <i>Age and Ageing</i> , 2008 , 37, 396-402	3	33	
Blinding trachoma in postconflict southern Sudan. <i>PLoS Medicine</i> , 2006 , 3, e478	11.6	33	
Epidemiological pathology of Tau in the ageing brain: application of staging for neuropil threads (BrainNet Europe protocol) to the MRC cognitive function and ageing brain study. <i>Acta Neuropathologica Communications</i> , 2016 , 4, 11	7.3	32	
Cognitive decline and dementia risk in older adults with psychotic symptoms: a prospective cohort study. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 119-28	6.5	32	
Exploring the Underdiagnosis and Prevalence of Autism Spectrum Conditions in Beijing. <i>Autism Research</i> , 2015 , 8, 250-60	5.1	32	
Subjective Memory Complaints are Involved in the Relationship between Mood and Mild Cognitive Impairment. <i>Journal of Alzheimerls Disease</i> , 2015 , 48 Suppl 1, S115-23	4.3	32	
	Impairment. PLoS ONE, 2015, 10, e0118463 Nonlinear decline of mini-mental state examination in Parkinson® disease. Movement Disorders, 2011, 26, 334-7 Mild cognitive impairment in the older population: Who is missed and does it matter?. International Journal of Geriatric Psychiatry, 2008, 23, 863-71 Older people, the natural environment and common mental disorders: cross-sectional results from the Cognitive Function and Ageing Study. BMJ Open, 2015, 5, e007936 Examining the influence of gender, education, social class and birth cohort on MMSE tracking over time: a population-based prospective cohort study. BMC Geriatrics, 2012, 12, 45 Calcium dysregulation in relation to Alzheimer-type pathology in the ageing brain. Neuropathology and Applied Neurobiology, 2013, 39, 788-99 The nuclear retention of transcription factor FOXO3a correlates with a DNA damage response and increased glutamine synthetase expression by astrocytes suggesting a neuroprotective role in the ageing brain. Neuroscience Letters, 2015, 609, 11-7 Associations between active trachoma and community intervention with Antibiotics, Facial cleanliness, and Environmental improvement (A,F,E). PLoS Neglected Tropical Diseases, 2008, 2, e229 Dementia incidence trend over 1992-2014 in the Netherlands: Analysis of primary care data. PLoS Medicine, 2017, 14, e1002235 TDP-43 pathology in the population: prevalence and associations with dementia and age. Journal of Alzheimerls Disease, 2014, 42, 641-50 Service provision for autism in mainland China: preliminary mapping of service pathways. Social Science and Medicine, 2013, 98, 87-94 Behavioural and osychological symptoms in the older population without dementia-relationship with socio-demographics, health and cognition. BMC Geriatrics, 2010, 10, 87 The oldest old in England and Wales: a descriptive analysis based on the MRC Cognitive Function and Ageing Study. Age and Ageing, 2008, 37, 396-402 Blinding trachoma in postconflict southern Sudan. PLos Medicine, 2006, 3, e478 Epidemiological patholog	impairment. PLoS ONE, 2015, 10, e0118463 Nonlinear decline of mini-mental state examination in ParkinsonB disease. Movement Disorders, 2011, 26, 334-7 Mild cognitive impairment in the older population: Who is missed and does it matter?. International Journal of Geriatric Psychiatry, 2008, 23, 863-71 Older people, the natural environment and common mental disorders: cross-sectional results from the Cognitive Function and Ageing Study. BMJ Open, 2015, 5, e007936 Examining the influence of gender, education, social class and birth cohort on MMSE tracking over time: a population-based prospective cohort study. BMC Geriatrics, 2012, 12, 45 Calcium dysregulation in relation to Alzheimer-type pathology in the ageing brain. Neuropathology and Applied Neurobiology, 2013, 39, 788-99 The nuclear retention of transcription factor FOXO3a correlates with a DNA damage response and increased glutamine synthetase expression by astrocytes suggesting a neuroprotective role in the ageing brain. Neuroscience Letters, 2015, 609, 11-7 Associations between active trachoma and community intervention with Antibiotics, Facial cleanliness, and Environmental improvement (A,F.E). PLoS Neglected Tropical Diseases, 2008, 2, e229 Dementia incidence trend over 1992-2014 in the Netherlands: Analysis of primary care data. PLoS Medicine, 2017, 14, e1002235 11.6 TDP-43 pathology in the population: prevalence and associations with dementia and age. Journal of Alzheimerls Disease, 2014, 42, 641-50 Service provision for autism in mainland China: preliminary mapping of service pathways. Social Science and Medicine, 2013, 98, 87-94 Behavioural and psychological symptoms in the older population without dementia-relationship with socio-demographics, health and cognition. BMC Geriatrics, 2010, 10, 87 The oldest old in England and Wales: a descriptive analysis based on the MRC Cognitive Function and Ageing Study. Age and Ageing, 2008, 37, 396-402 Blinding trachoma in postconflict southern Sudan. PLoS Medicine, 2006, 3, e478 Epidemiological pa	Impairment. PLoS ONE, 2015, 10, e0118463 Nonlinear decline of mini-mental state examination in ParkinsonB disease. Movement Disorders, 2011, 26, 334-7 Mild cognitive impairment in the older population: Who is missed and does it matter?. International Journal of Geriatric Psychiatry, 2008, 23, 863-71 Older people, the natural environment and common mental disorders: cross-sectional results from the Cognitive Function and Ageing Study. BMJ Open, 2015, 5, e007936 Examining the influence of gender, education, social class and birth cohort on MMSE tracking over time: a population-based prospective cohort study. BMC Geriatrics, 2012, 12, 45 Calcium dysregulation in relation to Alzheimer-type pathology in the ageing brain. Neuropathology and Applied Neurobiology, 2013, 39, 788-99 The nuclear retention of transcription factor FOXO3a correlates with a DNA damage response and increased glutamine synthetase expression by astrocytes suggesting a neuroprotective role in the ageing brain. Neuroscience Letters, 2015, 609, 11-7 Associations between active trachoma and community intervention with Antibiotics, Facial cleanliness, and Environmental Improvement (A,FE). PLoS Neglected Tropical Diseases, 2008, 2, e229 Dementia incidence trend over 1992-2014 in the Netherlands: Analysis of primary care data. PLoS Medicine, 2017, 14, e1002235 TDP-43 pathology in the population: prevalence and associations with dementia and age. Journal of Alzheimeris Disease, 2014, 42, 641-50 Service provision for autism in mainland China: preliminary mapping of service pathways. Social Science and Medicine, 2013, 98, 87-94 Behavioural and psychological symptoms in the older population without dementia-relationship with socio-demographics, health and cognition. BMC Geriatrics, 2010, 10, 87 The oldest old in England and Wales: a descriptive analysis based on the MRC Cognitive Function and Ageing Study. Age and Ageing, 2008, 37, 396-402 Blinding trachoma in postconflict southern Sudan. PLoS Medicine, 2006, 3, e478 Epidemiological pathology

189	Mesial temporal astrocyte tau pathology in the MRC-CFAS ageing brain cohort. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012 , 34, 15-24	2.6	32
188	The reliability of assigning individuals to cognitive states using the Mini Mental-State Examination: a population-based prospective cohort study. <i>BMC Medical Research Methodology</i> , 2011 , 11, 127	4.7	31
187	Association of Race/Ethnicity and Social Disadvantage With Autism Prevalence in 7 Million School Children in England. <i>JAMA Pediatrics</i> , 2021 , 175, e210054	8.3	31
186	A Comprehensive Model of Factors Associated With Subjective Perceptions of "Living Well" With Dementia: Findings From the IDEAL Study. <i>Alzheimer Disease and Associated Disorders</i> , 2019 , 33, 36-41	2.5	31
185	A European perspective on population studies of dementia. <i>Alzheimerls and Dementia</i> , 2011 , 7, 3-9	1.2	30
184	Patterns of functional loss among older people: a prospective analysis. <i>Human Factors</i> , 2009 , 51, 669-80	3.8	30
183	Clinical evaluation of a range of autorefractors. <i>Ophthalmic and Physiological Optics</i> , 1993 , 13, 129-37	4.1	30
182	The descriptive epidemiology of delirium symptoms in a large population-based cohort study: results from the Medical Research Council Cognitive Function and Ageing Study (MRC CFAS). <i>BMC Geriatrics</i> , 2014 , 14, 87	4.1	29
181	Optimizing mild cognitive impairment for discriminating dementia risk in the general older population. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 662-73	6.5	29
180	Occurrence of medical co-morbidity in mild cognitive impairment: implications for generalisation of MCI research. <i>Age and Ageing</i> , 2011 , 40, 501-7	3	29
179	What is the evidence that people with frailty have needs for palliative care at the end of life? A systematic review and narrative synthesis. <i>Palliative Medicine</i> , 2019 , 33, 399-414	5.5	29
178	Evaluating frailty scores to predict mortality in older adults using data from population based electronic health records: case control study. <i>Age and Ageing</i> , 2018 , 47, 564-569	3	28
177	The impact of dementia on service use by individuals with a comorbid health condition: a comparison of two cross-sectional analyses conducted approximately 10 years apart. <i>BMC Medicine</i> , 2018 , 16, 114	11.4	28
176	Period, birth cohort and prevalence of dementia in mainland China, Hong Kong and Taiwan: a meta-analysis. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 1212-20	3.9	28
175	A neuronal DNA damage response is detected at the earliest stages of Alzheimerß neuropathology and correlates with cognitive impairment in the Medical Research Councilß Cognitive Function and Ageing Study ageing brain cohort. <i>Neuropathology and Applied Neurobiology</i> , 2015 , 41, 483-96	5.2	27
174	Loneliness as a risk factor for care home admission in the English Longitudinal Study of Ageing. <i>Age and Ageing</i> , 2018 , 47, 896-900	3	27
173	Impact of less common and "disregarded" neurodegenerative pathologies on dementia burden in a population-based cohort. <i>Journal of Alzheimerls Disease</i> , 2012 , 28, 485-93	4.3	27
172	Service provision for autism in mainland China: a service providersPperspective. <i>Research in Developmental Disabilities</i> , 2013 , 34, 440-51	2.7	27

171	Association between APOE genotype, neuropathology and dementia in the older population of England and Wales. <i>Neuropathology and Applied Neurobiology</i> , 2011 , 37, 285-94	5.2	27	
170	Population heterogeneity in trajectories of midlife blood pressure. <i>Epidemiology</i> , 2012 , 23, 203-11	3.1	27	
169	Multi-state analysis of cognitive ability data: a piecewise-constant model and a Weibull model. <i>Statistics in Medicine</i> , 2008 , 27, 5440-55	2.3	27	
168	Protocol for the IDEAL-2 longitudinal study: following the experiences of people with dementia and their primary carers to understand what contributes to living well with dementia and enhances active life. <i>BMC Public Health</i> , 2018 , 18, 1214	4.1	27	
167	Patterns and persistence of behavioural and psychological symptoms in those with cognitive impairment: the importance of apathy. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 306-315	3.9	26	
166	Cognitive reserve as a moderator of the negative association between mood and cognition: evidence from a population-representative cohort. <i>Psychological Medicine</i> , 2018 , 48, 61-71	6.9	26	
165	C-reactive protein, APOE genotype and longitudinal cognitive change in an older population. <i>Age and Ageing</i> , 2014 , 43, 289-92	3	26	
164	Terminal decline from within- and between-person perspectives, accounting for incident dementia. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2011, 66, 391-401	4.6	26	
163	Who Lives Where and Does It Matter? Changes in the Health Profiles of Older People Living in Long Term Care and the Community over Two Decades in a High Income Country. <i>PLoS ONE</i> , 2016 , 11, e0161	7 0 7	26	
162	Alzheimer and vascular neuropathological changes associated with different cognitive States in a non-demented sample. <i>Journal of Alzheimerls Disease</i> , 2012 , 29, 309-18	4.3	25	
161	Strong and specific associations between cardiovascular risk factors and white matter micro- and macrostructure in healthy aging. <i>Neurobiology of Aging</i> , 2019 , 74, 46-55	5.6	25	
160	Education differences in life expectancy with cognitive impairment. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009 , 64, 125-31	6.4	24	
159	Reaching the population with dementia drugs: what are the challenges?. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 627-31	3.9	24	
158	Changing non-participation in epidemiological studies of older people: evidence from the Cognitive Function and Ageing Study I and II. <i>Age and Ageing</i> , 2015 , 44, 867-73	3	23	
157	Investigating terminal decline: results from a UK population-based study of aging. <i>Psychology and Aging</i> , 2013 , 28, 377-85	3.6	23	
156	Increasing levels of semantic verbal fluency in elderly English adults. <i>Aging, Neuropsychology, and Cognition</i> , 2009 , 16, 433-45	2.1	23	
155	Using the Mini-Mental State Examination for tracking cognition in the older population based on longitudinal data. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 1066-71	5.6	23	
154	Social isolation, cognitive reserve, and cognition in older people with depression and anxiety. <i>Aging and Mental Health</i> , 2019 , 23, 1691-1700	3.5	23	

153	Is frailty a stable predictor of mortality across time? Evidence from the Cognitive Function and Ageing Studies. <i>Age and Ageing</i> , 2018 , 47, 721-727	3	22
152	Anticholinergic and benzodiazepine medication use and risk of incident dementia: a UK cohort study. <i>BMC Geriatrics</i> , 2019 , 19, 276	4.1	22
151	Assessing environmental features related to mental health: a reliability study of visual streetscape images. <i>BMC Public Health</i> , 2014 , 14, 1094	4.1	22
150	Challenges in the epidemiological investigation of the relationships between physical activity, obesity, diabetes, dementia and depression. <i>Neurobiology of Aging</i> , 2005 , 26 Suppl 1, 6-10	5.6	22
149	History of Benzodiazepine Prescriptions and Risk of Dementia: Possible Bias Due to Prevalent Users and Covariate Measurement Timing in a Nested Case-Control Study. <i>American Journal of Epidemiology</i> , 2019 , 188, 1228-1236	3.8	21
148	Comparison between a Mandarin Chinese version of the Childhood Autism Spectrum Test and the Clancy Autism Behaviour Scale in mainland China. <i>Research in Developmental Disabilities</i> , 2014 , 35, 1599	- 6 08	21
147	Biomarkers, dementia, and public health. <i>Annals of the New York Academy of Sciences</i> , 2009 , 1180, 11-9	6.5	21
146	Impact of late-life self-reported emotional problems on Disability-Free Life Expectancy: results from the MRC Cognitive Function and Ageing Study. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 643-9	3.9	21
145	Regional differences in multidimensional aspects of health: findings from the MRC cognitive function and ageing study. <i>BMC Public Health</i> , 2006 , 6, 90	4.1	21
144	Depression in the elderly: pathological study of raphe and locus ceruleus. <i>Neuropathology and Applied Neurobiology</i> , 2005 , 31, 405-13	5.2	21
143	Neuronal DNA damage response-associated dysregulation of signalling pathways and cholesterol metabolism at the earliest stages of Alzheimer-type pathology. <i>Neuropathology and Applied Neurobiology</i> , 2016 , 42, 167-79	5.2	21
142	A Comprehensive Model of Factors Associated With Capability to "Live Well" for Family Caregivers of People Living With Mild-to-Moderate Dementia: Findings From the IDEAL Study. <i>Alzheimer Disease and Associated Disorders</i> , 2019 , 33, 29-35	2.5	21
141	Two-decade change in prevalence of cognitive impairment in the UK. <i>European Journal of Epidemiology</i> , 2019 , 34, 1085-1092	12.1	20
140	DNA damage response and senescence in endothelial cells of human cerebral cortex and relation to AlzheimerB neuropathology progression: a population-based study in the Medical Research Council Cognitive Function and Ageing Study (MRC-CFAS) cohort. <i>Neuropathology and Applied Neurobiology</i>	5.2	20
139	Education associated with a delayed onset of terminal decline. <i>Age and Ageing</i> , 2014 , 43, 26-31	3	20
138	Cognitive function in a general population of men and women: a cross sectional study in the European Investigation of Cancer-Norfolk cohort (EPIC-Norfolk). <i>BMC Geriatrics</i> , 2014 , 14, 142	4.1	20
137	Gender differences in life expectancy free of impairment at older ages. <i>Journal of Women and Aging</i> , 2002 , 14, 85-97	1.4	20
136	Trends in the incidence of dementia: design and methods in the Alzheimer Cohorts Consortium. European Journal of Epidemiology, 2017 , 32, 931-938	12.1	19

135	Dying comfortably in very old age with or without dementia in different care settings - a representative "older old" population study. <i>BMC Geriatrics</i> , 2017 , 17, 222	4.1	19	
134	Smooth random change point models. <i>Statistics in Medicine</i> , 2011 , 30, 599-610	2.3	19	
133	Estimating dementia-free life expectancy for Parkinson® patients using Bayesian inference and microsimulation. <i>Biostatistics</i> , 2009 , 10, 729-43	3.7	19	
132	Current and Future Prevalence Estimates of Mild Cognitive Impairment, Dementia, and Its Subtypes in a Population-Based Sample of People 70 Years and Older in Norway: The HUNT Study. <i>Journal of Alzheimerls Disease</i> , 2021 , 79, 1213-1226	4.3	19	
131	Age-related reduction in motor adaptation: brain structural correlates and the role of explicit memory. <i>Neurobiology of Aging</i> , 2020 , 90, 13-23	5.6	18	
130	Metaflammasome components in the human brain: a role in dementia with Alzheimerß pathology?. <i>Brain Pathology</i> , 2017 , 27, 266-275	6	18	
129	Understanding the relationship between cognition and death: a within cohort examination of cognitive measures and mortality. <i>European Journal of Epidemiology</i> , 2018 , 33, 1049-1062	12.1	18	
128	Anticholinergic drugs and incident dementia, mild cognitive impairment and cognitive decline: a meta-analysis. <i>Age and Ageing</i> , 2020 , 49, 939-947	3	17	
127	Hippocampal sclerosis, hippocampal neuron loss patterns and TDP-43 in the aged population. <i>Brain Pathology</i> , 2018 , 28, 548-559	6	17	
126	Change point models for cognitive tests using semi-parametric maximum likelihood. <i>Computational Statistics and Data Analysis</i> , 2013 , 57, 684-698	1.6	17	
125	Recovery in instrumental activities of daily living (IADLs): findings from the Medical Research Council Cognitive Function and Ageing Study (MRC CFAS). <i>Age and Ageing</i> , 2009 , 38, 663-8	3	17	
124	A piecewise-constant Markov model and the effects of study design on the estimation of life expectancies in health and ill health. <i>Statistical Methods in Medical Research</i> , 2009 , 18, 145-62	2.3	17	
123	Random change point models: investigating cognitive decline in the presence of missing data. <i>Journal of Applied Statistics</i> , 2011 , 38, 705-716	1	17	
122	A comparison of parametric models for the investigation of the shape of cognitive change in the older population. <i>BMC Neurology</i> , 2008 , 8, 16	3.1	17	
121	Retinal Nerve Fiber Layer Measures and Cognitive Function in the EPIC-Norfolk Cohort Study 2016 , 57, 1921-6		17	
120	Prevalence of risk factors and severity of active trachoma in southern Sudan: an ordinal analysis. American Journal of Tropical Medicine and Hygiene, 2007 , 77, 126-32	3.2	17	
119	Drivers of inequality in disability-free expectancy at birth and age 85 across space and time in Great Britain. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, 826-33	5.1	16	
118	Development and validation of risk score for predicting positive repeat prostate biopsy in patients with a previous negative biopsy in a UK population. <i>BMC Urology</i> , 2009 , 9, 7	2.2	16	

117	Prevalence and determinants of loneliness in people living with dementia: Findings from the IDEAL programme. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 851-858	3.9	16
116	Socio-economic inequalities in life expectancy of older adults with and without multimorbidity: a record linkage study of 1.1 million people in England. <i>International Journal of Epidemiology</i> , 2019 , 48, 1340-1351	7.8	15
115	What is available for case identification in autism research in mainland China?. <i>Research in Autism Spectrum Disorders</i> , 2013 , 7, 579-590	3	15
114	Relocation at older age: results from the Cognitive Function and Ageing Study. <i>Journal of Public Health</i> , 2015 , 37, 480-7	3.5	15
113	Neuropathological profile of mild cognitive impairment from a population perspective. <i>Alzheimer Disease and Associated Disorders</i> , 2012 , 26, 205-12	2.5	15
112	Prevalence of Risk Factors and Severity of Active Trachoma in Southern Sudan: An Ordinal Analysis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2007 , 77, 126-132	3.2	15
111	Estimating prevalence of subjective cognitive decline in and across international cohort studies of aging: a COSMIC study. <i>Alzheimerls Research and Therapy</i> , 2020 , 12, 167	9	15
110	Impact of social care supply on healthcare utilisation by older adults: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2019 , 48, 57-66	3	15
109	Physical Activity Predicts Population-Level Age-Related Differences in Frontal White Matter. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020 , 75, 236-243	6.4	15
108	Accuracy of death certification of dementia in population-based samples of older people: analysis over time. <i>Age and Ageing</i> , 2018 , 47, 589-594	3	15
107	Dementia: time trends and policy responses. <i>Maturitas</i> , 2014 , 79, 191-5	5	14
106	Vascular health, diabetes, APOE and dementia: the Aging, Demographics, and Memory Study. <i>Alzheimerls Research and Therapy</i> , 2010 , 2, 19	9	14
105	The Pulsair 3000 tonometerhow many readings need to be taken to ensure accuracy of the average?. <i>Ophthalmic and Physiological Optics</i> , 2001 , 21, 334-8	4.1	14
104	Cancer mortality in the first degree relatives of young breast cancer patients. <i>British Journal of Cancer</i> , 1992 , 66, 599-602	8.7	14
103	Increasing prevalence of anticholinergic medication use in older people in England over 20 years: cognitive function and ageing study I and II. <i>BMC Geriatrics</i> , 2020 , 20, 267	4.1	14
102	Changing prevalence and treatment of depression among older people over two decades. <i>British Journal of Psychiatry</i> , 2020 , 216, 49-54	5.4	14
101	Dementia prediction for people with stroke in populations: is mild cognitive impairment a useful concept?. <i>Age and Ageing</i> , 2015 , 44, 78-83	3	13
100	Metallothionein-I/II expression associates with the astrocyte DNA damage response and not Alzheimer-type pathology in the aging brain. <i>Glia</i> , 2018 , 66, 2316-2323	9	13

(2009-2015)

99	Validation of existing diagnosis of autism in mainland China using standardised diagnostic instruments. <i>Autism</i> , 2015 , 19, 1010-7	6.6	13
98	Full-scale scores of the Mini Mental State Examination can be generated from an abbreviated version. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 1005-13	5.7	13
97	Estimating stroke-free and total life expectancy in the presence of non-ignorable missing values. Journal of the Royal Statistical Society Series A: Statistics in Society, 2010 , 173, 331-349	2.1	13
96	Inequalities in living well with dementia-The impact of deprivation on well-being, quality of life and life satisfaction: Results from the improving the experience of dementia and enhancing active life study. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 1736-1742	3.9	13
95	Factors associated with self- and informant ratings of quality of life, well-being and life satisfaction in people with mild-to-moderate dementia: results from the Improving the experience of Dementia and Enhancing Active Life programme. <i>Age and Ageing</i> , 2020 , 49, 446-452	3	12
94	The frequency and validity of self-reported diagnosis of ParkinsonB Disease in the UK elderly: MRC CFAS cohort. <i>BMC Neurology</i> , 2006 , 6, 29	3.1	12
93	Land use mix and five-year mortality in later life: Results from the Cognitive Function and Ageing Study. <i>Health and Place</i> , 2016 , 38, 54-60	4.6	12
92	The association between social stress and global cognitive function in a population-based study: the European Prospective Investigation into Cancer (EPIC)-Norfolk study. <i>Psychological Medicine</i> , 2013 , 43, 655-66	6.9	11
91	Are terminal decline and its potential indicators detectable in population studies of the oldest old?. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 584-92	3.9	11
90	Dementia subtype and living well: results from the Improving the experience of Dementia and Enhancing Active Life (IDEAL) study. <i>BMC Medicine</i> , 2018 , 16, 140	11.4	11
89	Neuropsychological profiles of vascular disease and risk of dementia: implications for defining vascular cognitive impairment no dementia (VCI-ND). <i>Age and Ageing</i> , 2017 , 46, 755-760	3	10
88	APOE AB and the Influence of Sex, Age, Vascular Risk Factors, and Ethnicity on Cognitive Decline. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1863-1873	6.4	10
87	A semi-Markov model for stroke with piecewise-constant hazards in the presence of left, right and interval censoring. <i>Statistics in Medicine</i> , 2013 , 32, 697-713	2.3	10
86	Estimating life expectancy in health and ill health by using a hidden Markov model. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2009 , 58, 449-465	1.5	10
85	Estimation of life expectancies using continuous-time multi-state models. <i>Computer Methods and Programs in Biomedicine</i> , 2019 , 178, 11-18	6.9	9
84	Alpha-synucleinopathy and neuropsychological symptoms in a population-based cohort of the elderly. <i>Alzheimerls Research and Therapy</i> , 2015 , 7, 19	9	9
83	The presence of behavioural and psychological symptoms and progression to dementia in the cognitively impaired older population. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 700-9	3.9	9
82	Risk factors for trachomatous trichiasis in children: cross-sectional household surveys in Southern Sudan. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2009 , 103, 305-14	2	9

81	The epidemiology of low vision and blindness associated with trichiasis in southern Sudan. <i>BMC Ophthalmology</i> , 2007 , 7, 12	2.3	9
80	Putative risk alleles for LATE-NC with hippocampal sclerosis in population-representative autopsy cohorts. <i>Brain Pathology</i> , 2020 , 30, 364-372	6	9
79	Healthy ageing for all? Comparisons of socioeconomic inequalities in health expectancies over two decades in the Cognitive Function and Ageing Studies I and II. <i>International Journal of Epidemiology</i> , 2021 , 50, 841-851	7.8	9
78	Changes over time in the health and functioning of older people moving into care homes: analysis of data from the English Longitudinal Study of Ageing. <i>Age and Ageing</i> , 2017 , 46, 693-696	3	8
77	Psychometric properties of the Mandarin version of the Childhood Autism Spectrum Test (CAST): an exploratory study. <i>Journal of Autism and Developmental Disorders</i> , 2014 , 44, 1565-76	4.6	8
76	APOE and ACE polymorphisms and dementia risk in the older population over prolonged follow-up: 10 years of incidence in the MRC CFA Study. <i>Age and Ageing</i> , 2010 , 39, 104-11	3	8
75	Polymorphisms in LMNA and near a SERPINA gene cluster are associated with cognitive function in older people. <i>Neurobiology of Aging</i> , 2010 , 31, 1563-8	5.6	8
74	Undiagnosed dementia in primary care: a record linkage study. <i>Health Services and Delivery Research</i> , 2020 , 8, 1-108	1.5	8
73	Joint Modeling of Longitudinal Change and Survival: An Investigation of the Association Between Change in Memory Scores and Death. <i>GeroPsych: the Journal of Gerontopsychology and Geriatric Psychiatry</i> , 2011 , 24, 177-185	1	8
72	Living Alone with Mild-To-Moderate Dementia: Findings from the IDEAL Cohort. <i>Journal of Alzheimerls Disease</i> , 2020 , 78, 1207-1216	4.3	8
71	Trends in life expectancy and healthy life years at birth and age 65 in the UK, 2008-2016, and other countries of the EU28: An observational cross-sectional study. <i>Lancet Regional Health - Europe, The</i> , 2021 , 2, 100023		8
70	The Mandarin Childhood Autism Spectrum Test (CAST): sex differences. <i>Journal of Autism and Developmental Disorders</i> , 2014 , 44, 2137-46	4.6	7
69	The epidemiological neuropathology of dementia and the implications for drug development. <i>Neurodegenerative Disease Management</i> , 2012 , 2, 471-482	2.8	7
68	Predicting risk of 2-year incident dementia using the CAMCOG total and subscale scores. <i>Age and Ageing</i> , 2013 , 42, 649-53	3	7
67	The association between late-life cognitive test scores and retrospective informant interview data. <i>International Psychogeriatrics</i> , 2011 , 23, 274-9	3.4	7
66	Impact of COVID-19 on PLiving WellPwith Mild-to-Moderate Dementia in the Community: Findings from the IDEAL Cohort. <i>Journal of Alzheimerls Disease</i> , 2021 ,	4.3	7
65	Micro-scale environment and mental health in later life: Results from the Cognitive Function and Ageing Study II (CFAS II). <i>Journal of Affective Disorders</i> , 2017 , 218, 359-364	6.6	6
64	Modelling life course blood pressure trajectories using Bayesian adaptive splines. <i>Statistical Methods in Medical Research</i> , 2016 , 25, 2767-2780	2.3	6

63	Design for independent living: activity demands and capabilities of older people. <i>Ageing and Society</i> , 2010 , 30, 1239-1255	1.7	6
62	Cross Sectional Associations between Socio-Demographic Factors and Cognitive Performance in an Older British Population: The European Investigation of Cancer in Norfolk (EPIC-Norfolk) Study. <i>PLoS ONE</i> , 2016 , 11, e0166779	3.7	6
61	Investigating healthy life expectancy using a multi-state model in the presence of missing data and misclassification. <i>Demographic Research</i> , 30, 1219-1244	1	6
60	Use and costs of services and unpaid care for people with mild-to-moderate dementia: Baseline results from the IDEAL cohort study. <i>Alzheimerls and Dementia: Translational Research and Clinical Interventions</i> , 2019 , 5, 685-696	6	6
59	Cognitive Decline in Mild Cognitive Impairment With Lewy Bodies or Alzheimer Disease: A Prospective Cohort Study. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 272-284	6.5	6
58	Prevalence and factors associated with poor performance in the 5-chair stand test: findings from the Cognitive Function and Ageing Study II and proposed Newcastle protocol for use in the assessment of sarcopenia. <i>Journal of Cachexia, Sarcopenia and Muscle,</i> 2021 , 12, 308-318	10.3	6
57	Potential Value of Impaired Cognition in Stroke Prediction: A U.K. Population-Based Study. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1756-1762	5.6	5
56	Exploring patterns of response across the lifespan: the Cambridge Centre for Ageing and Neuroscience (Cam-CAN) study. <i>BMC Public Health</i> , 2018 , 18, 760	4.1	5
55	Changes in health and functioning of care home residents over two decades: what can we learn from population-based studies?. <i>Age and Ageing</i> , 2021 , 50, 921-927	3	5
54	Advanced Glycation End Product Formation in Human Cerebral Cortex Increases With Alzheimer-Type Neuropathologic Changes but Is Not Independently Associated With Dementia in a Population-Derived Aging Brain Cohort. <i>Journal of Neuropathology and Experimental Neurology</i> ,	3.1	5
53	Quantitative Checklist for Autism in Toddlers (Q-CHAT). A population screening study with follow-up: the case for multiple time-point screening for autism. <i>BMJ Paediatrics Open</i> , 2021 , 5, e00070	0 ^{2.4}	5
52	Hospitalisation without delirium is not associated with cognitive decline in a population-based sample of older people-results from a nested, longitudinal cohort study. <i>Age and Ageing</i> , 2021 , 50, 1675	5 <i>-</i> 31681	5
51	Lifestyle factors, cognitive reserve, and cognitive function: results from the Cognitive Function and Ageing Study Wales, a population-based cohort. <i>Lancet, The</i> , 2016 , 388, S114	40	5
50	Cognitive Diversity in a Healthy Aging Cohort: Cross-Domain Cognition in the Cam-CAN Project. Journal of Aging and Health, 2020 , 32, 1029-1041	2.6	5
49	Relationship between depressive symptoms and capability to live well in people with mild to moderate dementia and their carers: results from the Improving the experience of Dementia and Enhancing Active Life (IDEAL) programme. <i>Aging and Mental Health</i> , 2021 , 25, 38-45	3.5	5
48	Type 2 diabetes mellitus-associated transcriptome alterations in cortical neurones and associated neurovascular unit cells in the ageing brain. <i>Acta Neuropathologica Communications</i> , 2021 , 9, 5	7.3	5
47	Evolution of dementia diagnosis over time (1988-2013): Evidence from French and English cohorts. Implication for secular trends analyses. <i>Alzheimerls and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 490-497	5.2	4
46	Dementia Research Fit for the Planet: Reflections on Population Studies of Dementia for Researchers and Policy Makers Alike. <i>Neuroepidemiology</i> , 2020 , 54, 157-170	5.4	3

45	Sample size and classification error for Bayesian change-point models with unlabelled sub-groups and incomplete follow-up. <i>Statistical Methods in Medical Research</i> , 2018 , 27, 1476-1497	2.3	3
44	The Mandarin Chinese version of the childhood autism spectrum test (CAST): test-retest reliability. <i>Research in Developmental Disabilities</i> , 2013 , 34, 3267-75	2.7	3
43	What will happen if we do nothing to control trachoma: health expectancies for blinding trachoma in southern Sudan. <i>PLoS Neglected Tropical Diseases</i> , 2009 , 3, e396	4.8	3
42	Timing of GP end-of-life recognition in people aged 🛭 5 years: retrospective cohort study using data from primary healthcare records in England. <i>British Journal of General Practice</i> , 2020 , 70, e874-e87	91.6	3
41	Recruitment and methodological issues in conducting dementia research in British ethnic minorities: A qualitative systematic review. <i>International Journal of Methods in Psychiatric Research</i> , 2020 , 29, e1806	4.3	3
40	Heterogeneity of cellular inflammatory responses in ageing white matter and relationship to Alzheimerß and small vessel disease pathologies. <i>Brain Pathology</i> , 2021 , 31, e12928	6	3
39	Prospective predictors of decline stability in mild cognitive impairment with Lewy bodies or Alzheimerß disease. <i>Psychological Medicine</i> , 2021 , 51, 2590-2598	6.9	2
38	Does older adultsPuse of social care influence their healthcare utilisation? A systematic review of international evidence. <i>Health and Social Care in the Community</i> , 2019 , 27, e651-e662	2.6	2
37	Neuropathological correlates of falling in the CC75C population-based sample of the older old. <i>Current Alzheimer Research</i> , 2012 , 9, 697-708	3	2
36	NICE judgment: good law risks bad science. <i>Lancet Neurology, The</i> , 2007 , 6, 843-4	24.1	2
36 35	NICE judgment: good law risks bad science. <i>Lancet Neurology, The</i> , 2007 , 6, 843-4 Static Socio-Ecological COVID-19 Vulnerability Index and Vaccine Hesitancy Index for England <i>Lancet Regional Health - Europe, The</i> , 2021 , 14, 100296	24.1	2
	Static Socio-Ecological COVID-19 Vulnerability Index and Vaccine Hesitancy Index for England	24.1 4·3	
35	Static Socio-Ecological COVID-19 Vulnerability Index and Vaccine Hesitancy Index for England Lancet Regional Health - Europe, The, 2021, 14, 100296 Neuropathological Correlates of Cumulative Benzodiazepine and Anticholinergic Drug Use. Journal		2
35	Static Socio-Ecological COVID-19 Vulnerability Index and Vaccine Hesitancy Index for England Lancet Regional Health - Europe, The, 2021, 14, 100296 Neuropathological Correlates of Cumulative Benzodiazepine and Anticholinergic Drug Use. Journal of Alzheimerls Disease, 2020, 74, 999-1009 Dementia in the older population is associated with neocortex content of serum amyloid P	4.3	2
35 34 33	Static Socio-Ecological COVID-19 Vulnerability Index and Vaccine Hesitancy Index for England Lancet Regional Health - Europe, The, 2021, 14, 100296 Neuropathological Correlates of Cumulative Benzodiazepine and Anticholinergic Drug Use. Journal of Alzheimerls Disease, 2020, 74, 999-1009 Dementia in the older population is associated with neocortex content of serum amyloid P component. Brain Communications, 2021, 3, fcab225 Cohort Profile Update: The Harmonised Cognitive Assessment Protocol Sub-study of the English	4.3	2 2
35 34 33 32	Static Socio-Ecological COVID-19 Vulnerability Index and Vaccine Hesitancy Index for England Lancet Regional Health - Europe, The, 2021, 14, 100296 Neuropathological Correlates of Cumulative Benzodiazepine and Anticholinergic Drug Use. Journal of Alzheimerls Disease, 2020, 74, 999-1009 Dementia in the older population is associated with neocortex content of serum amyloid P component. Brain Communications, 2021, 3, fcab225 Cohort Profile Update: The Harmonised Cognitive Assessment Protocol Sub-study of the English Longitudinal Study of Ageing (ELSA-HCAP). International Journal of Epidemiology, 2021, 50, 725-726i Cognitive Decline and Dementia Risk in Older Adults With Psychotic Symptoms. American Journal of	4·3 4·5 7.8	2 2 2
35 34 33 32 31	Static Socio-Ecological COVID-19 Vulnerability Index and Vaccine Hesitancy Index for England Lancet Regional Health - Europe, The, 2021, 14, 100296 Neuropathological Correlates of Cumulative Benzodiazepine and Anticholinergic Drug Use. Journal of Alzheimerls Disease, 2020, 74, 999-1009 Dementia in the older population is associated with neocortex content of serum amyloid P component. Brain Communications, 2021, 3, fcab225 Cohort Profile Update: The Harmonised Cognitive Assessment Protocol Sub-study of the English Longitudinal Study of Ageing (ELSA-HCAP). International Journal of Epidemiology, 2021, 50, 725-726i Cognitive Decline and Dementia Risk in Older Adults With Psychotic Symptoms. American Journal of Geriatric Psychiatry, 2012, 1	4·3 4·5 7.8 6.5	2 2 2 2

27	The contribution of multiple long-term conditions to widening inequalities in disability-free life expectancy over two decades: Longitudinal analysis of two cohorts using the Cognitive Function and Ageing Studies. <i>EClinicalMedicine</i> , 2021 , 39, 101041	11.3	2
26	Brain donation for research: consent and re-consent post Alder Hey. <i>Bulletin of Medical Ethics</i> , 2005 , 17-21		2
25	Minimal Impact of COVID-19 Pandemic on the Mental Health and Wellbeing of People Living With Dementia: Analysis of Matched Longitudinal Data From the IDEAL Study <i>Frontiers in Psychiatry</i> , 2022 , 13, 849808	5	2
24	Longitudinal factors associated with living well outcomes in people with mild-to-moderate dementia: Initial findings from the IDEAL cohort. <i>Alzheimerls and Dementia</i> , 2020 , 16, e043255	1.2	1
23	Adult Lifespan Cognitive Variability in the Cross-Sectional Cam-CAN Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 15516-30	4.6	1
22	Who will be eligible? An investigation of the dementia population eligible for cholinesterase treatment following the change in NICE guidance. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 719-24	3.9	1
21	Pathological correlates of dementia. <i>Lancet, The</i> , 2002 , 359, 625	40	1
20	AuthorPReply. Ophthalmic and Physiological Optics, 1993, 13, 432-433	4.1	1
19	Transcriptomic Analysis of Age-Associated Periventricular Lesions Reveals Dysregulation of the Immune Response. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
18	National Early Warning Scores and COVID-19 deaths in care homes: an ecological time-series study. <i>BMJ Open</i> , 2021 , 11, e045579	3	1
17	The Prevalence of Mild Cognitive Impairment in Diverse Geographical and Ethnocultural Regions: The COSMIC Collaboration. <i>PLoS ONE</i> , 2015 , 10, e0142388	3.7	1
16	A comparison over 2 decades of disability-free life expectancy at age 65 years for those with long-term conditions in England: Analysis of the 2 longitudinal Cognitive Function and Ageing Studies <i>PLoS Medicine</i> , 2022 , 19, e1003936	11.6	1
15	Education and the moderating roles of age, sex, ethnicity and apolipoprotein epsilon 4 on the risk of cognitive impairment. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 91, 104112	4	0
14	Utility of the pareidolia test in mild cognitive impairment with Lewy bodies and Alzheimerß disease. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 1407-1414	3.9	Ο
13	Developing and evaluating a frailty index for older South Africans-findings from the HAALSI study. <i>Age and Ageing</i> , 2021 , 50, 2167-2173	3	О
12	Slowing on quantitative EEG is associated with transition to dementia in mild cognitive impairment. <i>International Psychogeriatrics</i> , 2021 , 1-5	3.4	Ο
11	Perceived and objective availability of green and blue spaces and quality of life in people with dementia: results from the IDEAL programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1601-1610	4.5	О
10	The availability of local primary care services, satisfaction with health services and self-rated health in older English adults: A population-based study. <i>Preventive Medicine Reports</i> , 2022 , 27, 101786	2.6	O

9	Neurodegenerative brain changes are associated with area deprivation in the United Kingdom: findings from the Brains for Dementia Research study <i>Acta Neuropathologica Communications</i> , 2021 , 9, 198	7.3	0
8	Characteristics of people living with undiagnosed dementia: findings from the CFAS Wales study <i>BMC Geriatrics</i> , 2022 , 22, 409	4.1	0
7	Predictors of Awareness of Functional Ability in People with Dementia: The Contribution of Personality, Cognition, and Neuropsychiatric Symptoms - Findings from the IDEAL Program <i>Dementia and Geriatric Cognitive Disorders</i> , 2022 , 1-12	2.6	О
6	F4-02-01: Health-related co-morbidity and risk of dementia in individuals with MCI 2015 , 11, P260-P260		
5	Blindness survey methods: response from Sudan study authors. <i>PLoS Medicine</i> , 2007 , 4, e86	11.6	
4	Can vaccination roll-out be more equitable if population risk is taken into account?. <i>PLoS ONE</i> , 2021 , 16, e0259990	3.7	
3	An Introduction to the Medical Research Council Cognitive Function and Ageing Studies (CFAS) I and II 2010 , 213-221		
2	Ageing: International Statistical Trends and Prospects 2010 , 83-89		
1	A Comparison of Well-Being of Carers of People with Dementia and Their Ability to Manage Before and During the COVID-19 Pandemic: Findings from the IDEAL Study. <i>Journal of Alzheimerls Disease</i> , 2022 , 1-14	4.3	