

Yasuhiro Takikawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3223335/publications.pdf>

Version: 2024-02-01

105
papers

2,543
citations

257357

24
h-index

223716

46
g-index

114
all docs

114
docs citations

114
times ranked

2879
citing authors

#	ARTICLE	IF	CITATIONS
1	Environmental factors, medical and family history, and comorbidities associated with primary biliary cholangitis in Japan: a multicenter caseâ€“control study. <i>Journal of Gastroenterology</i> , 2022, 57, 19-29.	2.3	8
2	Referral system has a diminished difference in the risk for hepatic encephalopathy development among each etiology in patients with acute liver injury. <i>Hepatology Research</i> , 2022, . .	1.8	1
3	Safety and efficacy of glecaprevir and pibrentasvir in north Tohoku Japanese patients with genotype 1/2 hepatitis C virus infection. <i>Health Science Reports</i> , 2022, 5, e458.	0.6	6
4	Liver-related events after direct-acting antiviral therapy in patients with hepatitis C virus-associated cirrhosis. <i>Journal of Gastroenterology</i> , 2022, 57, 120-132.	2.3	20
5	The Concept of Indeterminable NASH Inducted by Preoperative Diet and Metabolic Surgery: Analyses of Histopathological and Clinical Features. <i>Biomedicines</i> , 2022, 10, 453.	1.4	2
6	Long-Term Efficacy and Safety of Rifaximin in Japanese Patients with Hepatic Encephalopathy: A Multicenter Retrospective Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 1571.	1.0	5
7	Influence of skeletal muscle volume loss during lenvatinib treatment on prognosis in unresectable hepatocellular carcinoma: a multicenter study in Tohoku, Japan. <i>Scientific Reports</i> , 2022, 12, 6479.	1.6	8
8	Viral eradication by direct-acting antivirals does not decrease the serum myostatin level in patients infected with hepatitis C virus. <i>Nutrition</i> , 2022, 101, 111699.	1.1	1
9	Diagnostic Criteria for Acute-on-Chronic Liver Failure and Related Disease Conditions in Japan. <i>Acta Hepatologica Japonica</i> , 2022, 63, 219-223.	0.0	0
10	Diagnostic criteria for acuteâ€“chronic liver failure and related disease conditions in Japan. <i>Hepatology Research</i> , 2022, 52, 417-421.	1.8	11
11	Contrastâ€“Enhanced Ultrasonographyâ€“Based Hepatic Perfusion for Early Prediction of Prognosis in Acute Liver Failure. <i>Hepatology</i> , 2021, 73, 2455-2467.	3.6	15
12	Sofosbuvir plus velpatasvir treatment for hepatitis C virus in patients with decompensated cirrhosis: a Japanese real-world multicenter study. <i>Journal of Gastroenterology</i> , 2021, 56, 67-77.	2.3	34
13	The transition in the etiologies of hepatocellular carcinoma-complicated liver cirrhosis in a nationwide survey of Japan. <i>Journal of Gastroenterology</i> , 2021, 56, 158-167.	2.3	33
14	Calf and arm circumference as simple markers for screening sarcopenia in patients with chronic liver disease. <i>Hepatology Research</i> , 2021, 51, 176-189.	1.8	21
15	Multicenter study on the consciousnessâ€“regaining effect of a newly developed artificial liver support system in acute liver failure: An onâ€“line continuous hemodiafiltration system. <i>Hepatology Research</i> , 2021, 51, 216-226.	1.8	8
16	Comparing the Safety and Efficacy of Microwave Ablation Using ThermosphereTM Technology versus Radiofrequency Ablation for Hepatocellular Carcinoma: A Propensity Score-Matched Analysis. <i>Cancers</i> , 2021, 13, 1295.	1.7	11
17	Importance of HBsAg recognition by HLA molecules as revealed by responsiveness to different hepatitis B vaccines. <i>Scientific Reports</i> , 2021, 11, 3703.	1.6	5
18	Two-dimensional shear wave elastography and ultrasound-guided attenuation parameter for progressive non-alcoholic steatohepatitis. <i>PLoS ONE</i> , 2021, 16, e0249493.	1.1	17

#	ARTICLE	IF	CITATIONS
19	Evaluation of the Long-term Administration of Rifaximin for More than Three Years in the Treatment of Repeated and Recurrent Overt Hepatic Encephalopathy. <i>Internal Medicine</i> , 2021, 60, 1027-1033.	0.3	2
20	Predictive scoring system for advanced liver fibrosis in Japanese patients with severe obesity. <i>Surgery Today</i> , 2021, 51, 1513-1520.	0.7	4
21	Two hepatectomy cases for initially unresectable hepatocellular carcinoma after achieving a radiological complete response to sequential therapy with lenvatinib and transcatheter arterial chemoembolization. <i>Hepatology Research</i> , 2021, 51, 1082-1086.	1.8	13
22	Tc-99m GSA scintigraphy within the first 3 days after admission as an early predictor of outcome in severe acute liver injury. <i>Scientific Reports</i> , 2021, 11, 12518.	1.6	2
23	Serum alpha-fetoprotein increases prior to fibrosis resolution in a patient with acute liver failure. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 1470-1475.	0.4	1
24	High frequency and long persistency of ballooning hepatocyte were associated with glucose intolerance in patients with severe obesity. <i>Scientific Reports</i> , 2021, 11, 15392.	1.6	7
25	Acute Liver Injury Due to T-cell Infiltration into the Liver as an Initial Clinical Finding of Adult T-cell Leukemia/Lymphoma. <i>Internal Medicine</i> , 2021, 60, 2431-2436.	0.3	1
26	Diagnostic accuracy of ultrasound-guided attenuation parameter as a noninvasive test for steatosis in non-alcoholic fatty liver disease. <i>Journal of Medical Ultrasonics (2001)</i> , 2021, 48, 471-480.	0.6	9
27	Supplementation with Branched-Chain Amino Acids Induces Unexpected Deleterious Effects on Astrocyte Survival and Intracellular Metabolism with or without Hyperammonemia: A Preliminary In Vitro Study. <i>International Journal of Hepatology</i> , 2021, 2021, 1-8.	0.4	0
28	Appropriate information provision about COVID-19 and SARS-CoV-2 vaccine improves vaccination anxiety in patients with autoimmune liver disease. <i>Acta Hepatologica Japonica</i> , 2021, 62, 613-619.	0.0	0
29	Nationwide survey for patients with acute-on-chronic liver failure occurring between 2017 and 2019 and diagnosed according to proposed Japanese criteria. <i>Journal of Gastroenterology</i> , 2021, 56, 1092-1106.	2.3	9
30	Transition in the etiology of liver cirrhosis in Japan: a nationwide survey. <i>Journal of Gastroenterology</i> , 2020, 55, 353-362.	2.3	65
31	Disease severity of acute liver injury caused by drug-induced liver injury may affect the response to corticosteroid therapy. <i>Liver International</i> , 2020, 40, 1781-1781.	1.9	1
32	ALDH2 genotype modulates the association between alcohol consumption and AST/ALT ratio among middle-aged Japanese men: a genome-wide G×E interaction analysis. <i>Scientific Reports</i> , 2020, 10, 16227.	1.6	7
33	Impact of Grip Strength in Patients with Unresectable Hepatocellular Carcinoma Treated with Lenvatinib. <i>Cancers</i> , 2020, 12, 2146.	1.7	23
34	Early identification using the referral system prolonged the time to onset for hepatic encephalopathy after diagnosing severe acute liver injury. <i>Scientific Reports</i> , 2020, 10, 17280.	1.6	3
35	Sustained virologic response by direct-acting antivirals suppresses skeletal muscle loss in hepatitis C virus infection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1602-1609.	1.4	12
36	A validation study of the Ursodeoxycholic Acid Response Score in Japanese patients with primary biliary cholangitis. <i>Liver International</i> , 2020, 40, 1926-1933.	1.9	14

#	ARTICLE	IF	CITATIONS
37	Practical guide on on-line hemodiafiltration for acute liver failure. <i>Acta Hepatologica Japonica</i> , 2020, 61, 47-60.	0.0	0
38	Unfavorable prognosis of patients with acute liver injury due to drug-induced liver injury and acute exacerbation of hepatitis B virus infection. <i>Hepatology Research</i> , 2019, 49, 1286-1293.	1.8	9
39	Decreased Mean Kurtosis in the Putamen is a Diagnostic Feature of Minimal Hepatic Encephalopathy in Patients with Cirrhosis. <i>Internal Medicine</i> , 2019, 58, 1217-1224.	0.3	9
40	Hepatitis B Surface Antibody Titers at One and Two Years after Hepatitis B Virus Vaccination in Healthy Young Japanese Adults. <i>Internal Medicine</i> , 2019, 58, 2349-2355.	0.3	13
41	Response to the letter by Sumida et al. regarding our manuscript "Evaluation of ballooned hepatocytes as a risk factor for future progression of fibrosis in patients with non-alcoholic fatty liver disease". <i>Journal of Gastroenterology</i> , 2019, 54, 476-477.	2.3	0
42	Bezafibrate Improves GLOBE and UK-PBC Scores and Long-Term Outcomes in Patients With Primary Biliary Cholangitis. <i>Hepatology</i> , 2019, 70, 2035-2046.	3.6	83
43	Caspase-independent hepatocyte death: A result of the decrease of lysophosphatidylcholine acyltransferase 3 in non-alcoholic steatohepatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1256-1262.	1.4	12
44	Efficacy and safety of sofosbuvir+velpatasvir with or without ribavirin in HCV-infected Japanese patients with decompensated cirrhosis: an open-label phase 3 trial. <i>Journal of Gastroenterology</i> , 2019, 54, 87-95.	2.3	83
45	L-carnitine prevents ammonia-induced cytotoxicity and disturbances in intracellular amino acid levels in human astrocytes. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1249-1255.	1.4	18
46	Change in arterial tumor perfusion is an early biomarker of lenvatinib efficacy in patients with unresectable hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2019, 25, 2365-2372.	1.4	28
47	Evaluation of ballooned hepatocytes as a risk factor for future progression of fibrosis in patients with non-alcoholic fatty liver disease. <i>Journal of Gastroenterology</i> , 2018, 53, 1285-1291.	2.3	24
48	A multicenter pilot survey to clarify the clinical features of patients with acute-on-chronic liver failure in Japan. <i>Hepatology Research</i> , 2018, 48, 303-312.	1.8	25
49	Proposed diagnostic criteria for acute-on-chronic liver failure in Japan. <i>Hepatology Research</i> , 2018, 48, 219-224.	1.8	31
50	The recovery of the PT-INR to less than 1.3 predicts survival in patients with severe acute liver injury. <i>Journal of Gastroenterology</i> , 2018, 53, 861-872.	2.3	8
51	Ledipasvir+sofosbuvir for treating Japanese patients with chronic hepatitis C virus genotype 2 infection. <i>Liver International</i> , 2018, 38, 1552-1561.	1.9	28
52	Accuracy of 2D shear wave elastography in the diagnosis of liver fibrosis in patients with chronic hepatitis C. <i>Journal of Clinical Ultrasound</i> , 2018, 46, 319-327.	0.4	21
53	Proposal of Diagnostic Criteria for Acute-On-Chronic Liver Failure (ACLF) in Japan. <i>Acta Hepatologica Japonica</i> , 2018, 59, 155-161.	0.0	4
54	Regulation of transforming growth factor is involved in the efficacy of combined 5-fluorouracil and interferon alpha-2b therapy of advanced hepatocellular carcinoma. <i>Cell Death Discovery</i> , 2018, 4, 42.	2.0	5

#	ARTICLE	IF	CITATIONS
55	Key HLA-DRB1-DQB1 haplotypes and role of the BTNL2 gene for response to a hepatitis B vaccine. <i>Hepatology</i> , 2018, 68, 848-858.	3.6	53
56	Predictive formula of coma onset and prothrombin time to distinguish patients who recover from acute liver injury. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 277-282.	1.4	10
57	Serum markers for mitochondrial dysfunction and cell death are possible predictive indicators for drug-induced liver injury by direct acting antivirals. <i>Hepatology Research</i> , 2018, 48, 78-86.	1.8	19
58	Nationwide survey for acute liver failure and late-onset hepatic failure in Japan. <i>Journal of Gastroenterology</i> , 2018, 53, 752-769.	2.3	55
59	Efficacy and safety of rifaximin in Japanese patients with hepatic encephalopathy: A phase II/III, multicenter, randomized, evaluator-blinded, active-controlled trial and a phase III, multicenter, open trial. <i>Hepatology Research</i> , 2018, 48, 411-423.	1.8	36
60	Hepatic Angiomyolipoma Staining in the Post-vascular Phase of Contrast-enhanced Ultrasound Due to the Presence of Macrophages. <i>Internal Medicine</i> , 2018, 57, 1247-1251.	0.3	4
61	The B-Mode Image-Guided Ultrasound Attenuation Parameter Accurately Detects Hepatic Steatosis in Chronic Liver Disease. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 2223-2232.	0.7	103
62	Association of therapeutic management with a good prognosis in unresectable hepatocellular carcinoma patients undergoing sorafenib treatment: Dose adjustment and conversion therapy.. <i>Journal of Clinical Oncology</i> , 2018, 36, 498-498.	0.8	0
63	Hepatic arterial infusion chemotherapy (HAIC) using 5-fluorouracil with systemic pegylated interferon-2B for unresectable advanced intrahepatic cholangiocarcinoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 428-428.	0.8	0
64	Identification of amino acids in antigen-binding site of class II HLA proteins independently associated with hepatitis B vaccine response. <i>Vaccine</i> , 2017, 35, 703-710.	1.7	31
65	Appropriate timing to start and optimal response evaluation of high-dose corticosteroid therapy for patients with acute liver failure. <i>Journal of Gastroenterology</i> , 2017, 52, 977-985.	2.3	12
66	Updating the neuropsychological test system in Japan for the elderly and in a modern touch screen tablet society by resetting the cutoff values. <i>Hepatology Research</i> , 2017, 47, 1335-1339.	1.8	20
67	Obstructive Bezoars of the Small Bowel Treated with Coca-Cola Zero through a Long Intestinal Tube and Endoscopic Manipulation. <i>Internal Medicine</i> , 2017, 56, 3019-3022.	0.3	5
68	Sorafenib treatment for advanced hepatocellular carcinoma: Effectiveness, safety, and controversial points.. <i>Journal of Clinical Oncology</i> , 2017, 35, 496-496.	0.8	1
69	c-Jun N-terminal kinase-mediated Rubicon expression enhances hepatocyte lipoapoptosis and promotes hepatocyte ballooning. <i>World Journal of Gastroenterology</i> , 2016, 22, 6509.	1.4	14
70	Predictive formula for acute liver failure is useful for predicting the prognosis of patients with acute-on-chronic liver failure. <i>Hepatology Research</i> , 2016, 46, 459-467.	1.8	9
71	Revised criteria for classification of the etiologies of acute liver failure and late-onset hepatic failure in Japan: A report by the Intractable Hepato-biliary Diseases Study Group of Japan in 2015. <i>Hepatology Research</i> , 2016, 46, 369-371.	1.8	18
72	Distribution of core hospitals for patients with fulminant hepatitis and late onset hepatic failure in Japan. <i>Hepatology Research</i> , 2016, 46, 10-12.	1.8	10

#	ARTICLE	IF	CITATIONS
73	Single-Nucleotide Resolution Mapping of Hepatitis B Virus Promoters in Infected Human Livers and Hepatocellular Carcinoma. <i>Journal of Virology</i> , 2016, 90, 10811-10822.	1.5	27
74	Reversible sclerosing cholangitis with ulcerative colitis. <i>Pathology International</i> , 2016, 66, 404-408.	0.6	1
75	Geographic distribution and characteristics of genotype A hepatitis B virus infection in acute and chronic hepatitis B patients in Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 180-189.	1.4	36
76	Ductular reactions in the liver regeneration process with local inflammation after physical partial hepatectomy. <i>Laboratory Investigation</i> , 2016, 96, 1211-1222.	1.7	17
77	Necrotic cell death and suppression of T-cell immunity characterized acute liver failure due to drug-induced liver injury. <i>Cytokine</i> , 2016, 86, 21-28.	1.4	11
78	Understanding of HLA-conferred susceptibility to chronic hepatitis B infection requires HLA genotyping-based association analysis. <i>Scientific Reports</i> , 2016, 6, 24767.	1.6	39
79	Brain metabolism in minimal hepatic encephalopathy assessed by 3.0-Tesla magnetic resonance spectroscopy. <i>Hepatology Research</i> , 2016, 46, 269-276.	1.8	14
80	Carnosic acid protects normal mouse hepatocytes against H ₂ O ₂ -induced cytotoxicity via sirtuin 1-mediated signaling. <i>Hepatology Research</i> , 2016, 46, 239-246.	1.8	10
81	Visualizing the hepatic vascular architecture using superb microvascular imaging in patients with hepatitis C virus: A novel technique. <i>World Journal of Gastroenterology</i> , 2016, 22, 6057.	1.4	26
82	Clinical characteristics of liver failure from a systemic cause: A report from an advanced critical care center. <i>Annals of Hepatology</i> , 2016, 15, 254-9.	0.6	0
83	Nucleus accumbens associated 1 is recruited within the promyelocytic leukemia nuclear body through SUMO modification. <i>Cancer Science</i> , 2015, 106, 848-856.	1.7	11
84	Alpha-fetoprotein: A biomarker for the recruitment of progenitor cells in the liver in patients with acute liver injury or failure. <i>Hepatology Research</i> , 2015, 45, E12-20.	1.8	33
85	Liver stiffness measured by acoustic radiation force impulse elastography reflects the severity of liver damage and prognosis in patients with acute liver failure. <i>Hepatology Research</i> , 2015, 45, 571-577.	1.8	18
86	Clinical and molecular analyses of sporadic acute hepatitis A and E and the specific viral genotypes isolated in Iwate and three neighboring prefectures in the northern part of Honshu, Japan, between 2004 and 2013. <i>Hepatology Research</i> , 2015, 45, 714-727.	1.8	5
87	Usefulness and accuracy of the international normalized ratio and activity percent of prothrombin time in patients with liver disease. <i>Hepatology Research</i> , 2014, 44, 92-101.	1.8	10
88	Classification of the etiologies of acute liver failure in Japan: A report by the Intractable Hepatobiliary Diseases Study Group of Japan. <i>Hepatology Research</i> , 2014, 44, 365-367.	1.8	28
89	A disintegrin and metalloproteinase 17 (ADAM17) mediates epidermal growth factor receptor transactivation by angiotensin II on hepatic stellate cells. <i>Life Sciences</i> , 2014, 97, 137-144.	2.0	11
90	Clinical significance of Virtual touch quantification in acute hepatitis. <i>Choonpa Igaku</i> , 2014, 42, 505-516.	0.0	0

#	ARTICLE	IF	CITATIONS
91	Etiology and prognosis of fulminant hepatitis and late-onset hepatic failure in Japan: Summary of the annual nationwide survey between 2004 and 2009. <i>Hepatology Research</i> , 2013, 43, 97-105.	1.8	112
92	Present status of artificial liver support for acute liver failure in Japan. <i>Acta Hepatologica Japonica</i> , 2012, 53, 530-533.	0.0	8
93	Novel scoring system as a useful model to predict the outcome of patients with acute liver failure: Application to indication criteria for liver transplantation. <i>Hepatology Research</i> , 2012, 42, 68-75.	1.8	45
94	Icteric acute hepatitis E with no response of immunoglobulin M class anti-hepatitis E virus antibody. <i>Hepatology Research</i> , 2012, 42, 1146-1149.	1.8	6
95	Acute-on-chronic liver failure: consensus recommendations of the Asian Pacific Association for the study of the liver (APASL). <i>Hepatology International</i> , 2009, 3, 269-282.	1.9	709
96	Autopsy case of acute liver failure due to scrub typhus. <i>Clinical Journal of Gastroenterology</i> , 2009, 2, 310-314.	0.4	6
97	Early prediction of short-term development of hepatic encephalopathy in patients with acute liver disease unrelated to paracetamol. A prospective study in Japan. <i>Journal of Hepatology</i> , 2009, 51, 1021-1029.	1.8	37
98	Clinical epidemiology of fulminant hepatitis in Japan. <i>Hepatology Research</i> , 2008, 38, S14-8.	1.8	22
99	A case of acute hepatitis E associated with multidrug hypersensitivity and cytomegalovirus reactivation. <i>Hepatology Research</i> , 2007, 37, 158-165.	1.8	6
100	Prediction of Hepatic Encephalopathy Development in Patients With Severe Acute Hepatitis. <i>Digestive Diseases and Sciences</i> , 2006, 51, 359-364.	1.1	26
101	Clinical epidemiology of fulminant hepatitis in Japan before the substantial introduction of liver transplantation: an analysis of 1309 cases in a 15-year national survey. <i>Hepatology Research</i> , 2004, 30, 155-161.	1.8	35
102	Factor VII Morioka (FVII L-26P): a homozygous missense mutation in the signal sequence identified in a patient with factor VII deficiency. <i>British Journal of Haematology</i> , 1998, 101, 47-49.	1.2	11
103	Antithrombin Morioka (Cys 95-Arg): A Novel Missense Mutation Causing Type I Antithrombin Deficiency. <i>Thrombosis and Haemostasis</i> , 1997, 77, 403-403.	1.8	10
104	Plasma abnormal prothrombin (PIVKA-II): A new and reliable marker for the detection of hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1992, 7, 1-6.	1.4	32
105	Serum FDP levels in decompensated liver cirrhosis with special reference to those of HPT, PT, AT-III and PA.. <i>Blood & Vessel</i> , 1985, 16, 629-632.	0.0	1