

Sofiane Affes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3223423/publications.pdf>

Version: 2024-02-01

327
papers

4,316
citations

136740

32
h-index

174990

52
g-index

328
all docs

328
docs citations

328
times ranked

2661
citing authors

#	ARTICLE	IF	CITATIONS
1	On Optimal Frequency-Domain Multichannel Linear Filtering for Noise Reduction. IEEE Transactions on Audio Speech and Language Processing, 2010, 18, 260-276.	3.8	189
2	Radio Wave Characterization and Modeling in Underground Mine Tunnels. IEEE Transactions on Antennas and Propagation, 2008, 56, 540-549.	3.1	124
3	A Generalized Steered Response Power Method for Computationally Viable Source Localization. IEEE Transactions on Audio Speech and Language Processing, 2007, 15, 2510-2526.	3.8	122
4	A signal subspace tracking algorithm for microphone array processing of speech. IEEE Transactions on Speech and Audio Processing, 1997, 5, 425-437.	2.0	118
5	Recent Advances and Future Directions on Underwater Wireless Communications. Archives of Computational Methods in Engineering, 2020, 27, 1379-1412.	6.0	116
6	A Study of the LCMV and MVDR Noise Reduction Filters. IEEE Transactions on Signal Processing, 2010, 58, 4925-4935.	3.2	111
7	Radio-channel characterization of an underground mine at 2.4 GHz. IEEE Transactions on Wireless Communications, 2005, 4, 2441-2453.	6.1	104
8	An Integrated Solution for Online Multichannel Noise Tracking and Reduction. IEEE Transactions on Audio Speech and Language Processing, 2011, 19, 2159-2169.	3.8	95
9	On the performance analysis of composite multipath/shadowing channels using the G-distribution. IEEE Transactions on Communications, 2009, 57, 1162-1170.	4.9	90
10	On the capacity of generalized-k fading channels. IEEE Transactions on Wireless Communications, 2008, 7, 2441-2445.	6.1	73
11	Direction of Arrival Estimation Using the Parameterized Spatial Correlation Matrix. IEEE Transactions on Audio Speech and Language Processing, 2007, 15, 1327-1339.	3.8	68
12	Collaborative Null-Steering Beamforming for Uniformly Distributed Wireless Sensor Networks. IEEE Transactions on Signal Processing, 2010, 58, 1889-1903.	3.2	68
13	Gaussian Model-Based Multichannel Speech Presence Probability. IEEE Transactions on Audio Speech and Language Processing, 2010, 18, 1072-1077.	3.8	67
14	On Spatial Aliasing in Microphone Arrays. IEEE Transactions on Signal Processing, 2009, 57, 1383-1395.	3.2	63
15	Estimating the Ergodic Capacity of Log-Normal Channels. IEEE Communications Letters, 2007, 11, 568-570.	2.5	61
16	Low-Cost Localization for Multihop Heterogeneous Wireless Sensor Networks. IEEE Transactions on Wireless Communications, 2016, 15, 472-484.	6.1	58
17	A Two-Stage Approach to Estimate the Angles of Arrival and the Angular Spreads of Locally Scattered Sources. IEEE Transactions on Signal Processing, 2008, 56, 1968-1983.	3.2	57
18	A new receiver structure for asynchronous CDMA: STAR-the spatio-temporal array-receiver. IEEE Journal on Selected Areas in Communications, 1998, 16, 1411-1422.	9.7	55

#	ARTICLE	IF	CITATIONS
19	On the Performance of Cooperative Relaying Spectrum-Sharing Systems with Collaborative Distributed Beamforming. IEEE Transactions on Communications, 2014, 62, 857-871.	4.9	55
20	Accurate Range-Free Localization in Multi-Hop Wireless Sensor Networks. IEEE Transactions on Communications, 2016, 64, 3886-3900.	4.9	52
21	Performance analysis of mobile radio systems over composite fading/shadowing channels with co-located interference. IEEE Transactions on Wireless Communications, 2009, 8, 3448-3453.	6.1	49
22	Robust ANNs-Based WSN Localization in the Presence of Anisotropic Signal Attenuation. IEEE Wireless Communications Letters, 2016, 5, 504-507.	3.2	48
23	On the Performance Analysis of Composite Multipath/Shadowing Channels Using the G-Distribution. , 2008, , .		46
24	Broadband Music: Opportunities and Challenges for Multiple Source Localization. , 2007, , .		45
25	On the capacity of log-normal fading channels. IEEE Transactions on Communications, 2009, 57, 1603-1607.	4.9	43
26	Distributed Beamforming for Wireless Sensor Networks With Improved Graph Connectivity and Energy Efficiency. IEEE Transactions on Signal Processing, 2010, 58, 1904-1921.	3.2	43
27	Cooperative Localization in Mines Using Fingerprinting and Neural Networks. , 2010, , .		41
28	Decentralized Relay Selection Schemes in Uniformly Distributed Wireless Sensor Networks. IEEE Transactions on Wireless Communications, 2012, 11, 938-951.	6.1	41
29	An algorithm for multisource beamforming and multitarget tracking. IEEE Transactions on Signal Processing, 1996, 44, 1512-1522.	3.2	40
30	Neural Networks for Fingerprinting-Based Indoor Localization Using Ultra-Wideband. Journal of Communications, 2009, 4, .	1.3	40
31	Cramer-Rao Lower Bounds for NDA SNR Estimates of Square QAM Modulated Transmissions. IEEE Transactions on Communications, 2010, 58, 3211-3218.	4.9	38
32	Moment-based SNR estimation over linearly-modulated wireless SIMO channels. IEEE Transactions on Wireless Communications, 2010, 9, 714-722.	6.1	38
33	Interference subspace rejection: a framework for multiuser detection in wideband CDMA. IEEE Journal on Selected Areas in Communications, 2002, 20, 287-302.	9.7	34
34	Robust Doppler Spread Estimation in the Presence of a Residual Carrier Frequency Offset. IEEE Transactions on Signal Processing, 2009, 57, 4148-4153.	3.2	34
35	A Non-Data-Aided Maximum Likelihood Time Delay Estimator Using Importance Sampling. IEEE Transactions on Signal Processing, 2011, 59, 4505-4515.	3.2	34
36	A Maximum Likelihood Time Delay Estimator in a Multipath Environment Using Importance Sampling. IEEE Transactions on Signal Processing, 2013, 61, 182-193.	3.2	34

#	ARTICLE	IF	CITATIONS
37	Impact of synchronization on performance of enhanced array-receivers in wideband CDMA networks. IEEE Journal on Selected Areas in Communications, 2001, 19, 2462-2476.	9.7	33
38	DOA Estimation of Temporally and Spatially Correlated Narrowband Noncircular Sources in Spatially Correlated White Noise. IEEE Transactions on Signal Processing, 2011, 59, 4108-4121.	3.2	33
39	SNR Estimation Over SIMO Channels From Linearly Modulated Signals. IEEE Transactions on Signal Processing, 2010, 58, 6017-6028.	3.2	32
40	Maximum Likelihood SNR Estimation of Linearly-Modulated Signals Over Time-Varying Flat-Fading SIMO Channels. IEEE Transactions on Signal Processing, 2015, 63, 441-456.	3.2	31
41	User-Centric Base-Station Wireless Access Virtualization for Future 5G Networks. IEEE Transactions on Communications, 2019, 67, 5190-5202.	4.9	31
42	A Distributed Amplify-and-Forward Beamforming Technique in Wireless Sensor Networks. IEEE Transactions on Signal Processing, 2011, 59, 3657-3674.	3.2	30
43	On the Performance of Cascaded Generalized K Fading Channels. , 2009, , .		29
44	Analysis of CAPEX and OPEX benefits of wireless access virtualization. , 2013, , .		28
45	Maximum Likelihood Time Delay Estimation From Single- and Multi-Carrier DSSS Multipath MIMO Transmissions for Future 5G Networks. IEEE Transactions on Wireless Communications, 2017, 16, 4851-4865.	6.1	28
46	Closed-Form CRLBs for SNR Estimation From Turbo-Coded BPSK-, MSK-, and Square-QAM-Modulated Signals. IEEE Transactions on Signal Processing, 2014, 62, 4018-4033.	3.2	27
47	Relay-Assisted Mixed FSO/RF Systems Over M - and κ - μ Shadowed Fading Channels. IEEE Wireless Communications Letters, 2017, 6, 682-685.	3.2	27
48	Adaptive Space-Time Processing for Wireless CDMA. Signals and Communication Technology, 2003, , 283-321.	0.4	27
49	Unified Stochastic Geometry Modeling and Analysis of Cellular Networks in LOS/NLOS and Shadowed Fading. IEEE Transactions on Communications, 2017, 65, 5470-5486.	4.9	26
50	A New OFDM Synchronization Symbol for Carrier Frequency Offset Estimation. IEEE Signal Processing Letters, 2007, 14, 321-324.	2.1	24
51	Distributed beamforming for wireless sensor networks with random node location. , 2009, , .		24
52	Closed-Form Expressions for the Exact Cram�r-Rao Bounds of Timing Recovery Estimators From BPSK, MSK and Square-QAM Transmissions. IEEE Transactions on Signal Processing, 2011, 59, 2474-2484.	3.2	24
53	Jointly Optimal Source Power Control and Relay Matrix Design in Multipoint-to-Multipoint Cooperative Communication Networks. IEEE Transactions on Signal Processing, 2011, 59, 4313-4330.	3.2	24
54	The Inverse Gaussian Distribution in Wireless Channels: Second-Order Statistics and Channel Capacity. IEEE Transactions on Communications, 2012, 60, 3167-3173.	4.9	24

#	ARTICLE	IF	CITATIONS
55	Broadband Source Localization From an Eigenanalysis Perspective. IEEE Transactions on Audio Speech and Language Processing, 2010, 18, 1575-1587.	3.8	23
56	A HETERODYNE SIX-PORT FMCW RADAR SENSOR ARCHITECTURE BASED ON BEAT SIGNAL PHASE SLOPE TECHNIQUES. Progress in Electromagnetics Research, 2009, 93, 307-322.	1.6	22
57	Distributed Collaborative Beamforming in the Presence of Angular Scattering. IEEE Transactions on Communications, 2014, 62, 1668-1680.	4.9	22
58	Ergodic Capacity Analysis for Interference-Limited AF Multi-Hop Relaying Channels in Nakagami-m Fading. IEEE Transactions on Communications, 2013, 61, 2726-2734.	4.9	21
59	Robust adaptive beamforming via target tracking. IEEE Transactions on Signal Processing, 1996, 44, 1589-1593.	3.2	20
60	Design Optimization of Wireless Access Virtualization Based on Cost & QoS Trade-Off Utility Maximization. IEEE Transactions on Wireless Communications, 2016, 15, 6146-6162.	6.1	20
61	EM Algorithm for Non-Data-Aided SNR Estimation of Linearly-Modulated Signals over SIMO Channels. , 2009, , .		19
62	On the Global Output SNR of the Parameterized Frequency-Domain Multichannel Noise Reduction Wiener Filter. IEEE Signal Processing Letters, 2010, 17, 425-428.	2.1	19
63	SNR and throughput analysis of distributed collaborative beamforming in locally scattered environments. Wireless Communications and Mobile Computing, 2012, 12, 1620-1633.	0.8	19
64	Cooperative relaying in spectrum-sharing systems with beamforming and interference constraints. , 2012, , .		19
65	On the Ergodic Capacity of Amplify-and-Forward Relay Channels with Interference in Nakagami-m Fading. IEEE Transactions on Communications, 2013, 61, 3136-3145.	4.9	19
66	Linearly Constrained Minimum Variance Source Localization and Spectral Estimation. IEEE Transactions on Audio Speech and Language Processing, 2008, 16, 1490-1502.	3.8	17
67	Fractional-delay sequential blind beamforming for wireless multipath communications in confined areas. IEEE Transactions on Wireless Communications, 2008, 7, 629-638.	6.1	17
68	Distributed Beamforming for Spectrum-Sharing Systems With AF Cooperative Two-Way Relaying. IEEE Transactions on Communications, 2014, 62, 3180-3195.	4.9	17
69	Distributed Collaborative Beamforming Design for Maximized Throughput in Interfered and Scattered Environments. IEEE Transactions on Communications, 2015, 63, 4905-4919.	4.9	17
70	On the performance analysis of mixed multi-aperture FSO/multiuser RF relay systems with interference. , 2017, , .		17
71	Accurate Nodes Localization in Anisotropic Wireless Sensor Networks. International Journal of Distributed Sensor Networks, 2015, 11, 105682.	1.3	17
72	Direction of Arrival Estimation using Eigenanalysis of the Parameterized Spatial Correlation Matrix. , 2007, , .		16

#	ARTICLE	IF	CITATIONS
73	Robust Microstrip-to-Waveguide Transitions for Millimeter-Wave Radar Sensor Applications. IEEE Antennas and Wireless Propagation Letters, 2009, 8, 759-762.	2.4	16
74	Closed-Form CRLBs for CFO and Phase Estimation From Turbo-Coded Square-QAM-Modulated Transmissions. IEEE Transactions on Wireless Communications, 2015, 14, 2513-2531.	6.1	16
75	Unified Analysis and Optimization of D2D Communications in Cellular Networks Over Fading Channels. IEEE Transactions on Communications, 2019, 67, 724-736.	4.9	16
76	A Multicarrier-CDMA Space-Time Receiver With Full-Interference-Suppression Capabilities. IEEE Transactions on Vehicular Technology, 2008, 57, 363-379.	3.9	15
77	Six-Port Interferometric Technique for Accurate π -Band Phase-Noise Measurements. IEEE Transactions on Microwave Theory and Techniques, 2008, 56, 1372-1379.	2.9	15
78	SNR estimation of QAM-modulated transmissions over time-varying SIMO channels. , 2008, , .		15
79	Cram�r-Rao Lower Bounds for Frequency and Phase NDA Estimation From Arbitrary Square QAM-Modulated Signals. IEEE Transactions on Signal Processing, 2010, 58, 4517-4525.	3.2	15
80	Exact BER performance of asynchronous MC-DS-CDMA over fading channels [Transactions Letters. IEEE Transactions on Wireless Communications, 2010, 9, 1249-1254.	6.1	15
81	Efficient range-free localization algorithm for randomly distributed wireless sensor networks. , 2013, , .		15
82	Range-free localization algorithm for heterogeneous Wireless Sensor Networks. , 2014, , .		15
83	Distributed Beamforming for Two-Way DF Relay Cognitive Networks Under Primary�Secondary Mutual Interference. IEEE Transactions on Vehicular Technology, 2015, 64, 3918-3930.	3.9	15
84	Maximum Likelihood Joint Angle and Delay Estimation from Multipath and Multicarrier Transmissions with Application to Indoor Localization over IEEE 802.11ac Radio. IEEE Transactions on Mobile Computing, 2019, 18, 1116-1132.	3.9	15
85	Shadowed FSO/mmWave Systems With Interference. IEEE Transactions on Communications, 2019, 67, 6256-6267.	4.9	15
86	Fingerprinting Localization Using Ultra-Wideband and Neural Networks. , 2007, , .		14
87	Multi-port front-end and transceivers for V-band multi-gigabit/s communication systems. , 2011, , 707-732.		14
88	Generalized Moment-Based Method for SNR Estimation. , 2007, , .		13
89	Relay Selection Schemes for Uniformly Distributed Wireless Sensor Networks. , 2009, , .		13
90	Joint Source Power Control and Relay Beamforming in Amplify-and-Forward Cognitive Networks with Multiple Source-Destination Pairs. , 2011, , .		13

#	ARTICLE	IF	CITATIONS
91	Cramer-Rao Lower Bounds of DOA Estimates from Square QAM-Modulated Signals. IEEE Transactions on Communications, 2011, 59, 1675-1685.	4.9	13
92	Closed-Form Error Analysis of Variable-Gain Multihop Systems in Nakagami-m Fading Channels. IEEE Transactions on Communications, 2011, 59, 2285-2295.	4.9	13
93	Range-Free Localization Algorithm for Anisotropic Wireless Sensor Networks. , 2014, , .		13
94	Accurate Nodes Localization in Anisotropic Wireless Sensor Networks. , 2015, , .		13
95	Ergodic Capacity of Two-Hop Multiple Antenna AF Systems With Co-Channel Interference. IEEE Wireless Communications Letters, 2015, 4, 26-29.	3.2	13
96	Cramer-Rao Bound for NDA SNR Estimates of Square QAM Modulated Signals. , 2009, , .		12
97	Power-Constrained Distributed Implementation of SNR-Optimal Collaborative Beamforming in Highly-Scattered Environments. IEEE Wireless Communications Letters, 2015, 4, 457-460.	3.2	12
98	Multi-User Mixed FSO-RF Systems With Aperture Selection Under Poisson Field Interference. IEEE Access, 2019, 7, 73764-73781.	2.6	12
99	A Spectrum-Efficient Multicarrier CDMA Array-Receiver with Diversity-Based Enhanced Time and Frequency Synchronization. IEEE Transactions on Wireless Communications, 2007, 6, 2315-2327.	6.1	11
100	Moment-Based SNR Estimation for SIMO Wireless Communication Systems Using Arbitrary QAM. Conference Record of the Asilomar Conference on Signals, Systems and Computers, 2007, , .	0.0	11
101	A Low-Cost and Robust Maximum Likelihood Joint Estimator for the Doppler Spread and CFO Parameters Over Flat-Fading Rayleigh Channels. IEEE Transactions on Communications, 2017, , 1-1.	4.9	11
102	Outage Analysis of Wireless Systems over Composite Fading/Shadowing Channels with Co-Channel Interference. , 2009, , .		10
103	On the Performance of Dual-Hop Fixed Gain Relaying Systems over Composite Multipath/Shadowing Channels. , 2010, , .		10
104	Analysis of collaborative beamforming designs in real-world environments. , 2013, , .		10
105	Cost-effective and accurate nodes localization in heterogeneous wireless sensor networks. , 2015, , .		10
106	Joint Carrier and Sampling Frequency Offset Estimation Based on Harmonic Retrieval. , 2006, , .		9
107	V-band Six-Port Down-conversion Techniques. , 2007, , .		9
108	A 60 GHz multipoint front-end architecture with integrated phased antenna array. Microwave and Optical Technology Letters, 2008, 50, 1371-1376.	0.9	9

#	ARTICLE	IF	CITATIONS
109	Low-Cost Transceiver Architectures for 60â€™GHz Ultra Wideband WLANs. International Journal of Digital Multimedia Broadcasting, 2009, 2009, 1-6.	0.4	9
110	Cooperative geo-location in underground mines: A novel fingerprint positioning technique exploiting spatio-temporal diversity. , 2011, , .		9
111	Distributed Beamforming for Wireless Sensor Networks in Local Scattering Environments. , 2012, , .		9
112	Rough surface scattering analysis at 60 GHz in an underground mine gallery. , 2014, , .		9
113	HetNet Cloud: Leveraging SDN & Cloud Computing for Wireless Access Virtualization. , 2015, , .		9
114	Range-Free Nodes Localization in Mobile Wireless Sensor Networks. , 2015, , .		9
115	Comparative Study on a 60 GHz Path Loss Channel Modeling in a Mine Environment Using Neural Networks. , 2015, , .		9
116	Path loss exponent estimation using connectivity information in wireless sensor network. , 2016, , .		9
117	Enhanced range-free localization in wireless sensor networks using a new weighted hop-size estimation technique. , 2017, , .		9
118	Robust Distributed Collaborative Beamforming for Wireless Sensor Networks with Channel Estimation Impairments. Sensors, 2019, 19, 1061.	2.1	9
119	Multi-Node ML Time and Frequency Synchronization for Distributed MIMO-Relay Beamforming Over Time-Varying Flat-Fading Channels. IEEE Transactions on Communications, 2019, 67, 2702-2715.	4.9	9
120	Modulation-Based Simultaneous Wireless Information and Power Transfer. IEEE Communications Letters, 2020, 24, 136-140.	2.5	9
121	Distributed collaborative beamforming with minimum overhead for local scattering environments. , 2012, , .		8
122	Cost-effective localization in underground mines using new SIMO/MIMO-like fingerprints and artificial neural networks. , 2014, , .		8
123	Code-Aided DOA Estimation From Turbo-Coded QAM Transmissions: Analytical CRLBs and Maximum Likelihood Estimator. IEEE Transactions on Wireless Communications, 2017, 16, 2850-2865.	6.1	8
124	FPGA-SDR Integration and Experimental Validation of a Joint DA ML SNR and Doppler Spread Estimator for 5G Cognitive Transceivers. IEEE Access, 2019, 7, 69464-69480.	2.6	8
125	Angular Parameters Estimation of Multiple Incoherently Distributed Sources Generating Noncircular Signals. IEEE Access, 2019, 7, 38451-38468.	2.6	8
126	A New Construction of High Performance LDPC Matrices for Mobile Networks. Sensors, 2020, 20, 2300.	2.1	8

#	ARTICLE	IF	CITATIONS
127	Near-far resistant single-user channel identification by interference subspace rejection in wideband CDMA. , 0, , .		7
128	Iterative SNR Estimation for MPSK Modulation Over AWGN Channels. , 2006, , .		7
129	Characterization and Modeling of a Wireless Channel at 2.4 and 5.8 GHz in Underground Tunnels. , 2006, , .		7
130	Optimum Pulse Shaping for OFDM/BFDM Systems Operating in Time Varying Multi-Path Channels. , 2007, , .		7
131	Six-port FMCW collision avoidance radar sensor configurations. Canadian Conference on Electrical and Computer Engineering, 2008, , .	0.0	7
132	Design Considerations for an UWB Computationally-Efficient Fast Acquisition System for Indoor Line-of-Sight Ranging Applications. IEEE Transactions on Wireless Communications, 2011, 10, 2776-2784.	6.1	7
133	Exact Error Analysis of Dual-Hop Fixed-Gain AF Relaying over Arbitrary Nakagami-m Fading. , 2012, , .		7
134	Enhancing the performance of spectrum-sharing systems via collaborative distributed beamforming and AF relaying. , 2012, , .		7
135	Downlink interference cancellation strategy for shared-spectrum LTE HetNet. , 2013, , .		7
136	A low-cost and robust maximum likelihood doppler spread estimator. , 2013, , .		7
137	Time Synchronization of Turbo-Coded Square-QAM-Modulated Transmissions: Code-Aided ML Estimator and Closed-Form Cram�r� Rao Lower Bounds. IEEE Transactions on Vehicular Technology, 2017, 66, 10776-10792.	3.9	7
138	Capacity improvement of cellular CDMA by the subspace-tracking array-receiver. , 0, , .		6
139	Forward-link soft-handoff in CDMA with multiple-antenna selection and fast joint power control. IEEE Transactions on Wireless Communications, 2003, 2, 459-471.	6.1	6
140	A Computationally Efficient Implementation of a UWB Fast Acquisition Scheme. , 2007, , .		6
141	A Low-Cost Millimeter-Wave Six-Port Double-Balanced Mixer. , 2007, , .		6
142	Fast steered response power source localization using inverse mapping of relative delays. Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing, 2008, , .	1.8	6
143	A new importance-sampling-based non-data-aided maximum likelihood time delay estimator. , 2011, , .		6
144	Efficient Node Localization in Energy-Harvesting Wireless Sensor Networks. , 2015, , .		6

#	ARTICLE	IF	CITATIONS
145	Service Differentiation in Software Defined Virtual Heterogeneous Wireless Networks. , 2015, , .		6
146	A subarray manifold revealing projection for partially blind identification and beamforming. IEEE Signal Processing Letters, 1996, 3, 187-189.	2.1	5
147	High Capacity Downlink Transmission with MIMO Interference Subspace Rejection in Multicellular CDMA Networks. Eurasip Journal on Advances in Signal Processing, 2004, 2004, 1.	1.0	5
148	Performance Analysis of MB-OFDM in the Presence of Multiple UWB Interferers. , 2007, , .		5
149	A 77â€GHz sixâ€port FMCW collision avoidance radar sensor with baseband analytical calibration. Microwave and Optical Technology Letters, 2009, 51, 720-725.	0.9	5
150	Bivariate G distribution with arbitrary fading parameters. , 2009, , .		5
151	New insights into non-causal multichannel linear filtering for noise reduction. , 2009, , .		5
152	Closed-Form Expressions for the Exact Cramer-Rao Bound for Parameter Estimation of Arbitrary Square QAM-Modulated Signals. , 2009, , .		5
153	DOA Estimation for ULA Systems from Short Data Snapshots: An Annihilating Filter Approach. , 2011, , .		5
154	Spectrum-efficient distributed collaborative beamforming in the presence of local scattering and interference. , 2012, , .		5
155	Hop-count based localization algorithm for wireless sensor networks. , 2013, , .		5
156	A new importance-sampling ML estimator of time delays and angles of arrival in multipath environments. , 2014, , .		5
157	Closed-form Cramer-Rao lower bounds for DOA estimation from turbo-coded square-QAM-modulated transmissions. , 2015, , .		5
158	Accurate Sensors Localization in Underground Mines or Tunnels. , 2015, , .		5
159	Multi-Cell Full-Duplex Wireless Communication for Dense Urban Deployment. , 2016, , .		5
160	Capacity Scaling Laws in Interference-Limited Multiple-Antenna AF Relay Networks With User Scheduling. IEEE Transactions on Communications, 2016, 64, 3284-3295.	4.9	5
161	Transmit Diversity for FSO/RF-Based Multiuser Networks. , 2020, , .		5
162	Design Verification and Performance Evaluation of an Enhanced Wideband CDMA Receiver Using Channel Measurements. Eurasip Journal on Advances in Signal Processing, 2005, 2005, 1.	1.0	4

#	ARTICLE	IF	CITATIONS
163	Efficient Sequential Blind Beamforming for Wireless Underground Communications. , 2006, , .		4
164	A New Approach to Blind Separation of Two Sources with Three Sensors. , 2006, , .		4
165	SIR Optimized Hermite-Based Pulses for BFD Systems in Doubly Dispersive Channels. , 2007, , .		4
166	A decision-directed SNR estimator for QAM signals over time-varying SIMO channels. , 2008, , .		4
167	System-Level Evaluation of a Downlink OFDM Kalman-Based Switched-Beam System with Subcarrier Allocation Strategies. , 2008, , .		4
168	On optimal beamforming for noise reduction and interference rejection. , 2009, , .		4
169	An Information-Theoretic View of Array Processing. IEEE Transactions on Audio Speech and Language Processing, 2009, 17, 392-401.	3.8	4
170	Cramer-Rao Bounds for SNR Estimates in Multicarrier Transmissions. , 2009, , .		4
171	Cramer-Rao Bound for NDA DOA Estimates of Square QAM-Modulated Signals. , 2009, , .		4
172	Radio-localization in underground narrow-vein mines using neural networks with in-built tracking and time diversity. , 2011, , .		4
173	Reactive relay selection in cooperative spectrum-sharing systems. , 2012, , .		4
174	Distributed beamforming for spectrum-sharing relay networks under mutual primary-secondary interference. , 2014, , .		4
175	Maximum likelihood SNR estimation over time-varying flat-fading SIMO channels. , 2014, , .		4
176	Scattering effect based on measurements of reflection coefficients at 60 GHz in an underground mine gallery. , 2014, , .		4
177	Experimental Results of Rician K-Factor and Co-Polarization Ratio of 60 GHz Wireless Channel in an Underground Mine Gallery. , 2015, , .		4
178	Optimal anchors placement strategy for super accurate nodes localization in anisotropic wireless sensor networks. , 2016, , .		4
179	Low-complexity DOA estimation from short data snapshots for ULA systems using the annihilating filter technique. Eurasip Journal on Advances in Signal Processing, 2017, 2017, .	1.0	4
180	Distributed Zero-Forcing Amplify-and-Forward Beamforming for WSN Operation in Interfered and Highly Scattered Environments. IEEE Transactions on Communications, 2020, 68, 1187-1199.	4.9	4

#	ARTICLE	IF	CITATIONS
181	Accurate BER of MC-DS-CDMA over Rayleigh fading channels. , 2007, , 147-156.		4
182	Partial interference subspace rejection in CDMA systems. , 0, , .		3
183	Pilot-assisted STAR for increased capacity and coverage on the downlink of wideband CDMA networks. , 0, , .		3
184	A Downlink Switched-Beam OFDM Pilot Scheme Based on Subcarrier-Multiplexing. , 2006, , .		3
185	Impact of Pulse Shapes on the Performance of an Ultra-Wideband Multiple-Access Fast Acquisition System. , 2007, , .		3
186	System-level evaluation of a downlink OFDM switched-beam system with Kalman-based joint channel estimation and beam selection. , 2008, , .		3
187	On the Level Crossing Rate and Average Fade Duration of Composite Multipath/Shadowing Channels. , 2008, , .		3
188	Analysis of multi-user detection of multi-rate transmissions in multi-cellular CDMA. Wireless Communications and Mobile Computing, 2009, 9, 1-20.	0.8	3
189	Large-System-Based Performance Analysis and Design of Multiuser Cooperative Networks. IEEE Transactions on Signal Processing, 2009, 57, 1511-1525.	3.2	3
190	Distributed Null-Steering Beamforming for Wireless Sensor Networks. , 2009, , .		3
191	Joint Power Control and Relay Matrix Design for Cooperative Communication Networks with Multiple Source-Destination Pairs. , 2010, , .		3
192	Maximum likelihood time delay estimation for Direct-Spread CDMA multipath transmissions using importance sampling. , 2011, , .		3
193	Joint Estimation of the Ricean K-Factor and the SNR for SIMO Systems Using Higher Order Statistics. , 2011, , .		3
194	Cooperative two-way selective relaying in spectrum-sharing systems with distributed beamforming. , 2013, , .		3
195	Capacity and Error Rate Analysis of Cognitive MIMO AF Relaying Systems. IEEE Wireless Communications Letters, 2014, 3, 665-668.	3.2	3
196	Combined Interference Cancellation and Avoidance over the Downlink of Spectrum-Sharing LTE HetNet. , 2015, , .		3
197	Configuration cost vs. QoS trade-off analysis and optimization of SDR access virtualization schemes. , 2015, , .		3
198	Multi-antenna cognitive AF relay systems with multiple primary receivers. , 2015, , .		3

#	ARTICLE	IF	CITATIONS
199	A context-aware cognitive SIMO transceiver for enhanced throughput on the downlink of LTE HetNet. <i>Wireless Communications and Mobile Computing</i> , 2016, 16, 1414-1430.	0.8	3
200	Interference-limited mixed M ₁ laga-M and generalized-K dual-hop FSO/RF systems. , 2017, , .		3
201	Angular Dispersion of a Scattered Underground Wireless Channel at 60 GHz. <i>IEEE Access</i> , 2020, 8, 67572-67580.	2.6	3
202	Coverage Analysis and Scaling Laws in Ultra-Dense Networks. <i>IEEE Transactions on Communications</i> , 2021, 69, 4158-4171.	4.9	3
203	Adaptive MIMO-diversity selection with closed-loop power control over wireless CDMA rayleigh-fading channels. , 2003, , .		2
204	Frequency and time synchronization for the CDMA array-receiver STAR with interference subspace rejection. , 2003, , .		2
205	A Downlink OFDM Switched-Beam Scheme with Joint Channel Estimation and Beam Selection Based on Kalman Filtering. , 2006, , .		2
206	Reducing Complexity Using Path Selection for Sequential Blind Beamforming for Wireless Communications. , 2007, , .		2
207	ML-based joint estimation of frequency and sampling clock offsets for OFDM systems. , 2008, , .		2
208	Microphone arrays for noise reduction with low signal distortion in room acoustics. <i>Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing</i> , 2008, , .	1.8	2
209	A two-ray spectrum-approximation approach to Doppler spread estimation with robustness to the carrier frequency offset. , 2008, , .		2
210	Ultra-Wideband Fast Acquisition System for Positioning in an Underground Mining Environment. , 2008, , .		2
211	Performance of a New Low-Complexity Angular Spread Estimator in the Presence of Line-of-Sight. , 2008, , .		2
212	ML estimator based on the EM algorithm for subcarrier SNR estimation in multicarrier transmissions. , 2009, , .		2
213	Distributed processing techniques for beamforming in wireless sensor networks. , 2009, , .		2
214	A new low-complexity angular spread estimator in the presence of line-of-sight with angular distribution selection. <i>Eurasip Journal on Advances in Signal Processing</i> , 2011, 2011, .	1.0	2
215	Closed-Form Expressions for the Exact Cramer-Rao Bounds of Timing Recovery Estimators from BPSK and Square-QAM Transmissions. , 2011, , .		2
216	A Maximum Likelihood Time Delay Estimator Using Importance Sampling. , 2011, , .		2

#	ARTICLE	IF	CITATIONS
217	On the performance of spectrum sharing two-way relay networks with distributed beamforming. , 2013, , .		2
218	Closed-form CRLBs for SNR estimation from turbo-coded square-QAM-modulated signals. , 2014, , .		2
219	Statistical Modeling of 60 GHz Wireless Channel in an Underground Mine Gallery. , 2015, , .		2
220	Code-Aided Time Synchronization of Turbo-Coded Square-QAM-Modulated Transmissions: Closed-Form Cramer-Rao Lower Bounds. , 2015, , .		2
221	Throughput and cost-efficient interference cancelation strategies for the downlink of spectrum-sharing Long Term Evolution heterogeneous networks. <i>Wireless Communications and Mobile Computing</i> , 2016, 16, 236-248.	0.8	2
222	Wireless Access Virtualization Strategies for Future User-Centric 5G Networks. , 2016, , .		2
223	FPGA prototyping of a STAR-based time-delay estimator for 5G radio access. , 2017, , .		2
224	Accurate range-free ANN-based localization in wireless sensor networks. , 2017, , .		2
225	Distributed zero-forcing AF beamforming for energy-efficient communications in networked smart cities. , 2017, , .		2
226	ML time delay estimation for 5G links with DSSS multi-carrier multipath MIMO radio access. , 2017, , .		2
227	Low-Cost Robust Distributed Collaborative Beamforming against Implementation Impairments. , 2018, , .		2
228	ML Time-Delay and CFO Synchronization for MIMO-Relay Beamforming over Time-Varying Channels. , 2018, , .		2
229	ML-Type EM-Based Estimation of Fast Time-Varying Frequency-Selective Channels Over SIMO OFDM Transmissions. <i>IEEE Access</i> , 2019, 7, 148265-148277.	2.6	2
230	ML EM Estimation of Fast Time-Varying OFDM-Type Channels. , 2019, , .		2
231	Blind Maximum Likelihood Jade in Multipath Environment Using Importance Sampling. , 2019, , .		2
232	Joint ML Time and Frequency Synchronization for Distributed MIMO-Relay Beamforming. , 2019, , .		2
233	Hardware Impaired Self-Energized Bidirectional Sensor Networks over Complex Fading Channels. <i>Sensors</i> , 2020, 20, 5574.	2.1	2
234	Interference subspace rejection in wideband CDMA: Modes for high data-rate operation. , 0, , .		1

#	ARTICLE	IF	CITATIONS
235	Synchronization sensitivity of enhanced CDMA array-receivers to fast channel time-variations and to shaping-pulse design. , 2001, , .		1
236	Downlink MIMO multiuser detection with interference subspace rejection. , 0, , .		1
237	Performance Analysis of Band-Limited Generalized Multicarrier CDMA Systems. , 2006, , .		1
238	Impact of Angular Spread and DOA Estimation on the Performance of Wideband CDMA Array-Receiver. , 2006, , .		1
239	W-band substrate integrated waveguide radar sensor based on multi-port technology. , 2007, , .		1
240	A two-stage approach to localize spatially distributed sources. , 2007, , .		1
241	Performance of linear receivers based on superimposed training. , 2007, , .		1
242	Impact of Multipath Interference on the Performance of an UWB Fast Acquisition System for Ranging in an Indoor Wireless Channel. , 2008, , .		1
243	Exact BER Performance of Asynchronous MC-DS-CDMA over Nakagami-m Fading Channels. , 2008, , .		1
244	A fast acquisition system for ultra-wideband wireless multiple-access communications. Canadian Journal of Electrical and Computer Engineering, 2009, 34, 43-48.	1.5	1
245	A Useful Integral for Wireless Communication Theory and Its Application in Amplify-And-Forward Multihop Relaying. , 2010, , .		1
246	Closed-Form Error Analysis of Dual-Hop Relaying Systems over Nakagami-m Fading Channels. , 2010, , .		1
247	A second-order-statistics-based solution for online multichannel noise tracking and reduction. , 2010, , .		1
248	Closed form expression for the Cramér-Rao lower bound for the DOA estimates from spatially and temporally correlated narrowband signals considering noncircular sources. , 2010, , .		1
249	Topology-Assisted Techniques to Relay Selection for Homogeneously Distributed Wireless Sensor Networks. , 2010, , .		1
250	Cramér-Rao Lower Bounds for Subcarrier SNR Estimates Over Multicarrier Channels. IEEE Transactions on Signal Processing, 2010, 58, 891-896.	3.2	1
251	A Decentralized Collaborative Receive Beamforming Technique for Wireless Sensor Networks. , 2010, , .		1
252	Quasi-Convexity of the Asymptotic Channel MSE in Regularized Semi Blind Estimation. IEEE Transactions on Information Theory, 2011, 57, 4732-4739.	1.5	1

#	ARTICLE	IF	CITATIONS
253	Advances in angle-of-arrival and multidimensional signal processing for localization and communications. Eurasip Journal on Advances in Signal Processing, 2011, 2011, .	1.0	1
254	Joint power control and relay design in underlay cognitive networks with multiple transmitter-receiver pairs. , 2011, , .		1
255	Second-order moment-based direction finding of a single source for ULA systems. , 2011, , .		1
256	A study of 60 GHz channel estimation techniques using pilot carriers in OFDM systems in a confined area. , 2012, , .		1
257	Collaborative beamforming for spectrum-sharing two-way selective relay networks under co-channel interferences. , 2013, , .		1
258	Capacity of cognitive AF relay networks with multiple primary receivers. , 2014, , .		1
259	Green Wireless Access Virtualization Implementation: Cost vs. QoS Trade-offs. , 2014, , .		1
260	Analysis of relay capacity over generalized fading channels with cochannel interference. , 2014, , .		1
261	Distributed Collaborative Beamforming Design in Scattered-Environments. , 2015, , .		1
262	Opportunistic Open-Access Macro-Femto Networks with Femto Base Station Selection. , 2015, , .		1
263	Context-Aware Cognitive SIMO Transceiver for Increased LTE-Downlink Link-Level Throughput. , 2015, , .		1
264	Distributed Implementation of Collaborative Beamforming in Highly-Scattered Environments. , 2015, , .		1
265	A context-aware cognitive SIMO transceiver for increased LTE-HetNet system-level DL-throughput. , 2015, , .		1
266	Closed-Form CRLBs for the SNR Estimates from Turbo-Coded PAM- and Rectangular-QAM-Modulated Signals. , 2016, , .		1
267	User-centric wireless access virtualization strategies for future 5G networks. , 2016, , .		1
268	Range-free node localization in multi-hop wireless sensor networks. , 2016, , .		1
269	Distributed collaborative beamforming design in highly-scattered environments. , 2016, , .		1
270	End-to-end programmable, cloud-based virtualized HetNet: Advances made & challenges to address. Computer Communications, 2017, 105, 14-32.	3.1	1

#	ARTICLE	IF	CITATIONS
271	Progressive hybrid greyfield wireless access virtualization: Graph-optimized dynamic utility tradeoffs between cloud, fog, and legacy RANs. , 2017, , .		1
272	Generalized SINR analysis for device-to-device communications. , 2017, , .		1
273	Progressive hybrid greyfield wireless access virtualization with leveraged combining of cloud, fog, and legacy RANs. , 2017, , .		1
274	60 GHz temporal dispersion characteristics with different antenna polarizations in an underground mine. , 2017, , .		1
275	A cognitive MIMO transceiver for enhanced 4G and beyond link-level throughput. , 2017, , .		1
276	Energy-Efficient distributed amplify-and-forward beamforming for wireless sensor networks. , 2017, , .		1
277	Low-cost code-aided ML timing recovery from turbo-coded QAM transmissions. , 2017, , .		1
278	Dual-hop MÄlaga-M FSO systems with pointing errors. , 2017, , .		1
279	QoS-Based Virtualization of User Equipment in 5G Networks (Invited Paper). , 2018, , .		1
280	Distributed Collaborative Beamforming for Real-World WSN Applications. Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2017, , 316-329.	0.2	1
281	Flow control in the presence of interference cancellation in wireless CDMA networks. , 0, , .		0
282	A New Data-Aided Carrier Frequency Offset Estimation Algorithm for OFDM Systems. , 2006, , .		0
283	Performance Evaluation of an Enhanced Wideband CDMA Receiver Using Channel Measurements. , 2006, , .		0
284	A narrowband approach to blind source separation in convolutive MIMO mixtures. , 2007, , .		0
285	A new low-complexity super-resolution technique to localize two closely-spaced plane-wave sources. , 2007, , .		0
286	Performance Evaluation of a Computationally-Efficient Acquisition Scheme for DS-UWB Signals. , 2007, , .		0
287	New Closed-Form Estimators for the Angle of Arrival and the Angular Spread of a Locally Scattered Source. , 2007, , .		0
288	On the use of autoregressive modeling for localization of speech. , 2008, , .		0

#	ARTICLE	IF	CITATIONS
289	Impact of the Angular Velocity on the Signals Spectrum and Performance of Antenna-Array Receivers. , 2008, , .		0
290	Calibrated acoustic source localization. , 2008, , .		0
291	Subcarrier SNR ML estimators and Cramér-Rao bounds in multicarrier transmission. , 2009, , .		0
292	Regularized semi-blind estimator over MIMO-OFDM systems. , 2009, , .		0
293	On the ranging performance in an underground mine using ultra-wideband fast acquisition system. , 2009, , .		0
294	Adaptive preprocessing and ordering for detection in MIMO systems over Rayleigh fading channels. , 2009, , .		0
295	A cognitive multi-antenna transceiver with a multimodal-pilot-use modem for increased wireless network throughput, coverage and power efficiency. , 2009, , .		0
296	Linear filtering for noise reduction and interference rejection. , 2010, , .		0
297	A Dual-Hop Amplify-and-Forward MIMO Cooperative Beamformer in Distributed Wireless Sensor Networks. , 2010, , .		0
298	Eigenanalysis-based broadband source localization. , 2010, , .		0
299	DOA estimation from temporally and spatially correlated narrowband signals with noncircular sources. , 2011, , .		0
300	Stochastic NDA CRLB for DOA Estimation over SIMO Systems. , 2012, , .		0
301	On the Performance of Cooperative Relaying Spectrum-Sharing Systems with Collaborative Distributed Beamforming. IEEE Transactions on Communications, 2014, , 1-15.	4.9	0
302	Distributed Collaborative Beamforming Design for Maximized Throughput in Real-World Environments. , 2014, , .		0
303	Closed-form Cramér-Rao lower bounds for CFO and phase estimation from turbo-coded square-QAM-modulated signals. , 2014, , .		0
304	Code-Aided Time Synchronization of Turbo-Coded Square-QAM-Modulated Transmissions: Closed-Form Cramer-Rao Lower Bounds. , 2014, , .		0
305	MIMO relaying with interference via the CMGF transform. , 2015, , .		0
306	A Context-Aware Cognitive SIMO DL Transceiver for LTE HetNet Power Efficiency and Throughput Enhancement. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
307	Distributed collaborative beamforming designs for real-world applications in relayed and cooperative communications. , 2015, , .		0
308	Distributed Collaborative Beamforming Design for Maximized Throughput in Real-World Environments. , 2015, , .		0
309	Implementation of a Maximum Likelihood Doppler Spread Estimator on a Model-Based Design Platform. , 2015, , .		0
310	A Context-Aware Cognitive SIMO DL Transceiver for LTE HetNet Enhanced Pico-Cell Range Expansion. , 2015, , .		0
311	Opportunistic Scheduling in Downlink Multiple-Antenna AF Interfered Networks. , 2015, , .		0
312	Estimation of Angular Spreads and Mean Angles of Arrival for Multiple Incoherently-Distributed Noncircular Sources. , 2015, , .		0
313	Resource Allocation in Heterogeneous Small-Cell Networks with Interference Avoidance Admission. , 2015, , .		0
314	Cramer-Rao Lower Bounds for Angular Parameters Estimates from Incoherently Distributed Signals Generated by Noncircular Sources. , 2015, , .		0
315	Code-Aided Direction Finding in Turbo-Coded Square-QAM Transmissions. , 2015, , .		0
316	Large scale opportunistic antenna and user selection in AF relay networks with interference. , 2016, , .		0
317	Closed-Form Phase and CFO Estimation CRLBs from Turbo-Coded PAM- and RQAM-Modulated Signals. , 2016, , .		0
318	Rapid prototyping and validation on an SDR platform of a low-cost hybrid ML SNR estimator over time-varying SIMO channels. , 2016, , .		0
319	MUCICA: A novel interference mitigation concept for HetNets " Application to the LTE downlink. , 2016, , .		0
320	Accurate range-free node localization in mobile ad hoc networks. , 2016, , .		0
321	Unified stochastic geometry analysis of downlink cellular networks. , 2017, , .		0
322	Cost-, spectrum-, and energy-efficient distributed collaborative beamforming designs for real-world applications. , 2017, , .		0
323	Graph-optimized progressive hybrid greyfield wireless access virtualization. , 2017, , .		0
324	Joint time and frequency synchronization for distributed beamforming in decode-and-forward relaying systems using importance sampling. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
325	EM-Based ML Estimation of Fast Time-Varying Multipath Channels for SIMO OFDM Systems. , 2019, , .		0
326	SINR Coverage Analysis of Dense HetNets Over α - μ H-Fading Channels. , 2020, , .		0
327	Characterization of a 60 GHz scattered wireless channel with different antenna polarizations for underground multimedia applications. IET Microwaves, Antennas and Propagation, 2021, 15, 1063-1075.	0.7	0