
Mina Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3223941/publications.pdf Version: 2024-02-01



MINA KIM

#	Article	IF	CITATIONS
1	Ovariectomy, but not orchiectomy, exacerbates metabolic syndrome after maternal high-fructose intake in adult offspring. Korean Journal of Physiology and Pharmacology, 2021, 25, 39-49.	1.2	0
2	Anticipated impact of stem cell and other cellular medicine clinical trials for COVID-19. Regenerative Medicine, 2021, 16, 525-533.	1.7	4
3	Maternal high-fructose intake during pregnancy and lactation induces metabolic syndrome in adult offspring. Nutrition Research and Practice, 2021, 15, 160.	1.9	15
4	Acute Exposure to Fructose Impairs Endothelium-Dependent Relaxation via Oxidative Stress in Isolated Rat Aortic Rings. Journal of Vascular Research, 2020, 57, 213-222.	1.4	2
5	Activation of the renin-angiotensin system in high fructose-induced metabolic syndrome. Korean Journal of Physiology and Pharmacology, 2020, 24, 318-328.	1.2	14
6	Upregulation of C/ <scp>EBP</scp> β and <scp>TSC</scp> 2 by an <scp>HDAC</scp> inhibitor <scp>CG</scp> 200745 protects heart from <scp>DOCA</scp> â€induced hypertrophy. Clinical and Experimental Pharmacology and Physiology, 2019, 46, 226-236.	1.9	10
7	Maternal High-Fructose Intake Induces Multigenerational Activation of the Renin-Angiotensin-Aldosterone System. Hypertension, 2019, 74, 518-525.	2.7	32
8	Histone deacetylase inhibition ameliorates hypertension and hyperglycemia in a model of Cushing's syndrome. American Journal of Physiology - Endocrinology and Metabolism, 2018, 314, E39-E52.	3.5	24
9	Histone deacetylase inhibition attenuates hepatic steatosis in rats with experimental Cushing's syndrome. Korean Journal of Physiology and Pharmacology, 2018, 22, 23.	1.2	7
10	Histone deacetylase inhibition attenuates hepatic steatosis in rats with experimental Cushing syndrome. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO3-6-28.	0.0	0
11	Forkhead box O3 plays a role in skeletal muscle atrophy through expression of E3 ubiquitin ligases MuRF-1 and atrogin-1 in Cushing's syndrome. American Journal of Physiology - Endocrinology and Metabolism, 2017, 312, E495-E507.	3.5	54
12	Histone deacetylase inhibitor, CG200745, attenuates cardiac hypertrophy and fibrosis in DOCA-induced hypertensive rats. Korean Journal of Physiology and Pharmacology, 2016, 20, 477.	1.2	21
13	Histone deacetylase inhibition, but not a mineralocorticoid receptor antagonist spironolactone, attenuates atypical transcription by an activating mutant <scp>MR</scp> (<scp>MR_S</scp> _{810L}). Clinical and Experimental Pharmacology and Physiology. 2016, 43, 995-1003.	1.9	2
14	Porous silicon as an agent for cancer thermotherapy based on near-infrared light irradiation. Journal of Materials Chemistry, 2008, 18, 4790.	6.7	94