

Lars K Poulsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3224150/publications.pdf>

Version: 2024-02-01

275
papers

14,392
citations

17405

63
h-index

24915

109
g-index

284
all docs

284
docs citations

284
times ranked

10706
citing authors

#	ARTICLE	IF	CITATIONS
1	Optimizing investigation of suspected allergy to polyethylene glycols. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, 168-175.e4.	1.5	55
2	Development and validation of the food allergy severity score. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 1545-1558.	2.7	19
3	Safe De-Labeling of Patients at Low Risk of Penicillin Allergy in Denmark. <i>International Archives of Allergy and Immunology</i> , 2022, 183, 640-650.	0.9	13
4	Omalizumab serum levels predict treatment outcomes in patients with chronic spontaneous urticaria: A three-month prospective study. <i>Clinical and Experimental Allergy</i> , 2022, 52, 715-718.	1.4	2
5	Patterns of Clinical Reactivity in a Danish Cohort of Tree Nut Allergic Children, Adolescents, and Young Adults. <i>Frontiers in Allergy</i> , 2022, 3, .	1.2	2
6	The Allergen-Specific IgE Concentration Is Important for Optimal Histamine Release From Passively Sensitized Basophils. <i>Frontiers in Allergy</i> , 2022, 3, .	1.2	3
7	Characterization of Mast Cells from Healthy and Varicose Human Saphenous Vein. <i>Biomedicines</i> , 2022, 10, 1062.	1.4	1
8	Memory T helper cells identify patients with nickel, cobalt, and chromium metal allergy. <i>Contact Dermatitis</i> , 2021, 85, 7-16.	0.8	6
9	In Vitro Investigation of Vascular Permeability in Endothelial Cells from Human Artery, Vein and Lung Microvessels at Steady-State and Anaphylactic Conditions. <i>Biomedicines</i> , 2021, 9, 439.	1.4	7
10	Comparing baseline and reaction samples of perioperative anaphylaxis patients reveals IL6 and CCL2 as potential biomarkers. <i>Clinical and Experimental Allergy</i> , 2021, 51, 1250-1253.	1.4	4
11	The COMPARE Database: A Public Resource for Allergen Identification, Adapted for Continuous Improvement. <i>Frontiers in Allergy</i> , 2021, 2, 700533.	1.2	24
12	The TNF-like weak inducer of the apoptosis/fibroblast growth factor-inducible molecule 14 axis mediates histamine and platelet-activating factor-induced subcutaneous vascular leakage and anaphylactic shock. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 583-596.e6.	1.5	19
13	EAACI position paper on diet diversity in pregnancy, infancy and childhood: Novel concepts and implications for studies in allergy and asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 497-523.	2.7	101
14	Allergy Development in Adulthood: An Occupational Cohort Study of the Manufacturing of Industrial Enzymes. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 210-218.e5.	2.0	8
15	A WAO "ARIA" GA2LEN consensus document on molecular-based allergy diagnosis (PAMD@): Update 2020. <i>World Allergy Organization Journal</i> , 2020, 13, 100091.	1.6	76
16	IgE allergy diagnostics and other relevant tests in allergy, a World Allergy Organization position paper. <i>World Allergy Organization Journal</i> , 2020, 13, 100080.	1.6	245
17	Quantity and Quality of Basophil RNA Depend on the RNA Extraction Technique. <i>Methods in Molecular Biology</i> , 2020, 2163, 241-245.	0.4	0
18	Identifying and managing patients at risk of severe allergic reactions to food: Report from two iFAAM workshops. <i>Clinical and Experimental Allergy</i> , 2019, 49, 1558-1566.	1.4	22

#	ARTICLE	IF	CITATIONS
19	Sustained Effect of Immunotherapy for Food Allergy: Breaking Up is Hard to Do. <i>EClinicalMedicine</i> , 2019, 7, 7-8.	3.2	1
20	Rational Design, Structure-Activity Relationship, and Immunogenicity of Hypoallergenic Pru p 3 Variants. <i>Molecular Nutrition and Food Research</i> , 2019, 63, 1900336.	1.5	14
21	The Clinical Relevance of Natural Rubber Latex-Specific IgE in Patients Sensitized to Timothy Grass Pollen. <i>International Archives of Allergy and Immunology</i> , 2019, 178, 345-354.	0.9	11
22	Atopic diseases and type I sensitization from adolescence to adulthood in an unselected population (<sc>TOACS</sc>) with focus on predictors for allergic rhinitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 308-317.	2.7	19
23	Ratios of specific IgG ₄ over IgE antibodies do not improve prediction of peanut allergy nor of its severity compared to specific IgE alone. <i>Clinical and Experimental Allergy</i> , 2019, 49, 216-226.	1.4	37
24	Circulating allergen-specific TH2 lymphocytes: CCR4+ rather than CLA+ is the predominant phenotype in peanut-allergic subjects. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 1498-1501.e5.	1.5	14
25	The urgent need for a harmonized severity scoring system for acute allergic reactions. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 1792-1800.	2.7	79
26	Food allergy: setting the scene for tolerance induction. <i>The Lancet Gastroenterology and Hepatology</i> , 2018, 3, 74-75.	3.7	2
27	A comparative study on basophil activation test, histamine release assay, and passive sensitization histamine release assay in the diagnosis of peanut allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 137-144.	2.7	45
28	Clinical relevance of sensitization to hydrolyzed wheat protein in wheat-sensitized subjects. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 802-805.e1.	1.5	8
29	<sc>EAACI</sc> Guidelines on allergen immunotherapy: IgE-mediated food allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 799-815.	2.7	379
30	Allergen manufacturing and quality aspects for allergen immunotherapy in Europe and the United States: An analysis from the <sc>EAACI AIT</sc> Guidelines Project. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 816-826.	2.7	67
31	Challenges in the implementation of <sc>EAACI</sc> guidelines on allergen immunotherapy: A global perspective on the regulation of allergen products. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 64-76.	2.7	72
32	Protease resistance of food proteins: a mixed picture for predicting allergenicity but a useful tool for assessing exposure. <i>Clinical and Translational Allergy</i> , 2018, 8, 30.	1.4	35
33	No difference in human mast cells derived from peanut allergic versus non-allergic subjects. <i>Immunity, Inflammation and Disease</i> , 2018, 6, 416-427.	1.3	6
34	Biomarker bei der Allergen-Immuntherapie – ein EAACI Positionspapier. <i>Allergologie</i> , 2018, 41, 376-385.	0.1	0
35	Quantitative analysis of absorption, metabolism, and excretion of benzoxazinoids in humans after the consumption of high- and low-benzoxazinoid diets with similar contents of cereal dietary fibres: a crossover study. <i>European Journal of Nutrition</i> , 2017, 56, 387-397.	4.6	14
36	Association between perfluoroalkyl substance exposure and asthma and allergic disease in children as modified by MMR vaccination. <i>Journal of Immunotoxicology</i> , 2017, 14, 39-49.	0.9	41

#	ARTICLE	IF	CITATIONS
37	Allergen immunotherapy for IgE-mediated food allergy: a systematic review and meta-analysis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017, 72, 1133-1147.	2.7	315
38	Precision medicine in allergic disease—food allergy, drug allergy, and anaphylaxis—PRACTALL document of the European Academy of Allergy and Clinical Immunology and the American Academy of Allergy, Asthma and Immunology. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017, 72, 1006-1021.	2.7	143
39	The immunoglobulin superfamily member <sc>CD</sc>200R identifies cells involved in type 2 immune responses. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017, 72, 1081-1090.	2.7	27
40	The Importance of Prolonged Provocation in Drug Allergy—Results From a Danish Allergy Clinic. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017, 5, 1394-1401.	2.0	33
41	Beyond IgE—When Do IgE-Crosslinking and Effector Cell Activation Lead to Clinical Anaphylaxis?. <i>Frontiers in Immunology</i> , 2017, 8, 871.	2.2	10
42	Endothelial Regulator of Calcineurin 1 Promotes Barrier Integrity and Modulates Histamine-Induced Barrier Dysfunction in Anaphylaxis. <i>Frontiers in Immunology</i> , 2017, 8, 1323.	2.2	22
43	Bioactive small molecules in commercially available cereal food: Benzoxazinoids. <i>Journal of Food Composition and Analysis</i> , 2017, 64, 213-222.	1.9	9
44	Dynamics of plasma levels of specific IgE in chlorhexidine allergic patients with and without accidental re-exposure. <i>Clinical and Experimental Allergy</i> , 2016, 46, 1090-1098.	1.4	39
45	Precision medicine in patients with allergic diseases: Airway diseases and atopic dermatitis—PRACTALL document of the European Academy of Allergy and Clinical Immunology and the American Academy of Allergy, Asthma & Immunology. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 1347-1358.	1.5	249
46	Assessment of potential adjuvanticity of Cry proteins. <i>Regulatory Toxicology and Pharmacology</i> , 2016, 79, 149-155.	1.3	10
47	Can we identify patients at risk of life-threatening allergic reactions to food?. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016, 71, 1241-1255.	2.7	176
48	Inter-laboratory optimization of protein extraction, separation, and fluorescent detection of endogenous rice allergens. <i>Bioscience, Biotechnology and Biochemistry</i> , 2016, 80, 2198-2207.	0.6	4
49	Risk and safety requirements for diagnostic and therapeutic procedures in allergology: World Allergy Organization Statement. <i>World Allergy Organization Journal</i> , 2016, 9, 33.	1.6	87
50	Quality management in IgE-based allergy diagnostics. <i>Laboratoriums Medizin</i> , 2016, 40, 81-96.	0.1	5
51	Proficiency testing of skin prick testers as part of a quality assurance system. <i>Clinical and Translational Allergy</i> , 2016, 6, 36.	1.4	6
52	Distinct molecular signatures of mild extrinsic and intrinsic atopic dermatitis. <i>Experimental Dermatology</i> , 2016, 25, 453-459.	1.4	63
53	Hypoallergenic molecules for subcutaneous immunotherapy. <i>Expert Review of Clinical Immunology</i> , 2016, 12, 5-7.	1.3	21
54	Different cytokine profiles of skin-derived T cell cultures from patients with atopic dermatitis and psoriasis. <i>Inflammation Research</i> , 2016, 65, 265-272.	1.6	8

#	ARTICLE	IF	CITATIONS
55	Asthma and allergy in children with and without prior measles, mumps, and rubella vaccination. <i>Pediatric Allergy and Immunology</i> , 2015, 26, 742-749.	1.1	29
56	Human Atopic Dermatitis Skin-derived T Cells can Induce a Reaction in Mouse Keratinocytes <i>in Vivo</i> . <i>Scandinavian Journal of Immunology</i> , 2015, 82, 125-134.	1.3	2
57	Dietary exposure to benzoxazinoids enhances bacteria-induced monokine responses by peripheral blood mononuclear cells. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 2190-2198.	1.5	2
58	Hints for Diagnosis. <i>Chemical Immunology and Allergy</i> , 2015, 101, 59-67.	1.7	2
59	Position paper of the EAACI: food allergy due to immunological cross-reactions with common inhalant allergens. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015, 70, 1079-1090.	2.7	164
60	Benzoxazinoids: Cereal phytochemicals with putative therapeutic and health-protecting properties. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 1324-1338.	1.5	71
61	Development of a Hypoallergenic Recombinant Parvalbumin for First-in-Man Subcutaneous Immunotherapy of Fish Allergy. <i>International Archives of Allergy and Immunology</i> , 2015, 166, 41-51.	0.9	85
62	Clinical and diagnostic features of perioperative hypersensitivity to cefuroxime. <i>Clinical and Experimental Allergy</i> , 2015, 45, 807-814.	1.4	31
63	Molecular and stimulus-response profiles illustrate heterogeneity between peripheral and cord blood-derived human mast cells. <i>Journal of Leukocyte Biology</i> , 2014, 95, 893-901.	1.5	23
64	The diagnosis of food allergy: a systematic review and meta-analysis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 76-86.	2.7	192
65	EAACI Food Allergy and Anaphylaxis Guidelines. Protecting consumers with food allergies: understanding food consumption, meeting regulations and identifying unmet needs. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 1464-1472.	2.7	71
66	Transfusion-associated anaphylaxis during anaesthesia and surgery – a retrospective study. <i>Vox Sanguinis</i> , 2014, 107, 158-165.	0.7	8
67	The epidemiology of food allergy in Europe: a systematic review and meta-analysis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 62-75.	2.7	407
68	Allergic sensitization: host-immune factors. <i>Clinical and Translational Allergy</i> , 2014, 4, 12.	1.4	51
69	Efficacy and safety of the probiotic <i>Lactobacillus paracasei</i> LP-33 in allergic rhinitis: a double-blind, randomized, placebo-controlled trial (GA2LEN Study). <i>European Journal of Clinical Nutrition</i> , 2014, 68, 602-607.	1.3	65
70	Acute and long-term management of food allergy: systematic review. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 159-167.	2.7	74
71	Primary prevention of food allergy in children and adults: systematic review. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 581-589.	2.7	168
72	Sensitizing properties of proteins: executive summary. <i>Clinical and Translational Allergy</i> , 2014, 4, 10.	1.4	9

#	ARTICLE	IF	CITATIONS
73	Reply. Journal of Allergy and Clinical Immunology, 2014, 133, 931-932.	1.5	6
74	Expression Of The Transcription Factor E4BP4 In Human Basophils. Journal of Allergy and Clinical Immunology, 2014, 133, AB63.	1.5	0
75	Standardized testing with chlorhexidine in perioperative allergy – a large single-centre evaluation. Allergy: European Journal of Allergy and Clinical Immunology, 2014, 69, 1390-1396.	2.7	113
76	EAACI Food Allergy and Anaphylaxis Guidelines: diagnosis and management of food allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2014, 69, 1008-1025.	2.7	979
77	Inability to detect significant absorption of immunoreactive soya protein in healthy adults may be relevant to its weak allergenicity. Clinical and Translational Allergy, 2013, 3, 6.	1.4	2
78	Diamine oxidase determination in serum. Allergo Journal, 2013, 22, 108-111.	0.1	6
79	Detection of gene expression signatures related to underlying disease and treatment in rheumatoid arthritis patients. Modern Rheumatology, 2013, 23, 729-740.	0.9	6
80	In vitro Th1 and Th2 cell polarization is severely influenced by the initial ratio of naïve and memory CD4+ T cells. Journal of Immunological Methods, 2013, 397, 55-60.	0.6	8
81	Is intralymphatic immunotherapy ready for clinical use in patients with grass pollen allergy?. Journal of Allergy and Clinical Immunology, 2013, 132, 1248-1252.e5.	1.5	86
82	Inhibition of polyethylene glycol-induced histamine release by monomeric ethylene and diethylene glycol: A case of probable polyethylene glycol allergy. Journal of Allergy and Clinical Immunology, 2013, 131, 1425-1427.	1.5	44
83	IgE-mediated basophil tumour necrosis factor alpha induces matrix metalloproteinase-9 from monocytes. Allergy: European Journal of Allergy and Clinical Immunology, 2013, 68, 614-620.	2.7	22
84	Absorption and metabolic fate of bioactive dietary benzoxazinoids in humans. Molecular Nutrition and Food Research, 2013, 57, 1847-1858.	1.5	37
85	Detection of gene expression signatures related to underlying disease and treatment in rheumatoid arthritis patients. Modern Rheumatology, 2013, 23, 729-740.	0.9	11
86	Increased serum $\hat{2}$ -microglobulin is associated with clinical and immunological markers of disease activity in systemic lupus erythematosus patients. Lupus, 2012, 21, 1098-1104.	0.8	34
87	Experiences from Occupational Exposure Limits Set on Aerosols Containing Allergenic Proteins. Annals of Occupational Hygiene, 2012, 56, 888-900.	1.9	6
88	IL-1 Family Members IL-18 and IL-33 Upregulate the Inflammatory Potential of Differentiated Human Th1 and Th2 Cultures. Journal of Immunology, 2012, 189, 4331-4337.	0.4	59
89	FAST: towards safe and effective subcutaneous immunotherapy of persistent life-threatening food allergies. Clinical and Translational Allergy, 2012, 2, 5.	1.4	56
90	<i>Trichuris suis</i> ova therapy for allergic rhinitis does not affect allergen-specific cytokine responses despite a parasite-specific cytokine response. Clinical and Experimental Allergy, 2012, 42, 1582-1595.	1.4	24

#	ARTICLE	IF	CITATIONS
91	Detection of MHC class II expression on human basophils is dependent on antibody specificity but independent of atopic disposition. <i>Journal of Immunological Methods</i> , 2012, 381, 66-69.	0.6	10
92	Component-resolved <i>in vitro</i> diagnosis of carrot allergy in three different regions of Europe. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012, 67, 758-766.	2.7	41
93	Symptoms after Ingestion of Pig Whipworm <i>Trichuris suis</i> Eggs in a Randomized Placebo-Controlled Double-Blind Clinical Trial. <i>PLoS ONE</i> , 2011, 6, e22346.	1.1	62
94	Acute and Subchronic Airway Inflammation after Intratracheal Instillation of Quartz and Titanium Dioxide Agglomerates in Mice. <i>Scientific World Journal</i> , The, 2011, 11, 801-825.	0.8	37
95	IL-33 Induces IL-9 Production in Human CD4+ T Cells and Basophils. <i>PLoS ONE</i> , 2011, 6, e21695.	1.1	82
96	Sensitization to cereals and peanut evidenced by skin prick test and specific IgE in food-tolerant, grass pollen allergic patients. <i>Clinical and Translational Allergy</i> , 2011, 1, 15.	1.4	11
97	A Prospective, Clinical Study on Asymptomatic Sensitisation and Development of Allergic Rhinitis: High Negative Predictive Value of Allergological Testing. <i>International Archives of Allergy and Immunology</i> , 2011, 155, 289-296.	0.9	12
98	Expression of Enzymatically Inactive Wasp Venom Phospholipase A1 in <i>Pichia pastoris</i> . <i>PLoS ONE</i> , 2011, 6, e21267.	1.1	13
99	Component Resolved Testing for Allergic Sensitization. <i>Current Allergy and Asthma Reports</i> , 2010, 10, 340-348.	2.4	18
100	Display of wasp venom allergens on the cell surface of <i>Saccharomyces cerevisiae</i> . <i>Microbial Cell Factories</i> , 2010, 9, 74.	1.9	9
101	National pholcodine consumption and prevalence of IgE-sensitization: a multicentre study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010, 65, 498-502.	2.7	81
102	Allergy and Sensitization during Childhood Associated with Prenatal and Lactational Exposure to Marine Pollutants. <i>Environmental Health Perspectives</i> , 2010, 118, 1429-1433.	2.8	77
103	In Vitro Propagation and Dynamics of T cells from Skin Biopsies by Methods Using Interleukins-2 and -4 or Anti-CD3/CD28 Antibody-coated Microbeads. <i>Acta Dermato-Venereologica</i> , 2010, 90, 468-473.	0.6	15
104	<i>Trichuris suis</i> ova therapy for allergic rhinitis: A randomized, double-blind, placebo-controlled clinical trial. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 123-130.e3.	1.5	173
105	Time-response relationship of nano and micro particle induced lung inflammation. Quartz as reference compound. <i>Human and Experimental Toxicology</i> , 2010, 29, 915-933.	1.1	37
106	Effect of General Anesthesia and Orthopedic Surgery on Serum Tryptase. <i>Anesthesiology</i> , 2010, 112, 1184-1189.	1.3	28
107	What makes an allergen <i>more</i> than an allergen?. <i>Clinical and Experimental Allergy</i> , 2009, 39, 623-625.	1.4	6
108	Interferon- γ correlates positively with disease severity in Danish patients with SLE. <i>Cytokine</i> , 2009, 48, 95-96.	1.4	1

#	ARTICLE	IF	CITATIONS
109	Soybean (<i>Glycine max</i>) allergy in Europe: Gly m 5 (β -conglycinin) and Gly m 6 (glycinin) are potential diagnostic markers for severe allergic reactions to soy. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, 452-458.e4.	1.5	275
110	Component-resolved in vitro diagnosis of hazelnut allergy in Europe. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, 1134-1141.e3.	1.5	137
111	Soybean allergen detection methods – A comparison study. <i>Molecular Nutrition and Food Research</i> , 2008, 52, 1486-1496.	1.5	58
112	Facilitated antigen presentation: circumstantial evidence?. <i>Clinical and Experimental Allergy</i> , 2008, 38, 1246-1248.	1.4	0
113	Peanut cross-reacting allergens in seeds and sprouts of a range of legumes. <i>Clinical and Experimental Allergy</i> , 2008, 38, 1969-1977.	1.4	39
114	The biological activity of a recombinantly expressed (His) ₆ -tagged peanut allergen (rAra h 1) is unaffected by endotoxin removal. <i>Journal of Immunological Methods</i> , 2008, 335, 116-120.	0.6	17
115	Efficacy of recombinant birch pollen vaccine for the treatment of birch-allergic rhinoconjunctivitis. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 951-960.	1.5	289
116	Analytical criteria for performance characteristics of IgE binding methods for evaluating safety of biotech food products. <i>Food and Chemical Toxicology</i> , 2008, 46, S15-S19.	1.8	10
117	Risk Assessment of Clinical Reactions to Legumes in Peanut-Allergic Children. <i>World Allergy Organization Journal</i> , 2008, 1, 162-167.	1.6	4
118	Does Lipophilicity Per Se Induce Adjuvant Effects? Methyl Palmitate as Model Substance Does Not Affect Ovalbumin Sensitization. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2007, 70, 128-137.	1.1	9
119	Lack of immunogenicity of ice structuring protein type III HPLC12 preparation administered by the oral route to human volunteers. <i>Food and Chemical Toxicology</i> , 2007, 45, 79-87.	1.8	16
120	Association between alcohol consumption and skin prick test reactivity to aeroallergens. <i>Annals of Allergy, Asthma and Immunology</i> , 2007, 98, 70-74.	0.5	15
121	Production of Recombinant Peanut Allergen Ara h 2 using <i>Lactococcus lactis</i> . <i>Microbial Cell Factories</i> , 2007, 6, 28.	1.9	32
122	Incomplete digestion of codfish represents a risk factor for anaphylaxis in patients with allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 119, 711-717.	1.5	84
123	Immunochemical and Biological Methods for Estimation of Allergen Content Used for Soy Allergy Risk Assessments of Biotechnologically Derived Products. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 119, S115.	1.5	2
124	Clinical characteristics of soybean allergy in Europe: A double-blind, placebo-controlled food challenge study. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 119, 1489-1496.	1.5	161
125	IgE-mediated allergy to chlorhexidine. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 120, 409-415.	1.5	163
126	Triggers of IgE class switching and allergy development. <i>Annals of Medicine</i> , 2007, 39, 440-456.	1.5	173

#	ARTICLE	IF	CITATIONS
127	Adjuvant effects of inhaled mono-2-ethylhexyl phthalate in BALB/c mice. <i>Toxicology</i> , 2007, 232, 79-88.	2.0	56
128	Original article: Grass pollen symptoms interfere with the recollection of birch pollen symptoms - a prospective study of suspected, asymptomatic skin sensitization. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2007, 62, 373-377.	2.7	16
129	Allergology on a chip. <i>Clinical and Experimental Allergy</i> , 2007, 37, 1736-1737.	1.4	4
130	Do indoor chemicals promote development of airway allergy?. <i>Indoor Air</i> , 2007, 17, 236-255.	2.0	116
131	Diagnostic Tests Based on Human Basophils: Potentials, Pitfalls and Perspectives. <i>International Archives of Allergy and Immunology</i> , 2006, 141, 79-90.	0.9	163
132	Specific, semi-quantitative detection of the soybean allergen Gly m Bd 30K DNA by PCR. <i>Food Control</i> , 2006, 17, 30-36.	2.8	17
133	CCR3, CCR5, CCR8 and CXCR3 expression in memory T helper cells from allergic rhinitis patients, asymptotically sensitized and healthy individuals. <i>Clinical and Molecular Allergy</i> , 2006, 4, 6.	0.8	8
134	Are basophil histamine release and high affinity IgE receptor expression involved in asymptomatic skin sensitization?. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006, 61, 303-310.	2.7	3
135	Seasonal dynamics of chemokine receptors and CD62L in subjects with asymptomatic skin sensitization to birch and grass pollen. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006, 61, 759-768.	2.7	8
136	Rhinitis symptoms and IgE sensitization as risk factors for development of later allergic rhinitis in adults. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006, 61, 712-716.	2.7	48
137	Safety and tolerability of grass pollen tablets in sublingual immunotherapy â€“ a phase-1 study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006, 61, 1173-1176.	2.7	43
138	Immunological characteristics of subjects with asymptomatic skin sensitization to birch and grass pollen. <i>Clinical and Experimental Allergy</i> , 2006, 36, 283-292.	1.4	14
139	Class switch recombination in selective IgA-deficient subjects. <i>Clinical and Experimental Immunology</i> , 2006, 144, 458-466.	1.1	24
140	The Role of the interleukin-10 Subfamily Members in Immunoglobulin Production by Human B Cells. <i>Scandinavian Journal of Immunology</i> , 2006, 64, 40-47.	1.3	50
141	Allergen-specific IgE testing in the diagnosis of food allergy and the event of a positive match in the bioinformatics search. <i>Molecular Nutrition and Food Research</i> , 2006, 50, 645-654.	1.5	17
142	IgE-mediated sensitisation, rhinitis and asthma from occupational exposures. <i>Toxicology</i> , 2005, 216, 87-105.	2.0	53
143	In search of a new paradigm: mechanisms of sensitization and elicitation of food allergy*. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005, 60, 549-558.	2.7	24
144	Validation of basophil histamine release against the autologous serum skin test and outcome of serum-induced basophil histamine release studies in a large population of chronic urticaria patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005, 60, 1152-1156.	2.7	52

#	ARTICLE	IF	CITATIONS
145	Vaccination for birch pollen allergy: comparison of the affinities of specific immunoglobulins E, G1 and G4 measured by surface plasmon resonance. <i>Clinical and Experimental Allergy</i> , 2005, 35, 193-198.	1.4	39
146	Phthalates Potentiate the Response of Allergic Effector Cells. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2005, 96, 140-142.	1.2	23
147	Locked nucleic acid inhibits amplification of contaminating DNA in real-time PCR. <i>BioTechniques</i> , 2005, 38, 605-610.	0.8	31
148	Is Immunotherapy-Induced Birch-Pollen-Specific IgG4 a Marker for Decreased Allergen-Specific Sensitivity?. <i>International Archives of Allergy and Immunology</i> , 2005, 136, 340-346.	0.9	26
149	A Comparative Study of the Fc μ RI Molecule on Human Mast Cell and Basophil Cell Lines. <i>International Archives of Allergy and Immunology</i> , 2005, 137, 93-103.	0.9	8
150	The effects of gastric digestion on codfish allergenicity. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 115, 377-382.	1.5	97
151	Out-of-season recollection of drug use for seasonal IgE-mediated rhinitis: Useful but an overestimation. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 115, 786-790.	1.5	5
152	Does absorption across the buccal mucosa explain early onset of food-induced allergic systemic reactions?. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 115, 1321-1323.	1.5	43
153	Cross-reactivity to eel, eelpout and ocean pout in codfish-allergic patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2004, 59, 1173-1180.	2.7	30
154	A comparative study of the allergenic potency of wild-type and glyphosate-tolerant gene-modified soybean cultivars. <i>Apmis</i> , 2004, 112, 21-28.	0.9	49
155	Clinical efficacy of sublingual and subcutaneous birch pollen allergen-specific immunotherapy: a randomized, placebo-controlled, double-blind, double-dummy study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2004, 59, 45-53.	2.7	389
156	Evaluation of the potential allergenicity of the enzyme microbial transglutaminase using the 2001 FAO/WHO Decision Tree. <i>Molecular Nutrition and Food Research</i> , 2004, 48, 434-440.	1.5	27
157	Allergy assessment of foods or ingredients derived from biotechnology, gene-modified organisms, or novel foods. <i>Molecular Nutrition and Food Research</i> , 2004, 48, 413-423.	1.5	201
158	Food allergy to apple and specific immunotherapy with birch pollen. <i>Molecular Nutrition and Food Research</i> , 2004, 48, 441-448.	1.5	100
159	High prevalence of autoimmune urticaria in children with chronic urticaria. <i>Journal of Allergy and Clinical Immunology</i> , 2004, 114, 922-927.	1.5	129
160	A randomized, double-blinded, placebo-controlled oral challenge study to evaluate the allergenicity of commercial, food-grade fish gelatin. <i>Food and Chemical Toxicology</i> , 2004, 42, 2037-2044.	1.8	67
161	Isolation of high-affinity human IgE and IgG antibodies recognising Bet v 1 and Humicola lanuginosa lipase from combinatorial phage libraries. <i>Molecular Immunology</i> , 2004, 41, 941-953.	1.0	33
162	Association between an interleukin-13 promoter polymorphism and atopy. <i>International Journal of Immunogenetics</i> , 2003, 30, 355-359.	1.2	73

#	ARTICLE	IF	CITATIONS
163	Development of sensitisation or tolerance following repeated OVA inhalation in BALB/c mice. Dose-dependency and modulation by the Al(OH) ₃ adjuvant. <i>Toxicology</i> , 2003, 184, 51-68.	2.0	32
164	Roasted hazelnuts - allergenic activity evaluated by double-blind, placebo-controlled food challenge. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2003, 58, 132-138.	2.7	158
165	Long-term repeatability of the skin prick test is high when supported by history or allergen-sensitivity tests: a prospective clinical study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2003, 58, 1180-1186.	2.7	19
166	Retrospective assessment of seasonal allergic symptoms: over-rating but useful. <i>Clinical and Experimental Allergy</i> , 2003, 33, 496-500.	1.4	19
167	Monomeric immunoglobulin E stabilizes Fc ϵ R1 \pm from the human basophil cell line KU812 by protecting it from natural turnover. <i>Clinical and Experimental Allergy</i> , 2003, 33, 655-662.	1.4	12
168	Asymptomatic skin sensitization to birch predicts later development of birch pollen allergy in adults: A 3-year follow-up study. <i>Journal of Allergy and Clinical Immunology</i> , 2003, 111, 149-154.	1.5	65
169	Effect of mattress and pillow encasings on children with asthma and house dust mite allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2003, 111, 169-176.	1.5	158
170	Assessment of the potential allergenicity of ice structuring protein type III HPLC 12 using the FAO/WHO 2001 decision tree for novel foods. <i>Food and Chemical Toxicology</i> , 2003, 41, 81-87.	1.8	38
171	Vaccination for birch pollen allergy Induction of affinity-matured or blocking IgG antibodies does not account for the reduced binding of IgE to Bet v 1. <i>Molecular Immunology</i> , 2003, 39, 603-612.	1.0	28
172	CCR3 Expression Induced by IL-2 and IL-4 Functioning as a Death Receptor for B Cells. <i>Journal of Immunology</i> , 2003, 171, 1722-1731.	0.4	29
173	Immunochemical and biological quantification of peanut extract. <i>Arbeiten Aus Dem Paul-Ehrlich-Institut (Bundesamt FÅ¼r Sera Und Impfstoffe) Zu Frankfurt A M</i> , 2003, , 97-105; discussion 106.	0.0	1
174	LPS-induced cytokine production in the monocytic cell line THP-1 determined by multiple quantitative competitive PCR (QC-PCR). <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2002, 62, 405-412.	0.6	8
175	Evaluation of Accuracy and Uncertainty of ELISA Assays for the Determination of Interleukin-4, Interleukin-5, Interferon- γ and Tumor Necrosis Factor- α . <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 509-19.	1.4	9
176	Is the IgE-induced upregulation of Fc ϵ R1 on basophils a result of IgE stabilizing Fc ϵ R1 against proteolytic breakdown?. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 109, S249-S249.	1.5	0
177	Identification of hazelnut major allergens in sensitive patients with positive double-blind, placebo-controlled food challenge results. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 109, 563-570.	1.5	201
178	Anaphylaxis to Russian Beluga caviar. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 109, 1034-1035.	1.5	34
179	Decay of house-dust mite allergen Der f 1 at indoor climatic conditions. <i>Annals of Allergy, Asthma and Immunology</i> , 2002, 89, 34-37.	0.5	18
180	Frequency of atopy in the Arctic in 1987 and 1998. <i>Lancet, The</i> , 2002, 360, 691-692.	6.3	83

#	ARTICLE	IF	CITATIONS
181	In vitro effects of monophthalates on cytokine expression in the monocytic cell line THP-1 and in peripheral blood mononuclear cells from allergic and non-allergic donors. <i>Toxicology in Vitro</i> , 2002, 16, 657-662.	1.1	21
182	Comparison of four variants of a major allergen in hazelnut (<i>Corylus avellana</i>) Cor a 1.04 with the major hazel pollen allergen Cor a 1.01. <i>Molecular Immunology</i> , 2002, 38, 515-525.	1.0	122
183	Signaling transduction pathways in basophil adhesion and histamine release. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 109, S362-S362.	1.5	0
184	Spontaneous and cytokine induced basophil adhesion evaluated by microtiter assay. <i>Journal of Immunological Methods</i> , 2002, 262, 121-127.	0.6	4
185	Allergenic components of a novel food, Micronesian nut Nangai (<i>Canarium indicum</i>), shows IgE cross-reactivity in pollen allergic patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2002, 57, 398-404.	2.7	33
186	The safety and efficacy of subcutaneous birch pollen immunotherapy - a one-year, randomised, double-blind, placebo-controlled study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2002, 57, 297-305.	2.7	78
187	Atopic sensitization among children in an Arctic environment. <i>Clinical and Experimental Allergy</i> , 2002, 32, 367-372.	1.4	39
188	House dust mites and their allergens at selected locations in the homes of house dust mite-allergic patients. <i>Clinical and Experimental Allergy</i> , 2002, 32, 1299-1304.	1.4	26
189	Prediction of Allergenicity of Gene-Modified Foods by Serum-Based Testing. <i>Annals of the New York Academy of Sciences</i> , 2002, 964, 185-196.	1.8	1
190	House dust mites and their allergens in Danish mattresses – results from a population based study. <i>Annals of Agricultural and Environmental Medicine</i> , 2002, 9, 33-9.	0.5	3
191	Seasonal variation in food allergy to apple. <i>Biomedical Applications</i> , 2001, 756, 19-32.	1.7	22
192	In vivo and in vitro techniques to determine the biological activity of food allergens. <i>Biomedical Applications</i> , 2001, 756, 41-55.	1.7	21
193	Cetirizine inhibits skin reactions but not mediator release in immediate and developing late-phase allergic cutaneous reactions. A double-blind, placebo-controlled study. <i>Clinical and Experimental Allergy</i> , 2001, 31, 1378-1384.	1.4	20
194	Allergens from fish and egg. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2001, 56, 39-42.	2.7	66
195	Double-blind, placebo-controlled food challenge with apple. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2001, 56, 109-117.	2.7	48
196	Allergen cross-reactivity between house-dust mites and other invertebrates. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2001, 56, 723-733.	2.7	75
197	CXCR3 Expression on CD34+ Hemopoietic Progenitors Induced by Granulocyte-Macrophage Colony-Stimulating Factor: II. Signaling Pathways Involved. <i>Journal of Immunology</i> , 2001, 167, 4405-4413.	0.4	11
198	In-vitro diagnosis: serum-based methods used for risk assessment of allergenic food. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2001, 1, 249-254.	1.1	1

#	ARTICLE	IF	CITATIONS
199	Safety of allergen-specific immunotherapy. Relation between dosage regimen, allergen extract, disease and systemic side-effects during induction treatment. <i>Clinical and Experimental Allergy</i> , 2000, 30, 1423-1429.	1.4	110
200	CXC chemokine receptor 4 expression and stromal cell-derived factor-1 \pm -induced chemotaxis in CD4+ T lymphocytes are regulated by interleukin-4 and \hat{e} interleukin-10. <i>Immunology</i> , 2000, 99, 402-410.	2.0	46
201	Diagnosis of allergic bronchopulmonary aspergillosis (ABPA) in cystic fibrosis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2000, 55, 50-58.	2.7	45
202	Repeated exposures to cobalt or chromate on the hands of patients with hand eczema and contact allergy to that metal. <i>Contact Dermatitis</i> , 2000, 43, 212-215.	0.8	39
203	Detergents in the indoor environment \hat{e} what is the evidence for an allergy promoting effect? Known and postulated mechanisms. <i>Toxicology</i> , 2000, 152, 79-85.	2.0	13
204	Regulation of the IgE allergic immune response by humoral and cellular factors. <i>Apmis</i> , 2000, 108, 7-43.	0.9	3
205	Histamine immunocytochemistry: a new method for detection of basophils in peripheral blood. <i>Journal of Immunological Methods</i> , 2000, 237, 29-37.	0.6	3
206	Nickel-induced cytokine production from mononuclear cells in nickel-sensitive individuals and controls. <i>Archives of Dermatological Research</i> , 2000, 292, 285-291.	1.1	55
207	Eotaxin induces degranulation and chemotaxis of eosinophils through the activation of ERK2 and p38 mitogen-activated protein kinases. <i>Blood</i> , 2000, 95, 1911-1917.	0.6	254
208	CXC chemokine receptor 3 expression on CD34+hematopoietic progenitors from human cord blood induced by granulocyte-macrophage colony-stimulating factor: chemotaxis and adhesion induced by its ligands, interferon $\hat{3}$ \hat{e} inducible protein 10 and monokine induced $\hat{3}$. <i>Blood</i> , 2000, 96, 1230-1238.	0.6	42
209	Properties and units in the clinical laboratory sciences. Part XVI. Properties and units in clinical allergology (Technical Report) (IFCC-IUPAC 1999). <i>Pure and Applied Chemistry</i> , 2000, 72, 1067-1205.	0.9	9
210	CXCR3 Expression and Activation of Eosinophils: Role of IFN- $\hat{3}$ -Inducible Protein-10 and Monokine Induced by IFN- $\hat{3}$. <i>Journal of Immunology</i> , 2000, 165, 1548-1556.	0.4	147
211	Study of adjuvant effect of model surfactants from the groups of alkyl sulfates, alkylbenzene sulfonates, alcohol ethoxylates and soaps. <i>Food and Chemical Toxicology</i> , 2000, 38, 1065-1074.	1.8	30
212	Hazelnut allergy: A double-blind, placebo-controlled food challenge multicenter study. <i>Journal of Allergy and Clinical Immunology</i> , 2000, 105, 577-581.	1.5	158
213	Chemokine stromal cell \hat{e} derived factor 1 \pm activates basophils by means of CXCR4. <i>Journal of Allergy and Clinical Immunology</i> , 2000, 106, 313-320.	1.5	33
214	Regulation of Fc \hat{A} ,RI Synthesis in Human Eosinophils. <i>International Archives of Allergy and Immunology</i> , 1999, 118, 440-442.	0.9	9
215	IgE levels in surgery: effect of ranitidine and prednisolone. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1999, 54, 171-176.	2.7	9
216	Controversial aspects of adverse reactions to food. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1999, 54, 27-45.	2.7	113

#	ARTICLE	IF	CITATIONS
217	Increased antigen-specific Th-2 response in allergic bronchopulmonary aspergillosis (ABPA) in patients with cystic fibrosis. , 1999, 27, 74-79.		56
218	Effect of two different types of vacuum cleaners on airborne Fel d 1 levels. <i>Annals of Allergy, Asthma and Immunology</i> , 1999, 82, 307-310.	0.5	7
219	Histamine and tryptase in nasal lavage fluid after allergen challenge: Effect of 1 week of pretreatment with intranasal azelastine or systemic cetirizine. <i>Journal of Allergy and Clinical Immunology</i> , 1999, 103, 768-772.	1.5	33
220	A microtiter assay for activation of eosinophils.. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1998, 53, 129-138.	2.7	11
221	IgE-Sensitization to Cellular and Culture Filtrates of Fungal Extracts in Patients with Atopic Dermatitis. <i>Annals of Allergy, Asthma and Immunology</i> , 1998, 81, 247-255.	0.5	63
222	IL-8 and the Activation of Eosinophils and Neutrophils following Nasal Allergen Challenge. <i>International Archives of Allergy and Immunology</i> , 1998, 116, 53-59.	0.9	22
223	Seasonal Variations in T-Lymphocyte Response to Grass Pollen Allergens from Pollen-Allergic Patients and Healthy Controls. <i>Experimental and Clinical Immunogenetics</i> , 1998, 15, 144-153.	1.4	9
224	Expression of the High-Affinity Immunoglobulin E Receptor Alpha-Subunit in Human Blood Eosinophils. <i>International Archives of Allergy and Immunology</i> , 1997, 113, 302-304.	0.9	3
225	IgG-Binding Components of Staphylococcal Enterotoxins in Patients with Atopic Dermatitis. <i>Annals of Allergy, Asthma and Immunology</i> , 1997, 79, 403-408.	0.5	29
226	Codfish Allergy in Adults: IgE Cross-Reactivity Among Fish Species. <i>Annals of Allergy, Asthma and Immunology</i> , 1997, 78, 187-194.	0.5	111
227	Exposure chamber for allergen challenge. A placebo-controlled, double-blind trial in house-dust-mite asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1997, 52, 821-828.	2.7	18
228	Allergenic properties of kiwi-fruit extract: cross-reactivity between kiwi-fruit and birch-pollen allergens. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1997, 52, 136-143.	2.7	37
229	Occupational type I allergy to Christmas cactus (<i>Schlumbergera</i>). <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1997, 52, 656-660.	2.7	27
230	Hazards of unintentional/intentional introduction of allergens into foods. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1997, 52, 1184-1186.	2.7	33
231	A method for production and determination of histamine releasing activity from human peripheral blood mononuclear cells. <i>Journal of Immunological Methods</i> , 1997, 210, 185-193.	0.6	5
232	Hypersensitivity to the diphtheria component in the Di-Te-Pol vaccinene. A type I allergic reaction demonstrated by basophil histamine release. <i>Pediatric Allergy and Immunology</i> , 1997, 8, 156-158.	1.1	29
233	Antihistamine premedication in specific cluster immunotherapy: A double-blind, placebo-controlled study. <i>Journal of Allergy and Clinical Immunology</i> , 1996, 97, 1207-1213.	1.5	113
234	BIOMOLECULAR REGULATION OF THE IgE IMMUNE RESPONSE III. CYTOKINE PROFILES IN ATOPIC DERMATITIS, INHALANT ALLERGY AND NON-ALLERGIC DONORS. <i>Cytokine</i> , 1996, 8, 651-657.	1.4	16

#	ARTICLE	IF	CITATIONS
235	Codfish allergy in adults. Specific tests for IgE and histamine release vs double-blind, placebo-controlled challenges. <i>Clinical and Experimental Allergy</i> , 1996, 26, 1276-1285.	1.4	24
236	Identification of IgE-Binding Egg White Proteins: Comparison of Results Obtained by Different Methods. <i>International Archives of Allergy and Immunology</i> , 1996, 109, 50-57.	0.9	48
237	Biomolecular Regulation of the IgE Immune Response. <i>International Archives of Allergy and Immunology</i> , 1995, 106, 55-61.	0.9	18
238	Interleukin-4 and Interferon-Gamma Production by Leishmania Stimulated Peripheral Blood Mononuclear Cells from Nonexposed Individuals. <i>Scandinavian Journal of Immunology</i> , 1995, 41, 343-349.	1.3	35
239	Specific serum IgE in the diagnosis of egg and milk allergy in adults. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1995, 50, 636-647.	2.7	18
240	Ontogeny of human mannan-binding protein, a lectin of the innate immune system. <i>Pediatric Allergy and Immunology</i> , 1995, 6, 20-23.	1.1	74
241	Cytokines and autoantibodies to cytokines. <i>Stem Cells</i> , 1995, 13, 206-222.	1.4	63
242	Purification of egg white allergens. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1995, 50, 133-141.	2.7	27
243	In vitro Release of Eosinophil Proteins in Allergic and Atopic Dermatitis Patients. <i>Mediators of Inflammation</i> , 1994, 3, 223-227.	1.4	1
244	Efficacy of acrivastine in the treatment of allergic rhinitis during natural pollen exposure: onset of action. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1994, 49, 630-636.	2.7	13
245	Time of onset of action of acrivastine in the skin of pollen-allergic subjects.. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1994, 49, 27-30.	2.7	34
246	The use of cutaneous microdialysis to measure substance P-induced histamine release in intact human skin in vivo. <i>Journal of Allergy and Clinical Immunology</i> , 1994, 94, 773-783.	1.5	89
247	Leishmania donovani-reactive Th1- and Th2-like T-cell clones from individuals who have recovered from visceral leishmaniasis. <i>Infection and Immunity</i> , 1993, 61, 1069-1073.	1.0	141
248	Atopic dermatitis of the face, scalp, and neck: Type I reaction to the yeast <i>Pityrosporum ovale</i> ?. <i>Journal of Allergy and Clinical Immunology</i> , 1992, 89, 44-51.	1.5	97
249	Measurement of antigen-dependent interleukin-4 production by human peripheral blood mononuclear cells Introduction of an amplification step using ionomycin and phorbol myristate acetate. <i>Journal of Immunological Methods</i> , 1992, 156, 239-245.	0.6	36
250	Evidence of a common regulation of IgE and IgG-subclass antibodies in humans during immunotherapy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1992, 47, 467-470.	2.7	11
251	Aeroallergen analyses and their clinical relevance.. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1992, 47, 510-516.	2.7	21
252	A specific assay for leukotriene B4 in human whole blood. <i>Journal of Pharmacological and Toxicological Methods</i> , 1992, 28, 185-190.	0.3	3

#	ARTICLE	IF	CITATIONS
253	IL-4-Producing Murine T Helper Cell Line Provides Help for in vitro Production of IgE. International Archives of Allergy and Immunology, 1991, 95, 363-368.	0.9	1
254	The role of monocytes and T cells in 1,25-dihydroxyvitamin D3 mediated inhibition of B cell function in vitro. Immunopharmacology, 1991, 21, 121-128.	2.0	69
255	Immunological and physical properties of allergen solutions.. Allergy: European Journal of Allergy and Clinical Immunology, 1991, 46, 1-9.	2.7	11
256	A computational approach to the description of individual immune responses.. Allergy: European Journal of Allergy and Clinical Immunology, 1991, 46, 10-19.	2.7	12
257	Comparison of methods for intestinal histamine application: histamine in enterosoluble capsules or via a duodeno-jenunal tube.. Allergy: European Journal of Allergy and Clinical Immunology, 1991, 46, 191-195.	2.7	7
258	Allergen-containing immune complexes used for immunotherapy of allergic asthma.. Allergy: European Journal of Allergy and Clinical Immunology, 1991, 46, 292-303.	2.7	5
259	Aeroallergen analyses and their clinical relevance.. Allergy: European Journal of Allergy and Clinical Immunology, 1991, 46, 492-501.	2.7	3
260	Hyposensitization Therapy with Whole Pollen Extract or Purified Allergens Monitored by Immunoblotting. International Archives of Allergy and Immunology, 1990, 92, 254-264.	0.9	3
261	Hyposensitization in asthmatics with mPEG-modified and unmodified house dust mite extract.. Allergy: European Journal of Allergy and Clinical Immunology, 1990, 45, 130-141.	2.7	14
262	Immunochemical cross-reactivity between albumin and solid-phase adsorbed histamine. Agents and Actions, 1990, 30, 313-318.	0.7	0
263	A long-term follow-up study of hyposensitization with immunoblotting. Journal of Allergy and Clinical Immunology, 1990, 85, 996-1004.	1.5	61
264	Native inhibitors (autoantibodies) of IL-1 α and TNF. Trends in Immunology, 1989, 10, 222.	7.5	14
265	IgG Autoantibodies against Interleukin 1alpha in Sera of Normal Individuals. Scandinavian Journal of Immunology, 1989, 29, 489-492.	1.3	101
266	Improvement of specific immunotherapy by human IgG and modified allergens. Allergy: European Journal of Allergy and Clinical Immunology, 1989, 44, 241-255.	2.7	6
267	Allergen-containing immune complexes used for immunotherapy of allergic asthma.. Allergy: European Journal of Allergy and Clinical Immunology, 1989, 44, 132-142.	2.7	7
268	Maxisorp.. Allergy: European Journal of Allergy and Clinical Immunology, 1989, 44, 173-180.	2.7	17
269	Preparation of patient-related allergens for hyposensitization.. Allergy: European Journal of Allergy and Clinical Immunology, 1988, 43, 552-564.	2.7	10
270	Role of IgG4 in \bar{A}^- list a mine Release from Human Basophil Leucocytes. International Archives of Allergy and Immunology, 1988, 86, 383-390.	0.9	19

#	ARTICLE	IF	CITATIONS
271	Image processing and pattern recognition algorithms for evaluation of crossed immunoelectrophoretic patterns (Crossed radioimmunoelectrophoresis analysis manager; CREAM). Analytical Biochemistry, 1987, 165, 384-391.	1.1	21
272	Nebulization and selective deposition of LTD4 in human lungs. Allergy: European Journal of Allergy and Clinical Immunology, 1987, 42, 336-342.	2.7	5
273	A sensitive and reproducible method for the determination of subnanogram quantities of immunoglobulin E (IgE). Journal of Immunological Methods, 1986, 92, 131-136.	0.6	12
274	Aluminium Hydroxide Adsorbed Allergens Used in Modified RAST. Allergy: European Journal of Allergy and Clinical Immunology, 1985, 40, 405-416.	2.7	22
275	Thermal Processing of Food: Allergenicity. , 0, , 185-196.		0