

Barbara F Hales

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3224172/publications.pdf>

Version: 2024-02-01

157
papers

5,060
citations

81434

41
h-index

145109

60
g-index

158
all docs

158
docs citations

158
times ranked

3701
citing authors

#	ARTICLE	IF	CITATIONS
1	Phthalates and alternative plasticizers differentially affect phenotypic parameters in gonadal somatic and germ cell lines. <i>Biology of Reproduction</i> , 2022, 106, 613-627.	1.2	10
2	The Effects of Organophosphate Esters Used as Flame Retardants and Plasticizers on Granulosa, Leydig, and Spermatogonial Cells Analyzed Using High-Content Imaging. <i>Toxicological Sciences</i> , 2022, 186, 269-287.	1.4	12
3	High-content imaging analyses of the effects of bisphenols and organophosphate esters on TM4 mouse Sertoli cells. <i>Biology of Reproduction</i> , 2022, 107, 858-868.	1.2	3
4	Exposure of men living in the greater Montreal area to organophosphate esters: Association with hormonal balance and semen quality. <i>Environment International</i> , 2022, 166, 107402.	4.8	18
5	In Utero and Lactational Exposure to an Environmentally Relevant Mixture of Brominated Flame Retardants Induces a Premature Development of the Mammary Glands. <i>Toxicological Sciences</i> , 2021, 179, 206-219.	1.4	7
6	Polybrominated Diphenyl Ethers in Human Follicular Fluid Dysregulate Mural and Cumulus Granulosa Cell Gene Expression. <i>Endocrinology</i> , 2021, 162, .	1.4	10
7	Effects of flame retardants on ovarian function. <i>Reproductive Toxicology</i> , 2021, 102, 10-23.	1.3	13
8	Elucidation of the Effects of Bisphenol A and Structural Analogs on Germ and Steroidogenic Cells Using Single Cell High-Content Imaging. <i>Toxicological Sciences</i> , 2021, 180, 224-238.	1.4	13
9	Effects of an Environmentally Relevant Mixture of Organophosphate Esters Derived From House Dust on Endochondral Ossification in Murine Limb Bud Cultures. <i>Toxicological Sciences</i> , 2021, 180, 62-75.	1.4	7
10	Daphne Trasler: In memoriam. <i>Birth Defects Research</i> , 2021, 113, 1427-1430.	0.8	0
11	Effects of Bisphenols A, AF, and S on Endochondral Ossification and the Transcriptome of Murine Limb Buds. <i>Toxicological Sciences</i> , 2021, , .	1.4	3
12	Exposure to tert-Butylphenyl Diphenyl Phosphate, an Organophosphate Ester Flame Retardant and Plasticizer, Alters Hedgehog Signaling in Murine Limb Bud Cultures. <i>Toxicological Sciences</i> , 2020, 178, 251-263.	1.4	5
13	Effects of brominated and organophosphate ester flame retardants on male reproduction. <i>Andrology</i> , 2020, 8, 915-923.	1.9	40
14	In Utero and Lactational Exposure to Flame Retardants Disrupts Rat Ovarian Follicular Development and Advances Puberty. <i>Toxicological Sciences</i> , 2020, 175, 197-209.	1.4	19
15	Gestational and Lactational Exposure to an Environmentally Relevant Mixture of Brominated Flame Retardants Downregulates Junctional Proteins, Thyroid Hormone Receptor β 1 Expression, and the Proliferation-Apoptosis Balance in Mammary Glands Post Puberty. <i>Toxicological Sciences</i> , 2019, 171, 13-31.	1.4	8
16	The Murine Limb Bud in Culture as an In Vitro Teratogenicity Test System. <i>Methods in Molecular Biology</i> , 2019, 1965, 73-91.	0.4	5
17	Effects of Organophosphate Ester Flame Retardants on Endochondral Ossification in Ex Vivo Murine Limb Bud Cultures. <i>Toxicological Sciences</i> , 2019, 168, 420-429.	1.4	16
18	The Roles of P53 and Its Family Proteins, P63 and P73, in the DNA Damage Stress Response in Organogenesis-Stage Mouse Embryos. <i>Toxicological Sciences</i> , 2018, 162, 439-449.	1.4	9

#	ARTICLE	IF	CITATIONS
19	Response to Letter From Rainer Otter Regarding Albert O. <i>et al.</i> (2017). Identifying Greener and Safer Plasticizers: A Four-Step Approach. <i>Toxicological Sciences</i> , 2018, 166, 244-245.	1.4	2
20	Identifying Greener and Safer Plasticizers: A 4-Step Approach. <i>Toxicological Sciences</i> , 2018, 161, 266-275.	1.4	19
21	Polybrominated diphenyl ether (PBDE) neurotoxicity: a systematic review and meta-analysis of animal evidence. <i>Journal of Toxicology and Environmental Health - Part B: Critical Reviews</i> , 2018, 21, 269-289.	2.9	49
22	Systematic reviews and meta-analyses of human and animal evidence of prenatal diethylhexyl phthalate exposure and changes in male anogenital distance. <i>Journal of Toxicology and Environmental Health - Part B: Critical Reviews</i> , 2018, 21, 207-226.	2.9	43
23	Effects of In Utero and Lactational Exposure to New Generation Green Plasticizers on Adult Male Rats: A Comparative Study With Di(2-Ethylhexyl) Phthalate. <i>Toxicological Sciences</i> , 2018, 164, 129-141.	1.4	23
24	Exposure to polybrominated diphenyl ethers and phthalates in healthy men living in the greater Montreal area: A study of hormonal balance and semen quality. <i>Environment International</i> , 2018, 116, 165-175.	4.8	53
25	Hydroxyurea embryotoxicity is enhanced in P53-deficient mice. <i>Reproductive Toxicology</i> , 2018, 81, 28-33.	1.3	4
26	A case study of the role of toxicogenomics in hazard identification: The effects of exposure to a mixture of brominated flame retardants on ovarian function and gene expression. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, SY77-1.	0.0	0
27	Gestational and Lactational Exposure to an Environmentally Relevant Mixture of Brominated Flame Retardants: Effects on Neurodevelopment and Metabolism. <i>Birth Defects Research</i> , 2017, 109, 497-512.	0.8	19
28	From the Cover: Exposure to an Environmentally Relevant Mixture of Brominated Flame Retardants Decreased p- β -Catenin ^{S675} Expression and Its Interaction With E-Cadherin in the Mammary Glands of Lactating Rats. <i>Toxicological Sciences</i> , 2017, 159, 114-123.	1.4	10
29	In Utero and Lactational Exposure Study in Rats to Identify Replacements for Di(2-ethylhexyl) Phthalate. <i>Scientific Reports</i> , 2017, 7, 3862.	1.6	34
30	A Case-Control Study of Maternal Polybrominated Diphenyl Ether (PBDE) Exposure and Cryptorchidism in Canadian Populations. <i>Environmental Health Perspectives</i> , 2017, 125, 057004.	2.8	48
31	Response to Dr. Wise. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2016, 106, 1059-1061.	1.6	0
32	Editor's Highlight: Hydroxyurea Exposure Activates the P53 Signaling Pathway in Murine Organogenesis-Stage Embryos. <i>Toxicological Sciences</i> , 2016, 152, 297-308.	1.4	13
33	Gestational and Early Postnatal Exposure to an Environmentally Relevant Mixture of Brominated Flame Retardants: General Toxicity and Skeletal Variations. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2016, 107, 157-168.	1.4	28
34	In utero exposure to venlafaxine, a serotonin norepinephrine reuptake inhibitor, increases cardiac anomalies and alters placental and heart serotonin signaling in the rat. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2016, 106, 1044-1055.	1.6	24
35	Implications of Applying Minimal Risk Standards in Clinical Research to Information Provision in Prenatal and Pre-conception Care. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2016, 38, 965-974.	0.3	0
36	Zinc Transport Differs in Rat Spermatogenic Cell Types and Is Affected by Treatment with Cyclophosphamide. <i>Biology of Reproduction</i> , 2016, 95, 22-22.	1.2	5

#	ARTICLE	IF	CITATIONS
37	Organophosphate Flame Retardants Act as Endocrine-Disrupting Chemicals in MA-10 Mouse Tumor Leydig Cells. <i>Toxicological Sciences</i> , 2016, 150, 499-509.	1.4	64
38	Exposure of Female Rats to an Environmentally Relevant Mixture of Brominated Flame Retardants Targets the Ovary, Affecting Folliculogenesis and Steroidogenesis. <i>Biology of Reproduction</i> , 2016, 94, 9.	1.2	33
39	The Effects of Chemotherapeutic Agents, Bleomycin, Etoposide, and Cisplatin, on Chromatin Remodeling in Male Rat Germ Cells. <i>Biology of Reproduction</i> , 2016, 94, 81.	1.2	26
40	A Mixture Reflecting Polybrominated Diphenyl Ether (PBDE) Profiles Detected in Human Follicular Fluid Significantly Affects Steroidogenesis and Induces Oxidative Stress in a Female Human Granulosa Cell Line. <i>Endocrinology</i> , 2016, 157, 2698-2711.	1.4	31
41	Valproic Acid Induces the Hyperacetylation of P53, Expression of P53 Target Genes, and Markers of the Intrinsic Apoptotic Pathway in Midorganogenesis Murine Limbs. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2015, 104, 177-183.	1.4	14
42	The Effects of Class-Specific Histone Deacetylase Inhibitors on the Development of Limbs During Organogenesis. <i>Toxicological Sciences</i> , 2015, 148, 220-228.	1.4	19
43	Assessment of the developmental toxicity of nanoparticles in an <i>ex vivo</i> 3D model, the murine limb bud culture system. <i>Nanotoxicology</i> , 2015, 9, 780-791.	1.6	2
44	Hair as a Biomarker of Systemic Exposure to Polybrominated Diphenyl Ethers. <i>Environmental Science & Technology</i> , 2014, 48, 14650-14658.	4.6	49
45	Effects of Ethylene Glycol Monomethyl Ether and Its Metabolite, 2-Methoxyacetic Acid, on Organogenesis Stage Mouse Limbs In Vitro. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2014, 101, 254-261.	1.4	8
46	Exposure to an environmentally relevant mixture of brominated flame retardants affects fetal development in Sprague-Dawley rats. <i>Toxicology</i> , 2014, 320, 56-66.	2.0	32
47	Harnessing genomics to identify environmental determinants of heritable disease. <i>Mutation Research - Reviews in Mutation Research</i> , 2013, 752, 6-9.	2.4	25
48	Glycerol trinitrate metabolism in the quail embryo by the glutathione S-transferases leads to a perturbation in redox status and embryotoxicity. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2013, 165, 153-164.	0.7	1
49	Selective induction of glutathione S-transferases in round spermatids from the Brown-Norway rat by the chemotherapeutic regimen for testicular cancer. <i>Reproductive Toxicology</i> , 2013, 36, 24-32.	1.3	2
50	Hydroxyurea Exposure Triggers Tissue-Specific Activation of p38 Mitogen-Activated Protein Kinase Signaling and the DNA Damage Response in Organogenesis-Stage Mouse Embryos. <i>Toxicological Sciences</i> , 2013, 133, 298-308.	1.4	15
51	The development of adverse outcome pathways for mutagenic effects for the organization for economic cooperation and development. <i>Environmental and Molecular Mutagenesis</i> , 2013, 54, 79-81.	0.9	17
52	Deprenyl Enhances the Teratogenicity of Hydroxyurea in Organogenesis Stage Mouse Embryos. <i>Toxicological Sciences</i> , 2013, 134, 391-399.	1.4	16
53	Exposure to Valproic Acid Inhibits Chondrogenesis and Osteogenesis in Mid-Organogenesis Mouse Limbs. <i>Toxicological Sciences</i> , 2013, 131, 234-241.	1.4	17
54	Analysis of the Sperm Head Protein Profiles in Fertile Men: Consistency across Time in the Levels of Expression of Heat Shock Proteins and Peroxiredoxins. <i>PLoS ONE</i> , 2013, 8, e77471.	1.1	12

#	ARTICLE	IF	CITATIONS
55	Effects of Chronic Exposure to an Environmentally Relevant Mixture of Brominated Flame Retardants on the Reproductive and Thyroid System in Adult Male Rats. <i>Toxicological Sciences</i> , 2012, 127, 496-507.	1.4	60
56	Sperm Chromatin Structure Components Are Differentially Repaired in Cancer Survivors. <i>Journal of Andrology</i> , 2012, 33, 629-636.	2.0	34
57	The Activation of DNA Damage Detection and Repair Responses in Cleavage-Stage Rat Embryos by a Damaged Paternal Genome. <i>Toxicological Sciences</i> , 2012, 127, 555-566.	1.4	22
58	Effects of Exposure to a DNA Damaging Agent on the Hypoxia Inducible Factors in Organogenesis Stage Mouse Limbs. <i>PLoS ONE</i> , 2012, 7, e51937.	1.1	2
59	The Murine Limb Bud in Culture as an In Vitro Teratogenicity Test System. <i>Methods in Molecular Biology</i> , 2012, 889, 197-213.	0.4	8
60	Effects of Chemotherapeutic Agents for Testicular Cancer on Rat Spermatogonial Stem/Progenitor Cells. <i>Journal of Andrology</i> , 2011, 32, 432-443.	2.0	25
61	Epigenetic programming: From gametes to blastocyst. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2011, 91, 652-665.	1.6	77
62	Developmental toxicity of glyceryl trinitrate in quail embryos. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2011, 91, 230-240.	1.6	4
63	Paternal Cyclophosphamide Exposure Induces the Formation of Functional Micronuclei during the First Zygotic Division. <i>PLoS ONE</i> , 2011, 6, e27600.	1.1	8
64	Paternally-mediated effects on development. , 2011, , 76-92.		0
65	Toxicants and human sperm chromatin integrity. <i>Molecular Human Reproduction</i> , 2010, 16, 14-22.	1.3	100
66	Reversibility of the effects of the chemotherapeutic regimen for non-Hodgkin lymphoma, cyclophosphamide, doxorubicin, vincristine, and prednisone, on the male rat reproductive system and progeny outcome. <i>Reproductive Toxicology</i> , 2010, 29, 332-338.	1.3	19
67	Paternal Exposure to Cyclophosphamide Affects the Progression of Sperm Chromatin Decondensation and Activates a DNA Damage Response in the Prepronuclear Rat Zygote1. <i>Biology of Reproduction</i> , 2010, 83, 195-204.	1.2	25
68	Teratogen-Induced Oxidative Stress Targets Glyceraldehyde-3-Phosphate Dehydrogenase in the Organogenesis Stage Mouse Embryo. <i>Toxicological Sciences</i> , 2010, 118, 686-695.	1.4	15
69	Impact of chemotherapeutics and advanced testicular cancer or Hodgkin lymphoma on sperm deoxyribonucleic acid integrity. <i>Fertility and Sterility</i> , 2010, 94, 1374-1379.	0.5	87
70	Impact of the Chemotherapy Cocktail Used to Treat Testicular Cancer on the Gene Expression Profile of Germ Cells from Male Brown-Norway Rats1. <i>Biology of Reproduction</i> , 2009, 80, 320-327.	1.2	31
71	Teratogen responsive signaling pathways in organogenesis stage mouse limbs. <i>Reproductive Toxicology</i> , 2009, 27, 103-110.	1.3	7
72	The oxidative stress response is region specific in organogenesis stage mouse embryos exposed to 5- β -bromo-2'-deoxyuridine. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2009, 85, 202-210.	1.6	1

#	ARTICLE	IF	CITATIONS
73	The impact of human superoxide dismutase 1 expression in a mouse model on the embryotoxicity of hydroxyurea. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2009, 85, 800-807.	1.6	9
74	Reversibility of the Effects of Subchronic Exposure to the Cancer Chemotherapeutics Bleomycin, Etoposide, and Cisplatin on Spermatogenesis, Fertility, and Progeny Outcome in the Male Rat. <i>Journal of Andrology</i> , 2008, 29, 408-417.	2.0	45
75	p38 and c-Jun N-Terminal Kinase Mitogen-Activated Protein Kinase Signaling Pathways Play Distinct Roles in the Response of Organogenesis-Stage Embryos to a Teratogen. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008, 326, 764-772.	1.3	12
76	Retinoic Acid Receptor Gamma-Induced Misregulation of Chondrogenesis in the Murine Limb Bud In Vitro. <i>Toxicological Sciences</i> , 2008, 106, 223-232.	1.4	18
77	DNA Damage Recognition in the Rat Zygote Following Chronic Paternal Cyclophosphamide Exposure. <i>Toxicological Sciences</i> , 2007, 100, 495-503.	1.4	44
78	Chronic Cyclophosphamide Exposure Alters the Profile of Rat Sperm Nuclear Matrix Proteins1. <i>Biology of Reproduction</i> , 2007, 77, 303-311.	1.2	43
79	Effects of the Chemotherapeutic Agents for Non-Hodgkin Lymphoma, Cyclophosphamide, Doxorubicin, Vincristine, and Prednisone (CHOP), on the Male Rat Reproductive System and Progeny Outcome. <i>Journal of Andrology</i> , 2007, 28, 578-587.	2.0	42
80	In utero exposure to tributyltin chloride differentially alters male and female fetal gonad morphology and gene expression profiles in the Spragueâ€Dawley rat. <i>Reproductive Toxicology</i> , 2007, 23, 1-11.	1.3	45
81	Effects of the Chemotherapy Cocktail Used to Treat Testicular Cancer on Sperm Chromatin Integrity. <i>Journal of Andrology</i> , 2006, 28, 241-249.	2.0	78
82	Effects of Chemotherapeutic Agents for Testicular Cancer on the Male Rat Reproductive System, Spermatozoa, and Fertility. <i>Journal of Andrology</i> , 2006, 27, 189-200.	2.0	81
83	Role of retinoic acid receptors $\hat{1}\pm 1$ and $\hat{1}^3$ in the response of murine limbs to retinol in vitro. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2006, 76, 39-45.	1.6	6
84	Exposure to 5-Bromo-2â€2-deoxyuridine induces oxidative stress and activator protein-1 DNA binding activity in the embryo. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2006, 76, 580-591.	1.6	20
85	Retinoid Receptor Antagonists Alter the Pattern of Apoptosis in Organogenesis Stage Mouse Limbs. <i>Toxicological Sciences</i> , 2006, 90, 208-220.	1.4	10
86	Novel Retinoid Targets in the Mouse Limb during Organogenesis. <i>Toxicological Sciences</i> , 2006, 94, 139-152.	1.4	12
87	Depletion of Glutathione Induces 4-Hydroxynonenal Protein Adducts and Hydroxyurea Teratogenicity in the Organogenesis Stage Mouse Embryo. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 319, 613-621.	1.3	36
88	The stress response in gametes and embryos after paternal chemical exposures. <i>Toxicology and Applied Pharmacology</i> , 2005, 207, 514-520.	1.3	32
89	Impact of Paternal Exposure to Chemotherapy on Offspring in the Rat. <i>Journal of the National Cancer Institute Monographs</i> , 2005, 2005, 28-31.	0.9	49
90	Effects of Acute and Chronic Cyclophosphamide Treatment on Meiotic Progression and the Induction of DNA Double-Strand Breaks in Rat Spermatocytes1. <i>Biology of Reproduction</i> , 2005, 72, 1297-1304.	1.2	35

#	ARTICLE	IF	CITATIONS
91	Epigenetic programming in the preimplantation rat embryo is disrupted by chronic paternal cyclophosphamide exposure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 7865-7870.	3.3	73
92	Activator Protein-1 (AP-1) DNA Binding Activity Is Induced by Hydroxyurea in Organogenesis Stage Mouse Embryos. <i>Toxicological Sciences</i> , 2005, 85, 1013-1023.	1.4	32
93	DNA repair disorders causing malformations. <i>Current Opinion in Genetics and Development</i> , 2005, 15, 234-240.	1.5	27
94	Spermiogenic Germ Cell Phase-Specific DNA Damage Following Cyclophosphamide Exposure. <i>Journal of Andrology</i> , 2004, 25, 354-362.	2.0	97
95	Caspase-3 mediates retinoid-induced apoptosis in the organogenesis-stage mouse limb. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2003, 67, 848-860.	1.6	23
96	Numerical Chromosomal Abnormalities in Rat Epididymal Spermatozoa Following Chronic Cyclophosphamide Exposure. <i>Biology of Reproduction</i> , 2003, 69, 1150-1157.	1.2	31
97	Effects of in Utero Tributyltin Chloride Exposure in the Rat on Pregnancy Outcome. <i>Toxicological Sciences</i> , 2003, 74, 407-415.	1.4	106
98	Genotoxic Stress Response Gene Expression in the Mid-Organogenesis Rat Conceptus. <i>Toxicological Sciences</i> , 2003, 74, 157-164.	1.4	14
99	Gestational Exposure to Persistent Organic Pollutants: Maternal Liver Residues, Pregnancy Outcome, and Effects on Hepatic Gene Expression Profiles in the Dam and Fetus. <i>Toxicological Sciences</i> , 2003, 72, 242-252.	1.4	15
100	Chronic Cyclophosphamide Treatment Alters the Expression of Stress Response Genes in Rat Male Germ Cells. <i>Biology of Reproduction</i> , 2002, 66, 1024-1032.	1.2	44
101	DNA repair during organogenesis. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2002, 509, 79-91.	0.4	64
102	Expression and activity of the DNA repair enzyme uracil DNA glycosylase during organogenesis in the rat conceptus and following methotrexate exposure in vitro. <i>Biochemical Pharmacology</i> , 2002, 64, 711-721.	2.0	12
103	Buthionine sulfoximine embryotoxicity is associated with prolonged AP-1 activation. <i>Teratology</i> , 2002, 66, 192-200.	1.8	10
104	Role of caspases in murine limb bud cell death induced by 4-hydroperoxycyclophosphamide, an activated analog of cyclophosphamide. <i>Teratology</i> , 2002, 66, 288-299.	1.8	30
105	Paternal Exposure to Drugs and Environmental Chemicals: Effects on Progeny Outcome. <i>Journal of Andrology</i> , 2001, 22, 927-936.	2.0	46
106	Nucleotide excision repair gene expression in the rat conceptus during organogenesis. <i>Mutation Research DNA Repair</i> , 2001, 486, 113-123.	3.8	20
107	Expression of base excision, mismatch, and recombination repair genes in the organogenesis-stage rat conceptus and effects of exposure to a genotoxic teratogen, 4-hydroperoxycyclophosphamide. <i>Teratology</i> , 2001, 64, 283-291.	1.8	10
108	Acute cyclophosphamide exposure has germ cell specific effects on the expression of stress response genes during rat spermatogenesis. <i>Molecular Reproduction and Development</i> , 2001, 60, 302-311.	1.0	30

#	ARTICLE	IF	CITATIONS
109	Expression of Stress Response Genes in Germ Cells During Spermatogenesis ¹ . <i>Biology of Reproduction</i> , 2001, 65, 119-127.	1.2	76
110	Paternal exposure to cyclophosphamide dysregulates the gene activation program in rat preimplantation embryos. <i>Molecular Reproduction and Development</i> , 2000, 57, 214-223.	1.0	30
111	Paternal Exposure to Cyclophosphamide Alters Cell-Cell Contacts and Activation of Embryonic Transcription in the Preimplantation Rat Embryo ¹ . <i>Biology of Reproduction</i> , 2000, 63, 74-81.	1.2	24
112	Paternal exposure to cyclophosphamide induces DNA damage and alters the expression of DNA repair genes in the rat preimplantation embryo. <i>Mutation Research DNA Repair</i> , 2000, 461, 229-241.	3.8	93
113	Post-Translational Regulation of AP-1 Transcription Factor DNA-Binding Activity in the Rat Conceptus. <i>Molecular Pharmacology</i> , 1999, 56, 537-544.	1.0	15
114	Thalidomide on the comeback trail. <i>Nature Medicine</i> , 1999, 5, 489-490.	15.2	74
115	Tissue-specific regulation of glutathione homeostasis and the activator protein-1 (AP-1) response in the rat conceptus. <i>Biochemical Pharmacology</i> , 1999, 57, 1165-1175.	2.0	14
116	Induction of Apoptosis in the Germ Cells of Adult Male Rats after Exposure to Cyclophosphamide ¹ . <i>Biology of Reproduction</i> , 1997, 56, 1490-1497.	1.2	141
117	Transglutaminase and Clusterin Induction during Normal and Abnormal Limb Development in the Mouse ¹ . <i>Biology of Reproduction</i> , 1996, 55, 281-290.	1.2	15
118	Antisense Oligonucleotide Down-Regulation of E-Cadherin in the Yolk Sac and Cranial Neural Tube Malformations ¹ . <i>Biology of Reproduction</i> , 1995, 53, 1229-1238.	1.2	27
119	Induction of apoptosis and cathepsin D in limbs exposed in vitro to an activated analog of cyclophosphamide. <i>Teratology</i> , 1995, 52, 3-14.	1.8	34
120	Damage to Rat Spermatozoal DNA after Chronic Cyclophosphamide Exposure ¹ . <i>Biology of Reproduction</i> , 1995, 53, 1465-1473.	1.2	69
121	Effects of Chronic Low-Dose Cyclophosphamide Exposure on the Nuclei of Rat Spermatozoa ¹ . <i>Biology of Reproduction</i> , 1995, 52, 33-40.	1.2	53
122	Paternal Cyclophosphamide Exposure Causes Decreased Cell Proliferation in Cleavage-Stage Embryos ¹ . <i>Biology of Reproduction</i> , 1994, 50, 55-64.	1.2	31
123	Role of apoptosis in mediating phosphoramidate mustard-induced rat embryo malformations in vitro. <i>Teratology</i> , 1994, 50, 1-12.	1.8	38
124	12-O-tetradecanoyl-phorbol-13-acetate-induced rat embryo malformations in vitro are associated with an increased relative abundance of embryonic E-cadherin mRNA. <i>Teratology</i> , 1994, 50, 302-310.	1.8	2
125	Regulation of the Yp subunit of glutathione S-transferase p in rat embryos and yolk sacs during organogenesis. <i>Biochemical Pharmacology</i> , 1994, 47, 2029-2037.	2.0	15
126	Adverse Effects of Cyclophosphamide on Progeny Outcome can be Mediated Through Post-Testicular Mechanisms in the Rat ¹ . <i>Biology of Reproduction</i> , 1992, 46, 926-931.	1.2	57

#	ARTICLE	IF	CITATIONS
127	Paternal cyclophosphamide treatment causes postimplantation loss via inner cell mass-specific cell death. <i>Teratology</i> , 1992, 45, 313-318.	1.8	71
128	Increased postimplantation loss and malformations among the F2 progeny of male rats chronically treated with cyclophosphamide. <i>Teratology</i> , 1992, 45, 671-678.	1.8	113
129	Genetic differences in heat-induced tolerance to cadmium in cultured mouse embryos are not correlated with changes in a 68-kD heat shock protein. <i>Teratology</i> , 1992, 46, 191-200.	1.8	16
130	Heat-shock induced tolerance to the embryotoxic effects of hyperthermia and cadmium in mouse embryos in vitro. <i>Teratology</i> , 1991, 43, 83-94.	1.8	28
131	The effect of in vivo glutathione depletion with buthionine sulfoximine on rat embryo development. <i>Teratology</i> , 1991, 44, 251-257.	1.8	30
132	Cadherin mRNAs during rat embryo development in vivo and in vitro. <i>Teratology</i> , 1991, 44, 581-590.	1.8	24
133	Embryotoxicity of phenyl ketone analogs of cyclophosphamide. <i>Teratology</i> , 1989, 39, 31-37.	1.8	7
134	Effects of phosphoramidate mustard and acrolein, cytotoxic metabolites of cyclophosphamide, on mouse limb development in vitro. <i>Teratology</i> , 1989, 40, 11-20.	1.8	16
135	Role of the 4-hydroxy intermediate in the in vitro embryotoxicity of cyclophosphamide and dechlorocyclophosphamide. <i>Toxicology and Applied Pharmacology</i> , 1988, 92, 170-178.	1.3	16
136	Effect of Estradiol-Filled Polydimethylsiloxane Subdermal Implants in Adult Male Rats on the Reproductive System, Fertility, and Progeny Outcome ¹ . <i>Biology of Reproduction</i> , 1987, 37, 327-334.	1.2	36
137	A Time-Course Study of Chronic Paternal Cyclophosphamide Treatment in Rats: Effects on Pregnancy Outcome and the Male Reproductive and Hematologic Systems ¹ . <i>Biology of Reproduction</i> , 1987, 37, 317-326.	1.2	89
138	Protection of rat embryos in culture against the embryotoxicity of acrolein using exogenous glutathione. <i>Biochemical Pharmacology</i> , 1987, 36, 2187-2194.	2.0	20
139	Enhancement of the embryotoxicity of acrolein, but not phosphoramidate mustard, by glutathione depletion in rat embryos in vitro. <i>Biochemical Pharmacology</i> , 1987, 36, 2019-2025.	2.0	49
140	Effect of glutathione depletion by buthionine sulfoximine on rat embryonic development in vitro. <i>Biochemical Pharmacology</i> , 1987, 36, 683-688.	2.0	44
141	Cyclophosphamide in the seminal fluid of treated males: Transmission to females by mating and effect on pregnancy outcome. <i>Toxicology and Applied Pharmacology</i> , 1986, 84, 423-430.	1.3	74
142	Sodium 2-mercaptoethane sulfonate protection against cyclophosphamide-induced teratogenicity in rats. <i>Toxicology and Applied Pharmacology</i> , 1986, 82, 80-86.	1.3	13
143	Differential effects of 4-hydroperoxycyclophosphamide on limb development in vitro. <i>Teratology</i> , 1986, 34, 303-311.	1.8	9
144	Chronic Low Dose Cyclophosphamide Treatment of Adult Male Rats: Effect on Fertility, Pregnancy Outcome and Progeny ¹ . <i>Biology of Reproduction</i> , 1986, 34, 275-283.	1.2	161

#	ARTICLE	IF	CITATIONS
145	Paternal cyclophosphamide treatment of rats causes fetal loss and malformations without affecting male fertility. <i>Nature</i> , 1985, 316, 144-146.	13.7	211
146	Teratogenicity and embryoletality of acrolein and structurally related compounds in rats. <i>Teratology</i> , 1985, 32, 65-72.	1.8	47
147	Suppression of Spermatogenesis by Testosterone in Adult Male Rats: Effect on Fertility, Pregnancy Outcome and Progeny 1. <i>Biology of Reproduction</i> , 1984, 31, 221-230.	1.2	63
148	Effect on Pregnancy Outcome of Suppression of Spermatogenesis by Testosterone. <i>Annals of the New York Academy of Sciences</i> , 1984, 438, 546-548.	1.8	0
149	Relative mutagenicity and teratogenicity of cyclophosphamide and two of its structural analogs. <i>Biochemical Pharmacology</i> , 1983, 32, 3791-3795.	2.0	15
150	Differential regulation of male rat liver glutathione S-transferases. <i>Biochemical Pharmacology</i> , 1982, 31, 2389-2393.	2.0	9
151	Rat liver glutathione S-transferase B: The functional mRNAs specific for the Ya Yc subunits are induced differentially by phenobarbital. <i>Archives of Biochemistry and Biophysics</i> , 1982, 215, 539-543.	1.4	41
152	Differential induction of rat hepatic cytochrome P-448 and glutathione S-transferase B messenger RNAs by 3-methylcholanthrene. <i>Biochemical and Biophysical Research Communications</i> , 1982, 104, 611-619.	1.0	60
153	Induction of translationally active rat liver glutathione S-transferase B messenger RNA by phenobarbital. <i>Biochemical and Biophysical Research Communications</i> , 1981, 99, 1002-1010.	1.0	29
154	Modification of the teratogenicity and mutagenicity of cyclophosphamide with thiol compounds. <i>Teratology</i> , 1981, 23, 373-381.	1.8	33
155	The presence and longitudinal distribution of the glutathione S-transferase in rat epididymis and vas deferens. <i>Biochemical Journal</i> , 1980, 189, 135-142.	1.7	47
156	Characteristics of the activation of cyclophosphamide to a mutagen by rat liver. <i>Biochemical Pharmacology</i> , 1980, 29, 256-259.	2.0	33
157	Effects of phenobarbital and β -naphthoflavone on the activation of cyclophosphamide to mutagenic metabolites in vitro by liver and kidney from male and female rats. <i>Biochemical Pharmacology</i> , 1980, 29, 2031-2037.	2.0	27